Miyuki Azuma

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4085484/publications.pdf Version: 2024-02-01



Μινιικι Δζιιμλ

#	Article	IF	CITATIONS
1	VSIG4/CRIg directly regulates early CD8+ T cell activation through its counter-receptor in a narrow window. Biochemical and Biophysical Research Communications, 2022, 614, 100-106.	2.1	5
2	PD-L2 suppresses T cell signaling via coinhibitory microcluster formation and SHP2 phosphatase recruitment. Communications Biology, 2021, 4, 581.	4.4	14
3	Polymorphonuclear Myeloid-Derived Cells That Contribute to the Immune Paralysis Are Generated in the Early Phase of Sepsis via PD-1/PD-L1 Pathway. Infection and Immunity, 2021, 89, .	2.2	3
4	Overexpression of PD‣1 in gingival basal keratinocytes reduces periodontal inflammation in a ligatureâ€induced periodontitis model. Journal of Periodontology, 2021, , .	3.4	6
5	Japanese subgingival microbiota in health vs disease and their roles in predicted functions associated with periodontitis. Odontology / the Society of the Nippon Dental University, 2020, 108, 280-291.	1.9	44
6	Blockade Of PD-1 Attenuated Postsepsis Aspergillosis Via The Activation of IFN-γ and The Dampening of IL-10. Shock, 2020, 53, 514-524.	2.1	27
7	Tolerogenic properties of CD206+ macrophages appeared in the sublingual mucosa after repeated antigen-painting. International Immunology, 2020, 32, 509-518.	4.0	5
8	Orthotopic tongue squamous cell carcinoma (SCC) model exhibiting a different tumor-infiltrating T-cell status with margin-restricted CD8+ T cells and regulatory T cell-dominance, compared to skin SCC. Biochemical and Biophysical Research Communications, 2020, 526, 218-224.	2.1	5
9	Critical role of PD-L1 expression on non-tumor cells rather than on tumor cells for effective anti-PD-L1 immunotherapy in a transplantable mouse hematopoietic tumor model. Cancer Immunology, Immunotherapy, 2020, 69, 1001-1014.	4.2	7
10	Serum solubleÂB7-H3Âis a prognostic marker for patients with non-muscle-invasiveÂbladder cancer. PLoS ONE, 2020, 15, e0243379.	2.5	7
11	Endogenous IL-33 exerts CD8+ T cell antitumor responses overcoming pro-tumor effects by regulatory T cells in a colon carcinoma model. Biochemical and Biophysical Research Communications, 2019, 518, 331-336.	2.1	19
12	Deep sequencing reveals specific bacterial signatures in the subgingival microbiota of healthy subjects. Clinical Oral Investigations, 2019, 23, 1489-1493.	3.0	10
13	Silencing of PD-L2/B7-DC by Topical Application of Small Interfering RNA Inhibits Elicitation of Contact Hypersensitivity. Journal of Investigative Dermatology, 2019, 139, 2164-2173.e1.	0.7	9
14	Bacillus Calmette-Guérin Induces PD-L1 Expression on Antigen-Presenting Cells via Autocrine and Paracrine Interleukin-STAT3 Circuits. Scientific Reports, 2019, 9, 3655.	3.3	19
15	Differences of tumor-recruiting myeloid cells in murine squamous cell carcinoma influence the efficacy of immunotherapy combined with a TLR7 agonist and PD-L1 blockade. Oral Oncology, 2019, 91, 21-28.	1.5	7
16	VISTA Is Crucial for Corneal Allograft Survival and Maintenance of Immune Privilege. , 2019, 60, 4958.		10
17	VISTA expressed in tumour cells regulates T cell function. British Journal of Cancer, 2019, 120, 115-127.	6.4	133
18	Co-signal Molecules in T-Cell Activation. Advances in Experimental Medicine and Biology, 2019, 1189, 3-23.	1.6	45

#	Article	IF	CITATIONS
19	The CD28–B7 Family of Co-signaling Molecules. Advances in Experimental Medicine and Biology, 2019, 1189, 25-51.	1.6	41
20	The immune checkpoint molecule VISTA regulates allergen-specific Th2-mediated immune responses. International Immunology, 2018, 30, 3-11.	4.0	19
21	Serum soluble B7-H4 is a prognostic marker for patients with non-metastatic clear cell renal cell carcinoma. PLoS ONE, 2018, 13, e0199719.	2.5	14
22	Systemic administration of a TLR7 agonist attenuates regulatory T cells by dendritic cell modification and overcomes resistance to PD-L1 blockade therapy. Oncotarget, 2018, 9, 13301-13312.	1.8	24
23	Antiâ€ <scp>CD</scp> 3 treatment upâ€regulates programmed cell death proteinâ€1 expression on activated effector T cells and severely impairs their inflammatory capacity. Immunology, 2017, 151, 248-260.	4.4	29
24	Immune Checkpoint Molecule, VISTAÂRegulates T-Cell-Mediated Skin Inflammatory Responses. Journal of Investigative Dermatology, 2017, 137, 1384-1386.	0.7	10
25	Correlation of Circulating CD64+/CD163+ Monocyte Ratio and stroma/peri-tumoral CD163+ Monocyte Density with Human Papillomavirus Infected Cervical Lesion Severity. Cancer Microenvironment, 2017, 10, 77-85.	3.1	16
26	Contributions of Interleukinâ€33 and TSLP in a papainâ€soaked contact lensâ€induced mouse conjunctival inflammation model. Immunity, Inflammation and Disease, 2017, 5, 515-525.	2.7	17
27	<scp>PI</scp> 3Kâ€Akt pathway enhances the differentiation of interleukinâ€27â€induced type 1 regulatory T cells. Immunology, 2017, 152, 507-516.	4.4	14
28	Site-specific regulation of oral mucosa-recruiting CD8+ T cells in a mouse contact allergy model. Biochemical and Biophysical Research Communications, 2017, 490, 1294-1300.	2.1	8
29	Unique B7-H1 expression on masticatory mucosae in the oral cavity and trans-coinhibition by B7-H1-expressing keratinocytes regulating CD4+ T cell-mediated mucosal tissue inflammation. Mucosal Immunology, 2017, 10, 650-660.	6.0	12
30	Regulation of type 1 diabetes development and B-cell activation in nonobese diabetic mice by early life exposure to a diabetogenic environment. PLoS ONE, 2017, 12, e0181964.	2.5	16
31	Differential contribution of three immune checkpoint (VISTA, CTLA-4, PD-1) pathways to antitumor responses against squamous cell carcinoma. Oral Oncology, 2016, 57, 54-60.	1.5	93
32	TGF-β-induced phosphorylation of Akt and Foxo transcription factors negatively regulates induced regulatory T cell differentiation. Biochemical and Biophysical Research Communications, 2016, 480, 114-119.	2.1	14
33	Effector T cell function rather than survival determines extent and duration of hepatitis in mice. Journal of Hepatology, 2016, 64, 1327-1338.	3.7	5
34	Programmed death 1 and its ligands do not limit experimental foreign antigenâ€induced immune complex glomerulonephritis. Nephrology, 2015, 20, 892-898.	1.6	4
35	Differential control of CD4 ⁺ Tâ€cell subsets by the PDâ€1/PDâ€L1 axis in a mouse model of allergic asthma. European Journal of Immunology, 2015, 45, 1019-1029.	2.9	62
36	Intrinsic and extrinsic control of expression of the immunoregulatory molecule PD-L1 in epithelial cells and squamous cell carcinoma. Oral Oncology, 2015, 51, 221-228.	1.5	256

#	Article	IF	CITATIONS
37	An Interleukin-33-Mast Cell-Interleukin-2 Axis Suppresses Papain-Induced Allergic Inflammation by Promoting Regulatory T Cell Numbers. Immunity, 2015, 43, 175-186.	14.3	240
38	Programmed Death-1 Pathway in Host Tissues Ameliorates Th17/Th1-Mediated Experimental Chronic Graft-versus-Host Disease. Journal of Immunology, 2014, 193, 2565-2573.	0.8	67
39	Small interfering RNA against CD86 during allergen challenge blocks experimental allergic asthma. Respiratory Research, 2014, 15, 132.	3.6	34
40	HPV16 E2 protein promotes innate immunity by modulating immunosuppressive status. Biochemical and Biophysical Research Communications, 2014, 446, 977-982.	2.1	11
41	Repeated antigen painting and sublingual immunotherapy in mice convert sublingual dendritic cell subsets. Vaccine, 2014, 32, 5669-5676.	3.8	14
42	Dental Pulp Dendritic Cells Migrate to Regional Lymph Nodes. Journal of Dental Research, 2014, 93, 288-293.	5.2	17
43	RANKL Expression, Function, and Therapeutic Targeting in Multiple Myeloma and Chronic Lymphocytic Leukemia. Cancer Research, 2013, 73, 683-694.	0.9	53
44	PD-1, but Not PD-L1, Expressed by Islet-Reactive CD4+ T Cells Suppresses Infiltration of the Pancreas During Type 1 Diabetes. Diabetes, 2013, 62, 2859-2869.	0.6	64
45	Th2 Cell-Intrinsic Hypo-Responsiveness Determines Susceptibility to Helminth Infection. PLoS Pathogens, 2013, 9, e1003215.	4.7	54
46	Receptor Activator for NF-κB Ligand in Acute Myeloid Leukemia: Expression, Function, and Modulation of NK Cell Immunosurveillance. Journal of Immunology, 2013, 190, 821-831.	0.8	25
47	Host programmed death ligand 1 is dominant over programmed death ligand 2 expression in regulating graft-versus-host disease lethality. Blood, 2013, 122, 3062-3073.	1.4	156
48	Antibodies Against B7-DC with Differential Binding Properties Exert Opposite Effects. Hybridoma, 2012, 31, 40-47.	0.4	6
49	Process for immune defect and chromosomal translocation during early thymocyte development lacking ATM. Blood, 2012, 120, 789-799.	1.4	26
50	Programmed cell death 1 forms negative costimulatory microclusters that directly inhibit T cell receptor signaling by recruiting phosphatase SHP2. Journal of Experimental Medicine, 2012, 209, 1201-1217.	8.5	864
51	Intact <scp>B</scp> 7â€ <scp>H</scp> 3 signaling promotes allograft prolongation through preferential suppression of <scp>T</scp> h1 effector responses. European Journal of Immunology, 2012, 42, 2343-2353.	2.9	33
52	The Link between the PDL1 Costimulatory Pathway and Th17 in Fetomaternal Tolerance. Journal of Immunology, 2011, 187, 4530-4541.	0.8	145
53	A Response Regulator Rre37 and an RNA Polymerase Sigma Factor SigE Represent Two Parallel Pathways to Activate Sugar Catabolism in a Cyanobacterium Synechocystis sp. PCC 6803. Plant and Cell Physiology, 2011, 52, 404-412.	3.1	59
54	Differential expression of co-signal molecules and migratory properties in four distinct subsets of migratory dendritic cells from the oral mucosa. Biochemical and Biophysical Research Communications, 2011, 413, 407-413.	2.1	15

#	Article	IF	CITATIONS
55	Coexpression of Tim-3 and PD-1 identifies a CD8+ T-cell exhaustion phenotype in mice with disseminated acute myelogenous leukemia. Blood, 2011, 117, 4501-4510.	1.4	554
56	PD‣1 blockade overrides <i>Salmonella typhimurium</i> â€mediated diabetes prevention in NOD mice: No role for Tregs. European Journal of Immunology, 2011, 41, 2966-2976.	2.9	12
57	Increased prevalence of interleukinâ€17–producing CD4 ⁺ tumor infiltrating lymphocytes in human oral squamous cell carcinoma. Head and Neck, 2011, 33, 1301-1308.	2.0	37
58	B7-H1 Overexpression Regulates Epithelial–Mesenchymal Transition and Accelerates Carcinogenesis in Skin. Cancer Research, 2011, 71, 1235-1243.	0.9	84
59	Essential Role of B7-H1 in Double-Stranded RNA–Induced Augmentation of an Asthma Phenotype in Mice. American Journal of Respiratory Cell and Molecular Biology, 2011, 45, 31-39.	2.9	11
60	Blockade of B7-H1 (Programmed Death Ligand 1) Enhances Humoral Immunity by Positively Regulating the Generation of T Follicular Helper Cells. Journal of Immunology, 2011, 186, 5648-5655.	0.8	118
61	Th2 Responses to Helminth Parasites Can Be Therapeutically Enhanced by, but Are Not Dependent upon, GITR–GITR Ligand Costimulation In Vivo. Journal of Immunology, 2011, 187, 1411-1420.	0.8	20
62	The Novel Costimulatory Programmed Death Ligand 1/B7.1 Pathway Is Functional in Inhibiting Alloimmune Responses In Vivo. Journal of Immunology, 2011, 187, 1113-1119.	0.8	115
63	Genetic Engineering of Group 2 σ Factor SigE Widely Activates Expressions of Sugar Catabolic Genes in Synechocystis Species PCC 6803. Journal of Biological Chemistry, 2011, 286, 30962-30971.	3.4	116
64	Regulation of Trypanosoma cruzi-Induced Myocarditis by Programmed Death Cell Receptor 1. Infection and Immunity, 2011, 79, 1873-1881.	2.2	48
65	Immunoregulatory Molecule B7-H1 (CD274) Contributes to Skin Carcinogenesis. Cancer Research, 2011, 71, 4737-4741.	0.9	37
66	Paracrine IL-33 Stimulation Enhances Lipopolysaccharide-Mediated Macrophage Activation. PLoS ONE, 2011, 6, e18404.	2.5	45
67	Crucial roles of B7-H1 and B7-DC expressed on mesenteric lymph node dendritic cells in the generation of antigen-specific CD4+Foxp3+ regulatory T cells in the establishment of oral tolerance. Blood, 2010, 116, 2266-2276.	1.4	64
68	Program death-1 signaling and regulatory T cells collaborate to resist the function of adoptively transferred cytotoxic T lymphocytes in advanced acute myeloid leukemia. Blood, 2010, 116, 2484-2493.	1.4	263
69	PDâ€1/B7â€H1 Interaction Contribute to the Spontaneous Acceptance of Mouse Liver Allograft. American Journal of Transplantation, 2010, 10, 40-46.	4.7	100
70	In Vivo Function of Immune Inhibitory Molecule B7-H4 in Alloimmune Responses. American Journal of Transplantation, 2010, 10, 2355-2362.	4.7	13
71	Enhancement of effector CD8 ⁺ Tâ€cell function by tumourâ€associated B7â€H3 and modulation of its counterâ€receptor triggering receptor expressed on myeloid cellâ€like transcript 2 at tumour sites. Immunology, 2010, 130, 363-373.	4.4	36
72	Role of the Glucocorticoid-Induced TNFR-Related Protein (GITR)-GITR Ligand Pathway in Innate and Adaptive Immunity. Critical Reviews in Immunology, 2010, 30, 547-557.	0.5	36

#	Article	IF	CITATIONS
73	GITR Ligand–Mediated Local Expansion of Regulatory T Cells and Immune Privilege of Corneal Allografts. , 2010, 51, 6556.		44
74	CD4 T-Cell Help Programs a Change in CD8 T-Cell Function Enabling Effective Long-Term Control of Murine Gammaherpesvirus 68: Role of PD-1-PD-L1 Interactions. Journal of Virology, 2010, 84, 8241-8249.	3.4	17
75	Keratinocyte-Associated B7-H1 Directly Regulates Cutaneous Effector CD8+ T Cell Responses. Journal of Immunology, 2010, 184, 4918-4925.	0.8	36
76	Roles for TGF-β and Programmed Cell Death 1 Ligand 1 in Regulatory T Cell Expansion and Diabetes Suppression by Zymosan in Nonobese Diabetic Mice. Journal of Immunology, 2010, 185, 2754-2762.	0.8	26
77	Topical Application of siRNA Targeting Cutaneous Dendritic Cells in Allergic Skin Disease. Methods in Molecular Biology, 2010, 623, 373-381.	0.9	13
78	The Glucocorticoid-Induced TNF Receptor-Related Protein (GITR)-GITR Ligand Pathway Acts As a Mediator of Cutaneous Dendritic Cell Migration and Promotes T Cell-Mediated Acquired Immunity. Journal of Immunology, 2009, 182, 2708-2716.	0.8	28
79	PD-1/PD-L Blockade Prevents Anergy Induction and Enhances the Anti-Tumor Activities of Glycolipid-Activated Invariant NKT Cells. Journal of Immunology, 2009, 182, 2816-2826.	0.8	178
80	Impaired CD4 and CD8 Effector Function and Decreased Memory T Cell Populations in ICOS-Deficient Patients. Journal of Immunology, 2009, 182, 5515-5527.	0.8	139
81	Altered availability of PD-1/PD ligands is associated with the failure to control autoimmunity in NOD mice. Cellular Immunology, 2009, 258, 161-171.	3.0	15
82	Identification of three distinct subsets of migrating dendritic cells from oral mucosa within the regional lymph nodes. Immunology, 2009, 127, 558-566.	4.4	27
83	Enhancement of Tâ€cellâ€mediated antiâ€tumour immunity via the ectopically expressed glucocorticoidâ€induced tumour necrosis factor receptorâ€related receptor ligand (GITRL) on tumours. Immunology, 2009, 127, 489-499.	4.4	34
84	Interactions between PD-1 and PD-L1 promote tolerance by blocking the TCR–induced stop signal. Nature Immunology, 2009, 10, 1185-1192.	14.5	659
85	Expression of IFNâ€Ĥ before and after treatment of oral lichen planus with 0.1% fluocinolone acetonide in orabase. Journal of Oral Pathology and Medicine, 2009, 38, 689-694.	2.7	20
86	Possible involvement of soluble B7-H4 in T cell-mediated inflammatory immune responses. Biochemical and Biophysical Research Communications, 2009, 389, 349-353.	2.1	25
87	Tim-3 mediates phagocytosis of apoptotic cells and cross-presentation. Blood, 2009, 113, 3821-3830.	1.4	353
88	Allergenâ€specific immunotherapy alters the expression of B and T lymphocyte attenuator, a coâ€inhibitory molecule, in allergic rhinitis. Clinical and Experimental Allergy, 2008, 38, 1891-1900.	2.9	23
89	B7-DC induced by IL-13 works as a feedback regulator in the effector phase of allergic asthma. Biochemical and Biophysical Research Communications, 2008, 365, 170-175.	2.1	47
90	GITR ligand-costimulation activates effector and regulatory functions of CD4+ T cells. Biochemical and Biophysical Research Communications, 2008, 369, 1134-1138.	2.1	44

#	Article	IF	CITATIONS
91	Critical Role of Donor Tissue Expression of Programmed Death Ligand-1 in Regulating Cardiac Allograft Rejection and Vasculopathy. Circulation, 2008, 117, 660-669.	1.6	89
92	Topical Application of Cream-emulsified CD86 siRNA Ameliorates Allergic Skin Disease by Targeting Cutaneous Dendritic Cells. Molecular Therapy, 2008, 16, 1323-1330.	8.2	81
93	Cutting Edge: Programmed Death-1/Programmed Death Ligand 1 Interaction Regulates the Induction and Maintenance of Invariant NKT Cell Anergy. Journal of Immunology, 2008, 181, 6707-6710.	0.8	131
94	Triggering receptor expressed on myeloid cell-like transcript 2 (TLT-2) is a counter-receptor for B7-H3 and enhances T cell responses. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 10495-10500.	7.1	180
95	Peripheral Tolerance and the Qualitative Characteristics of Autoreactive T Cell Clones in Primary Biliary Cirrhosis. Journal of Immunology, 2007, 179, 3315-3324.	0.8	10
96	PDL1 Is Required for Peripheral Transplantation Tolerance and Protection from Chronic Allograft Rejection. Journal of Immunology, 2007, 179, 5204-5210.	0.8	176
97	Roles of programmed death-1 (PD-1)/PD-1 ligands pathway in the development of murine acute myocarditis caused by coxsackievirus B3. Cardiovascular Research, 2007, 75, 158-167.	3.8	51
98	A Link between PDL1 and T Regulatory Cells in Fetomaternal Tolerance. Journal of Immunology, 2007, 179, 5211-5219.	0.8	136
99	Clinical Significance and Therapeutic Potential of the Programmed Death-1 Ligand/Programmed Death-1 Pathway in Human Pancreatic Cancer. Clinical Cancer Research, 2007, 13, 2151-2157.	7.0	783
100	Involvement of the Programmed Death-1/Programmed Death-1 Ligand Pathway in CD4+CD25+ Regulatory T-Cell Activity to Suppress Alloimmune Responses. Transplantation, 2007, 83, 774-782.	1.0	112
101	Plasmacytoid dendritic cells from mouse tumor-draining lymph nodes directly activate mature Tregs via indoleamine 2,3-dioxygenase. Journal of Clinical Investigation, 2007, 117, 2570-2582.	8.2	698
102	Sugar catabolism regulated by light- and nitrogen-status in the cyanobacterium Synechocystis sp. PCC 6803. Photochemical and Photobiological Sciences, 2007, 6, 508.	2.9	47
103	B7-1 mediated costimulation regulates pancreatic autoimmunity. Molecular Immunology, 2007, 44, 2616-2624.	2.2	12
104	Intrahepatic expression of the coâ€stimulatory molecules programmed deathâ€1, and its ligands in autoimmune liver disease. Pathology International, 2007, 57, 485-492.	1.3	54
105	Mechanisms of PDL1-mediated regulation of autoimmune diabetes. Clinical Immunology, 2007, 125, 16-25.	3.2	111
106	Multipotency of CD11bhighGr-1+ immature myeloid cells accumulating in oral squamous cell carcinoma-bearing mice. Oral Oncology, 2007, 43, 586-592.	1.5	7
107	Overexpression of B7-H1 (PD-L1) significantly associates with tumor grade and postoperative prognosis in human urothelial cancers. Cancer Immunology, Immunotherapy, 2007, 56, 1173-1182.	4.2	413
108	Expression and function of the B and T lymphocyte attenuator (BTLA/CD272) on human T cells. Biochemical and Biophysical Research Communications, 2006, 344, 1121-1127.	2.1	80

#	Article	IF	CITATIONS
109	Fundamental mechanisms of host immune responses to infection. Journal of Periodontal Research, 2006, 41, 361-373.	2.7	54
110	Expression and Regulation of Human CD275 on Endothelial Cells in Healthy and Inflamed Mucosal Tissues. Scandinavian Journal of Immunology, 2006, 63, 191-198.	2.7	11
111	Predominant expression of B7-H1 and its immunoregulatory roles in oral squamous cell carcinoma. Oral Oncology, 2006, 42, 268-274.	1.5	86
112	The existence of CD11c+ sentinel and F4/80+ interstitial dendritic cells in dental pulp and their dynamics and functional properties. International Immunology, 2006, 18, 1375-1384.	4.0	36
113	Differential Role of Programmed Death-Ligand 1 and Programmed Death-Ligand 2 in Regulating the Susceptibility and Chronic Progression of Experimental Autoimmune Encephalomyelitis. Journal of Immunology, 2006, 176, 3480-3489.	0.8	122
114	B7-H1-Induced Apoptosis as a Mechanism of Immune Privilege of Corneal Allografts. Journal of Immunology, 2006, 177, 5928-5935.	0.8	190
115	Involvement of programmed death-ligand 2 (PD-L2) in the development of experimental allergic conjunctivitis in mice. British Journal of Ophthalmology, 2006, 90, 1040-1045.	3.9	28
116	Preferential Involvement of Tim-3 in the Regulation of Hepatic CD8+ T Cells in Murine Acute Graft-versus-Host Disease. Journal of Immunology, 2006, 177, 4281-4287.	0.8	104
117	Insulin-induced remission in new-onset NOD mice is maintained by the PD-1–PD-L1 pathway. Journal of Experimental Medicine, 2006, 203, 2737-2747.	8.5	280
118	Role of the Programmed Death-1 Pathway in Regulation of Alloimmune Responses In Vivo. Journal of Immunology, 2005, 174, 3408-3415.	0.8	164
119	Clinical Significance of Programmed Death-1 Ligand-1 and Programmed Death-1 Ligand-2 Expression in Human Esophageal Cancer. Clinical Cancer Research, 2005, 11, 2947-2953.	7.0	714
120	Blockade of B7-H1 on Macrophages Suppresses CD4+ T Cell Proliferation by Augmenting IFN-Î ³ -Induced Nitric Oxide Production. Journal of Immunology, 2005, 175, 1586-1592.	0.8	129
121	Analysis of the Role of Negative T Cell Costimulatory Pathways in CD4 and CD8 T Cell-Mediated Alloimmune Responses In Vivo. Journal of Immunology, 2005, 174, 6648-6656.	0.8	139
122	A critical role for the programmed death ligand 1 in fetomaternal tolerance. Journal of Experimental Medicine, 2005, 202, 231-237.	8.5	375
123	Expression of B7-H1 and B7-DC on the airway epithelium is enhanced by double-stranded RNA. Biochemical and Biophysical Research Communications, 2005, 330, 263-270.	2.1	40
124	B7-H1 Expression on Non-Small Cell Lung Cancer Cells and Its Relationship with Tumor-Infiltrating Lymphocytes and Their PD-1 Expression. Clinical Cancer Research, 2004, 10, 5094-5100.	7.0	633
125	B7-DC Regulates Asthmatic Response by an IFN-γ-Dependent Mechanism. Journal of Immunology, 2004, 172, 2530-2541.	0.8	136
126	Blockade of the Interaction Between PD-1 and PD-L1 Accelerates Graft Arterial Disease in Cardiac Allografts. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 2057-2062.	2.4	88

#	Article	IF	CITATIONS
127	Costimulation via Glucocorticoid-Induced TNF Receptor in Both Conventional and CD25+ Regulatory CD4+ T Cells. Journal of Immunology, 2004, 172, 7306-7314.	0.8	273
128	Phase I Study of Autologous Tumor Vaccines Transduced with the GM-CSF Gene in Four Patients with Stage IV Renal Cell Cancer in Japan: Clinical and Immunological Findings. Molecular Therapy, 2004, 10, 799-816.	8.2	76
129	Accessory cell function of airway epithelial cells. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2004, 287, L318-L331.	2.9	32
130	Inducible-costimulator-mediated suppression of human immunodeficiency virus type 1 replication in CD4+ T lymphocytes. Virology, 2004, 325, 252-263.	2.4	8
131	The expression of B7-H1 on keratinocytes in chronic inflammatory mucocutaneous disease and its regulatory role. Immunology Letters, 2004, 94, 215-222.	2.5	67
132	Expression of membrane-bound and soluble receptor activator of NF-κB ligand (RANKL) in human T cells. Immunology Letters, 2004, 94, 239-246.	2.5	70
133	The expression and function of costimulatory molecules B7H and B7-H1 on colonic epithelial cells. Gastroenterology, 2004, 126, 1347-1357.	1.3	141
134	The deficiency of immunoregulatory receptor PD-1 causes mild osteopetrosis. Bone, 2004, 35, 1059-1068.	2.9	28
135	Programmed death-1–programmed death-L1 interaction is essential for induction of regulatory cells by intratracheal delivery of alloantigen. Transplantation, 2004, 77, 6-12.	1.0	34
136	BAFF/BLyS can potentiate B-cell selection with the B-cell coreceptor complex. Blood, 2004, 103, 2257-2265.	1.4	151
137	Preferential contribution of B7â€H1 to programmed deathâ€1â€mediated regulation of haptenâ€specific allergic inflammatory responses. European Journal of Immunology, 2003, 33, 2773-2782.	2.9	119
138	Ameliorating effect of anti-inducible costimulator monoclonal antibody in a murine model of chronic colitis. Gastroenterology, 2003, 124, 410-421.	1.3	64
139	The Programmed Death-1 (PD-1) Pathway Regulates Autoimmune Diabetes in Nonobese Diabetic (NOD) Mice. Journal of Experimental Medicine, 2003, 198, 63-69.	8.5	697
140	Differential binding properties of B7-H1 and B7-DC to programmed death-1. Biochemical and Biophysical Research Communications, 2003, 307, 672-677.	2.1	181
141	Blockade of B7-H1 Suppresses the Development of Chronic Intestinal Inflammation. Journal of Immunology, 2003, 171, 4156-4163.	0.8	163
142	Cooperative B7-1/2 (CD80/CD86) and B7-DC Costimulation of CD4+ T Cells Independent of the PD-1 Receptor. Journal of Experimental Medicine, 2003, 198, 31-38.	8.5	144
143	Critical Role of the Programmed Death-1 (PD-1) Pathway in Regulation of Experimental Autoimmune Encephalomyelitis. Journal of Experimental Medicine, 2003, 198, 71-78.	8.5	461
144	Involvement of Inducible Costimulator-B7 Homologous Protein Costimulatory Pathway in Murine Lupus Nephritis. Journal of Immunology, 2003, 171, 2848-2854.	0.8	114

#	Article	IF	CITATIONS
145	Expression of Programmed Death 1 Ligands by Murine T Cells and APC. Journal of Immunology, 2002, 169, 5538-5545.	0.8	831
146	Amelioration of Collagen-Induced Arthritis by Blockade of Inducible Costimulator-B7 Homologous Protein Costimulation. Journal of Immunology, 2002, 169, 4332-4339.	0.8	139
147	Expression of tumor necrosis factor ligand superfamily costimulatory molecules CD27L, CD30L, OX40L and 4-1BBL in the heart of patients with acute myocarditis and dilated cardiomyopathy. Cardiovascular Pathology, 2002, 11, 166-170.	1.6	17
148	The Effect of Recombinant CD80-Adenovirus and Interleukin-12 on Generation of Cytotoxic T Lymphocytes Against Autologous Tumour in Patients with Oral Squamous Cell Carcinoma. Asian Journal of Oral and Maxillofacial Surgery, 2002, 14, 87-94.	0.1	0
149	Differential graft-versus -leukaemia effect by CD28 and CD40 co-stimulatory blockade after graft-versus -host disease prophylaxis. Clinical and Experimental Immunology, 2002, 129, 61-68.	2.6	21
150	Expression of costimulatory CD80/CD86-CD28/CD152 molecules in nasal mucosa of patients with perennial allergic rhinitis. Clinical and Experimental Allergy, 2001, 31, 1242-1249.	2.9	22
151	The Role of CTLA-4 in Murine Contact Hypersensitivity. Journal of Investigative Dermatology, 2001, 116, 764-768.	0.7	18
152	Replication-deficient adenovirus-mediated transfer of B7-1 (CD80) cDNA induces anti-tumour immunity in isolated human lung cancer. Respirology, 2001, 6, 135-144.	2.3	8
153	Expression of tumour necrosis factor (TNF) ligand superfamily co-stimulatory molecules CD30L, CD27L, OX40L, and 4-1BBL in murine hearts with acute myocarditis caused by Coxsackievirus B3. Journal of Pathology, 2001, 195, 593-603.	4.5	48
154	Rapid induction of CD95 ligand and CD4+ T cell-mediated apoptosis by CD137 (4–1BB) costimulation. European Journal of Immunology, 2001, 31, 1410-1416.	2.9	11
155	Preferential Blockade of CD8+ T Cell Responses by Administration of Anti-CD137 Ligand Monoclonal Antibody Results in Differential Effect on Development of Murine Acute and Chronic Graft-Versus-Host Diseases. Journal of Immunology, 2001, 167, 4981-4986.	0.8	42
156	Differential Role of CD80 and CD86 Molecules in the Induction and the Effector Phases of Allergic Rhinitis in Mice. American Journal of Respiratory and Critical Care Medicine, 2001, 164, 1501-1507.	5.6	30
157	IMMUNOTHERAPY WITH NONDEPLETING ANTI-CD4 MONOCLONAL ANTIBODIES BUT NOT CD28 ANTAGONISTS PROTECTS ISLET GRAFT IN SPONTANEOUSLY DIABETIC NOD MICE FROM AUTOIMMUNE DESTRUCTION AND ALLOGENEIC AND XENOGENEIC GRAFT REJECTION1. Transplantation, 2001, 71, 1656-1665.	1.0	39
158	Stat6 activation and Th2 cell proliferation driven by CD28 signals. European Journal of Immunology, 2000, 30, 1416-1424.	2.9	22
159	Blockade of CTLA-4 Signals Inhibits Th2-Mediated Murine Chronic Graft-Versus-Host Disease by an Enhanced Expansion of Regulatory CD8+ T Cells. Journal of Immunology, 2000, 164, 664-669.	0.8	37
160	Enterotoxin Adjuvants Have Direct Effects on T Cells and Antigenâ€Presenting Cells That Result in Either Interleukinâ€4–Dependent or –Independent Immune Responses. Journal of Infectious Diseases, 2000, 182, 180-190.	4.0	63
161	Progress reports on immune gene therapy for stage IV renal cell cancer using lethally irradiated granulocyte-macrophage colony-stimulating factor-transduced autologous renal cancer cells. Cancer Chemotherapy and Pharmacology, 2000, 46, S73-S76.	2.3	18
162	Fas/Fas ligand-mediated apoptosis of murine Langerhans cells. Journal of Dermatological Science, 2000, 22, 96-101.	1.9	13

#	Article	IF	CITATIONS
163	Tumour rejection by gene transfer of 4-1BB ligand into a CD80+ murine squamous cell carcinoma and the requirements of co-stimulatory molecules on tumour and host cells. Immunology, 2000, 101, 541-547.	4.4	51
164	Tç∽胞costimulationãëç−¾æ,£. Kokubyo Gakkai Zasshi, 2000, 67, 233-239.	0.0	0
165	Augmentation of CTLA-4 expression by wortmannin: involvement of lysosomal sorting properties of CTLA-4. International Immunology, 1999, 11, 1563-1571.	4.0	16
166	Fas/Fas ligand-mediated elimination of antigen-bearing Langerhans cells in draining lymph nodes. British Journal of Dermatology, 1999, 141, 201-205.	1.5	15
167	Effects ofin vivo administration of anti-B7-1/B7-2 monoclonal antibodies on the survival of mice with chronic ongoing myocarditis caused by Coxsackievirus B3. , 1999, 188, 107-112.		9
168	Expression of tumour necrosis factor (TNF) receptor/ligand superfamily co-stimulatory molecules CD40, CD30L, CD27L, and OX40L in murine hearts with chronic ongoing myocarditis caused by Coxsackie virus B3. , 1999, 188, 423-430.		17
169	Functional expression of costimulatory molecule CD86 on epithelial cells in the inflamed colonic mucosa. Gastroenterology, 1999, 117, 536-545.	1.3	65
170	Evidence of Cell-Mediated Cardiac Myocyte Injury Involved in the Heart Failure of a Patient With Progressive Systemic Sclerosis. Japanese Circulation Journal, 1999, 63, 68-72.	1.0	4
171	Marked Suppression of T Cells by a Benzothiophene Derivative in Patients with Human T-Lymphotropic Virus Type I-Associated Myelopathy/Tropical Spastic Paraparesis. Vaccine Journal, 1999, 6, 316-322.	2.6	10
172	Vaccine effect of granulocyte–macrophage colony-stimulating factor or CD80 gene-transduced murine hematopoietic tumor cells and their cooperative enhancement of antitumor immunity. Gene Therapy, 1998, 5, 1355-1362.	4.5	37
173	Expression of B7 coâ€stimulatory molecules and CD1a antigen by alveolar macrophages in allergic bronchial asthma. Clinical and Experimental Allergy, 1998, 28, 1359-1367.	2.9	37
174	Effects of In Vivo Administration of Anti–B7-1/B7-2 Monoclonal Antibodies on Murine Acute Myocarditis Caused by Coxsackievirus B3. Circulation Research, 1998, 82, 613-618.	4.5	38
175	Expression of Costimulatory Molecule CD40 in Murine Heart With Acute Myocarditis and Reduction of Inflammation by Treatment With Anti-CD40L/B7-1 Monoclonal Antibodies. Circulation Research, 1998, 83, 463-469.	4.5	39
176	Expression of Costimulatory Molecules B7–1, B7–2, and CD40 in the Heart of Patients With Acute Myocarditis and Dilated Cardiomyopathy. Circulation, 1998, 97, 637-639.	1.6	39
177	Protective and Therapeutic Immunity Against Leukemia Induced by Irradiated B7-1 (CD80)-Transduced Leukemic Cells. Human Gene Therapy, 1997, 8, 1375-1384.	2.7	29
178	Requirement of CD28-CD86 co-stimulation in the interaction between antigen-primed T helper type 2 and B cells. International Immunology, 1997, 9, 637-644.	4.0	55
179	Characterization of rat CD80 and CD86 by molecular cloning and mAb. International Immunology, 1997, 9, 993-1000.	4.0	41
180	Serum levels of soluble Fas/APOâ€1 (CD95) and its molecular structure in patients with systemic lupus erythematosus (SLE) and other autoimmune diseases. Clinical and Experimental Immunology, 1997, 107, 89-95.	2.6	92

#	Article	IF	CITATIONS
181	New strategy of immunoregulation The Journal of the Japanese Society of Internal Medicine, 1997, 86, 1778-1783.	0.0	0
182	Involvement of Fas and Fas ligand interaction in allogeneic hepatocyte rejection in the spleen. Transplantation Proceedings, 1997, 29, 2187-2188.	0.6	3
183	Costimulatory Effect of IL-12 on the Activation of Naive, Memory CD4+T Cells, and Th1 Clone. Cellular Immunology, 1997, 176, 50-58.	3.0	20
184	Efficient Virus Transmission from Dendritic Cells to CD4+T Cells in Response to Antigen Depends on Close Contact through Adhesion Molecules. Virology, 1997, 239, 259-268.	2.4	67
185	CD8+ T cells and not CD4+ T cells are hyporesponsive to CD28- and CD40L-mediated activation in HIV-infected subjects. Clinical and Experimental Immunology, 1997, 107, 440-447.	2.6	18
186	Critical role of Fas/Fas ligand interaction in CD28-independent pathway of allogeneic murine hepatocyte rejection. Hepatology, 1997, 26, 944-948.	7.3	22
187	HTLV-I-infected T cells activate autologous CD4+ T cells susceptible to HTLV-I infection in a co-stimulatory molecule-dependent fashion. European Journal of Immunology, 1997, 27, 1427-1432.	2.9	14
188	GM-CSF and B7-1 (CD80) co-stimulatory signals co-operate in the induction of effective anti-tumor immunity in syngeneic mice. , 1997, 73, 556-561.		24
189	Functional CD86 (B7-2/B70) is predominantly expressed on Langerhans cells in atopic dermatitis. British Journal of Dermatology, 1997, 136, 838-845.	1.5	25
190	Decreased inducible expression of CD80 and CD86 in human monocytes after ultraviolet-B irradiation: its involvement in inactivation of allogenecity. Blood, 1996, 87, 2386-2393.	1.4	20
191	Generation of CD1+RelB+ dendritic cells and tartrate-resistant acid phosphatase-positive osteoclast-like multinucleated giant cells from human monocytes. Blood, 1996, 88, 4029-4039.	1.4	195
192	Soluble Fas molecule in the serum of patients with systemic lupus erythematosus. Journal of Clinical Immunology, 1996, 16, 261-265.	3.8	48
193	B7-1 synergizes with interleukin-12 in interleukin-2 receptor α expression by mouse T helper 1 clones. European Journal of Immunology, 1996, 26, 300-306.	2.9	14
194	Antigen-specific B cells are required for the secondary response of T cells but not for their priming. European Journal of Immunology, 1996, 26, 1628-1633.	2.9	16
195	Effect of CD80 and CD86 blockade and anti-interleukin-12 treatment on mouse acute graftversus-host disease. European Journal of Immunology, 1996, 26, 3098-3106.	2.9	27
196	The presence of costimulatory molecules CD86 and CD28 in rheumatoid arthritis synovium. Arthritis and Rheumatism, 1996, 39, 110-114.	6.7	65
197	Preferential elimination of CD28+ T cells in systemic lupus erythematosus (SLE) and the relation with activation-induced apoptosis. Clinical and Experimental Immunology, 1996, 106, 218-229.	2.6	71
198	Functional CD86 (B7-2/B70) on Cultured Human Langerhans Cells. Journal of Investigative Dermatology, 1996, 106, 147-153.	0.7	36

#	Article	IF	CITATIONS
199	The differential role of CD86 and CD80 co-stimulatory molecules in the induction and the effector phases of contact hypersensitivity. International Immunology, 1996, 8, 917-926.	4.0	82
200	Suppression of humoral immunity by monoclonal antibody to CD79b, an invariant component of antigen receptors on B lymphocytes. International Journal of Hematology, 1996, 64, 39.	1.6	8
201	Perforin-Positive Leukemic Cell Infiltration in the Heart of a Patient with T-Cell Prolymphocytic Leukemia Internal Medicine, 1995, 34, 782-784.	0.7	1
202	Preferential dependence of autoantibody production in murine lupus on CD86 costimulatory molecule. European Journal of Immunology, 1995, 25, 3060-3069.	2.9	154
203	Adhesion of Plasmodium Falciparwn-Infected Erythroeytes to Human Cells and Seeretion of Cytokines (IL-1-beta, IL-1RA, IL-6, IL-8, IL-10, TGFbeta, TNFalpha, G-CSF, GM-CSF). Scandinavian Journal of Immunology, 1995, 42, 626-636.	2.7	39
204	CD86 (B70/B7–2) on endothelial cells co-stimulates allogeneic CD4+T cells. International Immunology, 1995, 7, 1331-1337.	4.0	38
205	Apoptotic signaling through CD95 (Fas/Apo-1) activates an acidic sphingomyelinase Journal of Experimental Medicine, 1994, 180, 1547-1552.	8.5	526
206	B70/B7-2 is identical to CD86 and is the major functional ligand for CD28 expressed on human dendritic cells Journal of Experimental Medicine, 1994, 180, 1841-1847.	8.5	327
207	The tissue distribution of the B7-2 costimulator in mice: abundant expression on dendritic cells in situ and during maturation in vitro Journal of Experimental Medicine, 1994, 180, 1849-1860.	8.5	568
208	B70 antigen is a second ligand for CTLA-4 and CD28. Nature, 1993, 366, 76-79.	27.8	883
209	Functional expression of B7/BB1 on activated T lymphocytes Journal of Experimental Medicine, 1993, 177, 845-850.	8.5	258
210	Expression of perforin and cytolytic potential of human peripheral blood lymphocyte subpopulations. International Immunology, 1992, 4, 1049-1054.	4.0	66
211	CD28 interaction with B7 costimulates primary allogeneic proliferative responses and cytotoxicity mediated by small, resting T lymphocytes Journal of Experimental Medicine, 1992, 175, 353-360.	8.5	337
212	A novel beta 4, alpha 6 integrin-associated epithelial cell antigen involved in natural killer cell and antigen-specific cytotoxic T lymphocyte cytotoxicity Journal of Experimental Medicine, 1991, 174, 1571-1581.	8.5	17
213	Studies on Murine IgE with Monoclonal Antibodies. International Archives of Allergy and Immunology, 1988, 85, 47-54.	2.1	49
214	Transforming genes in human leukemia cells. Blood, 1985, 66, 1371-1378.	1.4	50