

Julien Caudron

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4086043/publications.pdf>

Version: 2024-02-01

423
papers

28,215
citations

5574
82
h-index

10158
140
g-index

426
all docs

426
docs citations

426
times ranked

10703
citing authors

#	ARTICLE	IF	CITATIONS
1	The CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2008, 3, S08004-S08004.	1.2	2,192
2	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	497
3	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017, 77, 317.	3.9	489
4	Observation and studies of jet quenching in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>Physical Review C</i> , 2011, 84, 054905.	2.9	455
5	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 292. Transverse-Momentum and Pseudorapidity Distributions of Charged Hadrons in $\sqrt{s} = 13 \text{ TeV}$ Proton-Proton Collisions. <i>European Physical Journal C</i> , 2016, 76, 293.	3.9	453
6	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Physical Review Letters</i> , 2010, 105, 022002.	7.8	400
7	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	369
8	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017, 77, 490.	3.9	325
9	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	320
10	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 235.	3.9	320
11	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 581.	3.9	298
12	Luminosity determination in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 653.	3.9	279
13	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	3.9	274
14	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 299.	3.9	238
15	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 2.36 TeV . <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	230
16	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 110.	3.9	218
17	Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy. <i>Physical Review Letters</i> , 2011, 107, 221804.	7.8	208
18	Suppression of non-prompt J/ψ, prompt J/ψ, and Υ(1S) in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	200

#	ARTICLE	IF	CITATIONS
19	Search for an additional, heavy Higgs boson in the $\rightarrow ZZ \rightarrow H \rightarrow Z Z$ decay channel at $\sqrt{s} = 8\text{ TeV}$ in $p p$ collision data with the ATLAS detector. European Physical Journal C, 2016, 76, 45.	3.9	197
20	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	181
21	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
22	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	3.9	174
23			

#	ARTICLE	IF	CITATIONS
37	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138
38	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	136
39	Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2011, 71, 1.	3.9	135
40	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
41	A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	129
42	Search for Dijet Resonances in 7 TeV collisions at CMS. Physical Review Letters, 2010, 105, 211801. Measurement of the dijet cross section in $\sqrt{s} = 7$ TeV collisions at CMS.	7.8	126
43	Collisions at $\sqrt{s} = 7$ TeV. Physical Review Letters, 2011, 107, 132001.	7.8	125
44	Measurement of differential top-quark-pair production cross sections in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	3.9	125
45	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
46	Evidence for the 125 GeV Higgs boson decaying to a pair of $t\bar{t}$, leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
47	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
48	Measurements of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 2011, 1. Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s} = 7$ TeV.	4.7	122
49	Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 256-277.	4.1	122
50	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
51	Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142.	4.1	118
52	Searches for long-lived charged particles in pp collisions at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
53	Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
54	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	116

#	ARTICLE	IF	CITATIONS
55	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	116
56	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 538.	3.9	115
57	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5. Measurement of the rapidity and transverse momentum distributions of bosons in collisions at $\sqrt{s} = 8 \text{ TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">$\text{Z}$$\text{bosons}$ in collisions at $\sqrt{s} = 8 \text{ TeV}$	3.9	109
58	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5. Measurement of the rapidity and transverse momentum distributions of bosons in collisions at $\sqrt{s} = 8 \text{ TeV}$. xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">$\text{Z}$$\text{bosons}$ in collisions at $\sqrt{s} = 8 \text{ TeV}$	4.7	108
59	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	108
60	Search for heavy resonances decaying into WW in the $e^+e^- \rightarrow W^+W^- \rightarrow e^+e^- + \nu\bar{\nu}$ final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 24.	3.9	108
61	Charged particle multiplicities in pp interactions at $\sqrt{s} = 0.9, 2.36$, and 7 TeV . <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	106
62	Towards an understanding of the correlations in jet substructure. <i>European Physical Journal C</i> , 2015, 75, 1.	3.9	103
63	Search for heavy ZZ resonances in the $Z \rightarrow e^+e^- + \ell^+\ell^- + \mu^+\mu^-$ final states using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 293.	3.9	101
64	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	100
65	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	99
66	Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7 \text{ TeV}$ and comparison with $\sqrt{s} = 0.9 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	97
67	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	95
68	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335.	3.9	95
69	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.	3.9	95
70	Measurement of $W+W^-$ production and search for the Higgs boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 699, 25-47.	3.9	95
71	Measurements of the $W+W^-$ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 82.	3.9	92
72	First measurement of the cross section for top-quark pair production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 695, 424-443.	4.1	90

#	ARTICLE	IF	CITATIONS
73	Search for Higgs boson pair production in the $\bar{b}b\bar{b}b$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
74	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
75	Upsilon production cross section in $\bar{b}b$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2011, 83.	4.7	88
76	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
77	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
78	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
79	Study of double parton scattering using $W + 2$ -jet events in proton-proton collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
80	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	85
81	Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV. European Physical Journal C, 2014, 74, 2847.	3.9	85
82	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
83	Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	83
84	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
85	J/ψ and ψ(2S) production in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	81
86	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
87	Measurement of the prompt J/ψ production cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	7.8	80
88	Study of J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Physical Review Letters, 2011, 106, 212301.	7.8	80
89	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	3.9	80
90	Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 28-49.	4.1	79

#	ARTICLE	IF	CITATIONS
91	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
92	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
93	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
94	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
95	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
96	Search for dark matter in events with heavy quarks and missing transverse momentum in $p p$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
97	Study of exclusive two-photon production of $W+W^-$ in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
98	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2014, 74, 1.	3.9	75
99	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
100	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171. Search for Neutral Minimal Supersymmetric Standard Model Higgs Bosons Decaying to Tau Pairs in $p p$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2011, 70, 221801.	3.9	75
101	Collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2014, 74, 1.	7.8	74
102	Search for resonant diboson production in the $q q \rightarrow q q \bar{\chi}^{\pm}$ final state in $p p$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
103	Measurement of the $X(3872)$ production cross section via decays to $J/\psi \pi^+ \pi^-$ in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
104	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
105	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
106	Search for supersymmetry at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
107	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71
108	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71

#	ARTICLE	IF	CITATIONS
109	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332. Measurement of the $\text{t-channel single top quark production cross section}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	3.9	71
110	Section in $\text{t-channel single top quark production cross section}$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	7.8	70
111	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
112	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 303.	3.9	70
113	Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
114	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	69
115	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	69
116	Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}, \tau^+\tau^-$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
117	Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
118	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
119	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
120	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_N} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
121	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
122	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
123	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	3.9	66
124	Measurement of the differential cross section for isolated prompt photon production in pp collisions at $\sqrt{s_N} = 2.76 \text{ TeV}$. Physical Review D, 2011, 84, .	4.7	65
125	Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
126	Search for microscopic black hole signatures at the Large Hadron Collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 697, 434-453.	4.1	65

#	ARTICLE	IF	CITATIONS
127	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 3129.	3.9	65
128	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2283.	3.9	64
129	Observation and measurements of the production of prompt and non-prompt J/ψ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	3.9	64
130	Evidence for the $H \rightarrow b\bar{b} \rightarrow b\bar{b} \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	64
131	Search for Signatures of Extra Dimensions in the Diphoton Mass Spectrum at the Large Hadron Collider. Physical Review Letters, 2012, 108, 111801.	7.8	63
132	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
133	Measurement of the W+W γ cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous WW γ^3 and WWZ couplings. European Physical Journal C, 2013, 73, 1.	7.8	62
134	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 120.	3.9	62
135	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 154.	3.9	62
136	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	3.9	61
137	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	3.9	61
138	Performance of algorithms that reconstruct missing transverse momentum in proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
139	Dijet Azimuthal Decorrelations in Collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2011, 106, 122003.	3.9	61
140	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
141	Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60

#	ARTICLE	IF	CITATIONS
145	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 3.9 2015, 75, 263.	60	
146	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13\text{TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	3.9	60
147	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7\text{TeV}$. Journal of High Energy Physics, 2011, 2011, 1. Search for a Vectorlike Quark with Charge $\pm \frac{1}{2}$. $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mn} \rangle 2 \langle / \text{mml:mn} \rangle \langle \text{mml:mo} \rangle / \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 3 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{in} \langle \text{mml:math} \rangle \sqrt{s} \langle / \text{mml:math} \rangle$ $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{Events}$ from $\langle \text{mml:math} \rangle \text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = "inline"$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle$	4.7	59
148	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$ and 5.0TeV . European Physical Journal C, 2018, 78, 142.	7.8	59
149	Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
150	Jet production rates in association with W and Z bosons in pp collisions at $\sqrt{s} = 7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
151	Studies of jet mass in dijet and $W/Z + \text{jet}$ events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
152			
153			

#	ARTICLE	IF	CITATIONS
163	Measurement of Dijet Angular Distributions and Search for Quark Compositeness in $\mathrm{e}^+ \mathrm{e}^-$ Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 100. DOI arXiv	7.8	54
164	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	3.9	54
165	Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. <i>Search for New Physics with a Monojet and Missing Transverse Energy in $\mathrm{e}^+ \mathrm{e}^-$ Collisions at $\sqrt{s} = 7 \text{ TeV}$</i> . arXiv	4.7	53
166	Measurement of the top quark mass in the $t\bar{t}$ channel using $\gamma\gamma$ WW * and $\gamma\gamma$ WW channels using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Review Letters</i> , 2011, 107, 201804. <i>Search for Higgs boson pair production in the $\gamma\gamma$ WW* channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector</i> . <i>European Physical Journal C</i> , 2018, 78, 1007.	7.8	53
167	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	52
168	Search for lepton-flavour-violating $H \rightarrow l^+l^-$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	52
169	Measurement of the top quark mass in the $t\bar{t}$ channel using $\gamma\gamma$ WW * and $\gamma\gamma$ WW channels using pp collision data recorded at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 330.	3.9	52
170	Search for the direct production of charginos and neutralinos in final states with tau leptons in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 154.	3.9	52
171	Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. <i>Physical Review D</i> , 2011, 84,	4.7	51
172	Search for exclusive or semi-exclusive $\gamma\gamma$ production and observation of exclusive and semi-exclusive e^+e^- production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	51
173	Search for minimal supersymmetric standard model Higgs Bosons H_A and for a Z' boson in the $t\bar{t}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 585.	3.9	51
174	Measurement of the charged-particle multiplicity inside jets from pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 322.	3.9	51
175	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 379.	3.9	51
176	Measurement of the azimuthal anisotropy of charged particles produced in $\mathrm{Pb+Pb}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	3.9	51
177	First measurement of the underlying event activity at the LHC with $\sqrt{s} = 0.9 \text{ TeV}$. <i>European Physical Journal C</i> , 2010, 70, 555-572.	3.9	50
178	Search for $B_s \rightarrow \mu^+\mu^-$ and $B_0 \rightarrow \mu^+\mu^-$ Decays in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2018, 107, 101802.	3.9	50
179	Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s} = 0.9, 2.76, 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	50

#	ARTICLE	IF	CITATIONS
181	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
182	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
183	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb^{-1} pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
184	First Measurement of Bose-Einstein Correlations in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$ and 2.36 TeV at the LHC. Physical Review Letters, 2010, 105, 032001.	7.8	49
185	Search for new physics with jets and missing transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
186	Search for leptonic decays of W^{\pm} bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
187	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
188	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
189	Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 700, 187-206.		
190	Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
191	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48
192	Search for Supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in Events with Two Photons and Missing Transverse Energy. Physical Review Letters, 2011, 106, 211802.	7.8	47
193	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
194	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
195	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 361.	3.9	47
196	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
197	Measurement of the Polarization of Z bosons with Large Transverse Momenta in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2011, 107, 021802.	7.8	46
198	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46

#	ARTICLE	IF	CITATIONS
199	Study of the rare decays of $B^0 \rightarrow B^- \bar{B}^0$ and $B^0 \rightarrow B^+ \bar{B}^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
200	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	46
201	Search for the production of stop squarks in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV in $t\bar{t}$ and $t\bar{b}$ channels. European Physical Journal C, 2012, 72, 1.	4.7	45
202	Search for heavy bottom-like quarks in 4.9 fb^{-1} of $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
203	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	45
204	Search for microscopic black holes in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
205	Measurement of the inclusive isolated prompt photon cross section in $p\bar{p}$ collisions at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
206	Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in $p\bar{p}$ collisions at $s=8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
207	Search for single production of vector-like quarks decaying into Wb in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
208	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
209	Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	42
210	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42
211	Two-particle Bose-Einstein correlations in $p\bar{p}$ collisions at $\sqrt{s}=0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
212	Search for Quark Compositeness with the Dijet Centrality Ratio in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV. Physical Review Letters, 2010, 105, 262001.	7.8	41
213	Inclusive search for squarks and gluinos in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV. Physical Review Letters, 2010, 105, 262001.	7.8	41
214	Search for electroweak production of charginos and neutralinos using leptonic final states in $p\bar{p}$ collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
215	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of $p\bar{p}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41

#	ARTICLE	IF	CITATIONS
217	Search for same-sign top-quark pair production at $\sqrt{s} = 7 \text{ TeV}$ and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	40
218	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \text{ TeV}$ in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	40
219	Study of the $B_c^+ \rightarrow D_s^+ \pi^+$ and $B_c^+ \rightarrow D_s^+ \eta'$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	3.9	40
220	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	40
221	Measurement of W^{l3} and Z^{l3} production in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Nuclear Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 701, 535-555.	4.1	39
222	Search for resonances in the dilepton mass distribution in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	39
223	Inclusive b-jet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	39
224	Measurement of the Z/γ^* b-jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	39
225	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	39
226	Measurement of the ZZ production cross section and search for anomalous couplings in 2-, “2-” final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	39
227	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	39
228	Search for flavour-changing neutral current top-quark decays to $\varvec{q}Z\varvec{q}$ in $p p$ collision data collected with the ATLAS detector at $\sqrt{s}=8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 12.	3.9	39
229	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 87.	3.9	39
230	Measurement of the charge ratio of atmospheric muons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010, 692, 83-104.	4.1	38
231	Search for heavy stable charged particles in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	38
232	First measurement of hadronic event shapes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 699, 48-67.	4.1	38
233	Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	38
234	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	38

#	ARTICLE	IF	CITATIONS
235	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	38
236	Measurement of the $\mathrm{t\bar{t}}$ production cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	37
237	Search for bottom squark pair production in proton+proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	3.9	37
238	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	3.9	37
239	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
240	Measurement of the Drell-Yan cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	36
241	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	36
242	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.	3.9	36
243	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	36
244	Measurement of the $\sigma(s) / \sigma(s_0)$ ratio for the $t\bar{t}$ cross section at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2011, 84, 112002.	4.7	35
245	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	35
246	Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 2758.	3.9	35
247	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	3.9	35
248	Search for Three-Jet Resonances in $t\bar{t}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review Letters</i> , 2011, 107, 101801.	7.8	34
249	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
250	Search for microscopic black holes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	34
251	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b -quark jets in 7 TeV pp collisions using the variable \hat{T} . <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	34
252	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b -jets in 7 TeV pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	34

#	ARTICLE	IF	CITATIONS
253	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	33
254	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
255	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
256	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
257	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
258	Measurements of $\chi(2S)$ and $X(3872) \rightarrow J/\psi + \pi^+ \pi^-$ production in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
259	Measurement of \overline{B} angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
260	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
261	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
262	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2674.	3.9	32
263	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 872.	3.9	32
264	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
265	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
266	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
267	A search for prompt lepton-jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
268	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
269	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb $^{-1}$ of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
270	Search for W W/W Z resonance production in $\tilde{\chi}_1^0 q\bar{q}$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
271	Measurement of Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	30
272	Search for a heavy bottom-like quark in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.1	30
273	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	30
274	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^(*) \rightarrow q\bar{q}$ in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	30
275	Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	30
276	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s}=8$ TeV. $s = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	3.9	30
277	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	30
278	Charged-particle distributions in pp interactions at $\sqrt{s}=8$ TeV. $s = 8$ TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 403.	3.9	30
279	Searches for the $Z \rightarrow l^+l^-$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	30
280	Study of $WW\gamma$ and $WZ\gamma$. <i>European Physical Journal C</i> , 2017, 77, 646.	3.9	30
281	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	29
282	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	3.9	29
283	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	29
284	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$ and $t\bar{t}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
285	Search for physics beyond the standard model using multilepton signatures in $WW/Z\gamma$ and $WW/Z\gamma\gamma$ production with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 26.	4.1	28
286	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. <i>European Physical Journal C</i> , 2017, 77, 804.	3.9	28
287	Measurement of $WW/WZ \rightarrow l^+l^-q\bar{q}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	3.9	28
288	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	28

#	ARTICLE or a <cmml:math altimg="s1.gif" overflow="scroll">	IF	CITATIONS
289	<p>Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.</p> <p>Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.</p>	4.1	27
290		3.9	27
291		4.7	27
292	Measurements of top-quark pair differential cross-sections in the $e\bar{e} \rightarrow t\bar{t}$ channel in pp collisions at $s = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
293	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
294	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	26
295	<p>Search for a heavy gauge boson in dijet and di-lepton channels. European Physical Journal C, 2012, 72, 1.</p> <p>Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.</p>	4.1	26
296		4.7	26
297	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	26
298	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\ell^+ 2\ell^-$ channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
299	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
300	Search for $W^{\pm} \rightarrow \ell^{\pm} \nu$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
301	Measurements of electroweak $W^{\pm} W^{\pm}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
302	Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV . Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
303	Determination of the top-quark pole mass using $t\bar{t} \rightarrow t\bar{t} + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
304	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
305	Search for triboson $W^{\pm} W^{\pm} W^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
306	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25

#	ARTICLE	IF	CITATIONS
307	Measurement of the $t\bar{t}$ production cross section in the $t\bar{t} + \text{jets}$ channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	24
308	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
309	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 517.	3.9	24
310	Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
311	A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
312	Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
313	A search for high-mass resonances decaying to $t\bar{t}, t\bar{t}, \tilde{\chi}_1^0$ in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
314	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
315	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
316	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
317	Search for physics beyond the standard model in events with $t\bar{t}$, leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2493.	3.9	22
318	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
319	Study of $(W/Z)H$ production and Higgs boson couplings using $H\rightarrow WW^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
320	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s}=13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	22
321	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s}=13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
322	Search for Pair Production of First-Generation Scalar Leptoquarks in $t\bar{t}$ Collisions at $\sqrt{s}=13 \text{ TeV}$. Physical Review Letters, 2011, 106, 201802.	7.8	21
323	Determination of spin and parity of the Higgs boson in the $WW^*\rightarrow e\mu\mu\tau\tau$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
324	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2012, 72, 2012.	3.9	21

#	ARTICLE	IF	CITATIONS
325	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	21
326	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	20
327	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	20
328	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013, 73, 2404.	3.9	20
329	Measurements of the $t\bar{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	20
330	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
331	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
332	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	20
333	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
334	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-65.	4.7	19
335	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
336	Probing lepton flavour violation via neutrinoless $\nu_\mu \rightarrow \nu_e$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	3.9	19
337	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	3.9	19
338	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	3.9	19
339	Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	18
340	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow b\bar{b}$, in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	18
341	Search for Pair Production of Second-Generation Scalar Leptoquarks in mml:math $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = \text{inline}$ $\text{mml:mi} p \text{mml:mi} \text{p} \text{mml:mi} p \text{mml:mi} \text{p} \text{mml:math}$ Collisions at mml:math $\text{xmlns:mml} = "http://www.w3.org/1998/Math/MathML"$ $\text{display} = \text{inline}$ $\text{mml:msort} \text{mml:mi} s \text{mml:msort} \text{mml:mo} = \text{mml:mo} \text{mml:mn} 7 \text{mml:mn} \text{mml:mtext} \text{mml:math}$ <i>Physical Review Letters</i> , 2011, 106, 201803.	7.8	17
342	Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17

#	ARTICLE or large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$	IF	CITATIONS
343	altimg= S11.gif" overflow=" scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mmml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:te="http://www.elsevier.com/xml/te/te.xsd"> <p>Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.</p>	4.1	17
344	Probing color coherence effects in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 2901.	4.7	17
345	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
346	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 158.	3.9	17
347	Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
348	Probing the $W tb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
349	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
350	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
351	Direct top-quark decay width measurement in the $t\bar{t}$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	3.9	17
352	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	16
353	Measurement of the all-jet final state in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	16
354	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	16
355	Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 3014.	3.9	16
356	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
357	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
358	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
359	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 847.	3.9	16

#	ARTICLE	IF	CITATIONS
361	Measurement of differential cross sections and $W+/\bar{W}$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	16
362	Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
363	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	15
364	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	15
365	Measurement of event-shape observables in $Z \rightarrow e^+e^-$ - events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	3.9	15
366	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-$ with the ATLAS detector at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	15
367	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. Measurement of the ratio of the 3-jet to 2-jet cross sections in pp collisions at $\sqrt{s}=13$ TeV altimg="s11.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xs1="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.com/xml/co	4.7	15
368	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.1	14
369	Measurement of the production cross section for $Z\gamma\bar{\nu}\nu$ in pp collisions at $\sqrt{s} = 7$ TeV and limits on $ZZ\bar{l}^3$ and $Z\bar{l}^3\bar{l}^3$ triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	14
370	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s}=8$ TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
371	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
372	Studies of $Z\bar{l}^3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
373	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	13
374	Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
375	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	13
376	Measurement of the CP-violating phase δ_s and the $B_s^0 \rightarrow J/\psi \ell^+\ell^-$ decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
379	Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
380	Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	4.7	13
381	Measurements of top-quark pair to Z-boson cross-section ratios at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
382	Search for new phenomena in high-mass final states with a photon and a jet from $\text{pp} \rightarrow \text{pp}$ collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 102. Search for long-lived scalar particles in the $t\bar{t} \rightarrow b\bar{b}$ channel $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ altimg}=\text{"si1.gif"} \text{ overflow}=\text{"scroll"}> \langle \text{mml:mi} \text{ mathvariant}=\text{"normal"} \rangle e \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \hat{\Gamma}_2 \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ mathvariant}=\text{"normal"} \rangle jj \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ channel in pp collisions at } \langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ altimg}=\text{"si2.gif"} \text{ overflow}=\text{"scroll"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle 7 \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle$	3.9	13
383	Measurement of the $b\bar{b} \rightarrow \text{dijet}$ cross section in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 670.	4.1	12
384	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 144.	3.9	12
385	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	12
386	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	11
387	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	11
388	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow \ell^+\ell^-\ell^+\ell^-$ decay channel in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	11
389	Measurement of four-jet differential cross sections in $s = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	4.7	11
390	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016, 11, P05013-P05013.	1.2	11
391	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$ recorded with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 683.	3.9	11
392	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 220.	3.9	11
393	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	11
394	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	10
395	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
397	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
398	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	3.9	10
399	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
400	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
401	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
402	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \text{ TeV}$ using the ZZ decay channel with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
403	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
404	Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.1	8
405	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
406	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
407	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
408	Measurement of W^{pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
409	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
410	Measurement of au $\vec{\ell}$, polarisation in $Z/\gamma \rightarrow \ell^+\ell^-$. European Physical Journal C, 2018, 78, 163.	3.9	7
411	Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
412	Measurement of energy flow at large pseudorapidities in pp collisions at $(\sqrt{s}) = 0.9 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	5
413	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	4.7	4

#	ARTICLE	IF	CITATIONS
415	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
416	Measurement of jet activity in top quark events using the $e\bar{t}^{\frac{1}{2}}$ final state with two b-tagged jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
417	Measurement of the k t splitting scales in $Z \rightarrow l^+l^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
418	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $s = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
419	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
420	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider., 2015, 75, 1.		3
421	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
422	CMS distributed computing workflow experience. Journal of Physics: Conference Series, 2011, 331, 072019.	0.4	1
423	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $(\sqrt{s}=8, \text{TeV})$ with the ATLAS detector. , 2016, 76, 1.		1