

# Paul P Tak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4086972/publications.pdf>

Version: 2024-02-01

93  
papers

16,675  
citations

71097

41  
h-index

53222

85  
g-index

95  
all docs

95  
docs citations

95  
times ranked

17402  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                                                                                                                                         | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | 2010 Rheumatoid arthritis classification criteria: An American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Arthritis and Rheumatism</i> , 2010, 62, 2569-2581.                                                                                                                                      | 6.7 | 6,781     |
| 2  | 2010 Rheumatoid arthritis classification criteria: an American College of Rheumatology/European League Against Rheumatism collaborative initiative. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1580-1588.                                                                                                                              | 0.9 | 2,994     |
| 3  | Vagus nerve stimulation inhibits cytokine production and attenuates disease severity in rheumatoid arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 8284-8289.                                                                                                                    | 7.1 | 742       |
| 4  | EULAR recommendations for terminology and research in individuals at risk of rheumatoid arthritis: report from the Study Group for Risk Factors for Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 638-641.                                                                                                          | 0.9 | 354       |
| 5  | The pathogenesis and prevention of joint damage in rheumatoid arthritis: Advances from synovial biopsy and tissue analysis. <i>Arthritis and Rheumatism</i> , 2000, 43, 2619-2633.                                                                                                                                                              | 6.7 | 353       |
| 6  | Asymptomatic synovitis precedes clinically manifest arthritis. <i>Arthritis and Rheumatism</i> , 1998, 41, 1481-1488.                                                                                                                                                                                                                           | 6.7 | 275       |
| 7  | Presence of bacterial DNA and bacterial peptidoglycans in joints of patients with rheumatoid arthritis and other arthritides. <i>Arthritis and Rheumatism</i> , 2000, 43, 593.                                                                                                                                                                  | 6.7 | 263       |
| 8  | Comparison of synovial tissues from the knee joints and the small joints of rheumatoid arthritis patients: Implications for pathogenesis and evaluation of treatment. <i>Arthritis and Rheumatism</i> , 2002, 46, 2034-2038.                                                                                                                    | 6.7 | 262       |
| 9  | Inhibitor of nuclear factor $\kappa$ B kinase $\gamma$ is a key regulator of synovial inflammation. <i>Arthritis and Rheumatism</i> , 2001, 44, 1897-1907.                                                                                                                                                                                      | 6.7 | 236       |
| 10 | Therapeutic options for targeting inflammatory osteoarthritis pain. <i>Nature Reviews Rheumatology</i> , 2019, 15, 355-363.                                                                                                                                                                                                                     | 8.0 | 227       |
| 11 | Reduction of synovial inflammation after anti-cd4 monoclonal antibody treatment in early rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1995, 38, 1457-1465.                                                                                                                                                                           | 6.7 | 185       |
| 12 | Synovial tissue research: a state-of-the-art review. <i>Nature Reviews Rheumatology</i> , 2017, 13, 463-475.                                                                                                                                                                                                                                    | 8.0 | 175       |
| 13 | Effects of B-cell directed therapy on the preclinical stage of rheumatoid arthritis: the PRAIRI study. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 179-185.                                                                                                                                                                             | 0.9 | 163       |
| 14 | Modulation of inflammation and metalloproteinase expression in synovial tissue by leflunomide and methotrexate in patients with active rheumatoid arthritis: Findings in a prospective, randomized, double-blind, parallel-design clinical trial in thirty-nine patients at two centers. <i>Arthritis and Rheumatism</i> , 2000, 43, 1820-1830. | 6.7 | 161       |
| 15 | Effect of baseline rheumatoid factor and anticitrullinated peptide antibody serotype on rituximab clinical response: a meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 329-336.                                                                                                                                              | 0.9 | 158       |
| 16 | Neurostimulation of the Cholinergic Anti-Inflammatory Pathway Ameliorates Disease in Rat Collagen-Induced Arthritis. <i>PLoS ONE</i> , 2014, 9, e104530.                                                                                                                                                                                        | 2.5 | 157       |
| 17 | Smoking and overweight determine the likelihood of developing rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1654-1658.                                                                                                                                                                                              | 0.9 | 150       |
| 18 | The bromodomain protein inhibitor I-BET151 suppresses expression of inflammatory genes and matrix degrading enzymes in rheumatoid arthritis synovial fibroblasts. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 422-429.                                                                                                                  | 0.9 | 134       |

| #  | ARTICLE                                                                                                                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | MOR103, a human monoclonal antibody to granulocyte macrophage colony-stimulating factor, in the treatment of patients with moderate rheumatoid arthritis: results of a phase Ib/IIa randomised, double-blind, placebo-controlled, dose-escalation trial. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1058-1064. | 0.9 | 133       |
| 20 | MRP8/14 serum levels as a strong predictor of response to biological treatments in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 499-505.                                                                                                                                     | 0.9 | 130       |
| 21 | Expression of the activation antigen CD97 and its ligand CD55 in rheumatoid synovial tissue. <i>Arthritis and Rheumatism</i> , 1999, 42, 650-658.                                                                                                                                                                       | 6.7 | 125       |
| 22 | Histone deacetylase 3 regulates the inflammatory gene expression programme of rheumatoid arthritis fibroblast-like synoviocytes. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 277-285.                                                                                                                           | 0.9 | 118       |
| 23 | Synovial lymphoid neogenesis does not define a specific clinical rheumatoid arthritis phenotype. <i>Arthritis and Rheumatism</i> , 2008, 58, 1582-1589.                                                                                                                                                                 | 6.7 | 114       |
| 24 | Analysis of the cellular infiltrates and expression of cytokines in synovial tissue from patients with rheumatoid arthritis and reactive arthritis. , 1998, 186, 75-81.                                                                                                                                                 |     | 107       |
| 25 | Inhibition of neutrophil migration soon after initiation of treatment with leflunomide or methotrexate in patients with rheumatoid arthritis: Findings in a prospective, randomized, double-blind clinical trial in fifteen patients. <i>Arthritis and Rheumatism</i> , 2000, 43, 1488-1495.                            | 6.7 | 106       |
| 26 | Evaluating antirheumatic treatments using synovial biopsy: a recommendation for standardisation to be used in clinical trials. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 423-427.                                                                                                                             | 0.9 | 101       |
| 27 | Detection of bacterial DNA in serial synovial samples obtained during antibiotic treatment from patients with septic arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 2198-2203.                                                                                                                                  | 6.7 | 87        |
| 28 | Colony-stimulating factor (CSF) 1 receptor blockade reduces inflammation in human and murine models of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2016, 18, 75.                                                                                                                                      | 3.5 | 85        |
| 29 | The effects of interferon- $\gamma$ treatment on synovial inflammation and expression of metalloproteinases in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2000, 43, 270.                                                                                                                     | 6.7 | 84        |
| 30 | Antigen-presenting cells containing bacterial peptidoglycan in synovial tissues of rheumatoid arthritis patients coexpress costimulatory molecules and cytokines. <i>Arthritis and Rheumatism</i> , 2000, 43, 2160-2168.                                                                                                | 6.7 | 79        |
| 31 | Pharmacokinetics of IL-18 binding protein in healthy volunteers and subjects with rheumatoid arthritis or plaque psoriasis. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2006, 31, 109-116.                                                                                                        | 1.6 | 77        |
| 32 | Chemokine receptor CCR1 antagonist CCX354-C treatment for rheumatoid arthritis: CARAT-2, a randomised, placebo controlled clinical trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 337-344.                                                                                                                  | 0.9 | 74        |
| 33 | DNA Methylome Signature in Synoviocytes From Patients With Early Rheumatoid Arthritis Compared to Synoviocytes From Patients With Longstanding Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 1978-1980.                                                                                           | 5.6 | 74        |
| 34 | Safety with Ocrelizumab in Rheumatoid Arthritis: Results from the Ocrelizumab Phase III Program. <i>PLoS ONE</i> , 2014, 9, e87379.                                                                                                                                                                                     | 2.5 | 71        |
| 35 | Inflammatory cytokines epigenetically regulate rheumatoid arthritis fibroblast-like synoviocyte activation by suppressing HDAC5 expression. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 430-438.                                                                                                                | 0.9 | 68        |
| 36 | Towards prevention of autoantibody-positive rheumatoid arthritis: from lifestyle modification to preventive treatment. <i>Rheumatology</i> , 2016, 55, 607-614.                                                                                                                                                         | 1.9 | 65        |

| #  | ARTICLE                                                                                                                                                                                                                                                  | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Brief Report: Altered Innate Lymphoid Cell Subsets in Human Lymph Node Biopsy Specimens Obtained During the At-Risk and Earliest Phases of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017, 69, 70-76.                                    | 5.6 | 57        |
| 38 | Dominant B cell receptor clones in peripheral blood predict onset of arthritis in individuals at risk for rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1924-1930.                                                           | 0.9 | 50        |
| 39 | MRI assessment of suppression of structural damage in patients with rheumatoid arthritis receiving rituximab: results from the randomised, placebo-controlled, double-blind RA-SCORE study. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 170-177. | 0.9 | 48        |
| 40 | Poor Expression of T Cell-Derived Cytokines and Activation and Proliferation Markers in Early Rheumatoid Synovial Tissue. <i>Clinical Immunology and Immunopathology</i> , 1998, 88, 84-90.                                                              | 2.0 | 47        |
| 41 | JNK-dependent downregulation of FoxO1 is required to promote the survival of fibroblast-like synoviocytes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1763-1771.                                                        | 0.9 | 46        |
| 42 | Incidence and risk factors for adalimumab and infliximab anti-drug antibodies in rheumatoid arthritis: A European retrospective multicohort analysis. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 967-975.                                   | 3.4 | 46        |
| 43 | Hunting for the pathogenesis of rheumatoid arthritis: core-needle biopsy of inguinal lymph nodes as a new research tool. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1911-1912.                                                                  | 0.9 | 45        |
| 44 | Tie2 Signaling Cooperates with TNF to Promote the Pro-Inflammatory Activation of Human Macrophages Independently of Macrophage Functional Phenotype. <i>PLoS ONE</i> , 2014, 9, e82088.                                                                  | 2.5 | 44        |
| 45 | Stromal cell markers are differentially expressed in the synovial tissue of patients with early arthritis. <i>PLoS ONE</i> , 2017, 12, e0182751.                                                                                                         | 2.5 | 43        |
| 46 | Is treat-to-target really working in rheumatoid arthritis? a longitudinal analysis of a cohort of patients treated in daily practice (RA BIODAM). <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 453-459.                                           | 0.9 | 43        |
| 47 | Genome-wide association study of response to methotrexate in early rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2018, 18, 528-538.                                                                                                   | 2.0 | 42        |
| 48 | Detection of <i>Borrelia burgdorferi sensu stricto</i> by reverse line blot in the joints of Dutch patients with Lyme arthritis. <i>Arthritis and Rheumatism</i> , 1999, 42, 1473-1480.                                                                  | 6.7 | 35        |
| 49 | Btk inhibition suppresses agonist-induced human macrophage activation and inflammatory gene expression in RA synovial tissue explants. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1603-1611.                                                    | 0.9 | 35        |
| 50 | Integration of Sequence Data from a Consanguineous Family with Genetic Data from an Outbred Population Identifies PLB1 as a Candidate Rheumatoid Arthritis Risk Gene. <i>PLoS ONE</i> , 2014, 9, e87645.                                                 | 2.5 | 34        |
| 51 | Tertiary Lymphoid Structures in Rheumatoid Arthritis. <i>American Journal of Pathology</i> , 2015, 185, 1935-1943.                                                                                                                                       | 3.8 | 34        |
| 52 | Synovial IL-21/TNF-producing CD4+ T cells induce joint destruction in rheumatoid arthritis by inducing matrix metalloproteinase production by fibroblast-like synoviocytes. <i>Journal of Leukocyte Biology</i> , 2017, 101, 775-783.                    | 3.3 | 33        |
| 53 | Lymph node biopsy analysis reveals an altered immunoregulatory balance already during the at-risk phase of autoantibody positive rheumatoid arthritis. <i>European Journal of Immunology</i> , 2016, 46, 2812-2821.                                      | 2.9 | 31        |
| 54 | Somatic Variation of T-Cell Receptor Genes Strongly Associate with HLA Class Restriction. <i>PLoS ONE</i> , 2015, 10, e0140815.                                                                                                                          | 2.5 | 30        |

| #  | ARTICLE                                                                                                                                                                                                                                               | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Impaired lymph node stromal cell function during the earliest phases of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2018, 20, 35.                                                                                                   | 3.5 | 29        |
| 56 | 14-3-3 $\beta$ Autoantibodies: Diagnostic Use in Early Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015, 42, 1587-1594.                                                                                                                    | 2.0 | 28        |
| 57 | Smelling the Diagnosis: The Electronic Nose as Diagnostic Tool in Inflammatory Arthritis. A Case-Reference Study. <i>PLoS ONE</i> , 2016, 11, e0151715.                                                                                               | 2.5 | 27        |
| 58 | Non-response to rituximab therapy in rheumatoid arthritis is associated with incomplete disruption of the B cell receptor repertoire. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1339-1345.                                                  | 0.9 | 26        |
| 59 | Association of response to TNF inhibitors in rheumatoid arthritis with quantitative trait loci for <i>CD40</i> and <i>CD39</i> . <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1055-1061.                                                       | 0.9 | 25        |
| 60 | Human lymph-node CD8+ T cells display an altered phenotype during systemic autoimmunity. <i>Clinical and Translational Immunology</i> , 2016, 5, e67.                                                                                                 | 3.8 | 23        |
| 61 | Class 3 semaphorins modulate the invasive capacity of rheumatoid arthritis fibroblast-like synoviocytes. <i>Rheumatology</i> , 2018, 57, 909-920.                                                                                                     | 1.9 | 21        |
| 62 | Local Synovial Engagement of Angiogenic TIE2 Is Associated With the Development of Persistent Erosive Rheumatoid Arthritis in Patients With Early Arthritis. <i>Arthritis and Rheumatism</i> , 2013, 65, 3073-3083.                                   | 6.7 | 20        |
| 63 | Nuclear Factor- $\kappa$ B-inducing Kinase Is Expressed in Synovial Endothelial Cells in Patients with Early Arthritis and Correlates with Markers of Inflammation: A Prospective Cohort Study. <i>Journal of Rheumatology</i> , 2015, 42, 1573-1581. | 2.0 | 20        |
| 64 | Distinctive expression of T cell guiding molecules in human autoimmune lymph node stromal cells upon TLR3 triggering. <i>Scientific Reports</i> , 2018, 8, 1736.                                                                                      | 3.3 | 20        |
| 65 | CD55 deposited on synovial collagen fibers protects from immune complex-mediated arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 6.                                                                                                      | 3.5 | 19        |
| 66 | Dynamic Contrast-Enhanced Magnetic Resonance Imaging Using Pharmacokinetic Modeling: Initial Experience in Patients With Early Arthritis. <i>Arthritis and Rheumatology</i> , 2016, 68, 587-596.                                                      | 5.6 | 19        |
| 67 | Promotion of macrophage activation by Tie2 in the context of the inflamed synovia of rheumatoid arthritis and psoriatic arthritis patients. <i>Rheumatology</i> , 2020, 59, 426-438.                                                                  | 1.9 | 19        |
| 68 | Molecular Characterization of Human Lymph Node Stromal Cells During the Earliest Phases of Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2019, 10, 1863.                                                                                     | 4.8 | 17        |
| 69 | Adherence to Treat-to-target Management in Rheumatoid Arthritis and Associated Factors: Data from the International RA BIODAM Cohort. <i>Journal of Rheumatology</i> , 2020, 47, 809-819.                                                             | 2.0 | 16        |
| 70 | Toward Individualized Prediction of Response to Methotrexate in Early Rheumatoid Arthritis: A <i>Pharmacogenomics-Driven</i> Machine Learning Approach. <i>Arthritis Care and Research</i> , 2022, 74, 879-888.                                       | 3.4 | 15        |
| 71 | A Prospective, Randomized, Placebo-Controlled Study to Identify Biomarkers Associated with Active Treatment in Psoriatic Arthritis: Effects of Adalimumab Treatment on Lesional and Nonlesional Skin. <i>Dermatology</i> , 2012, 225, 298-303.        | 2.1 | 13        |
| 72 | Increased Frequency of CD4+ Follicular Helper T and CD8+ Follicular T Cells in Human Lymph Node Biopsies during the Earliest Stages of Rheumatoid Arthritis. <i>Cells</i> , 2022, 11, 1104.                                                           | 4.1 | 13        |

| #  | ARTICLE                                                                                                                                                                                                                                                                                         | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Histological characteristics of ligament healing after bio-enhanced repair of the transected goat ACL. <i>Journal of Experimental Orthopaedics</i> , 2015, 2, 4.                                                                                                                                | 1.8 | 12        |
| 74 | Apolipoprotein A-I Limits the Negative Effect of Tumor Necrosis Factor on Lymphangiogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2443-2450.                                                                                                                   | 2.4 | 12        |
| 75 | Analyzing synovial tissue samples. What can we learn about early rheumatoid arthritis, the heterogeneity of the disease, and the effects of treatment?. <i>Journal of rheumatology Supplement</i> , The, 2005, 72, 25-6.                                                                        | 2.2 | 12        |
| 76 | Discovery of Innovative Therapies for Rare Immune-Mediated Inflammatory Diseases via Off-Label Prescription of Biologics: The Case of IL-6 Receptor Blockade in Castleman's Disease. <i>Frontiers in Immunology</i> , 2015, 6, 625.                                                             | 4.8 | 11        |
| 77 | FHL2 regulates the resolution of tissue damage in chronic inflammatory arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2216-2223.                                                                                                                                                | 0.9 | 9         |
| 78 | Effect of Anti-ApoA-I Antibody-Coating of Stents on Neointima Formation in a Rabbit Balloon-Injury Model. <i>PLoS ONE</i> , 2015, 10, e0122836.                                                                                                                                                 | 2.5 | 6         |
| 79 | A2.15's...Relative Overexpression of Transmembrane Versus Soluble TNF in Human and Experimental Spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A9.3-A10.                                                                                                                | 0.9 | 5         |
| 80 | Human Lymph Node Stromal Cells Have the Machinery to Regulate Peripheral Tolerance during Health and Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5713.                                                                                                 | 4.1 | 5         |
| 81 | Impact of Adalimumab Treatment on Interleukin-17 and Interleukin-17 Receptor Expression in Skin and Synovium of Psoriatic Arthritis Patients with Mild Psoriasis. <i>Biomedicines</i> , 2022, 10, 324.                                                                                          | 3.2 | 4         |
| 82 | Prevalence of Anti-Citrullinated Protein Antibodies and IgM Rheumatoid Factor in First-Degree Relatives of Dutch Rheumatoid Arthritis Patients. <i>Arthritis and Rheumatology</i> , 2015, 67, 3324-3326.                                                                                        | 5.6 | 3         |
| 83 | Summary of Sensitivity and Specificity for Psoriatic Arthritis in a South African Cohort according to Classification Criteria. <i>Journal of Rheumatology</i> , 2015, 42, 960-962.                                                                                                              | 2.0 | 3         |
| 84 | Does the multi-biomarker disease activity score have diagnostic value in early rheumatoid arthritis and unclassified arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 2097-2099.                                                                                                 | 0.9 | 3         |
| 85 | Outcomes and Findings of the International Rheumatoid Arthritis (RA) BIODAM Cohort for Validation of Soluble Biomarkers in RA. <i>Journal of Rheumatology</i> , 2020, 47, 796-808.                                                                                                              | 2.0 | 3         |
| 86 | Intracellular delivery of poly(I:C) induces apoptosis of fibroblast-like synoviocytes via an unknown dsRNA sensor. <i>Biochemical and Biophysical Research Communications</i> , 2016, 477, 343-349.                                                                                             | 2.1 | 2         |
| 87 | Rheumatoid Arthritis and Other Inflammatory Articular Diseases. , 2017, , 1105-1140.                                                                                                                                                                                                            |     | 1         |
| 88 | Modulation of inflammation and metalloproteinase expression in synovial tissue by leflunomide and methotrexate in patients with active rheumatoid arthritis: Findings in a prospective, randomized, double-blind, parallel-design clinical trial in thirty-nine patients at two centers. , 0, . |     | 1         |
| 89 | B cell receptor repertoire analysis in clinically involved and uninvolved skin of systemic sclerosis patients treated with CD20 depletion therapy: baseline and follow-up. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A62-A63.                                                         | 0.9 | 0         |
| 90 | Local downregulation of pre-B cell colony-enhancing factor/visfatin using an adeno-associated virus type 5 vector encoding a specific small hairpin RNA for PBEF results in amelioration of arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A77-A77.                             | 0.9 | 0         |

| #  | ARTICLE                                                                                                                                                            | IF  | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Stimulation of the cytosolic dsRNA sensor MDA-5 induces cell death in fibroblast-like synoviocytes. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A77.3-A78. | 0.9 | 0         |
| 92 | A5.31â€¦The Role of BOB1 in Rheumatoid Arthritis: Potential Implications for Autoimmunity. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A41.3-A42.          | 0.9 | 0         |
| 93 | Editorial - Lessons Learned from Synovial Tissue Analysis. <i>Open Rheumatology Journal</i> , 2011, 5, 98-99.                                                      | 0.2 | 0         |