
Marion F Walker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4087965/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Guidelines for Management of Ischaemic Stroke and Transient Ischaemic Attack 2008. Cerebrovascular Diseases, 2008, 25, 457-507.	1.7	2,222
2	Genome-wide association scan identifies a colorectal cancer susceptibility locus on 11q23 and replicates risk loci at 8q24 and 18q21. Nature Genetics, 2008, 40, 631-637.	21.4	542
3	Multiple Common Susceptibility Variants near BMP Pathway Loci GREM1, BMP4, and BMP2 Explain Part of the Missing Heritability of Colorectal Cancer. PLoS Genetics, 2011, 7, e1002105.	3.5	188
4	Occupational therapy for stroke patients not admitted to hospital: a randomised controlled trial. Lancet, The, 1999, 354, 278-280.	13.7	168
5	Evidence-based stroke rehabilitation: an expanded guidance document from the european stroke organisation (ESO) guidelines for management of ischaemic stroke and transient ischaemic attack 2008. Journal of Rehabilitation Medicine, 2009, 41, 99-111.	1.1	160
6	Moving rehabilitation research forward: Developing consensus statements for rehabilitation and recovery research. International Journal of Stroke, 2016, 11, 454-458.	5.9	137
7	A Consensus on Stroke. Stroke, 2011, 42, 1392-1397.	2.0	128
8	Somatic frameshift mutations in the MBD4 gene of sporadic colon cancers with mismatch repair deficiency. Oncogene, 1999, 18, 8044-8047.	5.9	127
9	Occupational therapy for patients with problems in personal activities of daily living after stroke: systematic review of randomised trials. BMJ: British Medical Journal, 2007, 335, 922.	2.3	127
10	Granulocyte-Colony–Stimulating Factor Mobilizes Bone Marrow Stem Cells in Patients With Subacute Ischemic Stroke. Stroke, 2006, 37, 2979-2983.	2.0	120
11	Individual Patient Data Meta-Analysis of Randomized Controlled Trials of Community Occupational Therapy for Stroke Patients. Stroke, 2004, 35, 2226-2232.	2.0	110
12	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. Lancet, The, 2017, 390, 588-599.	13.7	108
13	Communication and Low Mood (CALM): a randomized controlled trial of behavioural therapy for stroke patients with aphasia. Clinical Rehabilitation, 2013, 27, 398-408.	2.2	107
14	The Association of Dietary Intake of Purine-Rich Vegetables, Sugar-Sweetened Beverages and Dairy with Plasma Urate, in a Cross-Sectional Study. PLoS ONE, 2012, 7, e38123.	2.5	106
15	Granulocyte-Colony Stimulating Factor for Mobilizing Bone Marrow Stem Cells in Subacute Stroke. Stroke, 2012, 43, 405-411.	2.0	99
16	Improving the development, monitoring and reporting of stroke rehabilitation research: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. International Journal of Stroke, 2017, 12, 472-479.	5.9	97
17	A randomized controlled trial of leisure rehabilitation after stroke. Clinical Rehabilitation, 1995, 9, 283-290.	2.2	94
18	Development of a Poststroke Checklist to Standardize Follow-up Care for Stroke Survivors. Journal of Stroke and Cerebrovascular Diseases, 2013, 22, e173-e180.	1.6	84

#	Article	IF	CITATIONS
19	A qualitative study exploring patients' and carers' experiences of Early Supported Discharge services after stroke. Clinical Rehabilitation, 2013, 27, 750-757.	2.2	79
20	Diet, Environmental Factors, and Lifestyle Underlie the High Prevalence of Vitamin D Deficiency in Healthy Adults in Scotland, and Supplementation Reduces the Proportion That Are Severely Deficient. Journal of Nutrition, 2011, 141, 1535-1542.	2.9	75
21	Cognitive Treatment of Illness Perceptions in Patients With Chronic Low Back Pain: A Randomized Controlled Trial. Physical Therapy, 2013, 93, 435-448.	2.4	75
22	Physiotherapy and Occupational Therapy vs No Therapy in Mild to Moderate Parkinson Disease. JAMA Neurology, 2016, 73, 291.	9.0	73
23	Return to work after traumatic brain injury: Cohort comparison and economic evaluation. Brain Injury, 2013, 27, 507-520.	1.2	72
24	Evaluation of a multiprofessional community stroke team: a randomized controlled trial. Clinical Rehabilitation, 2004, 18, 40-47.	2.2	66
25	Generalisation of the Effects of Leisure Rehabilitation for Stroke Patients. British Journal of Occupational Therapy, 1996, 59, 330-334.	0.9	64
26	Clinical effectiveness and cost-effectiveness of physiotherapy and occupational therapy versus no therapy in mild to moderate Parkinson's disease: a large pragmatic randomised controlled trial (PD) Tj ETQq	0	/Oøerlock 10
27	Therapy-based rehabilitation services for patients living at home more than one year after stroke. The Cochrane Library, 2008, , CD005952.	2.8	60
28	An ethnographic study of knowledge sharing across the boundaries between care processes, services and organisations: the contributions to †safe' hospital discharge. Health Services and Delivery Research, 2014, 2, 1-160.	1.4	58
29	Interventions to reduce dependency in personal activities of daily living in community dwelling adults who use homecare services: a systematic review. Clinical Rehabilitation, 2015, 29, 1064-1076.	2.2	57
30	Towards a programme theory for fidelity in the evaluation of complex interventions. Journal of Evaluation in Clinical Practice, 2014, 20, 445-452.	1.8	52
31	Evidence-Based Community Stroke Rehabilitation. Stroke, 2013, 44, 293-297.	2.0	49
32	From What We Know to What We Do: Translating Stroke Rehabilitation Research into Practice. International Journal of Stroke, 2013, 8, 11-17.	5.9	48
33	An occupational therapy intervention for residents with stroke related disabilities in UK care homes (OTCH): cluster randomised controlled trial. BMJ, The, 2015, 350, h468-h468.	6.0	47
34	A randomised controlled trial of a care home rehabilitation service to reduce long-term institutionalisation for elderly people. Age and Ageing, 2004, 33, 384-390.	1.6	45
35	Validity of a Virtual Environment for Stroke Rehabilitation. Stroke, 2006, 37, 2770-2775.	2.0	45
36	Evaluation of the Post Stroke Checklist: A Pilot Study in the United Kingdom and Singapore. International Journal of Stroke, 2014, 9, 76-84.	5.9	45

#	Article	IF	CITATIONS
37	What's in a name? The challenge of describing interventions in systematic reviews: analysis of a random sample of reviews of non-pharmacological stroke interventions. BMJ Open, 2015, 5, e009051-e009051.	1.9	44
38	Setting the scene for the Second Stroke Recovery and Rehabilitation Roundtable. International Journal of Stroke, 2019, 14, 450-456.	5.9	44
39	The treatment of visual neglect using feedback of eye movements: A pilot study. Disability and Rehabilitation, 1995, 17, 413-417.	1.8	43
40	Moving Rehabilitation Research Forward: Developing Consensus Statements for Rehabilitation and Recovery Research. Neurorehabilitation and Neural Repair, 2017, 31, 694-698.	2.9	40
41	â€~TIDieR-ing up' the Reporting of Interventions in Stroke Research: The Importance of Knowing What is in the â€~Black Box'. International Journal of Stroke, 2015, 10, 657-658.	5.9	39
42	Safety and efficacy of co-careldopa as an add-on therapy to occupational and physical therapy in patients after stroke (DARS): a randomised, double-blind, placebo-controlled trial. Lancet Neurology, The, 2019, 18, 530-538.	10.2	39
43	Clinical evaluation of a non-immersive virtual environment in stroke rehabilitation. Clinical Rehabilitation, 2009, 23, 106-116.	2.2	36
44	Post-stroke Visual Impairment: A Systematic Literature Review of Types and Recovery of Visual Conditions. Ophthalmology Research an International Journal, 2016, 5, 1-43.	0.1	35
45	Implementing evidence-based stroke Early Supported Discharge services: a qualitative study of challenges, facilitators and impact. Clinical Rehabilitation, 2014, 28, 370-377.	2.2	34
46	Improving the Development, Monitoring and Reporting of Stroke Rehabilitation Research: Consensus-Based Core Recommendations from the Stroke Recovery and Rehabilitation Roundtable. Neurorehabilitation and Neural Repair, 2017, 31, 877-884.	2.9	34
47	College of Occupational Therapists: Research and Development Strategy. British Journal of Occupational Therapy, 1997, 60, 484-486.	0.9	33
48	Action errors and dressing disability after stroke: An ecological approach to neuropsychological assessment and intervention. Neuropsychological Rehabilitation, 2006, 16, 666-683.	1.6	33
49	Early, specialist vocational rehabilitation to facilitate return to work after traumatic brain injury: the FRESH feasibility RCT. Health Technology Assessment, 2018, 22, 1-124.	2.8	33
50	Rehabilitation aimed at improving outdoor mobility for people after stroke: a multicentre randomised controlled study (the Getting out of the House Study). Health Technology Assessment, 2014, 18, vii-viii, 1-113.	2.8	32
51	MBD1, MBD2 and CGBP genes at chromosome 18q21 are infrequently mutated in human colon and lung cancers. Oncogene, 2003, 22, 3506-3510.	5.9	31
52	Amphetamine increases blood pressure and heart rate but has no effect on motor recovery or cerebral haemodynamics in ischaemic stroke: a randomized controlled trial (ISRCTN 36285333). Journal of Human Hypertension, 2007, 21, 616-624.	2.2	31
53	Moving stroke rehabilitation research evidence into clinical practice: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. International Journal of Stroke, 2019, 14, 766-773.	5.9	31
54	FAmily-Led RehabiliTaTion aftEr Stroke in INDia: The ATTEND Pilot Study. International Journal of Stroke, 2015, 10, 609-614.	5.9	30

#	Article	IF	CITATIONS
55	Evaluation of a pilot service designed to provide support following stroke: a randomized cross-over design study. Clinical Rehabilitation, 2004, 18, 69-75.	2.2	29
56	Mutationally activated K-ras 4A and 4B both mediate lung carcinogenesis. Experimental Cell Research, 2008, 314, 1105-1114.	2.6	29
57	The assessment of low mood in stroke patients with aphasia: reliability and validity of the 10-item Hospital version of the Stroke Aphasic Depression Questionnaire (SADQH-10). Clinical Rehabilitation, 2012, 26, 372-381.	2.2	28
58	Reacquisition of dressing skills after stroke. International Disability Studies, 1990, 12, 41-43.	0.4	24
59	Occupational Therapy in Nursing and Residential Care Settings: A Description of a Randomised Controlled Trial Intervention. British Journal of Occupational Therapy, 2004, 67, 104-110.	0.9	23
60	The DRESS trial: a feasibility randomized controlled trial of a neuropsychological approach to dressing therapy for stroke inpatients. Clinical Rehabilitation, 2012, 26, 675-685.	2.2	23
61	Return to Work after Stroke: Recording, Measuring, and Describing Occupational Therapy Intervention. British Journal of Occupational Therapy, 2014, 77, 457-465.	0.9	23
62	Care Provision for Poststroke Visual Impairment. Journal of Stroke and Cerebrovascular Diseases, 2015, 24, 1131-1144.	1.6	23
63	Is Stroke Early Supported Discharge still effective in practice? A prospective comparative study. Clinical Rehabilitation, 2016, 30, 268-276.	2.2	23
64	The implementation of evidence-based rehabilitation services for stroke survivors living in the community: the results of a Delphi consensus process. Clinical Rehabilitation, 2013, 27, 741-749.	2.2	22
65	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. Trials, 2016, 17, 13.	1.6	22
66	Stroke Rehabilitation: Evidence-based or evidence-tinged?. Acta Dermato-Venereologica, 2007, 39, 193-197.	1.3	21
67	Occupational Therapy in HomEcare Re-ablement Services (OTHERS): results of a feasibility randomised controlled trial. BMJ Open, 2016, 6, e011868.	1.9	21
68	Dressing after a Stroke: A Survey of Current Occupational Therapy Practice. British Journal of Occupational Therapy, 2003, 66, 263-268.	0.9	20
69	The DARS (Dopamine Augmented Rehabilitation in Stroke) trial: protocol for a randomised controlled trial of Co-careldopa treatment in addition to routine NHS occupational and physical therapy after stroke. Trials, 2014, 15, 316.	1.6	19
70	A study to evaluate a low cost virtual reality system for home based rehabilitation of the upper limb following stroke. International Journal on Disability and Human Development, 2011, 10, .	0.2	18
71	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. BMJ Open, 2016, 6, e012027.	1.9	17
72	Genetically predicted physical activity levels are associated with lower colorectal cancer risk: a Mendelian randomisation study. British Journal of Cancer, 2021, 124, 1330-1338.	6.4	17

#	Article	IF	CITATIONS
73	Interventions to reduce dependency in bathing in community dwelling older adults: a systematic review. Systematic Reviews, 2017, 6, 198.	5.3	16
74	The use of rehabilitation services by private nursing homes in Nottingham. Age and Ageing, 2001, 30, 532-533.	1.6	14
75	Impact of Stroke on Return to Work. Brain Impairment, 2008, 9, 161-169.	0.7	14
76	A cluster randomised controlled trial of an occupational therapy intervention for residents with stroke living in UK care homes (OTCH): study protocol. BMC Neurology, 2012, 12, 52.	1.8	14
77	An evaluation of treatment integrity in a randomized trial of behavioural therapy for low mood in stroke patients with aphasia. Clinical Rehabilitation, 2013, 27, 1097-1106.	2.2	14
78	What is the impact of large-scale implementation of stroke Early Supported Discharge? A mixed methods realist evaluation study protocol. Implementation Science, 2019, 14, 61.	6.9	14
79	Evaluating a stroke-specific version of the Illness Perception Questionnaire–Revised, using the Think-Aloud method. Journal of Health Psychology, 2020, 25, 1989-2005.	2.3	14
80	Changing occupational therapy and physiotherapy practice through guidelines and audit in the United Kingdom. Clinical Rehabilitation, 2005, 19, 365-371.	2.2	13
81	Interventions to reduce dependency in personal activities of daily living in community-dwelling adults who use homecare services: protocol for a systematic review. Systematic Reviews, 2013, 2, 49.	5.3	13
82	Occupational therapy for care home residents with stroke. The Cochrane Library, 2013, , CD010116.	2.8	13
83	Delivery of high quality stroke and vision care: experiences of UK services. Disability and Rehabilitation, 2016, 38, 813-817.	1.8	13
84	Bathing adaptations in the homes of older adults (BATH-OUT): results of a feasibility randomised controlled trial (RCT). BMC Public Health, 2018, 18, 1293.	2.9	13
85	Stroke Rehabilitation in the United Kingdom. Topics in Stroke Rehabilitation, 2009, 16, 27-33.	1.9	12
86	An individually randomised controlled multi-centre pragmatic trial with embedded economic and process evaluations of early vocational rehabilitation compared with usual care for stroke survivors: study protocol for the RETurn to work After stroKE (RETAKE) trial. Trials, 2020, 21, 1010.	1.6	12
87	Time to Make an Impact. British Journal of Occupational Therapy, 2005, 68, 55-55.	0.9	11
88	Occupational Therapy to Optimise Independence in Parkinson's Disease: The Designing and Recording of a Randomised Controlled Trial Intervention. British Journal of Occupational Therapy, 2010, 73, 178-185.	0.9	11
89	Effectiveness of Stroke Early Supported Discharge. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006395.	2.2	11
90	An Occupational Therapy intervention for residents with stroke-related disabilities in UK Care Homes (OTCH): cluster randomised controlled trial with economic evaluation. Health Technology Assessment, 2016, 20, 1-138.	2.8	11

#	Article	IF	CITATIONS
91	Who should have a pre-discharge home assessment visit after a stroke? A qualitative study of occupational therapists' views. British Journal of Occupational Therapy, 2014, 77, 384-391.	0.9	10
92	Family-led rehabilitation in India (ATTEND)—Findings from the process evaluation of a randomized controlled trial. International Journal of Stroke, 2019, 14, 53-60.	5.9	10
93	Granulocyte Colony Stimulating Factor and Physiotherapy after Stroke: Results of a Feasibility Randomised Controlled Trial: Stem Cell Trial of Recovery EnhanceMent after Stroke-3 (STEMS-3) Tj ETQq1 1 0.784	4321. # rgBT	/Øøerlock 1(
94	Large-scale implementation of stroke early supported discharge: the WISE realist mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-150.	1.4	10
95	Content and acceptability of an Occupational Therapy intervention in HomEcare Re-ablement Services (OTHERS). British Journal of Occupational Therapy, 2018, 81, 535-542.	0.9	9
96	Moving Stroke Rehabilitation Research Evidence into Clinical Practice: Consensus-Based Core Recommendations From the Stroke Recovery and Rehabilitation Roundtable. Neurorehabilitation and Neural Repair, 2019, 33, 935-942.	2.9	9
97	The use of carer perspectives and expert consensus to define key components of a biopsychosocial support intervention for stroke carers. Topics in Stroke Rehabilitation, 2019, 26, 440-447.	1.9	9
98	Effect of stroke early supported discharge on length of hospital stay: analysis from a national stroke registry. BMJ Open, 2021, 11, e043480.	1.9	9
99	Nominal group technique to establish the core components of home-based rehabilitation for survivors of stroke with severe disability. BMJ Open, 2021, 11, e052593.	1.9	9
100	VISTA-Rehab: A Resource for Stroke Rehabilitation Trials. International Journal of Stroke, 2010, 5, 447-452.	5.9	8
101	Occupational Therapy in HomEcare Re-ablement Services (OTHERS): study protocol for a randomized controlled trial. Trials, 2014, 15, 447.	1.6	8
102	Facilitating return to work through early specialist health-based interventions (FRESH): protocol for a feasibility randomised controlled trial. Pilot and Feasibility Studies, 2015, 1, 24.	1.2	8
103	Bathing adaptations in the homes of older adults (BATH-OUT): protocol for a feasibility randomised controlled trial (RCT). BMJ Open, 2016, 6, e013448.	1.9	8
104	Do individual versus illness belief schema differ in the prediction of post-stroke recovery?. Journal of Health Psychology, 2020, 25, 2118-2128.	2.3	8
105	A scoping review of psychoeducational interventions for people after transient ischemic attack and minor stroke. Topics in Stroke Rehabilitation, 2021, 28, 390-400.	1.9	8
106	A Survival Guide to Paper Presentation. British Journal of Occupational Therapy, 1997, 60, 26-28.	0.9	7
107	Telerehabilitation for Stroke is Here to Stay. But at What Cost?. Neurorehabilitation and Neural Repair, 2022, 36, 331-334.	2.9	7
108	Scholarly communication and concerns for our conferences. Australian Occupational Therapy Journal, 2009, 56, 147-148.	1.1	6

#	Article	IF	CITATIONS
109	An Interrater Reliability Study of the Nottingham Stroke Dressing Assessment. British Journal of Occupational Therapy, 2010, 73, 570-578.	0.9	6
110	A multi-centre randomised controlled trial of rehabilitation aimed at improving outdoor mobility for people after stroke: Study protocol for a randomised controlled trial. Trials, 2012, 13, 86.	1.6	6
111	Vitamin D treatment induces in vitro and ex vivo transcriptomic changes indicating antiâ€ŧumor effects. FASEB Journal, 2022, 36, e22082.	0.5	6
112	The Influence of Hand Use on Dressing Outcome in Cognitively Impaired Stroke Survivors. British Journal of Occupational Therapy, 2012, 75, 2-9.	0.9	5
113	Biopsychosocial intervention for stroke carers (BISC): results of a feasibility randomised controlled trial and nested qualitative interview study. Clinical Rehabilitation, 2020, 34, 1268-1281.	2.2	5
114	Letter to the editor. Clinical Rehabilitation, 2006, 20, 635-636.	2.2	4
115	Occupational Therapy for Care Home Residents with Stroke: What is Routine National Practice?. British Journal of Occupational Therapy, 2014, 77, 265-273.	0.9	4
116	ESCAPS study protocol: a feasibility randomised controlled trial of â€ [~] Early electrical stimulation to the wrist extensors and wrist flexors to prevent the post-stroke complications of pain and contractures in the paretic arm'. BMJ Open, 2016, 6, e010079.	1.9	4
117	Biopsychosocial Intervention for Stroke Carers (BISC): protocol for a feasibility randomised controlled trial (RCT). BMJ Open, 2017, 7, e018309.	1.9	4
118	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. International Journal of Stroke, 2017, 12, 208-210.	5.9	4
119	How do patients spend their time in stroke rehabilitation units in England? The REVIHR study. Disability and Rehabilitation, 2021, 43, 1-8.	1.8	4
120	RETurn to work After stroKE (RETAKE) Trial: protocol for a mixed-methods process evaluation using normalisation process theory. BMJ Open, 2022, 12, e053111.	1.9	4
121	A Qualitative Study Exploring the Lives and Caring Practices of Young Carers of Stroke Survivors. International Journal of Environmental Research and Public Health, 2022, 19, 3941.	2.6	4
122	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients. International Journal of Game-Based Learning, 2011, 1, 60-73.	1.4	3
123	Physiotherapy and Occupational Therapy and Mild to Moderate Parkinson Disease—Reply. JAMA Neurology, 2016, 73, 894.	9.0	3
124	Evidence-based stroke rehabilitation: do priorities for practice change and feasibility of implementation vary across high income, upper and lower-middle income countries?. Disability and Rehabilitation, 2022, 44, 4611-4618.	1.8	3
125	Evaluating stroke early supported discharge using cost-consequence analysis. Disability and Rehabilitation, 2022, 44, 7127-7133.	1.8	3
126	Gene Co-Expression Network Analysis Identifies Vitamin D-Associated Gene Modules in Adult Normal Rectal Epithelium Following Supplementation. Frontiers in Genetics, 2021, 12, 783970.	2.3	3

#	Article	IF	CITATIONS
127	A Biopsychosocial Intervention for Stroke Carers (BISC): development and description of the intervention. Health Psychology and Behavioral Medicine, 2022, 10, 92-103.	1.8	3
128	The Casson Memorial Lecture 2003: Past Conditional, Present Indicative, Future Indefinite. British Journal of Occupational Therapy, 2003, 66, 338-344.	0.9	2
129	An audit of dressing practice by occupational therapists in acute stroke settings in England. British Journal of Occupational Therapy, 2020, 83, 664-673.	0.9	2
130	"Give stroke survivors the chance to make their best recovery". Nursing Times, 2013, 109, 13.	0.2	2
131	The scope for community-based intervention in stroke rehabilitation. British Journal of Community Nursing, 2000, 5, 176-180.	0.4	1
132	Critique of Home Constraint-Induced Movement Therapy Trial. Stroke, 2016, 47, 1960-1961.	2.0	1
133	Dopamine Augmented Rehabilitation in Stroke (DARS): a multicentre double-blind, randomised controlled trial of co-careldopa compared with placebo, in addition to routine NHS occupational and physical therapy, delivered early after stroke on functional recovery. Efficacy and Mechanism Evaluation, 2019. 6, 1-138.	0.7	1
134	Splinting the hand in the functional position after acquired brain injury did not influence muscle length, hand function or pain. Australian Occupational Therapy Journal, 2003, 50, 262-263.	1.1	0
135	The benefits and harms of art therapy for people with schizophrenia and schizophreniaâ€like illnesses remain unclear. Australian Occupational Therapy Journal, 2007, 54, 79-81.	1.1	0
136	PD REHAB RCT OF PHYSIOTHERAPY AND OT IN PARKINSON'S DISEASE. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, e4.124-e4.	1.9	0
137	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients. Advances in Human and Social Aspects of Technology Book Series, 2014, , 148-161.	0.3	0
138	Supporting stroke survivors living in care homes: challenges and opportunities for practice development and research. Age and Ageing, 2021, 50, 1901-1903.	1.6	0
139	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients. , 2013, , 241-252.		0
140	Orthotic intervention following stroke: a survey of physiotherapist, occupational therapist and orthotist practice and views in the UK. International Journal of Therapy and Rehabilitation, 2022, 29, 1-16.	0.3	0