Marion F Walker

List of Publications by Citations

Source: https://exaly.com/author-pdf/4087965/marion-f-walker-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

5,872 137 35 75 h-index g-index citations papers 6,636 145 4.5 5.77 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
137	Guidelines for management of ischaemic stroke and transient ischaemic attack 2008. Cerebrovascular Diseases, 2008 , 25, 457-507	3.2	1902
136	Genome-wide association scan identifies a colorectal cancer susceptibility locus on 11q23 and replicates risk loci at 8q24 and 18q21. <i>Nature Genetics</i> , 2008 , 40, 631-7	36.3	486
135	Multiple common susceptibility variants near BMP pathway loci GREM1, BMP4, and BMP2 explain part of the missing heritability of colorectal cancer. <i>PLoS Genetics</i> , 2011 , 7, e1002105	6	169
134	Occupational therapy for stroke patients not admitted to hospital: a randomised controlled trial. <i>Lancet, The</i> , 1999 , 354, 278-80	40	140
133	Evidence-based stroke r-ehabilitation: an expanded guidance document from the european stroke organisation (ESO) guidelines for management of ischaemic stroke and transient ischaemic attack 2008. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 99-111	3.4	130
132	Somatic frameshift mutations in the MBD4 gene of sporadic colon cancers with mismatch repair deficiency. <i>Oncogene</i> , 1999 , 18, 8044-7	9.2	121
131	Granulocyte-colony-stimulating factor mobilizes bone marrow stem cells in patients with subacute ischemic stroke: the Stem cell Trial of recovery EnhanceMent after Stroke (STEMS) pilot randomized, controlled trial (ISRCTN 16784092). <i>Stroke</i> , 2006 , 37, 2979-83	6.7	107
130	Moving rehabilitation research forward: Developing consensus statements for rehabilitation and recovery research. <i>International Journal of Stroke</i> , 2016 , 11, 454-8	6.3	102
129	A consensus on stroke: early supported discharge. <i>Stroke</i> , 2011 , 42, 1392-7	6.7	97
128	Occupational therapy for patients with problems in personal activities of daily living after stroke: systematic review of randomised trials. <i>BMJ, The</i> , 2007 , 335, 922	5.9	90
127	Individual patient data meta-analysis of randomized controlled trials of community occupational therapy for stroke patients. <i>Stroke</i> , 2004 , 35, 2226-32	6.7	90
126	Granulocyte-colony stimulating factor for mobilizing bone marrow stem cells in subacute stroke: the stem cell trial of recovery enhancement after stroke 2 randomized controlled trial. <i>Stroke</i> , 2012 , 43, 405-11	6.7	85
125	A randomized controlled trial of leisure rehabilitation after stroke. Clinical Rehabilitation, 1995, 9, 283-	2903	84
124	The association of dietary intake of purine-rich vegetables, sugar-sweetened beverages and dairy with plasma urate, in a cross-sectional study. <i>PLoS ONE</i> , 2012 , 7, e38123	3.7	84
123	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 390, 588-599	40	80
122	Communication and Low Mood (CALM): a randomized controlled trial of behavioural therapy for stroke patients with aphasia. <i>Clinical Rehabilitation</i> , 2013 , 27, 398-408	3.3	80
121	Improving the development, monitoring and reporting of stroke rehabilitation research: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2017 , 12, 472-479	6.3	69

(2006-2013)

120	Cognitive treatment of illness perceptions in patients with chronic low back pain: a randomized controlled trial. <i>Physical Therapy</i> , 2013 , 93, 435-48	3.3	66
119	Diet, environmental factors, and lifestyle underlie the high prevalence of vitamin D deficiency in healthy adults in Scotland, and supplementation reduces the proportion that are severely deficient. <i>Journal of Nutrition</i> , 2011 , 141, 1535-42	4.1	59
118	Development of a poststroke checklist to standardize follow-up care for stroke survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013 , 22, e173-80	2.8	58
117	Return to work after traumatic brain injury: cohort comparison and economic evaluation. <i>Brain Injury</i> , 2013 , 27, 507-20	2.1	57
116	A qualitative study exploring patients' and carers' experiences of Early Supported Discharge services after stroke. <i>Clinical Rehabilitation</i> , 2013 , 27, 750-7	3.3	57
115	Physiotherapy and Occupational Therapy vs No Therapy in Mild to Moderate Parkinson Disease: A Randomized Clinical Trial. <i>JAMA Neurology</i> , 2016 , 73, 291-9	17.2	56
114	Generalisation of the Effects of Leisure Rehabilitation for Stroke Patients. <i>British Journal of Occupational Therapy</i> , 1996 , 59, 330-334	1	55
113	Evaluation of a multiprofessional community stroke team: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2004 , 18, 40-7	3.3	54
112	Towards a programme theory for fidelity in the evaluation of complex interventions. <i>Journal of Evaluation in Clinical Practice</i> , 2014 , 20, 445-52	2.5	46
111	Therapy-based rehabilitation services for patients living at home more than one year after stroke. <i>The Cochrane Library</i> , 2008 , CD005952	5.2	45
110	An ethnographic study of knowledge sharing across the boundaries between care processes, services and organisations: the contributions to Bafelhospital discharge. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-160	1.5	44
109	Interventions to reduce dependency in personal activities of daily living in community dwelling adults who use homecare services: a systematic review. <i>Clinical Rehabilitation</i> , 2015 , 29, 1064-76	3.3	42
108	From what we know to what we do: translating stroke rehabilitation research into practice. <i>International Journal of Stroke</i> , 2013 , 8, 11-7	6.3	41
107	The treatment of visual neglect using feedback of eye movements: a pilot study. <i>Disability and Rehabilitation</i> , 1995 , 17, 413-7	2.4	41
106	A randomised controlled trial of a care home rehabilitation service to reduce long-term institutionalisation for elderly people. <i>Age and Ageing</i> , 2004 , 33, 384-90	3	38
105	Clinical effectiveness and cost-effectiveness of physiotherapy and occupational therapy versus no therapy in mild to moderate Parkinson's disease: a large pragmatic randomised controlled trial (PD REHAB). <i>Health Technology Assessment</i> , 2016 , 20, 1-96	4.4	38
104	Evidence-based community stroke rehabilitation. <i>Stroke</i> , 2013 , 44, 293-7	6.7	37
103	Validity of a virtual environment for stroke rehabilitation. <i>Stroke</i> , 2006 , 37, 2770-5	6.7	37

102	Evaluation of the Post Stroke Checklist: a pilot study in the United Kingdom and Singapore. <i>International Journal of Stroke</i> , 2014 , 9 Suppl A100, 76-84	6.3	33
101	What's in a name? The challenge of describing interventions in systematic reviews: analysis of a random sample of reviews of non-pharmacological stroke interventions. <i>BMJ Open</i> , 2015 , 5, e009051	3	32
100	College of Occupational Therapists: Research and Development Strategy. <i>British Journal of Occupational Therapy</i> , 1997 , 60, 484-486	1	31
99	Moving Rehabilitation Research Forward: Developing Consensus Statements for Rehabilitation and Recovery Research. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 694-698	4.7	30
98	Clinical evaluation of a non-immersive virtual environment in stroke rehabilitation. <i>Clinical Rehabilitation</i> , 2009 , 23, 106-16	3.3	30
97	Amphetamine increases blood pressure and heart rate but has no effect on motor recovery or cerebral haemodynamics in ischaemic stroke: a randomized controlled trial (ISRCTN 36285333). <i>Journal of Human Hypertension</i> , 2007 , 21, 616-24	2.6	29
96	MBD1, MBD2 and CGBP genes at chromosome 18q21 are infrequently mutated in human colon and lung cancers. <i>Oncogene</i> , 2003 , 22, 3506-10	9.2	29
95	An occupational therapy intervention for residents with stroke related disabilities in UK care homes (OTCH): cluster randomised controlled trial. <i>BMJ, The</i> , 2015 , 350, h468	5.9	28
94	FAmily-Led RehabiliTaTion aftEr Stroke in INDia: the ATTEND pilot study. <i>International Journal of Stroke</i> , 2015 , 10, 609-14	6.3	27
93	Evaluation of a pilot service designed to provide support following stroke: a randomized cross-over design study. <i>Clinical Rehabilitation</i> , 2004 , 18, 69-75	3.3	27
92	Action errors and dressing disability after stroke: an ecological approach to neuropsychological assessment and intervention. <i>Neuropsychological Rehabilitation</i> , 2006 , 16, 666-83	3.1	26
91	Rehabilitation aimed at improving outdoor mobility for people after stroke: a multicentre randomised controlled study (the Getting out of the House Study). <i>Health Technology Assessment</i> , 2014 , 18, vii-viii, 1-113	4.4	26
90	'TIDieR-ing up' the reporting of interventions in stroke research: the importance of knowing what is in the 'black box'. <i>International Journal of Stroke</i> , 2015 , 10, 657-8	6.3	25
89	Implementing evidence-based stroke Early Supported Discharge services: a qualitative study of challenges, facilitators and impact. <i>Clinical Rehabilitation</i> , 2014 , 28, 370-7	3.3	25
88	Setting the scene for the Second Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2019 , 14, 450-456	6.3	23
87	Mutationally activated K-ras 4A and 4B both mediate lung carcinogenesis. <i>Experimental Cell Research</i> , 2008 , 314, 1105-14	4.2	23
86	Safety and efficacy of co-careldopa as an add-on therapy to occupational and physical therapy in patients after stroke (DARS): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology, The</i> , 2019 , 18, 530-538	24.1	22
85	Post-stroke Visual Impairment: A Systematic Literature Review of Types and Recovery of Visual Conditions. <i>Ophthalmology Research an International Journal</i> , 2016 , 5, 1-43	Ο	22

(2001-2012)

84	He assessment of low mood in stroke patients with aphasia: reliability and validity of the 10-item Hospital version of the Stroke Aphasic Depression Questionnaire (SADQH-10). <i>Clinical Rehabilitation</i> , 2012 , 26, 372-81	3.3	21	
83	Early, specialist vocational rehabilitation to facilitate return to work after traumatic brain injury: the FRESH feasibility RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-124	4.4	21	
82	Improving the Development, Monitoring and Reporting of Stroke Rehabilitation Research: Consensus-Based Core Recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 877-884	4.7	20	
81	Care provision for poststroke visual impairment. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 1131-44	2.8	20	
8o	Reacquisition of dressing skills after stroke. <i>International Disability Studies</i> , 1990 , 12, 41-3		20	
79	Is Stroke Early Supported Discharge still effective in practice? A prospective comparative study. <i>Clinical Rehabilitation</i> , 2016 , 30, 268-76	3.3	19	
78	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 13	2.8	19	
77	Occupational Therapy in Nursing and Residential Care Settings: A Description of a Randomised Controlled Trial Intervention. <i>British Journal of Occupational Therapy</i> , 2004 , 67, 104-110	1	19	
76	Return to Work after Stroke: Recording, Measuring, and Describing Occupational Therapy Intervention. <i>British Journal of Occupational Therapy</i> , 2014 , 77, 457-465	1	18	
75	The DARS (Dopamine Augmented Rehabilitation in Stroke) trial: protocol for a randomised controlled trial of Co-careldopa treatment in addition to routine NHS occupational and physical therapy after stroke. <i>Trials</i> , 2014 , 15, 316	2.8	17	
74	The implementation of evidence-based rehabilitation services for stroke survivors living in the community: the results of a Delphi consensus process. <i>Clinical Rehabilitation</i> , 2013 , 27, 741-9	3.3	16	
73	Dressing after a Stroke: A Survey of Current Occupational Therapy Practice. <i>British Journal of Occupational Therapy</i> , 2003 , 66, 263-268	1	16	
72	The DRESS trial: a feasibility randomized controlled trial of a neuropsychological approach to dressing therapy for stroke inpatients. <i>Clinical Rehabilitation</i> , 2012 , 26, 675-85	3.3	15	
71	A study to evaluate a low cost virtual reality system for home based rehabilitation of the upper limb following stroke. <i>International Journal on Disability and Human Development</i> , 2011 , 10,		15	
70	Stroke rehabilitation: evidence-based or evidence-tinged?. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 193	3-7 2.2	15	
69	Occupational Therapy in HomEcare Re-ablement Services (OTHERS): results of a feasibility randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011868	3	15	
68	A cluster randomised controlled trial of an occupational therapy intervention for residents with stroke living in UK care homes (OTCH): study protocol. <i>BMC Neurology</i> , 2012 , 12, 52	3.1	14	
67	The use of rehabilitation services by private nursing homes in Nottingham. <i>Age and Ageing</i> , 2001 , 30, 532-3	3	12	

66	Delivery of high quality stroke and vision care: experiences of UK services. <i>Disability and Rehabilitation</i> , 2016 , 38, 813-817	2.4	11
65	An evaluation of treatment integrity in a randomized trial of behavioural therapy for low mood in stroke patients with aphasia. <i>Clinical Rehabilitation</i> , 2013 , 27, 1097-106	3.3	11
64	Impact of Stroke on Return to Work. Brain Impairment, 2008, 9, 161-169	1	11
63	Changing occupational therapy and physiotherapy practice through guidelines and audit in the United Kingdom. <i>Clinical Rehabilitation</i> , 2005 , 19, 365-71	3.3	11
62	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. <i>BMJ Open</i> , 2016 , 6, e012027	3	11
61	Interventions to reduce dependency in personal activities of daily living in community-dwelling adults who use homecare services: protocol for a systematic review. <i>Systematic Reviews</i> , 2013 , 2, 49	3	10
60	Occupational therapy for care home residents with stroke. <i>The Cochrane Library</i> , 2013 , CD010116	5.2	10
59	Occupational Therapy to Optimise Independence in Parkinson's Disease: The Designing and Recording of a Randomised Controlled Trial Intervention. <i>British Journal of Occupational Therapy</i> , 2010 , 73, 178-185	1	10
58	Who should have a pre-discharge home assessment visit after a stroke? A qualitative study of occupational therapists' views. <i>British Journal of Occupational Therapy</i> , 2014 , 77, 384-391	1	9
57	Granulocyte Colony Stimulating Factor and Physiotherapy after Stroke: Results of a Feasibility Randomised Controlled Trial: Stem Cell Trial of Recovery EnhanceMent after Stroke-3 (STEMS-3 ISRCTN16714730). <i>PLoS ONE</i> , 2016 , 11, e0161359	3.7	9
56	Moving stroke rehabilitation research evidence into clinical practice: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2019 , 14, 766-773	6.3	8
55	What is the impact of large-scale implementation of stroke Early Supported Discharge? A mixed methods realist evaluation study protocol. <i>Implementation Science</i> , 2019 , 14, 61	8.4	8
54	Interventions to reduce dependency in bathing in community dwelling older adults: a systematic review. <i>Systematic Reviews</i> , 2017 , 6, 198	3	8
53	Stroke rehabilitation in the United kingdom. <i>Topics in Stroke Rehabilitation</i> , 2009 , 16, 27-33	2.6	8
52	An Occupational Therapy intervention for residents with stroke-related disabilities in UK Care Homes (OTCH): cluster randomised controlled trial with economic evaluation. <i>Health Technology Assessment</i> , 2016 , 20, 1-138	4.4	8
51	The use of carer perspectives and expert consensus to define key components of a biopsychosocial support intervention for stroke carers. <i>Topics in Stroke Rehabilitation</i> , 2019 , 26, 440-447	2.6	7
50	Evaluating a stroke-specific version of the Illness Perception Questionnaire-Revised, using the Think-Aloud method. <i>Journal of Health Psychology</i> , 2020 , 25, 1989-2005	3.1	7
49	Bathing adaptations in the homes of older adults (BATH-OUT): results of a feasibility randomised controlled trial (RCT). <i>BMC Public Health</i> , 2018 , 18, 1293	4.1	7

(2020-2019)

48	Moving Stroke Rehabilitation Research Evidence into Clinical Practice: Consensus-Based Core Recommendations From the Stroke Recovery and Rehabilitation Roundtable. <i>Neurorehabilitation and Neural Repair</i> , 2019 , 33, 935-942	4.7	6
47	Content and acceptability of an Occupational Therapy intervention in HomEcare Re-ablement Services (OTHERS). <i>British Journal of Occupational Therapy</i> , 2018 , 81, 535-542	1	6
46	Bathing adaptations in the homes of older adults (BATH-OUT): protocol for a feasibility randomised controlled trial (RCT). <i>BMJ Open</i> , 2016 , 6, e013448	3	6
45	Occupational Therapy in HomEcare Re-ablement Services (OTHERS): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 447	2.8	6
44	An Interrater Reliability Study of the Nottingham Stroke Dressing Assessment. <i>British Journal of Occupational Therapy</i> , 2010 , 73, 570-578	1	6
43	Time to Make an Impact. British Journal of Occupational Therapy, 2005, 68, 55-55	1	6
42	Family-led rehabilitation in India (ATTEND)-Findings from the process evaluation of a randomized controlled trial. <i>International Journal of Stroke</i> , 2019 , 14, 53-60	6.3	5
41	Facilitating return to work through early specialist health-based interventions (FRESH): protocol for a feasibility randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2015 , 1, 24	1.9	5
40	A multi-centre randomised controlled trial of rehabilitation aimed at improving outdoor mobility for people after stroke: study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 86	2.8	5
39	VISTA-Rehab: a resource for stroke rehabilitation trials. <i>International Journal of Stroke</i> , 2010 , 5, 447-52	6.3	5
38	Effectiveness of Stroke Early Supported Discharge: Analysis From a National Stroke Registry. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006395	5.8	5
37	Biopsychosocial Intervention for Stroke Carers (BISC): protocol for a feasibility randomised controlled trial (RCT). <i>BMJ Open</i> , 2017 , 7, e018309	3	4
36	An individually randomised controlled multi-centre pragmatic trial with embedded economic and process evaluations of early vocational rehabilitation compared with usual care for stroke survivors: study protocol for the RETurn to work After strokE (RETAKE) trial. <i>Trials</i> , 2020 , 21, 1010	2.8	4
35	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. <i>International Journal of Stroke</i> , 2017 , 12, 208-210	6.3	4
34	Scholarly communication and concerns for our conferences. <i>Australian Occupational Therapy Journal</i> , 2009 , 56, 147-8	1.7	4
33	The adjective 'physical' in the term 'physical rehabilitation'. Clinical Rehabilitation, 2006 , 20, 635-6	3.3	4
32	Biopsychosocial intervention for stroke carers (BISC): results of a feasibility randomised controlled trial and nested qualitative interview study. <i>Clinical Rehabilitation</i> , 2020 , 34, 1268-1281	3.3	4
31	Do individual versus illness belief schema differ in the prediction of post-stroke recovery?. <i>Journal of Health Psychology</i> , 2020 , 25, 2118-2128	3.1	4

30	Occupational Therapy for Care Home Residents with Stroke: What is Routine National Practice?. <i>British Journal of Occupational Therapy</i> , 2014 , 77, 265-273	1	3
29	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients. <i>International Journal of Game-Based Learning</i> , 2011 , 1, 60-73	1.3	3
28	A Survival Guide to Paper Presentation. British Journal of Occupational Therapy, 1997, 60, 26-28	1	3
27	Nominal group technique to establish the core components of home-based rehabilitation for survivors of stroke with severe disability. <i>BMJ Open</i> , 2021 , 11, e052593	3	3
26	A scoping review of psychoeducational interventions for people after transient ischemic attack and minor stroke. <i>Topics in Stroke Rehabilitation</i> , 2021 , 28, 390-400	2.6	3
25	ESCAPS study protocol: a feasibility randomised controlled trial of 'Early electrical stimulation to the wrist extensors and wrist flexors to prevent the post-stroke complications of pain and contractures in the paretic arm'. <i>BMJ Open</i> , 2016 , 6, e010079	3	3
24	Physiotherapy and Occupational Therapy and Mild to Moderate Parkinson Disease-Reply. <i>JAMA Neurology</i> , 2016 , 73, 894-5	17.2	2
23	Genetically predicted physical activity levels are associated with lower colorectal cancer risk: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2021 , 124, 1330-1338	8.7	2
22	Effect of stroke early supported discharge on length of hospital stay: analysis from a national stroke registry. <i>BMJ Open</i> , 2021 , 11, e043480	3	2
21	Vitamin D treatment induces in vitro and ex vivo transcriptomic changes indicating anti-tumor effects <i>FASEB Journal</i> , 2022 , 36, e22082	0.9	2
20	The Influence of Hand Use on Dressing Outcome in Cognitively Impaired Stroke Survivors. <i>British Journal of Occupational Therapy</i> , 2012 , 75, 2-9	1	1
19	The Casson Memorial Lecture 2003: Past Conditional, Present Indicative, Future Indefinite. <i>British Journal of Occupational Therapy</i> , 2003 , 66, 338-344	1	1
18	The scope for community based intervention in stroke rehabilitation. <i>British Journal of Community Nursing</i> , 2000 , 5, 176, 178-80	0.6	1
17	A Biopsychosocial Intervention for Stroke Carers (BISC): development and description of the intervention <i>Health Psychology and Behavioral Medicine</i> , 2022 , 10, 92-103	2.2	1
16	Critique of Home Constraint-Induced Movement Therapy Trial: Constraint-Induced Movement Therapy Study Prompts the Need for Further Research. <i>Stroke</i> , 2016 , 47, 1960-1	6.7	1
15	How do patients spend their time in stroke rehabilitation units in England? The REVIHR study. <i>Disability and Rehabilitation</i> , 2021 , 43, 2312-2319	2.4	1
14	Large-scale implementation of stroke early supported discharge: the WISE realist mixed-methods study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-150	1.5	0
13	Gene Co-Expression Network Analysis Identifies Vitamin D-Associated Gene Modules in Adult Normal Rectal Epithelium Following Supplementation <i>Frontiers in Genetics</i> , 2021 , 12, 783970	4.5	O

LIST OF PUBLICATIONS

12	implementation vary across high income, upper and lower-middle income countries?. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	О
11	RETurn to work After stroKE (RETAKE) Trial: protocol for a mixed-methods process evaluation using normalisation process theory <i>BMJ Open</i> , 2022 , 12, e053111	3	O
10	Telerehabilitation for Stroke is Here to Stay. But at What Cost?. <i>Neurorehabilitation and Neural Repair</i> , 2022 , 15459683221100492	4.7	О
9	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients. <i>Advances in Human and Social Aspects of Technology Book Series</i> , 2014 , 148-161	0.2	
8	PD REHAB RCT OF PHYSIOTHERAPY AND OT IN PARKINSON'S DISEASE. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, e4.124-e4	5.5	
7	The benefits and harms of art therapy for people with schizophrenia and schizophrenia-like illnesses remain unclear. <i>Australian Occupational Therapy Journal</i> , 2007 , 54, 79-81	1.7	
6	Splinting the hand in the functional position after acquired brain injury did not influence muscle length, hand function or pain. <i>Australian Occupational Therapy Journal</i> , 2003 , 50, 262-263	1.7	
5	Evaluating stroke early supported discharge using cost-consequence analysis. <i>Disability and Rehabilitation</i> , 2021 , 1-7	2.4	
4	Dopamine Augmented Rehabilitation in Stroke (DARS): a multicentre double-blind, randomised controlled trial of co-careldopa compared with placebo, in addition to routine NHS occupational and physical therapy, delivered early after stroke on functional recovery. <i>Efficacy and Mechanism</i>	1.7	
3	Evaluation, 2019, 6, 1-138 The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients 2013, 241-252		
2	An audit of dressing practice by occupational therapists in acute stroke settings in England. <i>British Journal of Occupational Therapy</i> , 2020 , 83, 664-673	1	
1	"Give stroke survivors the chance to make their best recovery". <i>Nursing Times</i> , 2013 , 109, 13		