

Marion F Walker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4087965/marion-f-walker-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

5,872
citations

35
h-index

75
g-index

145
ext. papers

6,636
ext. citations

4.5
avg, IF

5.77
L-index

#	Paper	IF	Citations
137	A Biopsychosocial Intervention for Stroke Carers (BISC): development and description of the intervention.. <i>Health Psychology and Behavioral Medicine</i> , 2022 , 10, 92-103	2.2	1
136	RETurn to work After stroKE (RETAKE) Trial: protocol for a mixed-methods process evaluation using normalisation process theory.. <i>BMJ Open</i> , 2022 , 12, e053111	3	0
135	Vitamin D treatment induces in vitro and ex vivo transcriptomic changes indicating anti-tumor effects.. <i>FASEB Journal</i> , 2022 , 36, e22082	0.9	2
134	Telerehabilitation for Stroke is Here to Stay. But at What Cost?. <i>Neurorehabilitation and Neural Repair</i> , 2022 , 15459683221100492	4.7	0
133	Large-scale implementation of stroke early supported discharge: the WISE realist mixed-methods study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-150	1.5	0
132	Nominal group technique to establish the core components of home-based rehabilitation for survivors of stroke with severe disability. <i>BMJ Open</i> , 2021 , 11, e052593	3	3
131	Gene Co-Expression Network Analysis Identifies Vitamin D-Associated Gene Modules in Adult Normal Rectal Epithelium Following Supplementation.. <i>Frontiers in Genetics</i> , 2021 , 12, 783970	4.5	0
130	Evaluating stroke early supported discharge using cost-consequence analysis. <i>Disability and Rehabilitation</i> , 2021 , 1-7	2.4	
129	A scoping review of psychoeducational interventions for people after transient ischemic attack and minor stroke. <i>Topics in Stroke Rehabilitation</i> , 2021 , 28, 390-400	2.6	3
128	Evidence-based stroke rehabilitation: do priorities for practice change and feasibility of implementation vary across high income, upper and lower-middle income countries?. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	0
127	How do patients spend their time in stroke rehabilitation units in England? The REVIHR study. <i>Disability and Rehabilitation</i> , 2021 , 43, 2312-2319	2.4	1
126	Genetically predicted physical activity levels are associated with lower colorectal cancer risk: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2021 , 124, 1330-1338	8.7	2
125	Effect of stroke early supported discharge on length of hospital stay: analysis from a national stroke registry. <i>BMJ Open</i> , 2021 , 11, e043480	3	2
124	An individually randomised controlled multi-centre pragmatic trial with embedded economic and process evaluations of early vocational rehabilitation compared with usual care for stroke survivors: study protocol for the RETurn to work After stroKE (RETAKE) trial. <i>Trials</i> , 2020 , 21, 1010	2.8	4
123	Effectiveness of Stroke Early Supported Discharge: Analysis From a National Stroke Registry. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006395	5.8	5
122	Biopsychosocial intervention for stroke carers (BISC): results of a feasibility randomised controlled trial and nested qualitative interview study. <i>Clinical Rehabilitation</i> , 2020 , 34, 1268-1281	3.3	4
121	An audit of dressing practice by occupational therapists in acute stroke settings in England. <i>British Journal of Occupational Therapy</i> , 2020 , 83, 664-673	1	

120	Do individual versus illness belief schema differ in the prediction of post-stroke recovery?. <i>Journal of Health Psychology</i> , 2020 , 25, 2118-2128	3.1	4
119	Evaluating a stroke-specific version of the Illness Perception Questionnaire-Revised, using the Think-Aloud method. <i>Journal of Health Psychology</i> , 2020 , 25, 1989-2005	3.1	7
118	Moving Stroke Rehabilitation Research Evidence into Clinical Practice: Consensus-Based Core Recommendations From the Stroke Recovery and Rehabilitation Roundtable. <i>Neurorehabilitation and Neural Repair</i> , 2019 , 33, 935-942	4.7	6
117	Moving stroke rehabilitation research evidence into clinical practice: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2019 , 14, 766-773	6.3	8
116	Safety and efficacy of co-careldopa as an add-on therapy to occupational and physical therapy in patients after stroke (DARS): a randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , 2019 , 18, 530-538	24.1	22
115	What is the impact of large-scale implementation of stroke Early Supported Discharge? A mixed methods realist evaluation study protocol. <i>Implementation Science</i> , 2019 , 14, 61	8.4	8
114	The use of carer perspectives and expert consensus to define key components of a biopsychosocial support intervention for stroke carers. <i>Topics in Stroke Rehabilitation</i> , 2019 , 26, 440-447	2.6	7
113	Setting the scene for the Second Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2019 , 14, 450-456	6.3	23
112	Family-led rehabilitation in India (ATTEND)-Findings from the process evaluation of a randomized controlled trial. <i>International Journal of Stroke</i> , 2019 , 14, 53-60	6.3	5
111	Dopamine Augmented Rehabilitation in Stroke (DARS): a multicentre double-blind, randomised controlled trial of co-careldopa compared with placebo, in addition to routine NHS occupational and physical therapy, delivered early after stroke on functional recovery. <i>Efficacy and Mechanism Evaluation</i> , 2019 , 6, 1-138	1.7	
110	Content and acceptability of an Occupational Therapy intervention in HomeCare Re-ablement Services (OTHERS). <i>British Journal of Occupational Therapy</i> , 2018 , 81, 535-542	1	6
109	Early, specialist vocational rehabilitation to facilitate return to work after traumatic brain injury: the FRESH feasibility RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-124	4.4	21
108	Bathing adaptations in the homes of older adults (BATH-OUT): results of a feasibility randomised controlled trial (RCT). <i>BMC Public Health</i> , 2018 , 18, 1293	4.1	7
107	Biopsychosocial Intervention for Stroke Carers (BISC): protocol for a feasibility randomised controlled trial (RCT). <i>BMJ Open</i> , 2017 , 7, e018309	3	4
106	Interventions to reduce dependency in bathing in community dwelling older adults: a systematic review. <i>Systematic Reviews</i> , 2017 , 6, 198	3	8
105	Moving Rehabilitation Research Forward: Developing Consensus Statements for Rehabilitation and Recovery Research. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 694-698	4.7	30
104	Improving the Development, Monitoring and Reporting of Stroke Rehabilitation Research: Consensus-Based Core Recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 877-884	4.7	20
103	Improving the development, monitoring and reporting of stroke rehabilitation research: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. <i>International Journal of Stroke</i> , 2017 , 12, 472-479	6.3	69

102	Family-led rehabilitation after stroke in India (ATTEND): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 390, 588-599	40	80
101	Statistical analysis plan for the family-led rehabilitation after stroke in India (ATTEND) trial: A multicenter randomized controlled trial of a new model of stroke rehabilitation compared to usual care. <i>International Journal of Stroke</i> , 2017 , 12, 208-210	6.3	4
100	Is Stroke Early Supported Discharge still effective in practice? A prospective comparative study. <i>Clinical Rehabilitation</i> , 2016 , 30, 268-76	3.3	19
99	Bathing adaptations in the homes of older adults (BATH-OUT): protocol for a feasibility randomised controlled trial (RCT). <i>BMJ Open</i> , 2016 , 6, e013448	3	6
98	Physiotherapy and Occupational Therapy and Mild to Moderate Parkinson Disease-Reply. <i>JAMA Neurology</i> , 2016 , 73, 894-5	17.2	2
97	Family-led rehabilitation after stroke in India: the ATTEND trial, study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 13	2.8	19
96	Physiotherapy and Occupational Therapy vs No Therapy in Mild to Moderate Parkinson Disease: A Randomized Clinical Trial. <i>JAMA Neurology</i> , 2016 , 73, 291-9	17.2	56
95	Delivery of high quality stroke and vision care: experiences of UK services. <i>Disability and Rehabilitation</i> , 2016 , 38, 813-817	2.4	11
94	Granulocyte Colony Stimulating Factor and Physiotherapy after Stroke: Results of a Feasibility Randomised Controlled Trial: Stem Cell Trial of Recovery EnhanceMent after Stroke-3 (STEMS-3 ISRCTN16714730). <i>PLoS ONE</i> , 2016 , 11, e0161359	3.7	9
93	An Occupational Therapy intervention for residents with stroke-related disabilities in UK Care Homes (OTCH): cluster randomised controlled trial with economic evaluation. <i>Health Technology Assessment</i> , 2016 , 20, 1-138	4.4	8
92	Clinical effectiveness and cost-effectiveness of physiotherapy and occupational therapy versus no therapy in mild to moderate Parkinson's disease: a large pragmatic randomised controlled trial (PD REHAB). <i>Health Technology Assessment</i> , 2016 , 20, 1-96	4.4	38
91	Post-stroke Visual Impairment: A Systematic Literature Review of Types and Recovery of Visual Conditions. <i>Ophthalmology Research an International Journal</i> , 2016 , 5, 1-43	0	22
90	Occupational Therapy in HomeCare Re-ablement Services (OTHERS): results of a feasibility randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e011868	3	15
89	Protocol for process evaluation of a randomised controlled trial of family-led rehabilitation post stroke (ATTEND) in India. <i>BMJ Open</i> , 2016 , 6, e012027	3	11
88	ESCAPS study protocol: a feasibility randomised controlled trial of 'Early electrical stimulation to the wrist extensors and wrist flexors to prevent the post-stroke complications of pain and contractures in the paretic arm'. <i>BMJ Open</i> , 2016 , 6, e010079	3	3
87	Critique of Home Constraint-Induced Movement Therapy Trial: Constraint-Induced Movement Therapy Study Prompts the Need for Further Research. <i>Stroke</i> , 2016 , 47, 1960-1	6.7	1
86	Moving rehabilitation research forward: Developing consensus statements for rehabilitation and recovery research. <i>International Journal of Stroke</i> , 2016 , 11, 454-8	6.3	102
85	Interventions to reduce dependency in personal activities of daily living in community dwelling adults who use homecare services: a systematic review. <i>Clinical Rehabilitation</i> , 2015 , 29, 1064-76	3.3	42

84	'TIDieR-ing up' the reporting of interventions in stroke research: the importance of knowing what is in the 'black box'. <i>International Journal of Stroke</i> , 2015 , 10, 657-8	6.3	25
83	What's in a name? The challenge of describing interventions in systematic reviews: analysis of a random sample of reviews of non-pharmacological stroke interventions. <i>BMJ Open</i> , 2015 , 5, e009051	3	32
82	FAMily-Led RehabilItaTion aftEr Stroke in INDia: the ATTEND pilot study. <i>International Journal of Stroke</i> , 2015 , 10, 609-14	6.3	27
81	Facilitating return to work through early specialist health-based interventions (FRESH): protocol for a feasibility randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2015 , 1, 24	1.9	5
80	Care provision for poststroke visual impairment. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 1131-44	2.8	20
79	An occupational therapy intervention for residents with stroke related disabilities in UK care homes (OTCH): cluster randomised controlled trial. <i>BMJ, The</i> , 2015 , 350, h468	5.9	28
78	The DARS (Dopamine Augmented Rehabilitation in Stroke) trial: protocol for a randomised controlled trial of Co-careldopa treatment in addition to routine NHS occupational and physical therapy after stroke. <i>Trials</i> , 2014 , 15, 316	2.8	17
77	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients. <i>Advances in Human and Social Aspects of Technology Book Series</i> , 2014 , 148-161	0.2	
76	Evaluation of the Post Stroke Checklist: a pilot study in the United Kingdom and Singapore. <i>International Journal of Stroke</i> , 2014 , 9 Suppl A100, 76-84	6.3	33
75	Occupational Therapy in HomeCare Re-ablement Services (OTHERS): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 447	2.8	6
74	Occupational Therapy for Care Home Residents with Stroke: What is Routine National Practice?. <i>British Journal of Occupational Therapy</i> , 2014 , 77, 265-273	1	3
73	Implementing evidence-based stroke Early Supported Discharge services: a qualitative study of challenges, facilitators and impact. <i>Clinical Rehabilitation</i> , 2014 , 28, 370-7	3.3	25
72	Return to Work after Stroke: Recording, Measuring, and Describing Occupational Therapy Intervention. <i>British Journal of Occupational Therapy</i> , 2014 , 77, 457-465	1	18
71	Towards a programme theory for fidelity in the evaluation of complex interventions. <i>Journal of Evaluation in Clinical Practice</i> , 2014 , 20, 445-52	2.5	46
70	Who should have a pre-discharge home assessment visit after a stroke? A qualitative study of occupational therapists' views. <i>British Journal of Occupational Therapy</i> , 2014 , 77, 384-391	1	9
69	PD REHAB RCT OF PHYSIOTHERAPY AND OT IN PARKINSON'S DISEASE. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, e4.124-e4	5.5	
68	An ethnographic study of knowledge sharing across the boundaries between care processes, services and organisations: the contributions to safe hospital discharge. <i>Health Services and Delivery Research</i> , 2014 , 2, 1-160	1.5	44
67	Rehabilitation aimed at improving outdoor mobility for people after stroke: a multicentre randomised controlled study (the Getting out of the House Study). <i>Health Technology Assessment</i> , 2014 , 18, vii-viii, 1-113	4.4	26

66	Interventions to reduce dependency in personal activities of daily living in community-dwelling adults who use homecare services: protocol for a systematic review. <i>Systematic Reviews</i> , 2013 , 2, 49	3	10
65	Cognitive treatment of illness perceptions in patients with chronic low back pain: a randomized controlled trial. <i>Physical Therapy</i> , 2013 , 93, 435-48	3.3	66
64	From what we know to what we do: translating stroke rehabilitation research into practice. <i>International Journal of Stroke</i> , 2013 , 8, 11-7	6.3	41
63	Development of a poststroke checklist to standardize follow-up care for stroke survivors. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013 , 22, e173-80	2.8	58
62	The implementation of evidence-based rehabilitation services for stroke survivors living in the community: the results of a Delphi consensus process. <i>Clinical Rehabilitation</i> , 2013 , 27, 741-9	3.3	16
61	Communication and Low Mood (CALM): a randomized controlled trial of behavioural therapy for stroke patients with aphasia. <i>Clinical Rehabilitation</i> , 2013 , 27, 398-408	3.3	80
60	Return to work after traumatic brain injury: cohort comparison and economic evaluation. <i>Brain Injury</i> , 2013 , 27, 507-20	2.1	57
59	An evaluation of treatment integrity in a randomized trial of behavioural therapy for low mood in stroke patients with aphasia. <i>Clinical Rehabilitation</i> , 2013 , 27, 1097-106	3.3	11
58	A qualitative study exploring patients' and carers' experiences of Early Supported Discharge services after stroke. <i>Clinical Rehabilitation</i> , 2013 , 27, 750-7	3.3	57
57	Occupational therapy for care home residents with stroke. <i>The Cochrane Library</i> , 2013 , CD010116	5.2	10
56	Evidence-based community stroke rehabilitation. <i>Stroke</i> , 2013 , 44, 293-7	6.7	37
55	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients 2013 , 241-252		
54	"Give stroke survivors the chance to make their best recovery". <i>Nursing Times</i> , 2013 , 109, 13		
53	The DRESS trial: a feasibility randomized controlled trial of a neuropsychological approach to dressing therapy for stroke inpatients. <i>Clinical Rehabilitation</i> , 2012 , 26, 675-85	3.3	15
52	A cluster randomised controlled trial of an occupational therapy intervention for residents with stroke living in UK care homes (OTCH): study protocol. <i>BMC Neurology</i> , 2012 , 12, 52	3.1	14
51	A multi-centre randomised controlled trial of rehabilitation aimed at improving outdoor mobility for people after stroke: study protocol for a randomised controlled trial. <i>Trials</i> , 2012 , 13, 86	2.8	5
50	The assessment of low mood in stroke patients with aphasia: reliability and validity of the 10-item Hospital version of the Stroke Aphasic Depression Questionnaire (SADQH-10). <i>Clinical Rehabilitation</i> , 2012 , 26, 372-81	3.3	21
49	Granulocyte-colony stimulating factor for mobilizing bone marrow stem cells in subacute stroke: the stem cell trial of recovery enhancement after stroke 2 randomized controlled trial. <i>Stroke</i> , 2012 , 43, 405-11	6.7	85

48	The Influence of Hand Use on Dressing Outcome in Cognitively Impaired Stroke Survivors. <i>British Journal of Occupational Therapy</i> , 2012 , 75, 2-9	1	1
47	The association of dietary intake of purine-rich vegetables, sugar-sweetened beverages and dairy with plasma urate, in a cross-sectional study. <i>PLoS ONE</i> , 2012 , 7, e38123	3.7	84
46	The Use of Motion Tracking Technologies in Serious Games to Enhance Rehabilitation in Stroke Patients. <i>International Journal of Game-Based Learning</i> , 2011 , 1, 60-73	1.3	3
45	Diet, environmental factors, and lifestyle underlie the high prevalence of vitamin D deficiency in healthy adults in Scotland, and supplementation reduces the proportion that are severely deficient. <i>Journal of Nutrition</i> , 2011 , 141, 1535-42	4.1	59
44	A consensus on stroke: early supported discharge. <i>Stroke</i> , 2011 , 42, 1392-7	6.7	97
43	A study to evaluate a low cost virtual reality system for home based rehabilitation of the upper limb following stroke. <i>International Journal on Disability and Human Development</i> , 2011 , 10,		15
42	Multiple common susceptibility variants near BMP pathway loci GREM1, BMP4, and BMP2 explain part of the missing heritability of colorectal cancer. <i>PLoS Genetics</i> , 2011 , 7, e1002105	6	169
41	VISTA-Rehab: a resource for stroke rehabilitation trials. <i>International Journal of Stroke</i> , 2010 , 5, 447-52	6.3	5
40	Occupational Therapy to Optimise Independence in Parkinson's Disease: The Designing and Recording of a Randomised Controlled Trial Intervention. <i>British Journal of Occupational Therapy</i> , 2010 , 73, 178-185	1	10
39	An Interrater Reliability Study of the Nottingham Stroke Dressing Assessment. <i>British Journal of Occupational Therapy</i> , 2010 , 73, 570-578	1	6
38	Evidence-based stroke r-rehabilitation: an expanded guidance document from the european stroke organisation (ESO) guidelines for management of ischaemic stroke and transient ischaemic attack 2008. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 99-111	3.4	130
37	Clinical evaluation of a non-immersive virtual environment in stroke rehabilitation. <i>Clinical Rehabilitation</i> , 2009 , 23, 106-16	3.3	30
36	Scholarly communication and concerns for our conferences. <i>Australian Occupational Therapy Journal</i> , 2009 , 56, 147-8	1.7	4
35	Stroke rehabilitation in the United kingdom. <i>Topics in Stroke Rehabilitation</i> , 2009 , 16, 27-33	2.6	8
34	Genome-wide association scan identifies a colorectal cancer susceptibility locus on 11q23 and replicates risk loci at 8q24 and 18q21. <i>Nature Genetics</i> , 2008 , 40, 631-7	36.3	486
33	Mutationally activated K-ras 4A and 4B both mediate lung carcinogenesis. <i>Experimental Cell Research</i> , 2008 , 314, 1105-14	4.2	23
32	Guidelines for management of ischaemic stroke and transient ischaemic attack 2008. <i>Cerebrovascular Diseases</i> , 2008 , 25, 457-507	3.2	1902
31	Impact of Stroke on Return to Work. <i>Brain Impairment</i> , 2008 , 9, 161-169	1	11

30	Therapy-based rehabilitation services for patients living at home more than one year after stroke. <i>The Cochrane Library</i> , 2008 , CD005952	5.2	45
29	Stroke rehabilitation: evidence-based or evidence-tinged?. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 193-7	2.2	15
28	The benefits and harms of art therapy for people with schizophrenia and schizophrenia-like illnesses remain unclear. <i>Australian Occupational Therapy Journal</i> , 2007 , 54, 79-81	1.7	
27	Amphetamine increases blood pressure and heart rate but has no effect on motor recovery or cerebral haemodynamics in ischaemic stroke: a randomized controlled trial (ISRCTN 36285333). <i>Journal of Human Hypertension</i> , 2007 , 21, 616-24	2.6	29
26	Occupational therapy for patients with problems in personal activities of daily living after stroke: systematic review of randomised trials. <i>BMJ, The</i> , 2007 , 335, 922	5.9	90
25	Validity of a virtual environment for stroke rehabilitation. <i>Stroke</i> , 2006 , 37, 2770-5	6.7	37
24	Granulocyte-colony-stimulating factor mobilizes bone marrow stem cells in patients with subacute ischemic stroke: the Stem cell Trial of recovery EnhanceMent after Stroke (STEMS) pilot randomized, controlled trial (ISRCTN 16784092). <i>Stroke</i> , 2006 , 37, 2979-83	6.7	107
23	The adjective 'physical' in the term 'physical rehabilitation'. <i>Clinical Rehabilitation</i> , 2006 , 20, 635-6	3.3	4
22	Action errors and dressing disability after stroke: an ecological approach to neuropsychological assessment and intervention. <i>Neuropsychological Rehabilitation</i> , 2006 , 16, 666-83	3.1	26
21	Time to Make an Impact. <i>British Journal of Occupational Therapy</i> , 2005 , 68, 55-55	1	6
20	Changing occupational therapy and physiotherapy practice through guidelines and audit in the United Kingdom. <i>Clinical Rehabilitation</i> , 2005 , 19, 365-71	3.3	11
19	Occupational Therapy in Nursing and Residential Care Settings: A Description of a Randomised Controlled Trial Intervention. <i>British Journal of Occupational Therapy</i> , 2004 , 67, 104-110	1	19
18	Evaluation of a pilot service designed to provide support following stroke: a randomized cross-over design study. <i>Clinical Rehabilitation</i> , 2004 , 18, 69-75	3.3	27
17	Individual patient data meta-analysis of randomized controlled trials of community occupational therapy for stroke patients. <i>Stroke</i> , 2004 , 35, 2226-32	6.7	90
16	Evaluation of a multiprofessional community stroke team: a randomized controlled trial. <i>Clinical Rehabilitation</i> , 2004 , 18, 40-7	3.3	54
15	A randomised controlled trial of a care home rehabilitation service to reduce long-term institutionalisation for elderly people. <i>Age and Ageing</i> , 2004 , 33, 384-90	3	38
14	The Casson Memorial Lecture 2003: Past Conditional, Present Indicative, Future Indefinite. <i>British Journal of Occupational Therapy</i> , 2003 , 66, 338-344	1	1
13	MBD1, MBD2 and CGBP genes at chromosome 18q21 are infrequently mutated in human colon and lung cancers. <i>Oncogene</i> , 2003 , 22, 3506-10	9.2	29

12	Splinting the hand in the functional position after acquired brain injury did not influence muscle length, hand function or pain. <i>Australian Occupational Therapy Journal</i> , 2003 , 50, 262-263	1.7	
11	Dressing after a Stroke: A Survey of Current Occupational Therapy Practice. <i>British Journal of Occupational Therapy</i> , 2003 , 66, 263-268	1	16
10	The use of rehabilitation services by private nursing homes in Nottingham. <i>Age and Ageing</i> , 2001 , 30, 532-3	3	12
9	The scope for community based intervention in stroke rehabilitation. <i>British Journal of Community Nursing</i> , 2000 , 5, 176, 178-80	0.6	1
8	Somatic frameshift mutations in the MBD4 gene of sporadic colon cancers with mismatch repair deficiency. <i>Oncogene</i> , 1999 , 18, 8044-7	9.2	121
7	Occupational therapy for stroke patients not admitted to hospital: a randomised controlled trial. <i>Lancet, The</i> , 1999 , 354, 278-80	40	140
6	A Survival Guide to Paper Presentation. <i>British Journal of Occupational Therapy</i> , 1997 , 60, 26-28	1	3
5	College of Occupational Therapists: Research and Development Strategy. <i>British Journal of Occupational Therapy</i> , 1997 , 60, 484-486	1	31
4	Generalisation of the Effects of Leisure Rehabilitation for Stroke Patients. <i>British Journal of Occupational Therapy</i> , 1996 , 59, 330-334	1	55
3	A randomized controlled trial of leisure rehabilitation after stroke. <i>Clinical Rehabilitation</i> , 1995 , 9, 283-290	30	84
2	The treatment of visual neglect using feedback of eye movements: a pilot study. <i>Disability and Rehabilitation</i> , 1995 , 17, 413-7	2.4	41
1	Reacquisition of dressing skills after stroke. <i>International Disability Studies</i> , 1990 , 12, 41-3		20