

Mario Alvarez-Jimenez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4088591/publications.pdf>

Version: 2024-02-01

174
papers

7,730
citations

66250

44
h-index

78623

77
g-index

199
all docs

199
docs citations

199
times ranked

7546
citing authors

#	ARTICLE	IF	CITATIONS
1	Cognitive strengths in first-episode psychosis: perspectives from young people with lived experience. <i>Psychosis</i> , 2023, 15, 240-251.	0.4	3
2	Young people's experience of online therapy for first-episode psychosis: A qualitative study. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 155-172.	1.3	8
3	Online interventions for cannabis use among adolescents and young adults: Systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2022, 16, 821-844.	0.9	7
4	Psychometric properties of the Mindful Attention Awareness Scale (MAAS) in a first-episode psychosis sample. <i>Psychological Assessment</i> , 2022, 34, 188-196.	1.2	6
5	The impact of persistent social anxiety on social functioning and health-related quality of life in young people with remitted first-episode psychosis. <i>Microbial Biotechnology</i> , 2022, 16, 868-874.	0.9	2
6	Cognitive Strengths in First-Episode Psychosis: Perspectives of Cognition Experts. <i>Journal of Psychosocial Rehabilitation and Mental Health</i> , 2022, 9, 177-188.	0.4	4
7	The future of digital mental health in the post-pandemic world: Evidence-based, blended, responsive and implementable. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 107-109.	1.3	6
8	Designing and scaling up integrated youth mental health care. <i>World Psychiatry</i> , 2022, 21, 61-76.	4.8	161
9	Characterizing Use of a Multicomponent Digital Intervention to Predict Treatment Outcomes in First-Episode Psychosis: Cluster Analysis. <i>JMIR Mental Health</i> , 2022, 9, e29211.	1.7	13
10	Ownership, Use of, and Interest in Digital Mental Health Technologies Among Clinicians and Young People Across a Spectrum of Clinical Care Needs: Cross-sectional Survey. <i>JMIR Mental Health</i> , 2022, 9, e30716.	1.7	18
11	Gaming My Way to Recovery: A Systematic Scoping Review of Digital Game Interventions for Young People's Mental Health Treatment and Promotion. <i>Frontiers in Digital Health</i> , 2022, 4, 814248.	1.5	8
12	Digital technology for addressing cognitive impairment in recent-onset psychosis: A perspective. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100247.	0.7	8
13	Research to Clinical Practice—Youth seeking mental health information online and its impact on the first steps in the patient journey. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 301-314.	2.2	3
14	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. <i>Lancet Psychiatry</i> , 2022, 9, 477-486.	3.7	13
15	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-174.	1.3	16
16	Usability, Feasibility, and Effect of a Biocueing Intervention in Addition to a Moderated Digital Social Therapy-Platform in Young People With Emerging Mental Health Problems: A Mixed-Method Approach. <i>Frontiers in Psychiatry</i> , 2022, 13, .	1.3	6
17	Positive and meaningful lives: Systematic review and meta-analysis of eudaimonic well-being in first-episode psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 1072-1091.	0.9	6
18	A pilot trial of moderated online social therapy for family and friends of young people with borderline personality disorder features. <i>Microbial Biotechnology</i> , 2021, 15, 1564-1574.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Horyzons USA: A moderated online social intervention for first episode psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 335-343.	0.9	23
20	Trauma and the content of hallucinations and post-traumatic intrusions in first episode psychosis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 223-241.	1.3	24
21	Improving treatments for psychotic disorders: beyond cognitive behaviour therapy for psychosis. <i>Psychosis</i> , 2021, 13, 78-84.	0.4	14
22	Social anxiety in young people with first episode psychosis: Pilot study of the EMBRACE moderated online social intervention. <i>Microbial Biotechnology</i> , 2021, 15, 76-86.	0.9	23
23	“Like a huge weight lifted off my shoulders” Exploring young peoples’ experiences of treatment in a pilot trial of trauma-focused cognitive behavioral therapy. <i>Psychotherapy Research</i> , 2021, 31, 737-751.	1.1	8
24	The youth online training and employment system: Study protocol for a randomized controlled trial of an online vocational intervention for young people with mental ill health. <i>Microbial Biotechnology</i> , 2021, 15, 1602-1611.	0.9	4
25	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501.	2.8	44
26	Trauma-focused cognitive-behavioral therapy (TF-CBT) for interpersonal trauma in transitional-aged youth.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2021, 13, 313-321.	1.4	16
27	Perceived Helpfulness of a Moderated Online Social Therapy Network for Young People Experiencing Social Anxiety. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2796.	1.2	3
28	Moderated Online Social Therapy for Young People With Active Suicidal Ideation: Qualitative Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e24260.	2.1	7
29	Online Indicated Preventive Mental Health Interventions for Youth: A Scoping Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 580843.	1.3	18
30	The Horyzons project: a randomized controlled trial of a novel online social therapy to maintain treatment effects from specialist first episode psychosis services. <i>World Psychiatry</i> , 2021, 20, 233-243.	4.8	62
31	Effective Connectivity of Fronto-Striato-Thalamic Circuitry Across the Psychosis Continuum. <i>Biological Psychiatry</i> , 2021, 89, S356.	0.7	2
32	Longitudinal Changes in Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First Episode Psychosis: A Randomized, Triple-Blind Placebo-Controlled fMRI Study. <i>Biological Psychiatry</i> , 2021, 89, S174.	0.7	0
33	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 24, 100194.	0.7	5
34	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	6.0	40
35	A comparison of experiences of care and expressed emotion among caregivers of young people with first-episode psychosis or borderline personality disorder features. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, , 000486742110502.	1.3	6
36	Cognitive strengths in first episode psychosis: a thematic analysis of clinicians’ perspectives. <i>BMC Psychiatry</i> , 2021, 21, 612.	1.1	3

#	ARTICLE	IF	CITATIONS
37	A Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Specialized Services for First-Episode Psychosis: Protocol for a Pilot Pre-Post, Mixed Methods Study of Horizons-Canada (Phase 2). JMIR Research Protocols, 2021, 10, e28141.	0.5	3
38	Promoting Psychosocial Functioning and Recovery in Schizophrenia Spectrum and Other Psychotic Disorders. , 2020, , 419-445.		1
39	Acceptance- and mindfulness-based interventions for persons with psychosis: A systematic review and meta-analysis. Schizophrenia Research, 2020, 215, 25-37.	1.1	90
40	Acceptance-and mindfulness-based interventions for persons with psychosis: Authors reply. Schizophrenia Research, 2020, 230, 115.	1.1	0
41	Editorial: Transforming Youth Mental Health Treatment Through Digital Technology. Frontiers in Psychiatry, 2020, 11, 606433.	1.3	5
42	The role of social relatedness and self-beliefs in social functioning in first-episode psychosis: Are we overestimating the contribution of illness-related factors?. European Psychiatry, 2020, 63, e92.	0.1	5
43	Development of a graphic medicine-enabled social media-based intervention for youth social anxiety. Clinical Psychologist, 2020, , .	0.5	4
44	Cognitive strengths-based assessment and intervention in first-episode psychosis: A complementary approach to addressing functional recovery?. Clinical Psychology Review, 2020, 79, 101871.	6.0	26
45	Ethical issues and practical barriers in internet-based suicide prevention research: a review and investigator survey. BMC Medical Ethics, 2020, 21, 37.	1.0	26
46	Leveraging the social network for treatment of social anxiety: Pilot study of a youth-specific digital intervention with a focus on engagement of young men. Internet Interventions, 2020, 20, 100323.	1.4	41
47	Practitioner review: Co-design of digital mental health technologies with children and young people. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2020, 61, 928-940.	3.1	129
48	Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. Schizophrenia Bulletin Open, 2020, 1, .	0.9	45
49	Global research priorities for youth mental health. Microbial Biotechnology, 2020, 14, 3-13.	0.9	60
50	An Enhanced Social Networking Intervention for Young People with Active Suicidal Ideation: Safety, Feasibility and Acceptability Outcomes. International Journal of Environmental Research and Public Health, 2020, 17, 2435.	1.2	32
51	Digital Game Interventions for Youth Mental Health Services (Gaming My Way to Recovery): Protocol for a Scoping Review. JMIR Research Protocols, 2020, 9, e13834.	0.5	15
52	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. JMIR Research Protocols, 2020, 9, e15058.	0.5	24
53	A Novel Multimodal Digital Service (Moderated Online Social Therapy+) for Help-Seeking Young People Experiencing Mental Ill-Health: Pilot Evaluation Within a National Youth E-Mental Health Service. Journal of Medical Internet Research, 2020, 22, e17155.	2.1	56
54	Young People's Experience of a Long-Term Social Media-Based Intervention for First-Episode Psychosis: Qualitative Analysis. Journal of Medical Internet Research, 2020, 22, e17570.	2.1	27

#	ARTICLE	IF	CITATIONS
55	Blended Digital and Face-to-Face Care for First-Episode Psychosis Treatment in Young People: Qualitative Study. <i>JMIR Mental Health</i> , 2020, 7, e18990.	1.7	25
56	Adaptation of a Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Services for First-Episode Psychosis: Results From the Horyzons-Canada Phase 1 Study. <i>JMIR Formative Research</i> , 2020, 4, e19887.	0.7	21
57	Virtual reality as a clinical tool in mental health research and practice. <i>Dialogues in Clinical Neuroscience</i> , 2020, 22, 169-177.	1.8	98
58	Stability of retrospective self-reports of childhood trauma in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 908-913.	0.9	24
59	Psychosocial Interventions for Youth Mental Health. , 2019, , 241-260.		3
60	Digital Technology to Enhance Clinical Care of Early Psychosis. <i>Current Treatment Options in Psychiatry</i> , 2019, 6, 256-270.	0.7	15
61	O5.1. GREY MATTER BRAIN CHANGES IN MEDICATED AND UNMEDICATED FIRST EPISODE PSYCHOSIS: A RANDOMISED PLACEBO-CONTROLLED TRIAL. <i>Schizophrenia Bulletin</i> , 2019, 45, S172-S173.	2.3	1
62	Development of a Moderated Online Intervention to Treat Social Anxiety in First-Episode Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 581.	1.3	19
63	Harnessing the Potential of Social Media to Develop the Next Generation of Digital Health Treatments in Youth Mental Health. <i>Current Treatment Options in Psychiatry</i> , 2019, 6, 325-336.	0.7	19
64	Prevalence rate of social anxiety disorder in individuals with a psychotic disorder: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2019, 208, 25-33.	1.1	35
65	The "online brain": how the Internet may be changing our cognition. <i>World Psychiatry</i> , 2019, 18, 119-129.	4.8	248
66	HORYZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services. <i>BMJ Open</i> , 2019, 9, e024104.	0.8	65
67	Support for Carers of Young People with Mental Illness. <i>ACM Transactions on Computer-Human Interaction</i> , 2019, 26, 1-33.	4.6	25
68	Improving Mood with Physical ACTivity (IMPACT) trial: a cluster randomised controlled trial to determine the effectiveness of a brief physical activity behaviour change intervention on depressive symptoms in young people, compared with psychoeducation, in addition to routine clinical care within youth mental health services—a protocol study. <i>BMJ Open</i> , 2019, 9, e034002.	0.8	3
69	Investigating the prevalence of dissociative disorders and severe dissociative symptoms in first episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1366-1372.	0.9	11
70	Testing models of post-traumatic intrusions, trauma-related beliefs, hallucinations, and delusions in a first episode psychosis sample. <i>British Journal of Clinical Psychology</i> , 2019, 58, 154-172.	1.7	21
71	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	0.9	19
72	Talking about trauma in therapy: Perspectives from young people with post-traumatic stress symptoms and first episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 1236-1244.	0.9	19

#	ARTICLE	IF	CITATIONS
73	Individual placement and support for vocational recovery in first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2019, 214, 76-82.	1.7	65
74	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low-risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960.	0.9	19
75	Moderated Online Social Therapy: Viewpoint on the Ethics and Design Principles of a Web-Based Therapy System. <i>JMIR Mental Health</i> , 2019, 6, e14866.	1.7	13
76	Social Media Interventions for Adolescents and Young People with Depression and Psychosis. , 2018, , 187-205.		9
77	Does dissociation mediate the relationship between childhood trauma and hallucinations, delusions in first episode psychosis?. <i>Comprehensive Psychiatry</i> , 2018, 84, 68-74.	1.5	26
78	Loneliness in psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 221-238.	1.6	149
79	Childhood Trauma Is Associated With Severity of Hallucinations and Delusions in Psychotic Disorders: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2018, 44, 1111-1122.	2.3	198
80	Should we be using digital technologies in the treatment of psychotic disorders?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 225-226.	1.3	6
81	Moderated online social therapy for depression relapse prevention in young people: pilot study of a "next generation" online intervention. <i>Microbial Biotechnology</i> , 2018, 12, 613-625.	0.9	102
82	Making the MOST out of smartphone opportunities for mental health. , 2018, , .		7
83	Theoretical and empirical foundations of a novel online social networking intervention for youth suicide prevention: A conceptual review. <i>Journal of Affective Disorders</i> , 2018, 238, 499-505.	2.0	29
84	Maintenance antipsychotic treatment versus discontinuation strategies following remission from first episode psychosis: systematic review. <i>BJPsych Open</i> , 2018, 4, 215-225.	0.3	29
85	Enhancing social functioning in young people at Ultra High Risk (UHR) for psychosis: A pilot study of a novel strengths and mindfulness-based online social therapy. <i>Schizophrenia Research</i> , 2018, 202, 369-377.	1.1	99
86	Web-Based Mindfulness Interventions for Mental Health Treatment: Systematic Review and Meta-Analysis. <i>JMIR Mental Health</i> , 2018, 5, e10278.	1.7	79
87	Youth Codesign of a Mobile Phone App to Facilitate Self-Monitoring and Management of Mood Symptoms in Young People With Major Depression, Suicidal Ideation, and Self-Harm. <i>JMIR Mental Health</i> , 2018, 5, e9.	1.7	102
88	Cultural and Contextual Adaptation of an eHealth Intervention for Youth Receiving Services for First-Episode Psychosis: Adaptation Framework and Protocol for Horyzons-Canada Phase 1. <i>JMIR Research Protocols</i> , 2018, 7, e100.	0.5	21
89	Implementation of the Enhanced Moderated Online Social Therapy (MOST+) Model Within a National Youth E-Mental Health Service (eheadspace): Protocol for a Single Group Pilot Study for Help-Seeking Young People. <i>JMIR Research Protocols</i> , 2018, 7, e48.	0.5	14
90	Social Media Use and Display of Depressive Symptoms Online by Adolescents and Young Adults. , 2018, , 73-88.		0

#	ARTICLE	IF	CITATIONS
91	Men's perceived barriers to help seeking for depression: Longitudinal findings relative to symptom onset and duration. <i>Journal of Health Psychology</i> , 2017, 22, 529-536.	1.3	25
92	A systematic review and meta-analysis of prospective transition from major depression to bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 273-284.	2.2	90
93	Expressed emotion and the course of schizophrenia in Pakistan. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 587-593.	1.6	8
94	Distress, Psychotic Symptom Exacerbation, and Relief in Reaction to Talking about Trauma in the Context of Beneficial Trauma Therapy: Perspectives from Young People with Post-Traumatic Stress Disorder and First Episode Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2017, 45, 561-576.	0.9	27
95	Moderated online social therapy for carers of young people recovering from first-episode psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 27.	0.7	26
96	Predictors of functional recovery in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Clinical Psychology Review</i> , 2017, 58, 59-75.	6.0	192
97	A next-generation social media-based relapse prevention intervention for youth depression: Qualitative data on user experience outcomes for social networking, safety, and clinical benefit. <i>Internet Interventions</i> , 2017, 9, 65-73.	1.4	34
98	Moderated Online Social Therapy: A Model for Reducing Stress in Carers of Young People Diagnosed with Mental Health Disorders. <i>Frontiers in Psychology</i> , 2017, 8, 485.	1.1	46
99	The Positive and Negative Experiences of Caregiving for Siblings of Young People with First Episode Psychosis. <i>Frontiers in Psychology</i> , 2017, 8, 730.	1.1	14
100	Artificial Intelligence-Assisted Online Social Therapy for Youth Mental Health. <i>Frontiers in Psychology</i> , 2017, 8, 796.	1.1	102
101	SU125. Momentum: A Novel Online Social Media, Mindfulness, and Strengths-Based Intervention to Promote Functional Recovery in Ultra High Risk (UHR) Patients. <i>Schizophrenia Bulletin</i> , 2017, 43, S206-S207.	2.3	5
102	Case Formulation in Young People with Post-Traumatic Stress Disorder and First-Episode Psychosis. <i>Journal of Clinical Medicine</i> , 2016, 5, 106.	1.0	7
103	Online peer-to-peer support in youth mental health: seizing the opportunity. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 123-126.	1.8	37
104	Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. <i>CNS Drugs</i> , 2016, 30, 357-368.	2.7	67
105	Online and Social Media Suicide Prevention Interventions for Young People: A Focus on Implementation and Moderation. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2016, 25, 80-6.	0.7	33
106	Conventional and alternative preventive treatments in the first stages of schizophrenia. <i>European Journal of Psychiatry</i> , 2015, 29, 135-143.	0.7	1
107	Australian Early Psychosis Research Network: national collaboration, international competitive advantage. <i>Medical Journal of Australia</i> , 2015, 202, 170-171.	0.8	4
108	Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 314-327.	0.9	9

#	ARTICLE	IF	CITATIONS
109	Longitudinal relationship between expressed emotion and cannabis misuse in young people with first-episode psychosis. <i>European Psychiatry</i> , 2015, 30, 20-25.	0.1	7
110	Mental health starts with physical health: current status and future directions of non-pharmacological interventions to improve physical health in first-episode psychosis. <i>Lancet Psychiatry</i> , 2015, 2, 726-742.	3.7	47
111	Multielement psychosocial interventions for first-episode psychosis are feasible and show promise in generic mental health services. <i>Evidence-Based Mental Health</i> , 2015, 18, 127-127.	2.2	1
112	Perceptions of clinicians treating young people with first-episode psychosis for post-traumatic stress disorder. <i>Microbial Biotechnology</i> , 2015, 9, 12-20.	0.9	41
113	Online social media: New data, new horizons in psychosis treatment. <i>Schizophrenia Research</i> , 2015, 166, 345-346.	1.1	10
114	The Impact of First-Episode Psychosis on the Sibling Relationship. <i>Psychiatry (New York)</i> , 2015, 78, 141-55.	0.3	8
115	Social Functioning Trajectories of Young First-Episode Psychosis Patients with and without Cannabis Misuse: A 30-Month Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0122404.	1.1	20
116	Selective Attention to Threat is Specific to Delusions in First-Episode Psychosis. <i>Journal of Experimental Psychopathology</i> , 2014, 5, 191-199.	0.4	3
117	Moderated online social therapy. <i>ACM Transactions on Computer-Human Interaction</i> , 2014, 21, 1-26.	4.6	126
118	Safety and Privacy Outcomes From a Moderated Online Social Therapy for Young People With First-Episode Psychosis. <i>Psychiatric Services</i> , 2014, 65, 546-550.	1.1	51
119	Online, social media and mobile technologies for psychosis treatment: A systematic review on novel user-led interventions. <i>Schizophrenia Research</i> , 2014, 156, 96-106.	1.1	311
120	Forgotten family members: the importance of siblings in early psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 269-275.	0.9	45
121	The impact of first episode psychosis on sibling quality of life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1071-1081.	1.6	22
122	Differential associations of cognitive insight components with pretreatment characteristics in first-episode psychosis. <i>Psychiatry Research</i> , 2014, 215, 308-313.	1.7	13
123	Online and Social Networking Interventions for the Treatment of Depression in Young People: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2014, 16, e206.	2.1	154
124	Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1045-1052.	1.6	10
125	Community Rehabilitation and Psychosocial Interventions for Psychotic Disorders in Youth. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013, 22, 745-758.	1.0	10
126	On the HORIZON: Moderated online social therapy for long-term recovery in first episode psychosis. <i>Schizophrenia Research</i> , 2013, 143, 143-149.	1.1	206

#	ARTICLE	IF	CITATIONS
127	Childhood trauma and psychosis: new perspectives on aetiology and treatment. <i>Microbial Biotechnology</i> , 2013, 7, 1-4.	0.9	34
128	Participatory design of an online therapy for youth mental health. , 2013, , .		46
129	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients: Outcome at 30-Month Follow-Up. <i>Schizophrenia Bulletin</i> , 2013, 39, 436-448.	2.3	52
130	Testing a Model of the Relationship Between Childhood Sexual Abuse and Psychosis in a First-Episode Psychosis Group. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 941-947.	0.5	45
131	Antipsychotic Medication During the Critical Period Following Remission From First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 898.	6.0	59
132	A randomized controlled trial of vocational intervention for young people with first-episode psychosis: method. <i>Microbial Biotechnology</i> , 2013, 7, 329-337.	0.9	44
133	Review: more research needed on early intervention for psychosis. <i>Evidence-Based Mental Health</i> , 2012, 15, 23-23.	2.2	2
134	Connecting the dots: Twenty-first century technologies to tackle twenty-first century challenges in early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 1194-1196.	1.3	9
135	Moderated Online Social Therapy for Recovery From Early Psychosis. <i>Psychiatric Services</i> , 2012, 63, 719-719.	1.1	30
136	Childhood trauma increases the risk of post-traumatic stress disorder in response to first-episode psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 35-39.	1.3	55
137	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. <i>Psychological Medicine</i> , 2012, 42, 595-606.	2.7	169
138	Internet-Based Interventions for Psychosis. <i>Psychiatric Clinics of North America</i> , 2012, 35, 735-747.	0.7	61
139	Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Schizophrenia Research</i> , 2012, 139, 116-128.	1.1	384
140	Quality of information sources about mental disorders: a comparison of Wikipedia with centrally controlled web and printed sources. <i>Psychological Medicine</i> , 2012, 42, 1753-1762.	2.7	102
141	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 125, 236-246.	1.1	65
142	Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. <i>Schizophrenia Research</i> , 2011, 131, 112-119.	1.1	124
143	Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 132, 125-130.	1.1	36
144	Using internet enabled mobile devices and social networking technologies to promote exercise as an intervention for young first episode psychosis patients. <i>BMC Psychiatry</i> , 2011, 11, 80.	1.1	22

#	ARTICLE	IF	CITATIONS
145	Review: family interventions reduce relapse or hospitalisation in people with schizophrenia. Evidence-Based Mental Health, 2011, 14, 115-115.	2.2	1
146	Preventing the Second Episode: A Systematic Review and Meta-analysis of Psychosocial and Pharmacological Trials in First-Episode psychosis. Schizophrenia Bulletin, 2011, 37, 619-630.	2.3	196
147	Targeted Intervention to Improve Monitoring of Antipsychotic-Induced Weight Gain and Metabolic Disturbance in First Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2011, 45, 740-748.	1.3	28
148	Effects of Family Psychoeducation on Expressed Emotion and Burden of Care in First-Episode Psychosis: A Prospective Observational Study. Spanish Journal of Psychology, 2010, 13, 389-395.	1.1	32
149	Promoting Physical Health In Youth Mental Health Services: Ensuring Routine Monitoring of Weight and Metabolic Indices in a First Episode Psychosis Clinic. Australasian Psychiatry, 2010, 18, 451-455.	0.4	32
150	Differential predictors of critical comments and emotional over-involvement in first-episode psychosis. Psychological Medicine, 2010, 40, 63-72.	2.7	54
151	Prevention of antipsychotic-induced weight gain with early behavioural intervention in first-episode psychosis: 2-year results of a randomized controlled trial. Schizophrenia Research, 2010, 116, 16-19.	1.1	56
152	A systematic review of relapse measurement in randomized controlled trials of relapse prevention in first-episode psychosis. Schizophrenia Research, 2010, 119, 79-88.	1.1	61
153	QUALITY OF LIFE IN PATIENTS WHO HAVE REMITTED FROM THEIR FIRST EPISODE OF PSYCHOSIS. Schizophrenia Research, 2010, 117, 283.	1.1	2
154	Quality of life in patients who have remitted from their first episode of psychosis. Schizophrenia Research, 2010, 121, 259-265.	1.1	55
155	Family Outcomes From a Randomized Control Trial of Relapse Prevention Therapy in First-Episode Psychosis. Journal of Clinical Psychiatry, 2010, 71, 475-483.	1.1	61
156	Predictors of Adherence to Cognitive-Behavioural Therapy in First-Episode Psychosis. Canadian Journal of Psychiatry, 2009, 54, 710-718.	0.9	42
157	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients. Journal of Clinical Psychiatry, 2009, 70, 477-486.	1.1	80
158	Cognitive functioning and negative symptoms in first episode schizophrenia: Different patterns of correlates. Neurotoxicity Research, 2008, 14, 227-235.	1.3	13
159	Weight gain induced by haloperidol, risperidone and olanzapine after 1 year: Findings of a randomized clinical trial in a drug-naïve population. Schizophrenia Research, 2008, 99, 13-22.	1.1	102
160	Antipsychotic-Induced Weight Gain in Chronic and First-Episode Psychotic Disorders. CNS Drugs, 2008, 22, 547-562.	2.7	229
161	Non-pharmacological management of antipsychotic-induced weight gain: Systematic review and meta-analysis of randomised controlled trials. British Journal of Psychiatry, 2008, 193, 101-107.	1.7	272
162	Do We Do What We Know Works, and if Not Why Not?. Australian and New Zealand Journal of Psychiatry, 2008, 42, 439-444.	1.3	13

#	ARTICLE	IF	CITATIONS
163	Enhancing Treatment Fidelity in Psychotherapy Research: Novel Approach to Measure the Components of Cognitive Behavioural Therapy for Relapse Prevention in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 2008, 42, 1013-1020.	1.3	14
164	Pretreatment predictors of cognitive deficits in early psychosis. Psychological Medicine, 2008, 38, 737-746.	2.7	24
165	The EPISODE II trial of cognitive and family therapy for relapse prevention in early psychosis: Rationale and sample characteristics. Journal of Mental Health, 2008, 17, 19-32.	1.0	21
166	Preserved Orbitofrontal Function in First-Episode Schizophrenia. Journal of Nervous and Mental Disease, 2008, 196, 67-70.	0.5	4
167	Cognitive dimensions in first-episode schizophrenia spectrum disorders. Journal of Psychiatric Research, 2007, 41, 968-977.	1.5	77
168	Cognitive functioning in the early course of first-episode schizophrenia spectrum disorders. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 364-371.	1.8	38
169	Attenuation of Antipsychotic-Induced Weight Gain With Early Behavioral Intervention in Drug-Naive First-Episode Psychosis Patients. Journal of Clinical Psychiatry, 2006, 67, 1253-1260.	1.1	152
170	Prefrontal cognitive functions in stabilized first-episode patients with schizophrenia spectrum disorders: A dissociation between dorsolateral and orbitofrontal functioning. Schizophrenia Research, 2005, 77, 279-288.	1.1	79
171	The Horyzons Project: A Randomised Controlled Trial of a Novel Moderated Online Social Therapy to Maintain Treatment Effects From Specialist First Episode Psychosis Services. SSRN Electronic Journal, 0, , .	0.4	3
172	Using Broadband to Support Youth Mental Health. SSRN Electronic Journal, 0, , .	0.4	0
173	Using On-Line Technologies to Identify and Track Early Warning Signs of Psychosis. SSRN Electronic Journal, 0, , .	0.4	2
174	Subjective distress, self-harm, and suicidal ideation or behavior throughout trauma-focused cognitive-behavioral therapy in transitional age youth.. Psychological Trauma: Theory, Research, Practice, and Policy, 0, , .	1.4	0