
## Jeanne D Johansen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4089512/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	European Society of Contact Dermatitis guideline for diagnostic patch testing – recommendations on best practice. Contact Dermatitis, 2015, 73, 195-221.	0.8	1,012
2	The epidemiology of contact allergy in the general population – prevalence and main findings. Contact Dermatitis, 2007, 57, 287-299.	0.8	569
3	The epidemiology of hand eczema in the general population – prevalence and main findings <sup>*</sup> . Contact Dermatitis, 2010, 62, 75-87.	0.8	380
4	The hand eczema severity index (HECSI): a scoring system for clinical assessment of hand eczema. A study of inter- and intraobserver reliability. British Journal of Dermatology, 2005, 152, 302-307.	1.4	223
5	The effect of environmental humidity and temperature on skin barrier function and dermatitis. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 223-249.	1.3	205
6	Prevalence of contact allergy in the general population: A systematic review and metaâ€analysis. Contact Dermatitis, 2019, 80, 77-85.	0.8	200
7	A survey of occupational hand eczema in Denmark. Contact Dermatitis, 2004, 51, 159-166.	0.8	193
8	The role of the skin microbiome in atopic dermatitis: a systematic review. British Journal of Dermatology, 2017, 177, 1272-1278.	1.4	193
9	Relation between diagnoses on severity, sick leave and loss of job among patients with occupational hand eczema. British Journal of Dermatology, 2005, 152, 93-98.	1.4	181
10	Hypersensitivity reactions to metallic implants – diagnostic algorithm and suggested patch test series for clinical use. Contact Dermatitis, 2012, 66, 4-19.	0.8	179
11	Selected oxidized fragrance terpenes are common contact allergens. Contact Dermatitis, 2005, 52, 320-328.	0.8	175
12	Nickel allergy and allergic contact dermatitis: A clinical review of immunology, epidemiology, exposure, and treatment. Contact Dermatitis, 2019, 81, 227-241.	0.8	170
13	Quality of life and depression in a population of occupational hand eczema patients. Contact Dermatitis, 2006, 54, 106-111.	0.8	159
14	Patch testing with a new fragrance mix detects additional patients sensitive to perfumes and missed by the current fragrance mix. Contact Dermatitis, 2005, 52, 207-215.	0.8	157
15	Contamination versus preservation of cosmetics: a review on legislation, usage, infections, and contact allergy. Contact Dermatitis, 2009, 60, 70-78.	0.8	145
16	Hand eczema guidelines based on the Danish guidelines for the diagnosis and treatment of hand eczema. Contact Dermatitis, 2011, 65, 3-12.	0.8	142
17	The European baseline series and recommended additions: 2019. Contact Dermatitis, 2019, 80, 1-4.	0.8	142
18	The association between metal allergy, total hip arthroplasty, and revision. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 646-652.	1.2	125

#	Article	IF	CITATIONS
19	Sensitivity and specificity of the nickel spot (dimethylglyoxime) test. Contact Dermatitis, 2010, 62, 279-288.	0.8	124
20	Contact allergy epidemics and their controls. Contact Dermatitis, 2007, 56, 185-195.	0.8	122
21	Prognosis of Occupational Hand Eczema. Archives of Dermatology, 2006, 142, 305-11.	1.7	120
22	Metal allergen of the 21st century-a review on exposure, epidemiology and clinical manifestations of palladium allergy. Contact Dermatitis, 2011, 64, 185-195.	0.8	119
23	Fragrance Contact Allergy. American Journal of Clinical Dermatology, 2003, 4, 789-798.	3.3	117
24	The fragrance mix and its constituents: a 14-year material. Contact Dermatitis, 1995, 32, 18-23.	0.8	116
25	Current patch test results with the European baseline series and extensions to it from the †European Surveillance System on Contact Allergy' network, 2007†"2008. Contact Dermatitis, 2012, 67, 9-19.	0.8	114
26	LyralR is an important sensitizer in patients sensitive to fragrances. British Journal of Dermatology, 1999, 141, 1076-1083.	1.4	112
27	Systemic contact dermatitis after oral exposure to nickel: a review with a modified meta-analysis. Contact Dermatitis, 2006, 54, 79-86.	0.8	112
28	The association between null mutations in the filaggrin gene and contact sensitization to nickel and other chemicals in the general population. British Journal of Dermatology, 2010, 162, 1278-1285.	1.4	109
29	Contact allergy to the 26 specific fragrance ingredients to be declared on cosmetic products in accordance with the EU cosmetics directive. Contact Dermatitis, 2011, 65, 266-275.	0.8	109
30	Association between atopic dermatitis and contact sensitization: A systematic review and meta-analysis. Journal of the American Academy of Dermatology, 2017, 77, 70-78.	0.6	107
31	Methylisothiazolinone contact allergy: a review. British Journal of Dermatology, 2011, 165, 1178-1182.	1.4	106
32	European Surveillance System on Contact Allergies ( <scp>ESSCA</scp> ): results with the European baseline series, 2013/14. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 1516-1525.	1.3	106
33	Contact allergy to allergens of the TRUE-test (panels 1 and 2) has decreased modestly in the general population. British Journal of Dermatology, 2009, 161, 1124-1129.	1.4	103
34	Contact allergy and allergic contact dermatitis in children - a review of current data. Contact Dermatitis, 2011, 65, 254-265.	0.8	103
35	The Time–Dose–Response Relationship for Elicitation of Contact Dermatitis in Isoeugenol Allergic Individuals. Toxicology and Applied Pharmacology, 2001, 170, 166-171.	1.3	99
36	Contact dermatitis to hair dyes in a Danish adult population: an interview-based study. British Journal of Dermatology, 2005, 153, 132-135.	1.4	99

#	Article	IF	CITATIONS
37	A spot test for detection of cobalt release – early experience and findings. Contact Dermatitis, 2010, 63, 63-69.	0.8	99
38	Chromium allergy and dermatitis: prevalence and main findings. Contact Dermatitis, 2015, 73, 261-280.	0.8	99
39	Patch testing with a new fragrance mix - reactivity to the individual constituents and chemical detection in relevant cosmetic products. Contact Dermatitis, 2005, 52, 216-225.	0.8	95
40	Prevalence and cause of methylisothiazolinone contact allergy. Contact Dermatitis, 2010, 63, 164-167.	0.8	94
41	Prevalence of nickel allergy in Europe following the EU Nickel Directive – a review. Contact Dermatitis, 2017, 77, 193-200.	0.8	94
42	Natural ingredients based cosmetics. Contact Dermatitis, 1996, 34, 423-426.	0.8	93
43	Methylisothiazolinone contact allergy – a growing epidemic. Contact Dermatitis, 2013, 69, 271-275.	0.8	91
44	Nickel Allergy in Danish Women before and after Nickel Regulation. New England Journal of Medicine, 2009, 360, 2259-2260.	13.9	89
45	Airâ€oxidized linalool–a frequent cause of fragrance contact allergy. Contact Dermatitis, 2012, 67, 247-259.	0.8	89
46	Contact sensitization to common haptens is associated with atopic dermatitis: new insight. British Journal of Dermatology, 2012, 166, 1255-1261.	1.4	88
47	Filaggrin null mutations increase the risk and persistence of hand eczema in subjects with atopic dermatitis: results from a general population study. British Journal of Dermatology, 2010, 163, 115-120.	1.4	87
48	Less skin irritation from alcohol-based disinfectant than from detergent used for hand disinfection. British Journal of Dermatology, 2005, 153, 1142-1146.	1.4	86
49	Severe allergic hair dye reactions in 8 children. Contact Dermatitis, 2006, 54, 87-91.	0.8	86
50	The prevalence and morbidity of sensitization to fragrance mix I in the general population. British Journal of Dermatology, 2009, 161, 95-101.	1.4	86
51	The prevalence of chromium allergy in Denmark is currently increasing as a result of leather exposure. British Journal of Dermatology, 2009, 161, 1288-1293.	1.4	86
52	Classification of hand eczema: clinical and aetiological types. Based on the guideline of the Danish Contact Dermatitis Group. Contact Dermatitis, 2011, 65, 13-21.	0.8	86
53	Activation of nonâ€sensitizing or lowâ€sensitizing fragrance substances into potent sensitizers – prehaptens and prohaptens. Contact Dermatitis, 2013, 69, 323-334.	0.8	85
54	Methylisothiazolinone and benzisothiazolinone are widely used in paint: a multicentre study of paints from five <scp>E</scp> uropean countries. Contact Dermatitis, 2015, 72, 127-138.	0.8	85

#	Article	IF	CITATIONS
55	Combined effects of irritants and allergens. Contact Dermatitis, 2002, 47, 21-26.	0.8	84
56	Hand eczema in hairdressers: a Danish register-based study of the prevalence of hand eczema and its career consequences. Contact Dermatitis, 2011, 65, 151-158.	0.8	84
57	Contact allergy to common ingredients in hair dyes. Contact Dermatitis, 2013, 69, 32-39.	0.8	83
58	Cohort Profile: The Health2006 cohort, Research Centre for Prevention and Health. International Journal of Epidemiology, 2014, 43, 568-575.	0.9	83
59	Guidelines for diagnosis, prevention, and treatment of hand eczema. Contact Dermatitis, 2022, 86, 357-378.	0.8	83
60	Prevalence of nickel and cobalt allergy among female patients with dermatitis before and after Danish government regulation: A 23-year retrospective study. Journal of the American Academy of Dermatology, 2009, 61, 799-805.	0.6	81
61	Filaggrin mutations are strongly associated with contact sensitization in individuals with dermatitis. Contact Dermatitis, 2013, 68, 273-276.	0.8	81
62	The association between metal allergy, total knee arthroplasty, and revision. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 378-383.	1.2	81
63	The association between atopic dermatitis and hand eczema: a systematic review and meta-analysis. British Journal of Dermatology, 2018, 178, 879-888.	1.4	80
64	Nickel allergy following European Union regulation in Denmark, Germany, Italy and the U.K British Journal of Dermatology, 2013, 169, 854-858.	1.4	79
65	Quantitative aspects of contact allergy to chromium and exposure to chrome-tanned leather. Contact Dermatitis, 2002, 47, 127-134.	0.8	78
66	20 Years of standard patch testing in an eczema population with focus on patients with multiple contact allergies. Contact Dermatitis, 2007, 57, 76-83.	0.8	77
67	<i>p</i> â€Phenylenediamine sensitization is more prevalent in central and southern European patch test centres than in Scandinavian: results from a multicentre study. Contact Dermatitis, 2009, 60, 314-319.	0.8	77
68	Skin barrier abnormality caused by filaggrin (FLG) mutations is associated with increased serum 25-hydroxyvitamin D concentrations. Journal of Allergy and Clinical Immunology, 2012, 130, 1204-1207.e2.	1.5	76
69	The epidemic of methylisothiazolinone: a <scp>E</scp> uropean prospective study. Contact Dermatitis, 2017, 76, 272-279.	0.8	76
70	Effects of sampling strategy and DNA extraction on human skin microbiome investigations. Scientific Reports, 2019, 9, 17287.	1.6	75
71	Prevalence, incidence, and severity of hand eczema in the general population – A systematic review and metaâ€analysis. Contact Dermatitis, 2021, 84, 361-374.	0.8	74
72	Categorization of fragrance contact allergens for prioritization of preventive measures: clinical and experimental data and consideration of structure–activity relationships. Contact Dermatitis, 2013, 69, 196-230.	0.8	73

#	Article	IF	CITATIONS
73	Experimental nickel elicitation thresholds - a review focusing on occluded nickel exposure. Contact Dermatitis, 2005, 52, 57-64.	0.8	72
74	Cr(III) and Cr(VI) in leather and elicitation of eczema. Contact Dermatitis, 2006, 54, 278-282.	0.8	71
75	One thousand cases of severe occupational contact dermatitis. Contact Dermatitis, 2013, 68, 259-268.	0.8	71
76	Emission of Isothiazolinones from Water-Based Paints. Environmental Science & Technology, 2014, 48, 6989-6994.	4.6	71
77	Rapid allergenâ€induced interleukinâ€17 and interferonâ€Î³ secretion by skinâ€resident memory CD8 <sup>+</sup> T cells. Contact Dermatitis, 2017, 76, 218-227.	0.8	71
78	Nickel allergy: relationship between patch test and repeated open application test thresholds. British Journal of Dermatology, 2007, 157, 723-729.	1.4	70
79	Decreasing trends in methyldibromo glutaronitrile contact allergy – following regulatory intervention. Contact Dermatitis, 2008, 59, 48-51.	0.8	70
80	Enhanced sensitization and elicitation responses caused by mixtures of common fragrance allergens. Contact Dermatitis, 2011, 65, 336-342.	0.8	70
81	Chloroatranol, an extremely potent allergen hidden in perfumes: a dose-response elicitation study. Contact Dermatitis, 2003, 49, 180-184.	0.8	69
82	Not only oxidized R-(+)- but also S-(?)-limonene is a common cause of contact allergy in dermatitis patients in Europe. Contact Dermatitis, 2006, 55, 274-279.	0.8	69
83	Contact allergy to oak moss: search for sensitizing molecules using combined bioassay-guided chemical fractionation, GC-MS, and structure-activity relationship analysis. Archives of Dermatological Research, 2003, 295, 229-235.	1.1	68
84	Augmentation of skin response by exposure to a combination of allergens and irritants - a review. Contact Dermatitis, 2004, 50, 265-273.	0.8	68
85	Fragrance allergy in patients with hand eczema - a clinical study. Contact Dermatitis, 2003, 48, 317-323.	0.8	67
86	Temporal trends of preservative allergy in Denmark (1985–2008). Contact Dermatitis, 2010, 62, 102-108.	0.8	67
87	The outcome of dimethylglyoxime testing in a sample of cell phones in Denmark. Contact Dermatitis, 2008, 59, 38-42.	0.8	64
88	The composition of fine fragrances is changing. Contact Dermatitis, 2003, 48, 130-132.	0.8	63
89	Nickel release from inexpensive jewelry and hair clasps purchased in an EU country — Are consumers sufficiently protected from nickel exposure?. Science of the Total Environment, 2009, 407, 5315-5318.	3.9	63
90	Occupational contact dermatitis in painters – an analysis of patch test data from the Danish Contact Dermatitis Group. Contact Dermatitis, 2012, 67, 293-297.	0.8	63

#	Article	IF	CITATIONS
91	Allergic contact dermatitis in <scp>D</scp> anish children referred for patch testing – a nationwide multicentre study. Contact Dermatitis, 2014, 70, 104-111.	0.8	63
92	Clinical severity and prognosis of hand eczema. British Journal of Dermatology, 2009, 160, 1229-1236.	1.4	62
93	Isothiazolinones in commercial products at <scp>D</scp> anish workplaces. Contact Dermatitis, 2014, 71, 65-74.	0.8	62
94	Clinical manifestations and impact on daily life of allergy to polyethylene glycol (PEG) in ten patients. Clinical and Experimental Allergy, 2021, 51, 463-470.	1.4	62
95	Occupational contact dermatitis in hairdressers: an analysis of patch test data from the <scp>D</scp> anish <scp>C</scp> ontact <scp>D</scp> ermatitis <scp>G</scp> roup, 2002–2011. Contact Dermatitis, 2014, 70, 233-237.	0.8	61
96	An international multicentre study on the allergenic activity of airâ€oxidized <i>R</i> â€imonene. Contact Dermatitis, 2013, 68, 214-223.	0.8	60
97	Contact allergy to cosmetics: testing with patients' own products. Contact Dermatitis, 1999, 40, 310-315.	0.8	58
98	Prevention of hand eczema among Danish hairdressing apprentices: an intervention study. Occupational and Environmental Medicine, 2012, 69, 310-316.	1.3	58
99	Occupational foodâ€related hand dermatoses seen over a 10â€year period. Contact Dermatitis, 2012, 66, 264-270.	0.8	58
100	10-year prevalence of contact allergy in the general population in Denmark estimated through the CE-DUR method. Contact Dermatitis, 2007, 57, 265-272.	0.8	57
101	Occupational hand eczema caused by nickel and evaluated by quantitative exposure assessment. Contact Dermatitis, 2011, 64, 32-36.	0.8	57
102	Vitamin D Status, Filaggrin Genotype, and Cardiovascular Risk Factors: A Mendelian Randomization Approach. PLoS ONE, 2013, 8, e57647.	1.1	57
103	Contact allergy in children with atopic dermatitis: a systematic review. British Journal of Dermatology, 2017, 177, 395-405.	1.4	57
104	Methyldibromoglutaronitrile in rinse-off products causes allergic contact dermatitis: an experimental study. British Journal of Dermatology, 2004, 150, 90-95.	1.4	56
105	Nonâ€mix fragrances are top sensitizers in consecutive dermatitis patients – a crossâ€sectional study the 26 <scp>EU</scp> ″abelled fragrance allergens. Contact Dermatitis, 2017, 77, 270-279.	of 0.8	56
106	Occupational skin diseases: actual state analysis of patient management pathways in 28 European countries. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 12-30.	1.3	56
107	A proposal to create an extension to the <scp>E</scp> uropean baseline series. Contact Dermatitis, 2018, 78, 101-108.	0.8	56
108	Tenâ€year trends in contact allergy to formaldehyde and formaldehydeâ€releasers. Contact Dermatitis, 2018, 79, 263-269.	0.8	56

#	Article	IF	CITATIONS
109	Hair dye contact allergy: quantitative exposure assessment of selected products and clinical cases. Contact Dermatitis, 2004, 50, 344-348.	0.8	55
110	Nickel reactivity and filaggrin null mutations - evaluation of the filaggrin bypass theory in a general population. Contact Dermatitis, 2011, 64, 24-31.	0.8	55
111	Sensitization to cyanoacrylates caused by prolonged exposure to a glucose sensor set in a diabetic child. Contact Dermatitis, 2016, 74, 124-125.	0.8	55
112	Optimizing investigation of suspected allergy to polyethylene glycols. Journal of Allergy and Clinical Immunology, 2022, 149, 168-175.e4.	1.5	55
113	Effect of a Moisturizer on Skin Susceptibility to NiCl 2. Acta Dermato-Venereologica, 2003, 83, 93-97.	0.6	54
114	Medical consultations in relation to severity of hand eczema in the general population. British Journal of Dermatology, 2008, 158, 773-777.	1.4	54
115	Cobalt release from inexpensive jewellery: has the use of cobalt replaced nickel following regulatory intervention?. Contact Dermatitis, 2010, 63, 70-76.	0.8	54
116	The effect of tobacco smoking and alcohol consumption on the prevalence of self-reported hand eczema: a cross-sectional population-based study. British Journal of Dermatology, 2010, 162, 619-626.	1.4	54
117	Contact Allergy: A Review of Current Problems from a Clinical Perspective. International Journal of Environmental Research and Public Health, 2018, 15, 1108.	1.2	53
118	Trends of contact allergy to fragrance mix I and <i>Myroxylon pereirae </i> among Danish eczema patients tested between 1985 and 2007*. Contact Dermatitis, 2008, 59, 238-244.	0.8	52
119	The epidemic of methylisothiazolinone contact allergy in Europe: followâ€up on changing exposures. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 333-339.	1.3	52
120	The association between hand eczema and nickel allergy has weakened among young women in the general population following the Danish nickel regulation: results from two crossâ€sectional studies. Contact Dermatitis, 2009, 61, 342-348.	0.8	51
121	Consumer leather exposure: an unrecognized cause of cobalt sensitization. Contact Dermatitis, 2013, 69, 276-279.	0.8	50
122	Severity of hand eczema assessed by patients and dermatologist using a photographic guide. British Journal of Dermatology, 2007, 156, 77-80.	1.4	49
123	Identification of metallic items that caused nickel dermatitis in Danish patients. Contact Dermatitis, 2010, 63, 151-156.	0.8	49
124	A novel multiplex analysis of filaggrin polymorphisms: A universally applicable method for genotyping. Clinica Chimica Acta, 2012, 413, 1488-1492.	0.5	49
125	Chromium( <scp>VI</scp> ) release from leather and metals can be detected with a diphenylcarbazide spot test. Contact Dermatitis, 2015, 73, 281-288.	0.8	49
126	Oxidized limonene and oxidized linalool – concomitant contact allergy to common fragrance terpenes. Contact Dermatitis, 2016, 74, 273-280.	0.8	49

#	Article	IF	CITATIONS
127	A link between skin and airways regarding sensitivity to fragrance products?. British Journal of Dermatology, 2004, 151, 1197-1203.	1.4	48
128	Occupations at risk of developing contact allergy to isothiazolinones in <scp>D</scp> anish contact dermatitis patients: results from a <scp>D</scp> anish multicentre study (2009–2012). Contact Dermatitis, 2014, 71, 295-302.	0.8	48
129	Difficulties in avoiding exposure to allergens in cosmetics. Contact Dermatitis, 2007, 57, 105-109.	0.8	47
130	Followâ€up of the monitored levels of preservative sensitivity in Europe. Overview of the years 2001–2008. Contact Dermatitis, 2012, 67, 312-314.	0.8	47
131	Chromium in leather footwear—risk assessment of chromium allergy and dermatitis. Contact Dermatitis, 2012, 66, 279-285.	0.8	47
132	Contact dermatitis. Nature Reviews Disease Primers, 2021, 7, 38.	18.1	47
133	Deodorants: An experimental provocation study with cinnamic aldehyde. Journal of the American Academy of Dermatology, 2003, 48, 194-200.	0.6	45
134	The dose–response relationship between the patch test and ROAT and the potential use for regulatory purposes. Contact Dermatitis, 2009, 61, 201-208.	0.8	45
135	Contact allergy to popular perfumes; assessed by patch test, use test and chemical analysis. British Journal of Dermatology, 1996, 135, 419-422.	1.4	45
136	Selected important fragrance sensitizers in perfumes ? current exposures. Contact Dermatitis, 2007, 56, 201-204.	0.8	44
137	Deodorants are the leading cause of allergic contact dermatitis to fragrance ingredients*. Contact Dermatitis, 2011, 64, 258-264.	0.8	44
138	Validation of self-reporting of hand eczema among Danish hairdressing apprentices. Contact Dermatitis, 2011, 65, 146-150.	0.8	44
139	Filaggrin loss-of-function mutation R501X and 2282del4 carrier status is associated with fissured skin on the hands: results from a cross-sectional population study. British Journal of Dermatology, 2012, 166, 46-53.	1.4	44
140	Contact allergy to epoxy resin: risk occupations and consequences. Contact Dermatitis, 2012, 67, 73-77.	0.8	44
141	Patch test results with fragrance markers of the baseline series – analysis of the European Surveillance System on Contact Allergies ( <scp>ESSCA</scp> ) network 2009–2012. Contact Dermatitis, 2015, 73, 163-171.	0.8	44
142	Patch test results with the European baseline series and additions thereof in the ESSCA network, $2015\hat{e}$ 2018. Contact Dermatitis, 2021, 84, 109-120.	0.8	44
143	Content of oak moss allergens atranol and chloroatranol in perfumes and similar products. Contact Dermatitis, 2004, 50, 367-370.	0.8	43
144	Cr(III) reactivity and foot dermatitis in Cr(VI) positive patients. Contact Dermatitis, 2006, 54, 140-144.	0.8	43

9

#	Article	IF	CITATIONS
145	Dose per unit area - a study of elicitation of nickel allergy. Contact Dermatitis, 2007, 56, 255-261.	0.8	43
146	Delay in medical attention to hand eczema: a follow-up study. British Journal of Dermatology, 2009, 161, 1294-1300.	1.4	43
147	Nickel allergy in patchâ€ŧested female hairdressers and assessment of nickel release from hairdressers' scissors and crochet hooks. Contact Dermatitis, 2009, 61, 281-286.	0.8	43
148	Patch testing with hair cosmetic series in <scp>E</scp> urope: a critical review and recommendation. Contact Dermatitis, 2015, 73, 69-81.	0.8	42
149	Failures in risk assessment and risk management for cosmetic preservatives in Europe and the impact on public health. Contact Dermatitis, 2015, 73, 133-141.	0.8	42
150	Fragrance contact allergens in 5588 cosmetic products identified through a novel smartphone application. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 79-85.	1.3	42
151	Fragrance mix II in the baseline series contributes significantly to detection of fragrance allergy. Contact Dermatitis, 2010, 63, 270-276.	0.8	41
152	Contact allergy to chlorhexidine in a tertiary dermatology clinic in Denmark. Contact Dermatitis, 2016, 74, 29-36.	0.8	41
153	An analysis of gender differences in patients with hand eczema – everyday exposures, severity, and consequences. Contact Dermatitis, 2014, 71, 21-30.	0.8	40
154	Methylisothiazolinone in rinse-off products causes allergic contact dermatitis: a repeated open-application study. British Journal of Dermatology, 2015, 173, 115-122.	1.4	39
155	Predictive factors of self-reported hand eczema in adult Danes: a population-based cohort study with 5-year follow-up. British Journal of Dermatology, 2016, 175, 287-295.	1.4	39
156	Primin in the European standard patch test series for 20 years. Contact Dermatitis, 2007, 56, 344-346.	0.8	38
157	Inverse relationship between contact allergy and psoriasis: results from a patient- and a population-based study. British Journal of Dermatology, 2009, 161, 1119-1123.	1.4	38
158	Filaggrin null mutations and association with contact allergy and allergic contact dermatitis: results from a tertiary dermatology clinic. Contact Dermatitis, 2010, 63, 89-95.	0.8	38
159	Effect of Tobacco Smoking and Alcohol Consumption on the Prevalence of Nickel Sensitization and Contact Sensitization. Acta Dermato-Venereologica, 2010, 90, 27-33.	0.6	38
160	Occupational contact dermatitis in blueâ€collar workers: results from a multicentre study from the <scp>D</scp> anish <scp>C</scp> ontact <scp>D</scp> ermatitis <scp>G</scp> roup (2003–2012). Contact Dermatitis, 2014, 71, 348-355.	0.8	38
161	Hand eczema - prognosis and consequences: a 7-year follow-up study. British Journal of Dermatology, 2014, 171, 1428-1433.	1.4	38
162	Crossâ€reactivity between methylisothiazolinone, octylisothiazolinone and benzisothiazolinone using a modified local lymph node assay. British Journal of Dermatology, 2017, 176, 176-183.	1.4	38

#	Article	IF	CITATIONS
163	Contact allergy in Danish children: Current trends. Contact Dermatitis, 2018, 79, 295-302.	0.8	38
164	Methyldibromo glutaronitrile: clinical experience and exposure-based risk assessment. Contact Dermatitis, 2003, 48, 150-154.	0.8	37
165	Formaldehyde exposure and patterns of concomitant contact allergy to formaldehyde and formaldehydeâ€releasers. Contact Dermatitis, 2010, 63, 31-36.	0.8	37
166	Methylisothiazolinone contact allergy and dose-response relationships. Contact Dermatitis, 2011, 64, 330-336.	0.8	37
167	Filaggrin Is a Predominant Member of the Denaturation-Resistant Nickel-Binding Proteome of Human Epidermis. Journal of Investigative Dermatology, 2014, 134, 1164-1166.	0.3	37
168	Characteristics of chromiumâ€allergic dermatitis patients prior to regulatory intervention for chromium in leather: a questionnaire study. Contact Dermatitis, 2014, 71, 338-347.	0.8	37
169	Allergic contact dermatitis caused by hydroperoxides of limonene and doseâ€response relationship—A repeated open application test (ROAT) study. Contact Dermatitis, 2019, 80, 208-216.	0.8	37
170	Contact allergy to popular perfumes; assessed by patch test, use test and chemical analysis. British Journal of Dermatology, 1996, 135, 419-422.	1.4	36
171	Cobalt release from implants and consumer items and characteristics of cobalt sensitized patients with dermatitis. Contact Dermatitis, 2012, 66, 113-122.	0.8	36
172	Characteristics of patients patch tested in the <scp>E</scp> uropean <scp>S</scp> urveillance <scp>S</scp> ystem on <scp>C</scp> ontact <scp>A</scp> llergies ( <scp>ESSCA</scp> ) network, 2009–2012. Contact Dermatitis, 2015, 73, 82-90.	0.8	36
173	Reduction in the frequency of sensitization to thiurams. A result of legislation?. Contact Dermatitis, 2006, 54, 170-171.	0.8	35
174	Patch test reactivity to metal allergens following regulatory interventions: a 33â€year retrospective study. Contact Dermatitis, 2010, 63, 102-106.	0.8	35
175	Excessive nickel release from mobile phones-a persistent cause of nickel allergy and dermatitis. Contact Dermatitis, 2011, 65, 354-358.	0.8	35
176	A possible association between a dysfunctional skin barrier (filaggrin null-mutation status) and diabetes: a cross-sectional study. BMJ Open, 2011, 1, e000062-e000062.	0.8	35
177	Interaction between filaggrin null mutations and tobacco smoking in relation to asthma. Journal of Allergy and Clinical Immunology, 2012, 129, 374-380.e2.	1.5	35
178	A quantification of occupational skin exposures and the use of protective gloves among hairdressers in Denmark. Contact Dermatitis, 2012, 66, 323-334.	0.8	35
179	Positive patch test reactions to oxidized limonene: exposure and relevance. Contact Dermatitis, 2014, 71, 264-272.	0.8	35
180	Nickel allergy in a Danish population 25 years after the first nickel regulation. Contact Dermatitis, 2017, 76, 325-332.	0.8	35

#	Article	IF	CITATIONS
181	Isothiazolinones are still widely used in paints purchased in five European countries: a followâ€up study. Contact Dermatitis, 2018, 78, 246-253.	0.8	35
182	Impact of self-reported multiple chemical sensitivity on everyday life: A qualitative study. Scandinavian Journal of Public Health, 2009, 37, 621-626.	1.2	34
183	Contact sensitization to fragrances in the general population: a Koch's approach may reveal the burden of disease. British Journal of Dermatology, 2009, 160, 729-735.	1.4	34
184	Assessment of nickel and cobalt release from 200 unused hand-held work tools for sale in Denmark — Sources of occupational metal contact dermatitis?. Science of the Total Environment, 2011, 409, 4663-4666.	3.9	34
185	Carriers of filaggrin gene ( <i><scp>FLG</scp></i> ) mutations avoid professional exposure to irritants in adulthood. Contact Dermatitis, 2013, 69, 355-362.	0.8	34
186	Jewellery: alloy composition and release of nickel, cobalt and lead assessed with the <scp>EU</scp> synthetic sweat method. Contact Dermatitis, 2015, 73, 231-238.	0.8	34
187	Immunological, chemical and clinical aspects of exposure to mixtures of contact allergens. Contact Dermatitis, 2017, 77, 133-142.	0.8	34
188	Contact allergy to lanolin: temporal changes in prevalence and association with atopic dermatitis. Contact Dermatitis, 2018, 78, 70-75.	0.8	34
189	Oak moss extracts in the diagnosis of fragrance contact allergy. Contact Dermatitis, 2002, 46, 157-161.	0.8	33
190	Relation between patients' and physicians' severity assessment of occupational hand eczema. British Journal of Dermatology, 2005, 153, 596-600.	1.4	33
191	Unconsumed precursors and couplers after formation of oxidative hair dyes. Contact Dermatitis, 2006, 55, 95-100.	0.8	33
192	Healthy worker effect in hairdressing apprentices. Contact Dermatitis, 2011, 64, 80-84.	0.8	33
193	Hexavalent chromium in leather is now regulated in <scp>E</scp> uropean <scp>U</scp> nion member states to limit chromium allergy and dermatitis. Contact Dermatitis, 2014, 70, 1-2.	0.8	33
194	Nickel acts as an adjuvant during cobalt sensitization. Experimental Dermatology, 2015, 24, 229-231.	1.4	33
195	Filaggrin gene mutations are not associated with food and aeroallergen sensitization without concomitant atopic dermatitis in adults. Journal of Allergy and Clinical Immunology, 2015, 135, 1375-1378.e1.	1.5	33
196	Prevalence of and factors influencing sensitization to corticosteroids in a Danish patch test population. Contact Dermatitis, 2011, 64, 325-329.	0.8	32
197	Patch test concentrations (doses in mg/cm <sup>2</sup> ) for the 12 nonâ€mix fragrance substances regulated by European legislation. Contact Dermatitis, 2012, 66, 131-136.	0.8	32
198	Mobile phones are now covered by the European Union Nickel Directive. Contact Dermatitis, 2009, 61, 56-57.	0.8	31

#	Article	IF	CITATIONS
199	Fragrance contact allergic patients: strategies for use of cosmetic products and perceived impact on life situation. Contact Dermatitis, 2009, 61, 320-324.	0.8	31
200	Xerosis is Associated with Atopic Dermatitis, Hand Eczema and Contact Sensitization Independent of Filaggrin Gene Mutations. Acta Dermato-Venereologica, 2013, 93, 406-410.	0.6	31
201	Methylisothiazolinone in paint forces a patient out of her apartment. Contact Dermatitis, 2013, 69, 252-253.	0.8	31
202	Association between cobalt allergy and dermatitis caused by leather articles – a questionnaire study. Contact Dermatitis, 2015, 72, 106-114.	0.8	31
203	Occupational skin diseases in hairdressing apprentices – has anything changed?. Contact Dermatitis, 2015, 72, 40-46.	0.8	31
204	Short contact with nickel causes allergic contact dermatitis: an experimental study. British Journal of Dermatology, 2018, 179, 1127-1134.	1.4	31
205	Novel insights into contact dermatitis. Journal of Allergy and Clinical Immunology, 2022, 149, 1162-1171.	1.5	31
206	Patch test dose-response study of p-phenylenediamine: thresholds and anatomical regional differences. Contact Dermatitis, 2006, 54, 145-149.	0.8	30
207	Excessive nickel release from earrings purchased from independent shops and street markets – a field study from Warsaw and London. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 1021-1026.	1.3	30
208	Airborne exposure to preservative methylisothiazolinone causes severe allergic reactions. BMJ, The, 2012, 345, e8221-e8221.	3.0	30
209	The role of glutathione S-transferase and claudin-1 gene polymorphisms in contact sensitization: a cross-sectional study. British Journal of Dermatology, 2013, 168, 762-770.	1.4	30
210	Occupational allergic contact dermatitis diagnosed by a systematic stepwise exposure assessment of allergens in the work environment. Contact Dermatitis, 2013, 69, 153-163.	0.8	30
211	Leather Contains Cobalt and Poses a Risk of Allergic Contact Dermatitis: Cobalt Indicator Solution and X-ray Florescence Spectrometry as Screening Tests. Dermatitis, 2016, 27, 202-207.	0.8	30
212	Incidence of skin and respiratory diseases among Danish hairdressing apprentices. Contact Dermatitis, 2017, 76, 160-166.	0.8	30
213	Characteristics of Nickel-allergic Dermatitis Patients Seen in Private Dermatology Clinics in Denmark: a Questionnaire Study. Acta Dermato-Venereologica, 2009, 89, 384-388.	0.6	29
214	Acceptable risk of contact allergy in the general population assessed by CE–DUR – A method to detect and categorize contact allergy epidemics based on patient data. Regulatory Toxicology and Pharmacology, 2009, 54, 183-187.	1.3	29
215	Can exposure limitations for well-known contact allergens be simplified? An analysis of dose-response patch test data. Contact Dermatitis, 2011, 64, 337-342.	0.8	29
216	Consequences of occupational foodâ€related hand dermatoses with a focus on protein contact dermatitis. Contact Dermatitis, 2012, 67, 328-333.	0.8	29

#	Article	IF	CITATIONS
217	Failure of total hip implants: metals and metal release in 52 cases. Contact Dermatitis, 2014, 71, 319-325.	0.8	29
218	Metal release and metal allergy after total hip replacement with resurfacing versus conventional hybrid prosthesis. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 348-354.	1.2	29
219	Occupational irritant contact dermatitis diagnosed by analysis of contact irritants and allergens in the work environment. Contact Dermatitis, 2014, 71, 364-370.	0.8	29
220	Anatomical patterns of dermatitis in adult filaggrin mutation carriers. Journal of the American Academy of Dermatology, 2015, 72, 440-448.	0.6	29
221	Contact Allergy in Danish Healthcare Workers: A Retrospective Matched Case-control Study. Acta Dermato-Venereologica, 2016, 96, 237-240.	0.6	29
222	Comparative sensitizing potencies of fragrances, preservatives, and hair dyes. Contact Dermatitis, 2016, 75, 265-275.	0.8	29
223	Increased occurrence of hand eczema in young children following the <scp>Danish</scp> hand hygiene recommendations during the <scp>COVID</scp> â€19 pandemic. Contact Dermatitis, 2021, 84, 144-152.	0.8	29
224	Effectiveness of the Healthy Skin Clinic – a randomized clinical trial of nurseâ€led patient counselling in hand eczema. Contact Dermatitis, 2014, 71, 202-214.	0.8	28
225	Epicutaneous exposure to nickel induces nickel allergy in mice via a <scp>MyD88</scp> â€dependent and interleukinâ€lâ€dependent pathway. Contact Dermatitis, 2014, 71, 224-232.	0.8	28
226	Chlorhexidine in cosmetic products – a market survey. Contact Dermatitis, 2015, 72, 55-58.	0.8	28
227	Epidermal filaggrin deficiency mediates increased systemic T-helper 17 immune response. British Journal of Dermatology, 2016, 175, 706-712.	1.4	28
228	Pathogenic CD8+ Epidermis-Resident Memory T Cells Displace Dendritic Epidermal T Cells in Allergic Dermatitis. Journal of Investigative Dermatology, 2020, 140, 806-815.e5.	0.3	28
229	No association between nickel allergy and reporting cosmetic dermatitis from mascara or eye shadow: a crossâ€sectional general population study. Journal of the European Academy of Dermatology and Venereology, 2010, 24, 722-725.	1.3	27
230	Occupational contact urticaria caused by didecyl dimethyl ammonium chloride. Contact Dermatitis, 2011, 64, 297-298.	0.8	27
231	Patch testing with 2.0% (0.60 mg/cm <sup>2</sup> ) formaldehyde instead of 1.0% (0.30) Tj ETQq1 1 0.78431	4 rg8T/Ov	erlock 10 Tf 50
232	Filaggrin loss-of-function mutations and incident cancer: aÂpopulation-based study. British Journal of Dermatology, 2014, 171, 1407-1414.	1.4	27
233	Children with atopic dermatitis may have unacknowledged contact allergies contributing to their skin symptoms. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 428-436.	1.3	27
234	Sites of dermatitis in a patch test population: hand dermatitis is associated with polysensitization. British Journal of Dermatology, 2009, 161, 808-813.	1.4	26

#	Article	IF	CITATIONS
235	Consumer available permanent hair dye products cause major allergic immune activation in an animal model. British Journal of Dermatology, 2010, 162, 102-107.	1.4	26
236	Lowâ€level efficacy of cosmetic preservatives. International Journal of Cosmetic Science, 2011, 33, 190-196.	1.2	26
237	No association between metal allergy and cardiac in-stent restenosis in patients with dermatitis-results from a linkage study. Contact Dermatitis, 2011, 64, 138-141.	0.8	26
238	Do hairdressers in Denmark have their hand eczema reported as an occupational disease? Results from a registerâ€based questionnaire study. Contact Dermatitis, 2012, 66, 72-78.	0.8	26
239	Knowledge, attitudes and behaviour in everyday life with chronic hand eczema: a qualitative study. British Journal of Dermatology, 2013, 169, 1056-1065.	1.4	26
240	Temporal changes in chromium allergy in Denmark between 2002 and 2017. Contact Dermatitis, 2019, 80, 156-161.	0.8	26
241	Nickel deposition and penetration into the stratum corneum after short metallic nickel contact: An experimental study. Contact Dermatitis, 2019, 80, 86-93.	0.8	26
242	Identification of risk products for fragrance contact allergy: A case-referent study based on patients' histories. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 1998, 9, 80-86.	0.4	25
243	Influence of a detergent on skin response to methyldibromo glutaronitrile in sensitized individuals. Contact Dermatitis, 2004, 50, 1-5.	0.8	25
244	Contact allergy to methyldibromo glutaronitrile - data from a 'front line' network. Contact Dermatitis, 2005, 52, 138-141.	0.8	25
245	Repeated exposure to hair dye induces regulatory T cells in mice. British Journal of Dermatology, 2010, 163, 992-998.	1.4	25
246	Selfâ€ŧesting for contact sensitization to hair dyes – scientific considerations and clinical concerns of an industryâ€led screening programme. Contact Dermatitis, 2012, 66, 300-311.	0.8	25
247	Association between Loss-of-Function Mutations in the Filaggrin Gene and Self-Reported Food Allergy and Alcohol Sensitivity. International Archives of Allergy and Immunology, 2013, 161, 234-242.	0.9	25
248	Associations of Filaggrin Gene Loss-of-Function Variants with Urinary Phthalate Metabolites and Testicular Function in Young Danish Men. Environmental Health Perspectives, 2014, 122, 345-350.	2.8	25
249	Fragrance allergy and quality of life – a case–control study. Contact Dermatitis, 2014, 70, 81-89.	0.8	25
250	Chlorhexidine allergy: sources of exposure in the health-care setting. British Journal of Anaesthesia, 2015, 114, 704-705.	1.5	25
251	Oral symptoms and salivary findings in oral lichen planus, oral lichenoid lesions and stomatitis. BMC Oral Health, 2017, 17, 103.	0.8	25
252	Hypersensitivity reactions from metallic implants: a future challenge that needs to be addressed. British Journal of Dermatology, 2010, 162, 235-236.	1.4	24

#	Article	IF	CITATIONS
253	Association between cancer and contact allergy: a linkage study. BMJ Open, 2011, 1, e000084-e000084.	0.8	24
254	Nickel may be released from laptop computers. Contact Dermatitis, 2012, 67, 384-385.	0.8	24
255	Nickel allergy and dermatitis following use of a laptop computer. Journal of the American Academy of Dermatology, 2012, 67, e170-e171.	0.6	24
256	Skin reaction and regeneration after single sodium lauryl sulfate exposure stratified by filaggrin genotype and atopic dermatitis phenotype. British Journal of Dermatology, 2015, 172, 1519-1529.	1.4	24
257	Clove use among hairdressers: difficulties in the correct use of gloves among hairdressers and the effect of education. Contact Dermatitis, 2015, 72, 362-366.	0.8	24
258	Changes in filaggrin degradation products and corneocyte surface texture by season. British Journal of Dermatology, 2018, 178, 1143-1150.	1.4	24
259	Experimental elicitation with hydroxyisohexyl-3-cyclohexene carboxaldehyde-containing deodorants. Contact Dermatitis, 2007, 56, 146-150.	0.8	23
260	Association between positive patch tests to epoxy resin and fragrance mix I ingredients. Contact Dermatitis, 2009, 60, 155-157.	0.8	22
261	Allergic contact dermatitis caused by cobalt in leather – clinical cases. Contact Dermatitis, 2017, 76, 366-368.	0.8	22
262	Hand eczema, atopic dermatitis and filaggrin mutations in adult <scp>D</scp> anes: a registryâ€based study assessing risk of disability pension. Contact Dermatitis, 2017, 77, 95-105.	0.8	22
263	Contact dermatitis caused by glucose sensors, insulin pumps, and tapes: Results from a 5â€year period. Contact Dermatitis, 2021, 84, 75-81.	0.8	22
264	CD8 <sup>+</sup> tissueâ€resident memory T cells recruit neutrophils that are essential for flareâ€ups in contact dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 513-524.	2.7	22
265	Skin dysbiosis in the microbiome in atopic dermatitis is site-specific and involves bacteria, fungus and virus. BMC Microbiology, 2021, 21, 256.	1.3	22
266	Hydroxyisohexyl 3-cyclohexene carboxaldehyde allergy: relationship between patch test and repeated open application test thresholds. British Journal of Dermatology, 2009, 161, 560-567.	1.4	21
267	Atopic diseases by filaggrin mutations and birth year. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 705-708.	2.7	21
268	Patch testing with a textile dye mix – a multicentre study. Contact Dermatitis, 2014, 71, 215-223.	0.8	21
269	Asthma and respiratory symptoms among hairdressers in Denmark: Results from a register based questionnaire study. American Journal of Industrial Medicine, 2014, 57, 1368-1376.	1.0	21
270	Elicitation threshold of cobalt chloride: analysis of patch test dose–response studies. Contact Dermatitis, 2016, 74, 105-109.	0.8	21

#	Article	IF	CITATIONS
271	Sorbitan sesquioleate; a rare cause of contact allergy in consecutively patch tested dermatitis patients. Contact Dermatitis, 2016, 74, 242-245.	0.8	21
272	Contact allergy to preservatives in patients with occupational contact dermatitis and exposure analysis of preservatives in registered chemical products for occupational use. International Archives of Occupational and Environmental Health, 2017, 90, 319-333.	1.1	21
273	Contact allergy to methyldibromo glutaronitrile is still of clinical relevance. Contact Dermatitis, 2017, 77, 250-251.	0.8	21
274	Skin barrier damage after exposure to paraphenylenediamine. Journal of Allergy and Clinical Immunology, 2020, 145, 619-631.e2.	1.5	21
275	Methyldibromoglutaronitrile in leave-on products elicits contact allergy at low concentration. British Journal of Dermatology, 2004, 151, 817-822.	1.4	20
276	Significant exposures to isoeugenol derivatives in perfumes. Contact Dermatitis, 2008, 58, 278-281.	0.8	20
277	Associations between baseline allergens and polysensitization. Contact Dermatitis, 2008, 59, 96-102.	0.8	20
278	Experimental skin deposition of chromium on the hands following handling of samples of leather and metal. Contact Dermatitis, 2016, 75, 89-95.	0.8	20
279	Cobalt release and complications resulting from the use of dental prostheses. Contact Dermatitis, 2016, 75, 377-383.	0.8	20
280	The European nickel regulation and changes since its introduction. Contact Dermatitis, 2017, 76, 382-384.	0.8	20
281	Healthâ€related quality of life in adult dermatitis patients stratified by filaggrin genotype. Contact Dermatitis, 2017, 76, 167-177.	0.8	20
282	Inflammatory bowel disease in relation to contact allergy: A patient-based study. Scandinavian Journal of Gastroenterology, 2007, 42, 572-576.	0.6	19
283	Exposures and reactions to allergens among hairdressing apprentices and matched controls. Contact Dermatitis, 2011, 64, 85-89.	0.8	19
284	Costâ€ofâ€illness of patients with contact dermatitis in Denmark. Contact Dermatitis, 2014, 71, 154-161.	0.8	19
285	Hand eczema among hairdressing apprentices in Denmark following a nationwide prospective intervention programme: 6â€year followâ€up. Contact Dermatitis, 2016, 75, 32-40.	0.8	19
286	High occurrence of rhinitis symptoms in hairdressing apprentices. International Forum of Allergy and Rhinology, 2017, 7, 43-49.	1.5	19
287	Trends in contact allergy to fragrance mix I in consecutive Danish patients with eczema from 1986 to 2015: a cross-sectional study. British Journal of Dermatology, 2017, 176, 1035-1041.	1.4	19
288	Causative exposures and temporal development of cobalt allergy in Denmark between 2002 and 2017. Contact Dermatitis, 2019, 81, 242-248.	0.8	19

#	Article	IF	CITATIONS
289	Patch testing with methylchloroisothiazolinone/methylisothiazolinone 200 ppm aq. detects significantly more contact allergy than 100 ppm. A multicentre study within the European Environmental and Contact Dermatitis Research Group. Contact Dermatitis, 2014, 71, 31-34.	0.8	18
290	Individuals with complete filaggrin deficiency may have an increased risk of squamous cell carcinoma. British Journal of Dermatology, 2014, 170, 1380-1381.	1.4	18
291	Skin pH, Atopic Dermatitis, and Filaggrin Mutations. Dermatitis, 2014, 25, 127-129.	0.8	18
292	Difficulties in using Material <scp>S</scp> afety <scp>D</scp> ata <scp>S</scp> heets to analyse occupational exposures to contact allergens. Contact Dermatitis, 2015, 72, 147-153.	0.8	18
293	Allergic contact dermatitis caused by 2â€hydroxyethyl methacrylate and ethyl cyanoacrylate contained in cosmetic glues among hairdressers and beauticians who perform nail treatments and eyelash extension as well as hair extension applications: A systematic review. Contact Dermatitis, 2022, 86, 480-492.	0.8	18
294	Determination of methyldibromoglutaronitrile in cosmetic products by high-performance liquid chromatography with electrochemical detection. Journal of Chromatography A, 2004, 1031, 315-317.	1.8	17
295	Results from additional nickel patch test readings in a sample of schoolgirls from the general population. Contact Dermatitis, 2008, 59, 317-318.	0.8	17
296	Methyldibromoglutaronitrile allergy: relationship between patch test and repeated open application test thresholds. British Journal of Dermatology, 2008, 159, 1138-43.	1.4	17
297	Ethosome Formulations of Known Contact Allergens can Increase their Sensitizing Capacity. Acta Dermato-Venereologica, 2010, 90, 374-378.	0.6	17
298	Quality of Life in a Population of Patients With Hand Eczema: A Six-month Follow-up Study. Acta Dermato-Venereologica, 2011, 91, 484-486.	0.6	17
299	Natural ingredients in cosmetic products—A suggestion for a screening series for skin allergy. Contact Dermatitis, 2020, 83, 251-270.	0.8	17
300	Incidence rates of occupational contact dermatitis in Denmark between 2007 and 2018: A populationâ€based study. Contact Dermatitis, 2021, 85, 421-428.	0.8	17
301	Rash related to use of scented products. A questionnaire study in the Danish population. Is the problem increasing?. Contact Dermatitis, 2000, 42, 222-226.	0.8	16
302	Personal use of Hair Dyes and Temporary Black Tattoos in Copenhagen Hairdressers. Annals of Occupational Hygiene, 2010, 54, 453-8.	1.9	16
303	Filaggrin Null-mutations May be Associated with a Distinct Subtype of Atopic Hand Eczema. Acta Dermato-Venereologica, 2010, 90, 528-528.	0.6	16
304	Airborne sensitization to isothiazolinones observed in a 3â€monthâ€old boy. Contact Dermatitis, 2013, 69, 55-56.	0.8	16
305	The combined diagnosis of allergic and irritant contact dermatitis in a retrospective cohort of 1000 consecutive patients with occupational contact dermatitis. Contact Dermatitis, 2014, 71, 356-363.	0.8	16
306	Systemic immunogenicity of para-Phenylenediamine and Diphenylcyclopropenone: two potent contact allergy-inducing haptens. Immunologic Research, 2014, 58, 40-50.	1.3	16

#	Article	IF	CITATIONS
307	Occupational Exposure of Hairdressers to Airborne Hazardous Chemicals: A Scoping Review. International Journal of Environmental Research and Public Health, 2022, 19, 4176.	1.2	16
308	The filaggrin null genotypes R501X and 2282del4 seem not to be associated with psoriasis: results from general population study and metaâ€analysis. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 782-784.	1.3	15
309	Filaggrin gene mutations and risk of basal cell carcinoma. British Journal of Dermatology, 2013, 169, 1162-1164.	1.4	15
310	Contact allergy to rubber accelerators remains prevalent: retrospective results from a tertiary clinic suggesting an association with facial dermatitis. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1768-1773.	1.3	15
311	Use of protective gloves by hairdressers: A review of efficacy and potential adverse effects. Contact Dermatitis, 2020, 83, 75-82.	0.8	15
312	Prevalence and incidence of hand eczema in hairdressers—A systematic review and metaâ€analysis of the published literature from 2000–2021. Contact Dermatitis, 2022, 86, 254-265.	0.8	15
313	Individuals who are homozygous for the 2282del4 and R501X filaggrin null mutations do not always develop dermatitis and complete longâ€term remission is possible. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 386-389.	1.3	14
314	Associations of Filaggrin Gene Loss-of-Function Variants and Human Papillomavirus-Related Cancer and Pre-Cancer in Danish Adults. PLoS ONE, 2014, 9, e99437.	1.1	14
315	Recent trends in epidemiology, sensitization and legal requirements of selected relevant contact allergens. Expert Review of Clinical Immunology, 2016, 12, 289-300.	1.3	14
316	Cobalt content of a convenience sample of leather shoes and gloves in Denmark. Contact Dermatitis, 2019, 80, 248-249.	0.8	14
317	High incidence of hand eczema in Danish schoolchildren following intensive hand hygiene during the COVIDâ€19 pandemic: a nationwide questionnaire study. British Journal of Dermatology, 2020, 183, 975-976.	1.4	14
318	Children with vaccination granulomas and aluminum contact allergy: Evaluation of predispositions, avoidance behavior, and quality of life. Contact Dermatitis, 2020, 83, 99-107.	0.8	14
319	Degree of employment, sick leave, and costs following notification of occupational contact dermatitis—A registerâ€based study. Contact Dermatitis, 2021, 84, 224-235.	0.8	14
320	Contact allergy to fragrances: clinical and experimental investigations of the fragrance mix and its ingredients. Contact Dermatitis, 2001, 46, 4-31.	0.8	13
321	Five cases of severe chronic dermatitis caused by isothiazolinones. Contact Dermatitis, 2013, 69, 57-59.	0.8	13
322	Immune responses to hair dyes containing tolueneâ€2,5â€diamine. British Journal of Dermatology, 2014, 170, 352-359.	1.4	13
323	The importance of a complete declaration of isothiazolinones in products beyond cosmetics. Contact Dermatitis, 2017, 77, 171-172.	0.8	13
324	Twentyâ€eightâ€day followâ€up of patch test reactions to pâ€phenylenediamine and pâ€phenylenediamine dihydrochloride: A multicentre study on behalf of the European Environmental and Contact Dermatitis Research Group. Contact Dermatitis, 2019, 81, 1-8.	0.8	13

#	Article	IF	CITATIONS
325	Evaluation of the secondary and tertiary prevention strategies against occupational contact dermatitis in Germany: A systematic review. Contact Dermatitis, 2022, 87, 142-153.	0.8	13
326	Filaggrin haploinsufficiency among patients with dermatitis from a tertiary referral centre: early findings and possible phenotype. Contact Dermatitis, 2010, 62, 182-183.	0.8	12
327	Provocation test with metallic palladium in a palladium-allergic patient. Contact Dermatitis, 2011, 65, 304-306.	0.8	12
328	Fragrance allergy and quality of life – development and validation of a diseaseâ€specific quality of life instrument. Contact Dermatitis, 2014, 70, 69-80.	0.8	12
329	An immune response study of oakmoss absolute and its constituents atranol and chloroatranol. Contact Dermatitis, 2014, 70, 282-290.	0.8	12
330	Contact dermatitis caused by panthenol used for aftercare treatment of a new tattoo. Contact Dermatitis, 2016, 75, 50-52.	0.8	12
331	Nickel released from children's toys is deposited on the skin. Contact Dermatitis, 2016, 74, 380-381.	0.8	12
332	Guidelines for the presentation of contact allergy case reports. Contact Dermatitis, 2017, 76, 107-113.	0.8	12
333	Selfâ€ŧesting for contact allergy to hair dyes–Âa 5â€year followâ€up multicentre study. Contact Dermatitis, 2018, 78, 131-138.	0.8	12
334	Skin tape stripping: Which layers of the epidermis are removed?. Contact Dermatitis, 2019, 80, 319-321.	0.8	12
335	Increased Production of IL-17A-Producing γδT Cells in the Thymus of Filaggrin-Deficient Mice. Frontiers in Immunology, 2018, 9, 988.	2.2	12
336	Highlights in allergic contact dermatitis 2018/2019. Current Opinion in Allergy and Clinical Immunology, 2019, 19, 334-340.	1.1	12
337	The transcriptome of hand eczema assessed by tape stripping. Contact Dermatitis, 2022, 86, 71-79.	0.8	12
338	Percutaneous penetration characteristics and release kinetics of contact allergens encapsulated in ethosomes. Cutaneous and Ocular Toxicology, 2011, 30, 38-44.	0.5	11
339	Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects. , 2011, , 241-251.		11
340	Quantitative assessment of diethylthiourea exposure in two cases of occupational allergic contact dermatitis. Contact Dermatitis, 2011, 64, 116-118.	0.8	11
341	Chronic hand eczema - self-management and prognosis: a study protocol for a randomised clinical trial. BMC Dermatology, 2012, 12, 6.	2.1	11
342	Prevalence of allergic contact dermatitis caused by hydroxyisohexyl 3 yclohexene carboxaldehyde has not changed in Denmark. Contact Dermatitis, 2012, 67, 49-51.	0.8	11

Jeanne D Johansen

#	Article	IF	CITATIONS
343	Hidden exposure to formaldehyde in a swab caused allergic contact dermatitis. Contact Dermatitis, 2014, 70, 258-260.	0.8	11
344	The nickel dose–response relationship by filaggrin genotype ( <scp><i>FLG</i></scp> ). Contact Dermatitis, 2014, 71, 49-53.	0.8	11
345	Allergic chromium dermatitis from wearing †̃chromiumâ€free' footwear. Contact Dermatitis, 2014, 70, 185-187.	0.8	11
346	Airborne contact dermatitis caused by common ivy ( <i>Hedera helix</i> L. ssp. <i>helix</i> ). Contact Dermatitis, 2015, 72, 243-244.	0.8	11
347	Please, label the label; a case report of occupational allergic contact dermatitis caused by methylisothiazolinone in adhesive labels. Contact Dermatitis, 2016, 75, 314-315.	0.8	11
348	Effect of atopic skin stressors on natural moisturizing factors and cytokines in healthy adult epidermis. British Journal of Dermatology, 2018, 179, 679-688.	1.4	11
349	Concentration of filaggrin monomers, its metabolites and corneocyte surface texture in individuals with a history of atopic dermatitis and controls. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 796-804.	1.3	11
350	Allergic contact dermatitis caused by plastic items containing the ultraviolet absorber drometrizole. Contact Dermatitis, 2018, 79, 110-112.	0.8	11
351	Diagnostic workup of occupational allergic nickel dermatitis in a nurse with multiple nickel exposures. Contact Dermatitis, 2019, 81, 311-313.	0.8	11
352	The stratum corneum transcriptome in atopic dermatitis can be assessed by tape stripping. Journal of Dermatological Science, 2021, 101, 14-21.	1.0	11
353	Prevention of Diabetes in NOD Mice by Repeated Exposures to a Contact Allergen Inducing a Sub-Clinical Dermatitis. PLoS ONE, 2010, 5, e10591.	1.1	11
354	Cobalt spot test used for diagnosis of occupationallyâ€related exposure to cobaltâ€containing powder. Contact Dermatitis, 2012, 66, 228-229.	0.8	10
355	Allergic nickel dermatitis caused by playing the guitar: case report and assessment of nickel release from guitar strings. Contact Dermatitis, 2012, 67, 101-103.	0.8	10
356	Xerosis is associated with asthma in men independent of atopic dermatitis and filaggrin gene mutations. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1807-1815.	1.3	10
357	Symptomatic oral lesions may be associated with contact allergy to substances in oral hygiene products. Clinical Oral Investigations, 2017, 21, 2543-2551.	1.4	10
358	Methylisothiazolinone contact allergy in Croatia: Epidemiology and course of disease following patch testing. Contact Dermatitis, 2018, 79, 162-167.	0.8	10
359	Contact allergy to 2â€hydroxyethyl methacrylate in Denmark. Contact Dermatitis, 2020, 82, 229-231.	0.8	10
360	Facial dermatoses in health care professionals induced by the use of protective masks during the <scp>COVID</scp> â€19 pandemic. Contact Dermatitis, 2021, 85, 710-711.	0.8	10

#	Article	IF	CITATIONS
361	Facial contact dermatitis caused by cosmeticâ€relevant allergens. Contact Dermatitis, 2021, 85, 650-659.	0.8	10
362	Differences between hairdressers and consumers in skin exposure to hair cosmetic products: A review. Contact Dermatitis, 2022, 86, 333-343.	0.8	10
363	Occupational contact dermatitis among young people in Denmark – A survey of causes and longâ€ŧerm consequences. Contact Dermatitis, 2022, 86, 404-416.	0.8	10
364	Ethosome formulation of contact allergens may enhance patch test reactions in patients <sup>*</sup> . Contact Dermatitis, 2010, 63, 209-214.	0.8	9
365	A cobalt spot test was useful in the diagnostic work-up of a cobalt allergic patient suffering from oral hypersensitivity to cobalt. Journal of the American Academy of Dermatology, 2011, 65, 659-660.	0.6	9
366	A patient's drawing helped the physician to make the correct diagnosis: occupational contact allergy to isothiazolinone. Contact Dermatitis, 2012, 67, 174-176.	0.8	9
367	Nickel may be released from iPhone <sup><math>\hat{A}^{@}</math></sup> 5. Contact Dermatitis, 2013, 68, 255-256.	0.8	9
368	Persistent periorbital allergic contact dermatitis in a dental technician caused by airborne thiuram exposure. Contact Dermatitis, 2015, 73, 321-322.	0.8	9
369	Friction from paper and cardboard causing occupational dermatitis in nonâ€atopic individuals. Contact Dermatitis, 2016, 74, 307-308.	0.8	9
370	Quality in epidemiological surveillance of contact allergy. Contact Dermatitis, 2016, 74, 175-180.	0.8	9
371	Allergic perioral contact dermatitis caused by rubber chemicals during dental treatment. Contact Dermatitis, 2016, 74, 110-111.	0.8	9
372	Nickel and cobalt release from fidget spinners on the Danish market. Contact Dermatitis, 2018, 78, 357-359.	0.8	9
373	Quality of life and disease severity in dermatitis patients with fragrance allergy—A crossâ€sectional European questionnaire study. Contact Dermatitis, 2019, 81, 89-96.	0.8	9
374	Fragrances. , 2011, , 607-627.		9
375	Respiratory toxicity of persulphate salts and their adverse effects on airways in hairdressers: a systematic review. International Archives of Occupational and Environmental Health, 2022, 95, 1679-1702.	1.1	9
376	Erythema-index of clinical patch test reactions. Skin Research and Technology, 1995, 1, 26-29.	0.8	8
377	Active sensitization and contact allergy to methyl 2â€octynoate. Contact Dermatitis, 2010, 62, 97-101.	0.8	8
378	Allergic contact dermatitis caused by sorbitan sesquioleate imitating severe glove dermatitis in a patient with filaggrin mutation. Contact Dermatitis, 2013, 69, 313-315.	0.8	8

#	Article	IF	CITATIONS
379	Protein contact dermatitis caused by worms and insects used to feed exotic birds. Contact Dermatitis, 2014, 70, 64-66.	0.8	8
380	Multicentre patch testing with methylisothiazolinone by the <scp>E</scp> uropean <scp>E</scp> nvironmental and <scp>C</scp> ontact <scp>D</scp> ermatitis <scp>R</scp> esearch <scp>G</scp> roup. Contact Dermatitis, 2014, 70, 317-320.	0.8	8
381	Undisclosed methylisothiazolinone in wet wipes for occupational use causing occupational allergic contact dermatitis in a nurse. Contact Dermatitis, 2015, 73, 182-184.	0.8	8
382	Course of Skin Symptoms and Quality of Life in Children Referred for Patch Testing – A Long-term Follow-up Study. Acta Dermato-Venereologica, 2015, 95, 206-210.	0.6	8
383	Allergic contact dermatitis of the face caused by <i><scp>M</scp>agnolia officinalis</i> bark extract. Contact Dermatitis, 2016, 75, 385-387.	0.8	8
384	The epidemic of contact allergy to methylisothiazolinone—An analysis of <scp>Danish</scp> consecutive patients patch tested between 2005 and 2019. Contact Dermatitis, 2021, 84, 254-262.	0.8	8
385	The European baseline series: Criteria for allergen inclusion with reference to formaldehyde releasers. Contact Dermatitis, 2021, 85, 125-128.	0.8	8
386	Allergic Contact Dermatitis in Humans $\hat{a} \in \mathbb{C}$ Experimental and Quantitative Aspects. , 2006, , 189-198.		8
387	Longâ€ŧerm followâ€up of hand eczema in hairdressers: a prospective cohort study of Danish hairdressers graduating from 1985 to 2007. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 263-270.	1.3	8
388	Protocol for a systematic review on systemic and skin toxicity of important hazardous hair and nail cosmetic ingredients in hairdressers. BMJ Open, 2021, 11, e050612.	0.8	8
389	Contact allergy and human biomonitoring - an overview with a focus on metals. Contact Dermatitis, 2011, 65, 125-137.	0.8	7
390	Creams Used by Hand Eczema Patients are often Contaminated with Staphylococcus aureus. Acta Dermato-Venereologica, 2012, 92, 441-442.	0.6	7
391	Severe occupational contact dermatitis caused by black rubber as a consequence of <i>p</i> â€phenylenediamine allergy resulting from a temporary henna tattoo. Contact Dermatitis, 2013, 68, 377-379.	0.8	7
392	Response shift in severity assessment of hand eczema with visual analogue scales. Contact Dermatitis, 2015, 72, 178-183.	0.8	7
393	Assessment of chromium(VI) release from 848 jewellery items by use of a diphenylcarbazide spot test. Contact Dermatitis, 2016, 75, 115-117.	0.8	7
394	A contact allergic reaction to budesonide mimicking immediateâ€ŧype allergy. Contact Dermatitis, 2017, 77, 62-63.	0.8	7
395	Adverse reactions to tattoos in the general population of Denmark. Journal of the American Academy of Dermatology, 2018, 79, 770-772.	0.6	7
396	Patch test reactivity to aluminium chambers. Contact Dermatitis, 2019, 81, 318-319.	0.8	7

#	Article	IF	CITATIONS
397	Occupational allergic contact dermatitis caused by cobalt in machine oil. Contact Dermatitis, 2019, 80, 59-61.	0.8	7
398	Decrease of contact allergy to hydroxyisohexyl 3 yclohexene carboxaldehyde in Europe prior to its ban and diagnostic value. Contact Dermatitis, 2021, 84, 419-422.	0.8	7
399	No Association between Loss-of-Function Mutations in filaggrin and Diabetes, Cardiovascular Disease, and All-Cause Mortality. PLoS ONE, 2013, 8, e84293.	1.1	7
400	Encapsulating contact allergens in liposomes, ethosomes, and polycaprolactone may affect their sensitizing properties. Cutaneous and Ocular Toxicology, 2011, 30, 116-123.	0.5	6
401	Filaggrin compound heterozygous patients carry mutations in <i>trans</i> position. Experimental Dermatology, 2013, 22, 572-575.	1.4	6
402	p-Phenylenediamine and Risk of Sensitization in Children. Current Treatment Options in Allergy, 2014, 1, 299-309.	0.9	6
403	Allergic contact dermatitis caused by an antiseptic containing cetrimide. Contact Dermatitis, 2015, 72, 60-61.	0.8	6
404	Occupational airborne contact dermatitis caused by sevoflurane. Contact Dermatitis, 2015, 72, 241-243.	0.8	6
405	Quantification of Epidermal Filaggrin in Human Skin and its Response to Skin Irritation. Journal of Investigative Dermatology, 2016, 136, 1296-1299.	0.3	6
406	Can contact allergy to <i>p</i> â€phenylenediamine explain the high rates of terpene hydroperoxide allergy? – An epidemiological study based on consecutive patch test results. Contact Dermatitis, 2017, 76, 67-73.	0.8	6
407	Filaggrin gene mutations and the distribution of filaggrin in oral mucosa of patients with oral lichen planus and healthy controls. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 887-893.	1.3	6
408	Criteria for the evidence-based categorisation of skin sensitisers. Food and Chemical Toxicology, 2017, 105, 14-21.	1.8	6
409	Occupational facial contact dermatitis caused by methylchloroisothiazolinone/methylisothiazolinone in a stainless steel aerosol spray. Contact Dermatitis, 2017, 77, 173-174.	0.8	6
410	Electrochemical Screening Spot Test Method for Detection of Nickel and Cobalt Ion Release From Metal Surfaces. Dermatitis, 2018, 29, 187-192.	0.8	6
411	Multispectral imaging of hand eczema. Contact Dermatitis, 2019, 81, 438-445.	0.8	6
412	Memory T helper cells identify patients with nickel, cobalt, and chromium metal allergy. Contact Dermatitis, 2021, 85, 7-16.	0.8	6
413	Nickel release from metallic earrings: A survey of the Danish market and validation of the nickel spot test. Contact Dermatitis, 2021, 85, 178.	0.8	6
414	Aluminium contact allergy without vaccination granulomas: A systematic review and metaâ€analysis. Contact Dermatitis, 2021, 85, 129-135.	0.8	6

#	Article	IF	CITATIONS
415	Does aluminium in sunscreens cause dermatitis in children with aluminium contact allergy: A repeated open application test study. Contact Dermatitis, 2022, 86, 9-14.	0.8	6
416	Hair Dyes. , 2011, , 629-641.		6
417	Experimental patch testing with chromiumâ€coated materials. Contact Dermatitis, 2017, 76, 333-341.	0.8	5
418	Serum cytokine profile and clinicopathological findings in oral lichen planus, oral lichenoid lesions and stomatitis. Clinical and Experimental Dental Research, 2017, 3, 220-226.	0.8	5
419	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm―to identify allergens tested in cosmetic series across Europe. Contact Dermatitis, 2020, 82, 195-200.	0.8	5
420	Increased retest reactivity by both patch and use test with methyldibromoglutaronitrile in sensitized individuals. Acta Dermato-Venereologica, 2006, 86, 8-12.	0.6	5
421	Skin Toxicity of Selected Hair Cosmetic Ingredients: A Review Focusing on Hairdressers. International Journal of Environmental Research and Public Health, 2022, 19, 7588.	1.2	5
422	Occupational hand eczema reduces career length in hairdressers: a prospective cohort study of Danish hairdressers graduating from 1985 to 2007. Occupational and Environmental Medicine, 2022, 79, 649-655.	1.3	5
423	Risk factors for granulomas in children following immunization with aluminiumâ€adsorbed vaccines: A Danish populationâ€based cohort study. Contact Dermatitis, 2022, 87, 430-438.	0.8	5
424	Patch test dose-response study: polysensitized individuals do not express lower elicitation thresholds than single/double-sensitized individuals. British Journal of Dermatology, 2009, 160, 103-106.	1.4	4
425	Inverse Association between Rheumatoid Arthritis and Contact Allergy. Acta Dermato-Venereologica, 2012, 92, 175-176.	0.6	4
426	Facial allergic contact dermatitis caused by fragrance ingredients released by an electric shaver. Contact Dermatitis, 2012, 67, 380-381.	0.8	4
427	Clinical consequences of sesquiterpene lactone mix contact allergy in Denmark. British Journal of Dermatology, 2015, 172, 1430-1431.	1.4	4
428	Herbal medicine as a cause of recurrent facial oedema. Contact Dermatitis, 2015, 72, 342-344.	0.8	4
429	User evaluation of patient counselling, combining nurse consultation and <scp>eHealth</scp> in hand eczema. Contact Dermatitis, 2016, 74, 205-216.	0.8	4
430	Detection of local inflammation induced by repeated exposure to contact allergens by use of <scp>IVIS S</scp> pectrum <scp>CT</scp> analyses. Contact Dermatitis, 2017, 76, 210-217.	0.8	4
431	Optimal patch test concentration for three widely used sensitizing fragrance substances without mandatory labelling in cosmetics. Contact Dermatitis, 2019, 80, 325-327.	0.8	4
432	Allergic contact stomatitis caused by (meth)acrylates in an occlusal splint. Contact Dermatitis, 2020, 82, 112-114.	0.8	4

#	Article	IF	CITATIONS
433	Exposure analysis using Xâ€ray fluorescence device and a cobalt spot test in four patients with cobalt allergy. Contact Dermatitis, 2020, 82, 67-69.	0.8	4
434	Chromium and cobalt release from metallic earrings from the Danish market. Contact Dermatitis, 2021, 85, 523-530.	0.8	4
435	Allergic contact dermatitis from dyes used in the temple of spectacles. Contact Dermatitis, 2022, 86, 25-28.	0.8	4
436	Occupational allergic contact dermatitis caused by tetrahydroxypropyl ethylenediamine in hand disinfectants. Contact Dermatitis, 2022, 87, 114-116.	0.8	4
437	The increase in p-phenylenediamine allergy in Denmark is not explained by an increase in contact allergy to para group chemicals. Contact Dermatitis, 2011, 64, 176-179.	0.8	3
438	Clinical work-up of a highly reactive nickel-allergic patient. Contact Dermatitis, 2011, 65, 51-53.	0.8	3
439	Prevention of type 1 diabetes by inducing subclinical dermatitis on a small area. Diabetes/Metabolism Research and Reviews, 2011, 27, 954-958.	1.7	3
440	Skin prick test reactivity to aeroallergens by filaggrin mutation status. Journal of the European Academy of Dermatology and Venereology, 2014, 28, 238-241.	1.3	3
441	Usability of a spot test for isothiazolinones. Contact Dermatitis, 2020, 82, 165-167.	0.8	3
442	Metals in used and unused metalworking fluids: Xâ€ray fluorescence spectrometry as a screening test. Contact Dermatitis, 2020, 83, 83-87.	0.8	3
443	Allergic contact dermatitis due to butylene glycol in cosmetics. Contact Dermatitis, 2020, 83, 242-243.	0.8	3
444	No immediate effect of regulatory reduction of chromium in leather among adult patients with chromium allergy. Contact Dermatitis, 2021, 85, 514-522.	0.8	3
445	Isothiazolinones. , 2020, , 507-520.		3
446	Local and systemic contact dermatitis elicited by dental plastic fillings in a patient allergic to 2â€hydroxyethyl methacrylate. Contact Dermatitis, 2022, 87, 106-108.	0.8	3
447	Does cobalt spot testing of copper items result in falseâ€positive test reactions?. Contact Dermatitis, 2013, 69, 387-388.	0.8	2
448	â€~Sign of the kiss' from black henna tattoos. Contact Dermatitis, 2015, 73, 370-371.	0.8	2
449	Leopard dermatitis of the neck—Case series of 10 patients. Contact Dermatitis, 2018, 79, 389-391.	0.8	2
450	Basics in Diagnostic Work Up and Assessment of Clinical Relevance. , 2016, , 57-67.		2

#	Article	IF	CITATIONS
451	Contact Allergy to Fragrances. , 2020, , 1-33.		2
452	Copper release from metals may mask positive nickel spot test results. Contact Dermatitis, 2022, 86, 431-433.	0.8	2
453	The hair dye allergy self-test: considerations for treating physicians. British Journal of Dermatology, 2013, 168, 448-448.	1.4	1
454	Chemical Intolerance among Hairdressers in Denmark. PLoS ONE, 2013, 8, e71241.	1.1	1
455	Chlorhexidine in cosmetic products a market survey. Clinical and Translational Allergy, 2014, 4, P69.	1.4	1
456	Information about filaggrin genotype is valuable for adult atopic dermatitis patients. Journal of the European Academy of Dermatology and Venereology, 2017, 31, e156-e158.	1.3	1
457	Consumer Behaviour Among Nickel-allergic Patients. Acta Dermato-Venereologica, 2017, 97, 1247-1248.	0.6	1
458	Cl Solvent Yellow 14 (Sudan I) identified as the allergen in a plastic part of glasses. Contact Dermatitis, 2020, 82, 183-185.	0.8	1
459	Epidermal T cell subsets—Effect of age and antigen exposure in humans and mice. Contact Dermatitis, 2021, 84, 375-384.	0.8	1
460	FS06.3 Chloroatranol - clinical studies and exposure analysis. Contact Dermatitis, 2008, 50, 147-147.	0.8	0
461	Dose response aspects of contact allergy. Contact Dermatitis, 2008, 50, 154-154.	0.8	Ο
462	PCS.06†Establishment of safe exposure limits for the elicitation of allergy - fragrances. Contact Dermatitis, 2008, 50, 124-124.	0.8	0
463	Patch Testing - by Anton C. De Groot. Contact Dermatitis, 2009, 60, 120-120.	0.8	Ο
464	Palladium allergy prevalence might be underestimated because of an inadequate test allergen. Contact Dermatitis, 2011, 65, 63-63.	0.8	0
465	Severe atopic dermatitis in childhood and working life as a hairdresser - the benefit of female discipline and insight in critical exposures. Contact Dermatitis, 2015, 72, 256-256.	0.8	Ο
466	Isothiazolinones. , 2018, , 1-14.		0
467	Editorial. Contact Dermatitis, 2021, 84, 143-143.	0.8	0
468	Cocamidopropyl betaine, cocamidopropylamine oxide, and disodium cocoamphodiacetate cause falseâ€positive reactions with an isothiazolinone spot test. Contact Dermatitis, 2021, 85, 249-251.	0.8	0

#	Article	IF	CITATIONS
469	Systematic allergy investigation of patients with red eyes. Acta Ophthalmologica, 2014, 92, 0-0.	0.6	Ο
470	Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects. , 2019, , 1-16.		0
471	Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers. , 2020, , 1-12.		Ο
472	Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects. , 2021, , 159-174.		0
473	Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers. , 2021, , 1187-1198.		Ο
474	Contact Allergy to Fragrances. , 2021, , 803-834.		0