

Jeanne D Johansen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4089512/jeanne-d-johansen-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

459
papers

15,191
citations

64
h-index

94
g-index

477
ext. papers

17,330
ext. citations

3.2
avg, IF

6.76
L-index

#	Paper	IF	Citations
459	European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice. <i>Contact Dermatitis</i> , 2015 , 73, 195-221	2.7	725
458	The epidemiology of contact allergy in the general population--prevalence and main findings. <i>Contact Dermatitis</i> , 2007 , 57, 287-99	2.7	476
457	The epidemiology of hand eczema in the general population--prevalence and main findings. <i>Contact Dermatitis</i> , 2010 , 62, 75-87	2.7	306
456	A survey of occupational hand eczema in Denmark. <i>Contact Dermatitis</i> , 2004 , 51, 159-66	2.7	175
455	The hand eczema severity index (HECSI): a scoring system for clinical assessment of hand eczema. A study of inter- and intraobserver reliability. <i>British Journal of Dermatology</i> , 2005 , 152, 302-7	4	167
454	Selected oxidized fragrance terpenes are common contact allergens. <i>Contact Dermatitis</i> , 2005 , 52, 320-82.7		159
453	Relation between diagnoses on severity, sick leave and loss of job among patients with occupational hand eczema. <i>British Journal of Dermatology</i> , 2005 , 152, 93-8	4	151
452	Hypersensitivity reactions to metallic implants - diagnostic algorithm and suggested patch test series for clinical use. <i>Contact Dermatitis</i> , 2012 , 66, 4-19	2.7	143
451	Patch testing with a new fragrance mix detects additional patients sensitive to perfumes and missed by the current fragrance mix. <i>Contact Dermatitis</i> , 2005 , 52, 207-15	2.7	141
450	The effect of environmental humidity and temperature on skin barrier function and dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 223-49	4.6	133
449	Quality of life and depression in a population of occupational hand eczema patients. <i>Contact Dermatitis</i> , 2006 , 54, 106-11	2.7	131
448	Contamination versus preservation of cosmetics: a review on legislation, usage, infections, and contact allergy. <i>Contact Dermatitis</i> , 2009 , 60, 70-8	2.7	124
447	Hand eczema guidelines based on the Danish guidelines for the diagnosis and treatment of hand eczema. <i>Contact Dermatitis</i> , 2011 , 65, 3-12	2.7	121
446	The role of the skin microbiome in atopic dermatitis: a systematic review. <i>British Journal of Dermatology</i> , 2017 , 177, 1272-1278	4	115
445	The association between metal allergy, total hip arthroplasty, and revision. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009 , 80, 646-52	4.3	109
444	Prevalence of contact allergy in the general population: A systematic review and meta-analysis. <i>Contact Dermatitis</i> , 2019 , 80, 77-85	2.7	108
443	Contact allergy epidemics and their controls. <i>Contact Dermatitis</i> , 2007 , 56, 185-95	2.7	105

442	Sensitivity and specificity of the nickel spot (dimethylglyoxime) test. <i>Contact Dermatitis</i> , 2010 , 62, 279-88.	2.7	104
441	The association between null mutations in the filaggrin gene and contact sensitization to nickel and other chemicals in the general population. <i>British Journal of Dermatology</i> , 2010 , 162, 1278-85	4	102
440	The European baseline series and recommended additions: 2019. <i>Contact Dermatitis</i> , 2019 , 80, 1-4	2.7	101
439	Current patch test results with the European baseline series and extensions to it from the European Surveillance System on Contact Allergy Network, 2007-2008. <i>Contact Dermatitis</i> , 2012 , 67, 9-19	2.7	100
438	Metal allergen of the 21st century--a review on exposure, epidemiology and clinical manifestations of palladium allergy. <i>Contact Dermatitis</i> , 2011 , 64, 185-95	2.7	98
437	Prognosis of occupational hand eczema: a follow-up study. <i>Archives of Dermatology</i> , 2006 , 142, 305-11		97
436	Lyral is an important sensitizer in patients sensitive to fragrances. <i>British Journal of Dermatology</i> , 1999 , 141, 1076-83	4	97
435	Contact allergy to allergens of the TRUE-test (panels 1 and 2) has decreased modestly in the general population. <i>British Journal of Dermatology</i> , 2009 , 161, 1124-9	4	94
434	Contact allergy to the 26 specific fragrance ingredients to be declared on cosmetic products in accordance with the EU cosmetics directive. <i>Contact Dermatitis</i> , 2011 , 65, 266-75	2.7	93
433	Systemic contact dermatitis after oral exposure to nickel: a review with a modified meta-analysis. <i>Contact Dermatitis</i> , 2006 , 54, 79-86	2.7	93
432	The fragrance mix and its constituents: a 14-year material. <i>Contact Dermatitis</i> , 1995 , 32, 18-23	2.7	93
431	Methylisothiazolinone contact allergy: a review. <i>British Journal of Dermatology</i> , 2011 , 165, 1178-82	4	92
430	A spot test for detection of cobalt release - early experience and findings. <i>Contact Dermatitis</i> , 2010 , 63, 63-9	2.7	90
429	Fragrance contact allergy: a clinical review. <i>American Journal of Clinical Dermatology</i> , 2003 , 4, 789-98	7.1	89
428	Contact dermatitis to hair dyes in a Danish adult population: an interview-based study. <i>British Journal of Dermatology</i> , 2005 , 153, 132-5	4	89
427	Patch testing with a new fragrance mix - reactivity to the individual constituents and chemical detection in relevant cosmetic products. <i>Contact Dermatitis</i> , 2005 , 52, 216-25	2.7	89
426	Nickel allergy and allergic contact dermatitis: A clinical review of immunology, epidemiology, exposure, and treatment. <i>Contact Dermatitis</i> , 2019 , 81, 227-241	2.7	86
425	European Surveillance System on Contact Allergies (ESSCA): results with the European baseline series, 2013/14. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 1516-1525	4.6	85

424	The time-dose-response relationship for elicitation of contact dermatitis in isoeugenol allergic individuals. <i>Toxicology and Applied Pharmacology</i> , 2001 , 170, 166-71	4.6	85
423	Contact allergy and allergic contact dermatitis in children - a review of current data. <i>Contact Dermatitis</i> , 2011 , 65, 254-65	2.7	84
422	Natural ingredients based cosmetics. Content of selected fragrance sensitizers. <i>Contact Dermatitis</i> , 1996 , 34, 423-6	2.7	83
421	Prevalence and cause of methylisothiazolinone contact allergy. <i>Contact Dermatitis</i> , 2010 , 63, 164-7	2.7	81
420	Methylisothiazolinone contact allergy--growing epidemic. <i>Contact Dermatitis</i> , 2013 , 69, 271-5	2.7	80
419	Nickel allergy in Danish women before and after nickel regulation. <i>New England Journal of Medicine</i> , 2009 , 360, 2259-60	59.2	78
418	The prevalence and morbidity of sensitization to fragrance mix I in the general population. <i>British Journal of Dermatology</i> , 2009 , 161, 95-101	4	78
417	Cohort Profile: the Health2006 cohort, research centre for prevention and health. <i>International Journal of Epidemiology</i> , 2014 , 43, 568-75	7.8	76
416	Contact sensitization to common haptens is associated with atopic dermatitis: new insight. <i>British Journal of Dermatology</i> , 2012 , 166, 1255-61	4	76
415	Filaggrin null mutations increase the risk and persistence of hand eczema in subjects with atopic dermatitis: results from a general population study. <i>British Journal of Dermatology</i> , 2010 , 163, 115-20	4	75
414	Severe allergic hair dye reactions in 8 children. <i>Contact Dermatitis</i> , 2006 , 54, 87-91	2.7	75
413	Prevalence of nickel and cobalt allergy among female patients with dermatitis before and after Danish government regulation: a 23-year retrospective study. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 799-805	4.5	74
412	Air-oxidized linalool: a frequent cause of fragrance contact allergy. <i>Contact Dermatitis</i> , 2012 , 67, 247-59	2.7	73
411	Classification of hand eczema: clinical and aetiological types. Based on the guideline of the Danish Contact Dermatitis Group. <i>Contact Dermatitis</i> , 2011 , 65, 13-21	2.7	73
410	Combined effects of irritants and allergens. Synergistic effects of nickel and sodium lauryl sulfate in nickel-sensitized individuals. <i>Contact Dermatitis</i> , 2002 , 47, 21-6	2.7	72
409	Less skin irritation from alcohol-based disinfectant than from detergent used for hand disinfection. <i>British Journal of Dermatology</i> , 2005 , 153, 1142-6	4	72
408	Hand eczema in hairdressers: a Danish register-based study of the prevalence of hand eczema and its career consequences. <i>Contact Dermatitis</i> , 2011 , 65, 151-8	2.7	70
407	Contact allergy to common ingredients in hair dyes. <i>Contact Dermatitis</i> , 2013 , 69, 32-9	2.7	68

406	Filaggrin mutations are strongly associated with contact sensitization in individuals with dermatitis. <i>Contact Dermatitis</i> , 2013 , 68, 273-6	2.7	67
405	The epidemic of methylisothiazolinone: a European prospective study. <i>Contact Dermatitis</i> , 2017 , 76, 272-279		66
404	Chromium allergy and dermatitis: prevalence and main findings. <i>Contact Dermatitis</i> , 2015 , 73, 261-80	2.7	66
403	Association between atopic dermatitis and contact sensitization: A systematic review and meta-analysis. <i>Journal of the American Academy of Dermatology</i> , 2017 , 77, 70-78	4.5	65
402	Methylisothiazolinone and benzisothiazolinone are widely used in paint: a multicentre study of paints from five European countries. <i>Contact Dermatitis</i> , 2015 , 72, 127-38	2.7	65
401	The prevalence of chromium allergy in Denmark is currently increasing as a result of leather exposure. <i>British Journal of Dermatology</i> , 2009 , 161, 1288-93	4	65
400	p-Phenylenediamine sensitization is more prevalent in central and southern European patch test centres than in Scandinavian: results from a multicentre study. <i>Contact Dermatitis</i> , 2009 , 60, 314-9	2.7	65
399	20 Years of standard patch testing in an eczema population with focus on patients with multiple contact allergies. <i>Contact Dermatitis</i> , 2007 , 57, 76-83	2.7	65
398	Not only oxidized R-(+)- but also S-(-)-limonene is a common cause of contact allergy in dermatitis patients in Europe. <i>Contact Dermatitis</i> , 2006 , 55, 274-9	2.7	65
397	Skin barrier abnormality caused by filaggrin (FLG) mutations is associated with increased serum 25-hydroxyvitamin D concentrations. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 1204-1207.e2	11.5	64
396	Decreasing trends in methyl dibromo glutaronitrile contact allergy—following regulatory intervention. <i>Contact Dermatitis</i> , 2008 , 59, 48-51	2.7	64
395	Activation of non-sensitizing or low-sensitizing fragrance substances into potent sensitizers - prehapten and prohaptens. <i>Contact Dermatitis</i> , 2013 , 69, 323-34	2.7	63
394	Prevalence of nickel allergy in Europe following the EU Nickel Directive - a review. <i>Contact Dermatitis</i> , 2017 , 77, 193-200	2.7	62
393	Enhanced sensitization and elicitation responses caused by mixtures of common fragrance allergens. <i>Contact Dermatitis</i> , 2011 , 65, 336-42	2.7	62
392	Categorization of fragrance contact allergens for prioritization of preventive measures: clinical and experimental data and consideration of structure-activity relationships. <i>Contact Dermatitis</i> , 2013 , 69, 196-230	2.7	61
391	Emission of isothiazolinones from water-based paints. <i>Environmental Science & Technology</i> , 2014 , 48, 6989-94	10.3	60
390	One thousand cases of severe occupational contact dermatitis. <i>Contact Dermatitis</i> , 2013 , 68, 259-68	2.7	60
389	Augmentation of skin response by exposure to a combination of allergens and irritants - a review. <i>Contact Dermatitis</i> , 2004 , 50, 265-73	2.7	60

388	Chloroatranol, an extremely potent allergen hidden in perfumes: a dose-response elicitation study. <i>Contact Dermatitis</i> , 2003 , 49, 180-4	2.7	60
387	Experimental nickel elicitation thresholds--a review focusing on occluded nickel exposure. <i>Contact Dermatitis</i> , 2005 , 52, 57-64	2.7	60
386	Nickel allergy following European Union regulation in Denmark, Germany, Italy and the U.K. <i>British Journal of Dermatology</i> , 2013 , 169, 854-8	4	59
385	Temporal trends of preservative allergy in Denmark (1985-2008). <i>Contact Dermatitis</i> , 2010 , 62, 102-8	2.7	59
384	Quantitative aspects of contact allergy to chromium and exposure to chrome-tanned leather. <i>Contact Dermatitis</i> , 2002 , 47, 127-34	2.7	59
383	The composition of fine fragrances is changing. <i>Contact Dermatitis</i> , 2003 , 48, 130-2	2.7	59
382	Fragrance allergy in patients with hand eczema - a clinical study. <i>Contact Dermatitis</i> , 2003 , 48, 317-23	2.7	59
381	Nickel allergy: relationship between patch test and repeated open application test thresholds. <i>British Journal of Dermatology</i> , 2007 , 157, 723-9	4	58
380	Contact allergy to oak moss: search for sensitizing molecules using combined bioassay-guided chemical fractionation, GC-MS, and structure-activity relationship analysis. <i>Archives of Dermatological Research</i> , 2003 , 295, 229-35	3.3	58
379	Occupational contact dermatitis in painters: an analysis of patch test data from the Danish Contact Dermatitis Group. <i>Contact Dermatitis</i> , 2012 , 67, 293-7	2.7	56
378	Nickel release from inexpensive jewelry and hair clasps purchased in an EU country - Are consumers sufficiently protected from nickel exposure?. <i>Science of the Total Environment</i> , 2009 , 407, 5315-8	10.2	56
377	Cr(III) and Cr(VI) in leather and elicitation of eczema. <i>Contact Dermatitis</i> , 2006 , 54, 278-82	2.7	56
376	The association between metal allergy, total knee arthroplasty, and revision: study based on the Danish Knee Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 378-83	4.3	54
375	Clinical severity and prognosis of hand eczema. <i>British Journal of Dermatology</i> , 2009 , 160, 1229-36	4	54
374	The outcome of dimethylglyoxime testing in a sample of cell phones in Denmark. <i>Contact Dermatitis</i> , 2008 , 59, 38-42	2.7	54
373	Nickel reactivity and filaggrin null mutations--evaluation of the filaggrin bypass theory in a general population. <i>Contact Dermatitis</i> , 2011 , 64, 24-31	2.7	53
372	Methyldibromoglutaronitrile in rinse-off products causes allergic contact dermatitis: an experimental study. <i>British Journal of Dermatology</i> , 2004 , 150, 90-5	4	53
371	Contact allergy to cosmetics: testing with patients' own products. <i>Contact Dermatitis</i> , 1999 , 40, 310-5	2.7	53

370	Isothiazolinones in commercial products at Danish workplaces. <i>Contact Dermatitis</i> , 2014 , 71, 65-74	2.7	51
369	Allergic contact dermatitis in Danish children referred for patch testing - a nationwide multicentre study. <i>Contact Dermatitis</i> , 2014 , 70, 104-11	2.7	50
368	Trends of contact allergy to fragrance mix I and Myroxylon pereirae among Danish eczema patients tested between 1985 and 2007. <i>Contact Dermatitis</i> , 2008 , 59, 238-44	2.7	50
367	An international multicentre study on the allergenic activity of air-oxidized R-limonene. <i>Contact Dermatitis</i> , 2013 , 68, 214-23	2.7	49
366	Occupational hand eczema caused by nickel and evaluated by quantitative exposure assessment. <i>Contact Dermatitis</i> , 2011 , 64, 32-6	2.7	49
365	Cobalt release from inexpensive jewellery: has the use of cobalt replaced nickel following regulatory intervention?. <i>Contact Dermatitis</i> , 2010 , 63, 70-6	2.7	49
364	Effect of a moisturizer on skin susceptibility to NiCl ₂ . <i>Acta Dermato-Venereologica</i> , 2003 , 83, 93-7	2.2	49
363	Hair dye contact allergy: quantitative exposure assessment of selected products and clinical cases. <i>Contact Dermatitis</i> , 2004 , 50, 344-8	2.7	49
362	The association between atopic dermatitis and hand eczema: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2018 , 178, 879-888	4	48
361	Rapid allergen-induced interleukin-17 and interferon- γ secretion by skin-resident memory CD8 T cells. <i>Contact Dermatitis</i> , 2017 , 76, 218-227	2.7	48
360	Non-mix fragrances are top sensitizers in consecutive dermatitis patients - a cross-sectional study of the 26 EU-labelled fragrance allergens. <i>Contact Dermatitis</i> , 2017 , 77, 270-279	2.7	47
359	Occupational contact dermatitis in hairdressers: an analysis of patch test data from the Danish contact dermatitis group, 2002-2011. <i>Contact Dermatitis</i> , 2014 , 70, 233-7	2.7	47
358	Medical consultations in relation to severity of hand eczema in the general population. <i>British Journal of Dermatology</i> , 2008 , 158, 773-7	4	46
357	Occupational food-related hand dermatoses seen over a 10-year period. <i>Contact Dermatitis</i> , 2012 , 66, 264-70	2.7	45
356	Vitamin D status, filaggrin genotype, and cardiovascular risk factors: a Mendelian randomization approach. <i>PLoS ONE</i> , 2013 , 8, e57647	3.7	45
355	Prevention of hand eczema among Danish hairdressing apprentices: an intervention study. <i>Occupational and Environmental Medicine</i> , 2012 , 69, 310-6	2.1	45
354	Difficulties in avoiding exposure to allergens in cosmetics. <i>Contact Dermatitis</i> , 2007 , 57, 105-9	2.7	45
353	Ten-year trends in contact allergy to formaldehyde and formaldehyde-releasers. <i>Contact Dermatitis</i> , 2018 , 79, 263-269	2.7	44

352	10-year prevalence of contact allergy in the general population in Denmark estimated through the CE-DUR method. <i>Contact Dermatitis</i> , 2007 , 57, 265-72	2.7	44
351	Contact allergy to popular perfumes; assessed by patch test, use test and chemical analysis. <i>British Journal of Dermatology</i> , 1996 , 135, 419-422	4	44
350	Sensitization to cyanoacrylates caused by prolonged exposure to a glucose sensor set in a diabetic child. <i>Contact Dermatitis</i> , 2016 , 74, 124-5	2.7	44
349	Occupational skin diseases: actual state analysis of patient management pathways in 28 European countries. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31 Suppl 4, 12-30	4.6	43
348	Occupations at risk of developing contact allergy to isothiazolinones in Danish contact dermatitis patients: results from a Danish multicentre study (2009-2012). <i>Contact Dermatitis</i> , 2014 , 71, 295-302	2.7	43
347	A novel multiplex analysis of filaggrin polymorphisms: a universally applicable method for genotyping. <i>Clinica Chimica Acta</i> , 2012 , 413, 1488-92	6.2	43
346	Consumer leather exposure: an unrecognized cause of cobalt sensitization. <i>Contact Dermatitis</i> , 2013 , 69, 276-9	2.7	43
345	A proposal to create an extension to the European baseline series. <i>Contact Dermatitis</i> , 2018 , 78, 101-108	2.7	43
344	The association between hand eczema and nickel allergy has weakened among young women in the general population following the Danish nickel regulation: results from two cross-sectional studies. <i>Contact Dermatitis</i> , 2009 , 61, 342-8	2.7	42
343	Chromium(VI) release from leather and metals can be detected with a diphenylcarbazide spot test. <i>Contact Dermatitis</i> , 2015 , 73, 281-8	2.7	41
342	Patch test results with fragrance markers of the baseline series - analysis of the European Surveillance System on Contact Allergies (ESSCA) network 2009-2012. <i>Contact Dermatitis</i> , 2015 , 73, 163-71	2.7	41
341	The dose-response relationship between the patch test and ROAT and the potential use for regulatory purposes. <i>Contact Dermatitis</i> , 2009 , 61, 201-8	2.7	41
340	Selected important fragrance sensitizers in perfumes--current exposures. <i>Contact Dermatitis</i> , 2007 , 56, 201-4	2.7	41
339	Deodorants: an experimental provocation study with cinnamic aldehyde. <i>Journal of the American Academy of Dermatology</i> , 2003 , 48, 194-200	4.5	41
338	Chromium in leather footwear - risk assessment of chromium allergy and dermatitis. <i>Contact Dermatitis</i> , 2012 , 66, 279-85	2.7	40
337	The effect of tobacco smoking and alcohol consumption on the prevalence of self-reported hand eczema: a cross-sectional population-based study. <i>British Journal of Dermatology</i> , 2010 , 162, 619-26	4	40
336	A link between skin and airways regarding sensitivity to fragrance products?. <i>British Journal of Dermatology</i> , 2004 , 151, 1197-203	4	40
335	Follow-up of the monitored levels of preservative sensitivity in Europe: overview of the years 2001-2008. <i>Contact Dermatitis</i> , 2012 , 67, 312-4	2.7	39

334	Filaggrin loss-of-function mutation R501X and 2282del4 carrier status is associated with fissured skin on the hands: results from a cross-sectional population study. <i>British Journal of Dermatology</i> , 2012 , 166, 46-53	4	39
333	Identification of metallic items that caused nickel dermatitis in Danish patients. <i>Contact Dermatitis</i> , 2010 , 63, 151-6	2.7	39
332	Severity of hand eczema assessed by patients and dermatologist using a photographic guide. <i>British Journal of Dermatology</i> , 2007 , 156, 77-80	4	39
331	Oxidized limonene and oxidized linalool - concomitant contact allergy to common fragrance terpenes. <i>Contact Dermatitis</i> , 2016 , 74, 273-80	2.7	39
330	Contact allergy in children with atopic dermatitis: a systematic review. <i>British Journal of Dermatology</i> , 2017 , 177, 395-405	4	38
329	Deodorants are the leading cause of allergic contact dermatitis to fragrance ingredients. <i>Contact Dermatitis</i> , 2011 , 64, 258-64	2.7	38
328	Failures in risk assessment and risk management for cosmetic preservatives in Europe and the impact on public health. <i>Contact Dermatitis</i> , 2015 , 73, 133-41	2.7	37
327	Fragrance mix II in the baseline series contributes significantly to detection of fragrance allergy. <i>Contact Dermatitis</i> , 2010 , 63, 270-6	2.7	37
326	Delay in medical attention to hand eczema: a follow-up study. <i>British Journal of Dermatology</i> , 2009 , 161, 1294-300	4	37
325	Methyldibromo glutaronitrile: clinical experience and exposure-based risk assessment. <i>Contact Dermatitis</i> , 2003 , 48, 150-4	2.7	37
324	Cr(III) reactivity and foot dermatitis in Cr(VI) positive patients. <i>Contact Dermatitis</i> , 2006 , 54, 140-4	2.7	36
323	Content of oak moss allergens atranol and chloroatranol in perfumes and similar products. <i>Contact Dermatitis</i> , 2004 , 50, 367-70	2.7	36
322	Fragrance contact allergens in 5588 cosmetic products identified through a novel smartphone application. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 79-85	4.6	36
321	Contact Allergy: A Review of Current Problems from a Clinical Perspective. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	35
320	Contact allergy to epoxy resin: risk occupations and consequences. <i>Contact Dermatitis</i> , 2012 , 67, 73-7	2.7	35
319	Methylisothiazolinone in rinse-off products causes allergic contact dermatitis: a repeated open-application study. <i>British Journal of Dermatology</i> , 2015 , 173, 115-22	4	34
318	Methylisothiazolinone contact allergy and dose-response relationships. <i>Contact Dermatitis</i> , 2011 , 64, 330-6	2.7	34
317	Nickel allergy in patch-tested female hairdressers and assessment of nickel release from hairdressers scissors and crochet hooks. <i>Contact Dermatitis</i> , 2009 , 61, 281-6	2.7	34

316	Effects of sampling strategy and DNA extraction on human skin microbiome investigations. <i>Scientific Reports</i> , 2019 , 9, 17287	4.9	34
315	Hand eczema prognosis and consequences: a 7-year follow-up study. <i>British Journal of Dermatology</i> , 2014 , 171, 1428-33	4	33
314	Filaggrin null mutations and association with contact allergy and allergic contact dermatitis: results from a tertiary dermatology clinic. <i>Contact Dermatitis</i> , 2010 , 63, 89-95	2.7	33
313	Effect of tobacco smoking and alcohol consumption on the prevalence of nickel sensitization and contact sensitization. <i>Acta Dermato-Venereologica</i> , 2010 , 90, 27-33	2.2	33
312	Dose per unit area - a study of elicitation of nickel allergy. <i>Contact Dermatitis</i> , 2007 , 56, 255-61	2.7	33
311	Reduction in the frequency of sensitization to thiurams. A result of legislation?. <i>Contact Dermatitis</i> , 2006 , 54, 170-1	2.7	33
310	Contact allergy in Danish children: Current trends. <i>Contact Dermatitis</i> , 2018 , 79, 295-302	2.7	32
309	Filaggrin is a predominant member of the denaturation-resistant nickel-binding proteome of human epidermis. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 1164-1166	4.3	32
308	Interaction between filaggrin null mutations and tobacco smoking in relation to asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 374-80, 380.e1-2	11.5	32
307	Cobalt release from implants and consumer items and characteristics of cobalt sensitized patients with dermatitis. <i>Contact Dermatitis</i> , 2012 , 66, 113-22	2.7	32
306	Assessment of nickel and cobalt release from 200 unused hand-held work tools for sale in Denmark - Sources of occupational metal contact dermatitis?. <i>Science of the Total Environment</i> , 2011 , 409, 4663-6	10.2	32
305	Contact sensitization to fragrances in the general population: a Koch® approach may reveal the burden of disease. <i>British Journal of Dermatology</i> , 2009 , 160, 729-35	4	32
304	The epidemic of methylisothiazolinone contact allergy in Europe: follow-up on changing exposures. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 333-339	4.6	32
303	Characteristics of chromium-allergic dermatitis patients prior to regulatory intervention for chromium in leather: a questionnaire study. <i>Contact Dermatitis</i> , 2014 , 71, 338-47	2.7	31
302	Fragrance contact allergic patients: strategies for use of cosmetic products and perceived impact on life situation. <i>Contact Dermatitis</i> , 2009 , 61, 320-4	2.7	31
301	Cross-reactivity between methylisothiazolinone, octylisothiazolinone and benzisothiazolinone using a modified local lymph node assay. <i>British Journal of Dermatology</i> , 2017 , 176, 176-183	4	30
300	Healthy worker effect in hairdressing apprentices. <i>Contact Dermatitis</i> , 2011 , 64, 80-4	2.7	30
299	Validation of self-reporting of hand eczema among Danish hairdressing apprentices. <i>Contact Dermatitis</i> , 2011 , 65, 146-50	2.7	30

298	Excessive nickel release from mobile phones--a persistent cause of nickel allergy and dermatitis. <i>Contact Dermatitis</i> , 2011 , 65, 354-8	2.7	30
297	Inverse relationship between contact allergy and psoriasis: results from a patient- and a population-based study. <i>British Journal of Dermatology</i> , 2009 , 161, 1119-23	4	30
296	Primin in the European standard patch test series for 20 years. <i>Contact Dermatitis</i> , 2007 , 56, 344-6	2.7	30
295	Clinical manifestations and impact on daily life of allergy to polyethylene glycol (PEG) in ten patients. <i>Clinical and Experimental Allergy</i> , 2021 , 51, 463-470	4.1	30
294	Isothiazolinones are still widely used in paints purchased in five European countries: a follow-up study. <i>Contact Dermatitis</i> , 2018 , 78, 246-253	2.7	29
293	Predictive factors of self-reported hand eczema in adult Danes: a population-based cohort study with 5-year follow-up. <i>British Journal of Dermatology</i> , 2016 , 175, 287-95	4	29
292	A quantification of occupational skin exposures and the use of protective gloves among hairdressers in Denmark. <i>Contact Dermatitis</i> , 2012 , 66, 323-34	2.7	29
291	Patch testing with hair cosmetic series in Europe: a critical review and recommendation. <i>Contact Dermatitis</i> , 2015 , 73, 69-81	2.7	29
290	Characteristics of patients patch tested in the European Surveillance System on Contact Allergies (ESSCA) network, 2009-2012. <i>Contact Dermatitis</i> , 2015 , 73, 82-90	2.7	29
289	Jewellery: alloy composition and release of nickel, cobalt and lead assessed with the EU synthetic sweat method. <i>Contact Dermatitis</i> , 2015 , 73, 231-8	2.7	29
288	Occupational contact dermatitis in blue-collar workers: results from a multicentre study from the Danish Contact Dermatitis Group (2003-2012). <i>Contact Dermatitis</i> , 2014 , 71, 348-55	2.7	29
287	Positive patch test reactions to oxidized limonene: exposure and relevance. <i>Contact Dermatitis</i> , 2014 , 71, 264-72	2.7	29
286	Patch test reactivity to metal allergens following regulatory interventions: a 33-year retrospective study. <i>Contact Dermatitis</i> , 2010 , 63, 102-6	2.7	29
285	Impact of self-reported multiple chemical sensitivity on everyday life: a qualitative study. <i>Scandinavian Journal of Public Health</i> , 2009 , 37, 621-6	3	29
284	Contact allergy to chlorhexidine in a tertiary dermatology clinic in Denmark. <i>Contact Dermatitis</i> , 2016 , 74, 29-36	2.7	29
283	Contact allergy to lanolin: temporal changes in prevalence and association with atopic dermatitis. <i>Contact Dermatitis</i> , 2018 , 78, 70-75	2.7	28
282	The role of glutathione S-transferase and claudin-1 gene polymorphisms in contact sensitization: a cross-sectional study. <i>British Journal of Dermatology</i> , 2013 , 168, 762-70	4	28
281	Formaldehyde exposure and patterns of concomitant contact allergy to formaldehyde and formaldehyde-releasers. <i>Contact Dermatitis</i> , 2010 , 63, 31-6	2.7	28

280	A possible association between a dysfunctional skin barrier (filaggrin null-mutation status) and diabetes: a cross-sectional study. <i>BMJ Open</i> , 2011 , 1, e000062	3	28
279	Relation between patients and physicians severity assessment of occupational hand eczema. <i>British Journal of Dermatology</i> , 2005 , 153, 596-600	4	28
278	Filaggrin gene mutations are not associated with food and aeroallergen sensitization without concomitant atopic dermatitis in adults. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 1375-8.e11-5	11.5	27
277	Methylisothiazolinone in paint forces a patient out of her apartment. <i>Contact Dermatitis</i> , 2013 , 69, 252-32.7	32.7	27
276	Carriers of filaggrin gene (FLG) mutations avoid professional exposure to irritants in adulthood. <i>Contact Dermatitis</i> , 2013 , 69, 355-62	2.7	27
275	Excessive nickel release from earrings purchased from independent shops and street markets--a field study from Warsaw and London. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011 , 25, 1021-6	4.6	27
274	Can exposure limitations for well-known contact allergens be simplified? An analysis of dose-response patch test data. <i>Contact Dermatitis</i> , 2011 , 64, 337-42	2.7	27
273	Characteristics of nickel-allergic dermatitis patients seen in private dermatology clinics in Denmark: a questionnaire study. <i>Acta Dermato-Venereologica</i> , 2009 , 89, 384-8	2.2	27
272	Contact allergy to popular perfumes; assessed by patch test, use test and chemical analysis. <i>British Journal of Dermatology</i> , 1996 , 135, 419-422	4	27
271	Contact Allergy in Danish Healthcare Workers: A Retrospective Matched Case-control Study. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 237-40	2.2	27
270	Nickel allergy in a Danish population 25 years after the first nickel regulation. <i>Contact Dermatitis</i> , 2017 , 76, 325-332	2.7	26
269	Association between cobalt allergy and dermatitis caused by leather articles--a questionnaire study. <i>Contact Dermatitis</i> , 2015 , 72, 106-14	2.7	26
268	Occupational irritant contact dermatitis diagnosed by analysis of contact irritants and allergens in the work environment. <i>Contact Dermatitis</i> , 2014 , 71, 364-70	2.7	26
267	Patch test concentrations (doses in mg/cm ²) for the 12 non-mix fragrance substances regulated by European legislation. <i>Contact Dermatitis</i> , 2012 , 66, 131-6	2.7	26
266	Mobile phones are now covered by the European Union Nickel Directive. <i>Contact Dermatitis</i> , 2009 , 61, 56-7	2.7	26
265	Chlorhexidine in cosmetic products - a market survey. <i>Contact Dermatitis</i> , 2015 , 72, 55-8	2.7	25
264	Occupational allergic contact dermatitis diagnosed by a systematic stepwise exposure assessment of allergens in the work environment. <i>Contact Dermatitis</i> , 2013 , 69, 153-63	2.7	25
263	Effectiveness of the Healthy Skin Clinic--a randomized clinical trial of nurse-led patient counselling in hand eczema. <i>Contact Dermatitis</i> , 2014 , 71, 202-14	2.7	25

262	Acceptable risk of contact allergy in the general population assessed by CE-DUR--a method to detect and categorize contact allergy epidemics based on patient data. <i>Regulatory Toxicology and Pharmacology</i> , 2009 , 54, 183-7	3.4	25
261	Unconsumed precursors and couplers after formation of oxidative hair dyes. <i>Contact Dermatitis</i> , 2006 , 55, 95-100	2.7	25
260	Influence of a detergent on skin response to methyldibromo glutaronitrile in sensitized individuals. <i>Contact Dermatitis</i> , 2004 , 50, 1-5	2.7	25
259	Oak moss extracts in the diagnosis of fragrance contact allergy. <i>Contact Dermatitis</i> , 2002 , 46, 157-61	2.7	25
258	Leather Contains Cobalt and Poses a Risk of Allergic Contact Dermatitis: Cobalt Indicator Solution and X-ray Florescence Spectrometry as Screening Tests. <i>Dermatitis</i> , 2016 , 27, 202-7	2.6	25
257	Allergic contact dermatitis caused by hydroperoxides of limonene and dose-response relationship-A repeated open application test (ROAT) study. <i>Contact Dermatitis</i> , 2019 , 80, 208-216	2.7	25
256	Occupational skin diseases in hairdressing apprentices - has anything changed?. <i>Contact Dermatitis</i> , 2015 , 72, 40-6	2.7	24
255	Short contact with nickel causes allergic contact dermatitis: an experimental study. <i>British Journal of Dermatology</i> , 2018 , 179, 1127-1134	4	24
254	Immunological, chemical and clinical aspects of exposure to mixtures of contact allergens. <i>Contact Dermatitis</i> , 2017 , 77, 133-142	2.7	24
253	Nickel acts as an adjuvant during cobalt sensitization. <i>Experimental Dermatology</i> , 2015 , 24, 229-31	4	24
252	Fragrance allergy and quality of life - a case-control study. <i>Contact Dermatitis</i> , 2014 , 70, 81-9	2.7	24
251	Consumer available permanent hair dye products cause major allergic immune activation in an animal model. <i>British Journal of Dermatology</i> , 2010 , 162, 102-7	4	24
250	Contact allergy to methyldibromo glutaronitrile--data from a front line network. <i>Contact Dermatitis</i> , 2005 , 52, 138-41	2.7	24
249	Chlorhexidine allergy: sources of exposure in the health-care setting. <i>British Journal of Anaesthesia</i> , 2015 , 114, 704-5	5.4	23
248	An analysis of gender differences in patients with hand eczema - everyday exposures, severity, and consequences. <i>Contact Dermatitis</i> , 2014 , 71, 21-30	2.7	23
247	Consequences of occupational food-related hand dermatoses with a focus on protein contact dermatitis. <i>Contact Dermatitis</i> , 2012 , 67, 328-33	2.7	23
246	Patch testing with 2.0% (0.60 mg/cm ²) formaldehyde instead of 1.0% (0.30 mg/cm ²) detects significantly more contact allergy. <i>Contact Dermatitis</i> , 2013 , 68, 50-3	2.7	23
245	Anatomical patterns of dermatitis in adult filaggrin mutation carriers. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 440-8	4.5	23

244	Xerosis is associated with atopic dermatitis, hand eczema and contact sensitization independent of filaggrin gene mutations. <i>Acta Dermato-Venereologica</i> , 2013 , 93, 406-10	2.2	23
243	No association between metal allergy and cardiac in-stent restenosis in patients with dermatitis-results from a linkage study. <i>Contact Dermatitis</i> , 2011 , 64, 138-41	2.7	23
242	Prevalence of and factors influencing sensitization to corticosteroids in a Danish patch test population. <i>Contact Dermatitis</i> , 2011 , 64, 325-9	2.7	23
241	Sites of dermatitis in a patch test population: hand dermatitis is associated with polysensitization. <i>British Journal of Dermatology</i> , 2009 , 161, 808-13	4	23
240	Identification of risk products for fragrance contact allergy: A case-referent study based on patients' histories. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , 1998 , 9, 80-86		23
239	Experimental elicitation with hydroxyisohexyl-3-cyclohexene carboxaldehyde-containing deodorants. <i>Contact Dermatitis</i> , 2007 , 56, 146-50	2.7	23
238	Patch test dose-response study of p-phenylenediamine: thresholds and anatomical regional differences. <i>Contact Dermatitis</i> , 2006 , 54, 145-9	2.7	23
237	Comparative sensitizing potencies of fragrances, preservatives, and hair dyes. <i>Contact Dermatitis</i> , 2016 , 75, 265-275	2.7	22
236	Skin reaction and regeneration after single sodium lauryl sulfate exposure stratified by filaggrin genotype and atopic dermatitis phenotype. <i>British Journal of Dermatology</i> , 2015 , 172, 1519-1529	4	22
235	Failure of total hip implants: metals and metal release in 52 cases. <i>Contact Dermatitis</i> , 2014 , 71, 319-25	2.7	22
234	Epicutaneous exposure to nickel induces nickel allergy in mice via a MyD88-dependent and interleukin-1-dependent pathway. <i>Contact Dermatitis</i> , 2014 , 71, 224-32	2.7	22
233	Association between cancer and contact allergy: a linkage study. <i>BMJ Open</i> , 2011 , 1, e000084	3	22
232	Incidence of skin and respiratory diseases among Danish hairdressing apprentices. <i>Contact Dermatitis</i> , 2017 , 76, 160-166	2.7	21
231	Self-testing for contact sensitization to hair dyes--scientific considerations and clinical concerns of an industry-led screening programme. <i>Contact Dermatitis</i> , 2012 , 66, 300-11	2.7	21
230	Associations of filaggrin gene loss-of-function variants with urinary phthalate metabolites and testicular function in young Danish Men. <i>Environmental Health Perspectives</i> , 2014 , 122, 345-50	8.4	21
229	Nickel may be released from laptop computers. <i>Contact Dermatitis</i> , 2012 , 67, 384-5	2.7	21
228	Nickel allergy and dermatitis following use of a laptop computer. <i>Journal of the American Academy of Dermatology</i> , 2012 , 67, e170-1	4.5	21
227	Knowledge, attitudes and behaviour in everyday life with chronic hand eczema: a qualitative study. <i>British Journal of Dermatology</i> , 2013 , 169, 1056-65	4	21

226	Hydroxyisohexyl 3-cyclohexene carboxaldehyde allergy: relationship between patch test and repeated open application test thresholds. <i>British Journal of Dermatology</i> , 2009 , 161, 560-7	4	21
225	Contact allergy to preservatives in patients with occupational contact dermatitis and exposure analysis of preservatives in registered chemical products for occupational use. <i>International Archives of Occupational and Environmental Health</i> , 2017 , 90, 319-333	3.2	20
224	Metal release and metal allergy after total hip replacement with resurfacing versus conventional hybrid prosthesis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 348-54	4.3	20
223	Occupational contact urticaria caused by didecyl dimethyl ammonium chloride. <i>Contact Dermatitis</i> , 2011 , 64, 297-8	2.7	20
222	Repeated exposure to hair dye induces regulatory T cells in mice. <i>British Journal of Dermatology</i> , 2010 , 163, 992-8	4	20
221	No association between nickel allergy and reporting cosmetic dermatitis from mascara or eye shadow: a cross-sectional general population study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2010 , 24, 722-5	4.6	20
220	Nickel deposition and penetration into the stratum corneum after short metallic nickel contact: An experimental study. <i>Contact Dermatitis</i> , 2019 , 80, 86-93	2.7	20
219	Allergic contact dermatitis caused by cobalt in leather - clinical cases. <i>Contact Dermatitis</i> , 2017 , 76, 366-368	2.7	19
218	Epidermal filaggrin deficiency mediates increased systemic T-helper 17 immune response. <i>British Journal of Dermatology</i> , 2016 , 175, 706-12	4	19
217	Association between loss-of-function mutations in the filaggrin gene and self-reported food allergy and alcohol sensitivity. <i>International Archives of Allergy and Immunology</i> , 2013 , 161, 234-42	3.7	19
216	Atopic diseases by filaggrin mutations and birth year. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 705-8	9.3	19
215	Do hairdressers in Denmark have their hand eczema reported as an occupational disease? Results from a register-based questionnaire study. <i>Contact Dermatitis</i> , 2012 , 66, 72-8	2.7	19
214	Low-level efficacy of cosmetic preservatives. <i>International Journal of Cosmetic Science</i> , 2011 , 33, 190-6	2.7	19
213	Association between positive patch tests to epoxy resin and fragrance mix I ingredients. <i>Contact Dermatitis</i> , 2009 , 60, 155-7	2.7	19
212	Associations between baseline allergens and polysensitization. <i>Contact Dermatitis</i> , 2008 , 59, 96-102	2.7	19
211	Optimizing investigation of suspected allergy to polyethylene glycols. <i>Journal of Allergy and Clinical Immunology</i> , 2021 ,	11.5	19
210	Temporal changes in chromium allergy in Denmark between 2002 and 2017. <i>Contact Dermatitis</i> , 2019 , 80, 156-161	2.7	19
209	Children with atopic dermatitis may have unacknowledged contact allergies contributing to their skin symptoms. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 428-436	4.6	19

208	Oral symptoms and salivary findings in oral lichen planus, oral lichenoid lesions and stomatitis. <i>BMC Oral Health</i> , 2017 , 17, 103	3.7	18
207	Inflammatory bowel disease in relation to contact allergy: a patient-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2007 , 42, 572-6	2.4	18
206	Pathogenic CD8 Epidermis-Resident Memory T Cells Displace Dendritic Epidermal T Cells in Allergic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 806-815.e5	4.3	18
205	Trends in contact allergy to fragrance mix I in consecutive Danish patients with eczema from 1986 to 2015: a cross-sectional study. <i>British Journal of Dermatology</i> , 2017 , 176, 1035-1041	4	17
204	Contact allergy to methyldibromo glutaronitrile is still of clinical relevance. <i>Contact Dermatitis</i> , 2017 , 77, 250-251	2.7	17
203	Filaggrin loss-of-function mutations and incident cancer: a population-based study. <i>British Journal of Dermatology</i> , 2014 , 171, 1407-14	4	17
202	Cost-of-illness of patients with contact dermatitis in Denmark. <i>Contact Dermatitis</i> , 2014 , 71, 154-61	2.7	17
201	Patch testing with methylchloroisothiazolinone/methylisothiazolinone 200 ppm aq. detects significantly more contact allergy than 100 ppm. A multicentre study within the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2014 , 71, 31-4	2.7	17
200	Significant exposures to isoeugenol derivatives in perfumes. <i>Contact Dermatitis</i> , 2008 , 58, 278-81	2.7	17
199	Methyldibromoglutaronitrile in leave-on products elicits contact allergy at low concentration. <i>British Journal of Dermatology</i> , 2004 , 151, 817-22	4	17
198	Determination of methyldibromoglutaronitrile in cosmetic products by high-performance liquid chromatography with electrochemical detection. Method validation. <i>Journal of Chromatography A</i> , 2004 , 1031, 315-7	4.5	17
197	Experimental skin deposition of chromium on the hands following handling of samples of leather and metal. <i>Contact Dermatitis</i> , 2016 , 75, 89-95	2.7	17
196	The European nickel regulation and changes since its introduction. <i>Contact Dermatitis</i> , 2017 , 76, 382-384	2.7	16
195	Asthma and respiratory symptoms among hairdressers in Denmark: results from a register based questionnaire study. <i>American Journal of Industrial Medicine</i> , 2014 , 57, 1368-76	2.7	16
194	Difficulties in using Material Safety Data Sheets to analyse occupational exposures to contact allergens. <i>Contact Dermatitis</i> , 2015 , 72, 147-53	2.7	16
193	Glove use among hairdressers: difficulties in the correct use of gloves among hairdressers and the effect of education. <i>Contact Dermatitis</i> , 2015 , 72, 362-6	2.7	16
192	Methyldibromoglutaronitrile allergy: relationship between patch test and repeated open application test thresholds. <i>British Journal of Dermatology</i> , 2008 , 159, 1138-43	4	16
191	Sorbitan sesquioleate; a rare cause of contact allergy in consecutively patch tested dermatitis patients. <i>Contact Dermatitis</i> , 2016 , 74, 242-5	2.7	16

190	Hand eczema, atopic dermatitis and filaggrin mutations in adult Danes: a registry-based study assessing risk of disability pension. <i>Contact Dermatitis</i> , 2017 , 77, 95-105	2.7	15
189	Health-related quality of life in adult dermatitis patients stratified by filaggrin genotype. <i>Contact Dermatitis</i> , 2017 , 76, 167-177	2.7	15
188	Changes in filaggrin degradation products and corneocyte surface texture by season. <i>British Journal of Dermatology</i> , 2018 , 178, 1143-1150	4	15
187	Cobalt release and complications resulting from the use of dental prostheses. <i>Contact Dermatitis</i> , 2016 , 75, 377-383	2.7	15
186	Airborne sensitization to isothiazolinones observed in a 3-month-old boy. <i>Contact Dermatitis</i> , 2013 , 69, 55-6	2.7	15
185	Exposures and reactions to allergens among hairdressing apprentices and matched controls. <i>Contact Dermatitis</i> , 2011 , 64, 85-9	2.7	15
184	Personal use of hair dyes and temporary black tattoos in Copenhagen hairdressers. <i>Annals of Occupational Hygiene</i> , 2010 , 54, 453-8		15
183	Filaggrin null-mutations may be associated with a distinct subtype of atopic hand eczema. <i>Acta Dermato-Venereologica</i> , 2010 , 90, 528	2.2	15
182	Elicitation threshold of cobalt chloride: analysis of patch test dose-response studies. <i>Contact Dermatitis</i> , 2016 , 74, 105-9	2.7	15
181	Increased occurrence of hand eczema in young children following the Danish hand hygiene recommendations during the COVID-19 pandemic. <i>Contact Dermatitis</i> , 2021 , 84, 144-152	2.7	15
180	High occurrence of rhinitis symptoms in hairdressing apprentices. <i>International Forum of Allergy and Rhinology</i> , 2017 , 7, 43-49	6.3	14
179	The combined diagnosis of allergic and irritant contact dermatitis in a retrospective cohort of 1000 consecutive patients with occupational contact dermatitis. <i>Contact Dermatitis</i> , 2014 , 71, 356-63	2.7	14
178	Patch testing with a textile dye mix--a multicentre study. <i>Contact Dermatitis</i> , 2014 , 71, 215-23	2.7	14
177	Results from additional nickel patch test readings in a sample of schoolgirls from the general population. <i>Contact Dermatitis</i> , 2008 , 59, 317-8	2.7	14
176	Rash related to use of scented products. A questionnaire study in the Danish population. Is the problem increasing?. <i>Contact Dermatitis</i> , 2000 , 42, 222-6	2.7	14
175	Prevalence, incidence, and severity of hand eczema in the general population - A systematic review and meta-analysis. <i>Contact Dermatitis</i> , 2021 , 84, 361-374	2.7	14
174	Recent trends in epidemiology, sensitization and legal requirements of selected relevant contact allergens. <i>Expert Review of Clinical Immunology</i> , 2016 , 12, 289-300	5.1	13
173	Causative exposures and temporal development of cobalt allergy in Denmark between 2002 and 2017. <i>Contact Dermatitis</i> , 2019 , 81, 242-248	2.7	13

172	Individuals who are homozygous for the 2282del4 and R501X filaggrin null mutations do not always develop dermatitis and complete long-term remission is possible. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 386-9	4.6	13
171	The filaggrin null genotypes R501X and 2282del4 seem not to be associated with psoriasis: results from general population study and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 782-4	4.6	13
170	Associations of filaggrin gene loss-of-function variants and human papillomavirus-related cancer and pre-cancer in Danish adults. <i>PLoS ONE</i> , 2014 , 9, e99437	3.7	12
169	Individuals with complete filaggrin deficiency may have an increased risk of squamous cell carcinoma. <i>British Journal of Dermatology</i> , 2014 , 170, 1380-1	4	12
168	Filaggrin haploinsufficiency among patients with dermatitis from a tertiary referral centre: early findings and possible phenotype. <i>Contact Dermatitis</i> , 2010 , 62, 182-3	2.7	12
167	Ethosome formulations of known contact allergens can increase their sensitizing capacity. <i>Acta Dermato-Venereologica</i> , 2010 , 90, 374-8	2.2	12
166	Quality of life in a population of patients with hand eczema: a six-month follow-up study. <i>Acta Dermato-Venereologica</i> , 2011 , 91, 484-6	2.2	12
165	Guidelines for the presentation of contact allergy case reports. <i>Contact Dermatitis</i> , 2017 , 76, 107-113	2.7	11
164	Airborne contact dermatitis caused by common ivy (<i>Hedera helix</i> L. ssp. <i>helix</i>). <i>Contact Dermatitis</i> , 2015 , 72, 243-4	2.7	11
163	Contact allergy to rubber accelerators remains prevalent: retrospective results from a tertiary clinic suggesting an association with facial dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 1768-1773	4.6	11
162	The importance of a complete declaration of isothiazolinones in products beyond cosmetics. <i>Contact Dermatitis</i> , 2017 , 77, 171-172	2.7	11
161	Fragrance allergy and quality of life - development and validation of a disease-specific quality of life instrument. <i>Contact Dermatitis</i> , 2013 , 70, 69	2.7	11
160	Chronic hand eczema--self-management and prognosis: a study protocol for a randomised clinical trial. <i>BMC Dermatology</i> , 2012 , 12, 6	2.1	11
159	Five cases of severe chronic dermatitis caused by isothiazolinones. <i>Contact Dermatitis</i> , 2013 , 69, 57-9	2.7	11
158	Filaggrin gene mutations and risk of basal cell carcinoma. <i>British Journal of Dermatology</i> , 2013 , 169, 1162-4	4	11
157	Quantitative assessment of diethylthiourea exposure in two cases of occupational allergic contact dermatitis. <i>Contact Dermatitis</i> , 2011 , 64, 116-8	2.7	11
156	Provocation test with metallic palladium in a palladium-allergic patient. <i>Contact Dermatitis</i> , 2011 , 65, 304-6	2.7	11
155	Prevention of diabetes in NOD mice by repeated exposures to a contact allergen inducing a sub-clinical dermatitis. <i>PLoS ONE</i> , 2010 , 5, e10591	3.7	11

154	Skin barrier damage after exposure to paraphenylenediamine. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 619-631.e2	11.5	11
153	Hand eczema among hairdressing apprentices in Denmark following a nationwide prospective intervention programme: 6-year follow-up. <i>Contact Dermatitis</i> , 2016 , 75, 32-40	2.7	11
152	Highlights in allergic contact dermatitis 2018/2019. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2019 , 19, 334-340	3.3	11
151	Allergic contact dermatitis caused by plastic items containing the ultraviolet absorber drometrizole. <i>Contact Dermatitis</i> , 2018 , 79, 110-112	2.7	11
150	Allergic chromium dermatitis from wearing chromium-free footwear. <i>Contact Dermatitis</i> , 2014 , 70, 185-187	2.7	10
149	Immune responses to hair dyes containing toluene-2,5-diamine. <i>British Journal of Dermatology</i> , 2014 , 170, 352-9	4	10
148	Prevalence of allergic contact dermatitis caused by hydroxyisohexyl 3-cyclohexene carboxaldehyde has not changed in Denmark. <i>Contact Dermatitis</i> , 2012 , 67, 49-51	2.7	10
147	An immune response study of oakmoss absolute and its constituents atranol and chloroatranol. <i>Contact Dermatitis</i> , 2014 , 70, 282-90	2.7	10
146	Percutaneous penetration characteristics and release kinetics of contact allergens encapsulated in ethosomes. <i>Cutaneous and Ocular Toxicology</i> , 2011 , 30, 38-44	1.8	10
145	Contact dermatitis. <i>Nature Reviews Disease Primers</i> , 2021 , 7, 38	51.1	10
144	Contact dermatitis caused by panthenol used for aftercare treatment of a new tattoo. <i>Contact Dermatitis</i> , 2016 , 75, 50-2	2.7	10
143	Nickel released from children's toys is deposited on the skin. <i>Contact Dermatitis</i> , 2016 , 74, 380-1	2.7	10
142	Methylisothiazolinone contact allergy in Croatia: Epidemiology and course of disease following patch testing. <i>Contact Dermatitis</i> , 2018 , 79, 162-167	2.7	10
141	Symptomatic oral lesions may be associated with contact allergy to substances in oral hygiene products. <i>Clinical Oral Investigations</i> , 2017 , 21, 2543-2551	4.2	9
140	Diagnostic workup of occupational allergic nickel dermatitis in a nurse with multiple nickel exposures. <i>Contact Dermatitis</i> , 2019 , 81, 311-313	2.7	9
139	Please, label the label; a case report of occupational allergic contact dermatitis caused by methylisothiazolinone in adhesive labels. <i>Contact Dermatitis</i> , 2016 , 75, 314-315	2.7	9
138	The nickel dose-response relationship by filaggrin genotype (FLG). <i>Contact Dermatitis</i> , 2014 , 71, 49-53	2.7	9
137	Hidden exposure to formaldehyde in a swab caused allergic contact dermatitis. <i>Contact Dermatitis</i> , 2014 , 70, 258-60	2.7	9

136	Skin pH, atopic dermatitis, and filaggrin mutations. <i>Dermatitis</i> , 2014 , 25, 127-9	2.6	9
135	A patient's drawing helped the physician to make the correct diagnosis: occupational contact allergy to isothiazolinone. <i>Contact Dermatitis</i> , 2012 , 67, 174-6	2.7	9
134	Cobalt spot test used for diagnosis of occupationally-related exposure to cobalt-containing powder. <i>Contact Dermatitis</i> , 2012 , 66, 228-9	2.7	9
133	Cobalt content of a convenience sample of leather shoes and gloves in Denmark. <i>Contact Dermatitis</i> , 2019 , 80, 248-249	2.7	9
132	Twenty-eight-day follow-up of patch test reactions to p-phenylenediamine and p-phenylenediamine dihydrochloride: A multicentre study on behalf of the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2019 , 81, 1-8	2.7	8
131	Self-testing for contact allergy to hair dyes: A 5-year follow-up multicentre study. <i>Contact Dermatitis</i> , 2018 , 78, 131-138	2.7	8
130	Increased Production of IL-17A-Producing $\gamma\delta$ T Cells in the Thymus of Filaggrin-Deficient Mice. <i>Frontiers in Immunology</i> , 2018 , 9, 988	8.4	8
129	Allergic nickel dermatitis caused by playing the guitar: case report and assessment of nickel release from guitar strings. <i>Contact Dermatitis</i> , 2012 , 67, 101-3	2.7	8
128	Undisclosed methylisothiazolinone in wet wipes for occupational use causing occupational allergic contact dermatitis in a nurse. <i>Contact Dermatitis</i> , 2015 , 73, 182-4	2.7	8
127	Persistent periorbital allergic contact dermatitis in a dental technician caused by airborne thiuram exposure. <i>Contact Dermatitis</i> , 2015 , 73, 321-2	2.7	8
126	Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects 2011 , 241-251		8
125	A cobalt spot test was useful in the diagnostic work-up of a cobalt allergic patient suffering from oral hypersensitivity to cobalt. <i>Journal of the American Academy of Dermatology</i> , 2011 , 65, 659-660	4.5	8
124	Active sensitization and contact allergy to methyl 2-octynoate. <i>Contact Dermatitis</i> , 2010 , 62, 97-101	2.7	8
123	Fragrances 2011 , 607-627		8
122	Friction from paper and cardboard causing occupational dermatitis in non-atopic individuals. <i>Contact Dermatitis</i> , 2016 , 74, 307-8	2.7	8
121	Quality in epidemiological surveillance of contact allergy. <i>Contact Dermatitis</i> , 2016 , 74, 175-80	2.7	8
120	Contact dermatitis caused by glucose sensors, insulin pumps, and tapes: Results from a 5-year period. <i>Contact Dermatitis</i> , 2021 , 84, 75-81	2.7	8
119	Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015-2018. <i>Contact Dermatitis</i> , 2021 , 84, 109-120	2.7	8

118	Guidelines for diagnosis, prevention and treatment of hand eczema.. <i>Contact Dermatitis</i> , 2021 ,	2.7	8
117	Course of skin symptoms and quality of life in children referred for patch testing--a long-term follow-up study. <i>Acta Dermato-Venereologica</i> , 2015 , 95, 206-10	2.2	7
116	Natural ingredients in cosmetic products-A suggestion for a screening series for skin allergy. <i>Contact Dermatitis</i> , 2020 , 83, 251-270	2.7	7
115	Xerosis is associated with asthma in men independent of atopic dermatitis and filaggrin gene mutations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1807-15	4.6	7
114	Creams used by hand eczema patients are often contaminated with Staphylococcus aureus. <i>Acta Dermato-Venereologica</i> , 2012 , 92, 441-2	2.2	7
113	Severe occupational contact dermatitis caused by black rubber as a consequence of p-phenylenediamine allergy resulting from a temporary henna tattoo. <i>Contact Dermatitis</i> , 2013 , 68, 377-37	2.7	7
112	Allergic contact dermatitis caused by sorbitan sesquioleate imitating severe glove dermatitis in a patient with filaggrin mutation. <i>Contact Dermatitis</i> , 2013 , 69, 313-5	2.7	7
111	Ethosome formulation of contact allergens may enhance patch test reactions in patients. <i>Contact Dermatitis</i> , 2010 , 63, 209-14	2.7	7
110	High incidence of hand eczema in Danish schoolchildren following intensive hand hygiene during the COVID-19 pandemic: a nationwide questionnaire study. <i>British Journal of Dermatology</i> , 2020 , 183, 975-976	4	7
109	Allergic Contact Dermatitis in Humans [Experimental and Quantitative Aspects 2006 , 189-198		7
108	Criteria for the evidence-based categorisation of skin sensitisers. <i>Food and Chemical Toxicology</i> , 2017 , 105, 14-21	4.7	6
107	Patch test reactivity to aluminium chambers. <i>Contact Dermatitis</i> , 2019 , 81, 318-319	2.7	6
106	Effect of atopic skin stressors on natural moisturizing factors and cytokines in healthy adult epidermis. <i>British Journal of Dermatology</i> , 2018 , 179, 679-688	4	6
105	Nickel and cobalt release from fidget spinners on the Danish market. <i>Contact Dermatitis</i> , 2018 , 78, 357-359	2.7	6
104	Allergic contact dermatitis of the face caused by Magnolia officinalis bark extract. <i>Contact Dermatitis</i> , 2016 , 75, 385-387	2.7	6
103	Assessment of chromium(VI) release from 848 jewellery items by use of a diphenylcarbazine spot test. <i>Contact Dermatitis</i> , 2016 , 75, 115-7	2.7	6
102	Quantification of Epidermal Filaggrin in Human Skin and its Response to Skin Irritation. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 1296-1299	4.3	6
101	Multicentre patch testing with methylisothiazolinone by the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , 2014 , 70, 317-20	2.7	6

100	Systemic immunogenicity of para-Phenylenediamine and Diphenylcyclopropenone: two potent contact allergy-inducing haptens. <i>Immunologic Research</i> , 2014 , 58, 40-50	4.3	6
99	Nickel may be released from iPhone(®) 5. <i>Contact Dermatitis</i> , 2013 , 68, 255-6	2.7	6
98	Contact allergy and human biomonitoring--an overview with a focus on metals. <i>Contact Dermatitis</i> , 2011 , 65, 125-37	2.7	6
97	Erythema-index of clinical patch test reactions. <i>Skin Research and Technology</i> , 1995 , 1, 26-9	1.9	6
96	Hair Dyes 2011 , 629-641		6
95	Quality of life and disease severity in dermatitis patients with fragrance allergy-A cross-sectional European questionnaire study. <i>Contact Dermatitis</i> , 2019 , 81, 89-96	2.7	6
94	A contact allergic reaction to budesonide mimicking immediate-type allergy. <i>Contact Dermatitis</i> , 2017 , 77, 62-63	2.7	5
93	Allergic contact dermatitis caused by an antiseptic containing cetrimide. <i>Contact Dermatitis</i> , 2015 , 72, 60-1	2.7	5
92	Children with vaccination granulomas and aluminum contact allergy: Evaluation of predispositions, avoidance behavior, and quality of life. <i>Contact Dermatitis</i> , 2020 , 83, 99-107	2.7	5
91	Concentration of filaggrin monomers, its metabolites and corneocyte surface texture in individuals with a history of atopic dermatitis and controls. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 796-804	4.6	5
90	Allergic perioral contact dermatitis caused by rubber chemicals during dental treatment. <i>Contact Dermatitis</i> , 2016 , 74, 110-1	2.7	5
89	p-Phenylenediamine and Risk of Sensitization in Children. <i>Current Treatment Options in Allergy</i> , 2014 , 1, 299-309	1	5
88	Filaggrin compound heterozygous patients carry mutations in trans position. <i>Experimental Dermatology</i> , 2013 , 22, 572-5	4	5
87	Occupational facial contact dermatitis caused by methylchloroisothiazolinone/methylisothiazolinone in a stainless steel aerosol spray. <i>Contact Dermatitis</i> , 2017 , 77, 173-174	2.7	5
86	Encapsulating contact allergens in liposomes, ethosomes, and polycaprolactone may affect their sensitizing properties. <i>Cutaneous and Ocular Toxicology</i> , 2011 , 30, 116-23	1.8	5
85	Contact allergy to fragrances: clinical and experimental investigations of the fragrance mix and its ingredients. <i>Contact Dermatitis</i> , 2002 , 46 Suppl 3, 4-31	2.7	5
84	No association between loss-of-function mutations in filaggrin and diabetes, cardiovascular disease, and all-cause mortality. <i>PLoS ONE</i> , 2013 , 8, e84293	3.7	5
83	Occupational allergic contact dermatitis caused by cobalt in machine oil. <i>Contact Dermatitis</i> , 2019 , 80, 59-61	2.7	5

82	The epidemic of contact allergy to methylisothiazolinone-An analysis of Danish consecutive patients patch tested between 2005 and 2019. <i>Contact Dermatitis</i> , 2021 , 84, 254-262	2.7	5
81	Can contact allergy to p-phenylenediamine explain the high rates of terpene hydroperoxide allergy? - An epidemiological study based on consecutive patch test results. <i>Contact Dermatitis</i> , 2017 , 76, 67-73	2.7	4
80	Experimental patch testing with chromium-coated materials. <i>Contact Dermatitis</i> , 2017 , 76, 333-341	2.7	4
79	Detection of local inflammation induced by repeated exposure to contact allergens by use of IVIS SpectrumCT analyses. <i>Contact Dermatitis</i> , 2017 , 76, 210-217	2.7	4
78	Occupational airborne contact dermatitis caused by sevoflurane. <i>Contact Dermatitis</i> , 2015 , 72, 241-3	2.7	4
77	Adverse reactions to tattoos in the general population of Denmark. <i>Journal of the American Academy of Dermatology</i> , 2018 , 79, 770-772	4.5	4
76	Clinical consequences of sesquiterpene lactone mix contact allergy in Denmark. <i>British Journal of Dermatology</i> , 2015 , 172, 1430-1	4	4
75	Protein contact dermatitis caused by worms and insects used to feed exotic birds. <i>Contact Dermatitis</i> , 2014 , 70, 64-6	2.7	4
74	Facial allergic contact dermatitis caused by fragrance ingredients released by an electric shaver. <i>Contact Dermatitis</i> , 2012 , 67, 380-1	2.7	4
73	Exposure analysis using X-ray fluorescence device and a cobalt spot test in four patients with cobalt allergy. <i>Contact Dermatitis</i> , 2020 , 82, 67-69	2.7	4
72	Nickel release from metallic earrings: A survey of the Danish market and validation of the nickel spot test. <i>Contact Dermatitis</i> , 2021 , 85, 178	2.7	4
71	Optimal patch test concentration for three widely used sensitizing fragrance substances without mandatory labelling in cosmetics. <i>Contact Dermatitis</i> , 2019 , 80, 325-327	2.7	4
70	Use of protective gloves by hairdressers: A review of efficacy and potential adverse effects. <i>Contact Dermatitis</i> , 2020 , 83, 75-82	2.7	4
69	Skin tape stripping: Which layers of the epidermis are removed?. <i>Contact Dermatitis</i> , 2019 , 80, 319-321	2.7	4
68	Facial dermatoses in health care professionals induced by the use of protective masks during the COVID-19 pandemic. <i>Contact Dermatitis</i> , 2021 , 85, 710-711	2.7	4
67	Novel insights into contact dermatitis.. <i>Journal of Allergy and Clinical Immunology</i> , 2022 ,	11.5	4
66	Filaggrin gene mutations and the distribution of filaggrin in oral mucosa of patients with oral lichen planus and healthy controls. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, 887-893	4.6	3
65	Herbal medicine as a cause of recurrent facial oedema. <i>Contact Dermatitis</i> , 2015 , 72, 342-4	2.7	3

64	Serum cytokine profile and clinicopathological findings in oral lichen planus, oral lichenoid lesions and stomatitis. <i>Clinical and Experimental Dental Research</i> , 2017 , 3, 220-226	1.9	3
63	Response shift in severity assessment of hand eczema with visual analogue scales. <i>Contact Dermatitis</i> , 2015 , 72, 178-83	2.7	3
62	The increase in p-phenylenediamine allergy in Denmark is not explained by an increase in contact allergy to para group chemicals. <i>Contact Dermatitis</i> , 2011 , 64, 176-9	2.7	3
61	Clinical work-up of a highly reactive nickel-allergic patient. <i>Contact Dermatitis</i> , 2011 , 65, 51-3	2.7	3
60	Prevention of type 1 diabetes by inducing subclinical dermatitis on a small area. <i>Diabetes/Metabolism Research and Reviews</i> , 2011 , 27, 954-8	7.5	3
59	Patch test dose-response study: polysensitized individuals do not express lower elicitation thresholds than single/double-sensitized individuals. <i>British Journal of Dermatology</i> , 2009 , 160, 103-6	4	3
58	Inverse association between rheumatoid arthritis and contact allergy. <i>Acta Dermato-Venereologica</i> , 2012 , 92, 175-6	2.2	3
57	The European baseline series: Criteria for allergen inclusion (with reference to formaldehyde releasers). <i>Contact Dermatitis</i> , 2021 , 85, 125	2.7	3
56	Usability of a spot test for isothiazolinones. <i>Contact Dermatitis</i> , 2020 , 82, 165-167	2.7	3
55	The stratum corneum transcriptome in atopic dermatitis can be assessed by tape stripping. <i>Journal of Dermatological Science</i> , 2021 , 101, 14-21	4.3	3
54	Electrochemical Screening Spot Test Method for Detection of Nickel and Cobalt Ion Release From Metal Surfaces. <i>Dermatitis</i> , 2018 , 29, 187-192	2.6	3
53	Facial contact dermatitis caused by cosmetic-relevant allergens. <i>Contact Dermatitis</i> , 2021 , 85, 650-659	2.7	3
52	Metals in used and unused metalworking fluids: X-ray fluorescence spectrometry as a screening test. <i>Contact Dermatitis</i> , 2020 , 83, 83-87	2.7	2
51	Leopard dermatitis of the neck-Case series of 10 patients. <i>Contact Dermatitis</i> , 2018 , 79, 389-391	2.7	2
50	Sign of the kiss from black henna tattoos. <i>Contact Dermatitis</i> , 2015 , 73, 370-1	2.7	2
49	Skin prick test reactivity to aeroallergens by filaggrin mutation status. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 238-41	4.6	2
48	Does cobalt spot testing of copper items result in false-positive test reactions?. <i>Contact Dermatitis</i> , 2013 , 69, 387-8	2.7	2
47	Isothiazolinones 2020 , 507-520		2

46	Allergic contact stomatitis caused by (meth)acrylates in an occlusal splint. <i>Contact Dermatitis</i> , 2020 , 82, 112-114	2.7	2
45	Contact allergy to 2-hydroxyethyl methacrylate in Denmark. <i>Contact Dermatitis</i> , 2020 , 82, 229-231	2.7	2
44	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm" to identify allergens tested in cosmetic series across Europe. <i>Contact Dermatitis</i> , 2020 , 82, 195-200	2.7	2
43	CD8 tissue-resident memory T cells recruit neutrophils that are essential for flare-ups in contact dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	2
42	Degree of employment, sick leave, and costs following notification of occupational contact dermatitis-A register-based study. <i>Contact Dermatitis</i> , 2021 , 84, 224-235	2.7	2
41	Decrease of contact allergy to hydroxyisohexyl 3-cyclohexene carboxaldehyde in Europe prior to its ban and diagnostic value. <i>Contact Dermatitis</i> , 2021 , 84, 419-422	2.7	2
40	Skin dysbiosis in the microbiome in atopic dermatitis is site-specific and involves bacteria, fungus and virus. <i>BMC Microbiology</i> , 2021 , 21, 256	4.5	2
39	Evaluation of the secondary and tertiary prevention strategies against occupational contact dermatitis in Germany: a systematic review.. <i>Contact Dermatitis</i> , 2022 ,	2.7	2
38	Protocol for a systematic review on systemic and skin toxicity of important hazardous hair and nail cosmetic ingredients in hairdressers. <i>BMJ Open</i> , 2021 , 11, e050612	3	2
37	Allergic contact dermatitis due to butylene glycol in cosmetics. <i>Contact Dermatitis</i> , 2020 , 83, 242-243	2.7	1
36	Consumer Behaviour Among Nickel-allergic Patients. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1247-1248	2.2	1
35	Multispectral imaging of hand eczema. <i>Contact Dermatitis</i> , 2019 , 81, 438-445	2.7	1
34	Chlorhexidine in cosmetic products a market survey. <i>Clinical and Translational Allergy</i> , 2014 , 4, P69	5.2	1
33	Information about filaggrin genotype is valuable for adult atopic dermatitis patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e156-e158	4.6	1
32	Chemical intolerance among hairdressers in Denmark. <i>PLoS ONE</i> , 2013 , 8, e71241	3.7	1
31	Copper release from metals may mask positive nickel spot test results.. <i>Contact Dermatitis</i> , 2022 ,	2.7	1
30	Contact Allergy to Fragrances 2020 , 1-33		1
29	The transcriptome of hand eczema assessed by tape stripping. <i>Contact Dermatitis</i> , 2021 ,	2.7	1

28	Allergic contact dermatitis from dyes used in the temple of spectacles. <i>Contact Dermatitis</i> , 2021 ,	2.7	1
27	Basics in Diagnostic Work Up and Assessment of Clinical Relevance 2016 , 57-67		1
26	CI Solvent Yellow 14 (Sudan I) identified as the allergen in a plastic part of glasses. <i>Contact Dermatitis</i> , 2020 , 82, 183-185	2.7	1
25	Memory T helper cells identify patients with nickel, cobalt, and chromium metal allergy. <i>Contact Dermatitis</i> , 2021 , 85, 7-16	2.7	1
24	Increased retest reactivity by both patch and use test with methyldibromoglutaronitrile in sensitized individuals. <i>Acta Dermato-Venereologica</i> , 2006 , 86, 8-12	2.2	1
23	Long-term follow-up of hand eczema in hairdressers: a prospective cohort study of Danish hairdressers graduating from 1985 to 2007. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 36, 263	4.6	0
22	Aluminium contact allergy without vaccination granulomas: A systematic review and meta-analysis. <i>Contact Dermatitis</i> , 2021 , 85, 129	2.7	0
21	Incidence rates of occupational contact dermatitis in Denmark between 2007 and 2018: A population-based study. <i>Contact Dermatitis</i> , 2021 , 85, 421-428	2.7	0
20	Chromium and cobalt release from metallic earrings from the Danish market. <i>Contact Dermatitis</i> , 2021 , 85, 523-530	2.7	0
19	No immediate effect of regulatory reduction of chromium in leather among adult patients with chromium allergy. <i>Contact Dermatitis</i> , 2021 , 85, 514-522	2.7	0
18	User evaluation of patient counselling, combining nurse consultation and eHealth in hand eczema. <i>Contact Dermatitis</i> , 2016 , 74, 205-16	2.7	0
17	Respiratory toxicity of persulphate salts and their adverse effects on airways in hairdressers: a systematic review.. <i>International Archives of Occupational and Environmental Health</i> , 2022 , 1	3.2	0
16	Severe atopic dermatitis in childhood and working life as a hairdresser - the benefit of female discipline and insight in critical exposures. <i>Contact Dermatitis</i> , 2015 , 72, 256	2.7	
15	Isothiazolinones 2018 , 1-14		
14	The hair dye allergy self-test: considerations for treating physicians. <i>British Journal of Dermatology</i> , 2013 , 168, 448	4	
13	Palladium allergy prevalence might be underestimated because of an inadequate test allergen. <i>Contact Dermatitis</i> , 2011 , 65, 63-63	2.7	
12	Patch Testing - by Anton C. De Groot. <i>Contact Dermatitis</i> , 2009 , 60, 120-120	2.7	
11	FS06.3Chloroatranol Clinical studies and exposure analysis. <i>Contact Dermatitis</i> , 2008 , 50, 147-147	2.7	

- 10 Dose response aspects of contact allergy. *Contact Dermatitis*, **2008**, 50, 154-154 2.7
- 9 PCS.06 Establishment of safe exposure limits for the elicitation of allergy [Fragrances. *Contact Dermatitis*, **2008**, 50, 124-124 2.7
- 8 Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects **2021**, 159-174
- 7 Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers **2021**, 1187-1198
- 6 Contact Allergy to Fragrances **2021**, 803-834
- 5 Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects **2019**, 1-16
- 4 Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers **2020**, 1-12
- 3 Systematic allergy investigation of patients with red eyes. *Acta Ophthalmologica*, **2014**, 92, 0-0 3.7
- 2 Cocamidopropyl betaine, cocamidopropylamine oxide, and disodium cocoamphodiacetate cause false-positive reactions with an isothiazolinone spot test. *Contact Dermatitis*, **2021**, 85, 249 2.7
- 1 Epidermal T cell subsets-Effect of age and antigen exposure in humans and mice. *Contact Dermatitis*, **2021**, 84, 375-384 2.7