

# Jeanne D Johansen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4089512/jeanne-d-johansen-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

459  
papers

15,191  
citations

64  
h-index

94  
g-index

477  
ext. papers

17,330  
ext. citations

3.2  
avg, IF

6.76  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 459 | Copper release from metals may mask positive nickel spot test results.. <i>Contact Dermatitis</i> , <b>2022</b> ,   | 2.7  | 1         |
| 458 | Respiratory toxicity of persulphate salts and their adverse effects on airways in hairdressers: a systematic review.. <i>International Archives of Occupational and Environmental Health</i> , <b>2022</b> , 1                    | 3.2  | 0         |
| 457 | Novel insights into contact dermatitis.. <i>Journal of Allergy and Clinical Immunology</i> , <b>2022</b> ,  | 11.5 | 4         |
| 456 | Evaluation of the secondary and tertiary prevention strategies against occupational contact dermatitis in Germany: a systematic review.. <i>Contact Dermatitis</i> , <b>2022</b> ,  | 2.7  | 2         |
| 455 | Long-term follow-up of hand eczema in hairdressers: a prospective cohort study of Danish hairdressers graduating from 1985 to 2007. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2021</b> , 36, 263 | 4.6  | 0         |
| 454 | Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects <b>2021</b> , 159-174  |      |           |
| 453 | Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers <b>2021</b> , 1187-1198  |      |           |
| 452 | Contact Allergy to Fragrances <b>2021</b> , 803-834   |      |           |
| 451 | The transcriptome of hand eczema assessed by tape stripping. <i>Contact Dermatitis</i> , <b>2021</b> ,  | 2.7  | 1         |
| 450 | Allergic contact dermatitis from dyes used in the temple of spectacles. <i>Contact Dermatitis</i> , <b>2021</b> ,   | 2.7  | 1         |
| 449 | Cocamidopropyl betaine, cocamidopropylamine oxide, and disodium cocoamphodiacetate cause false-positive reactions with an isothiazolinone spot test. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 249                            | 2.7  |           |
| 448 | The European baseline series: Criteria for allergen inclusion (with reference to formaldehyde releasers). <i>Contact Dermatitis</i> , <b>2021</b> , 85, 125   | 2.7  | 3         |
| 447 | Memory T helper cells identify patients with nickel, cobalt, and chromium metal allergy. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 7-16   | 2.7  | 1         |
| 446 | Epidermal T cell subsets-Effect of age and antigen exposure in humans and mice. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 375-384   | 2.7  |           |
| 445 | Nickel release from metallic earrings: A survey of the Danish market and validation of the nickel spot test. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 178  | 2.7  | 4         |
| 444 | Aluminium contact allergy without vaccination granulomas: A systematic review and meta-analysis. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 129  | 2.7  | 0         |
| 443 | Optimizing investigation of suspected allergy to polyethylene glycols. <i>Journal of Allergy and Clinical Immunology</i> , <b>2021</b> ,  | 11.5 | 19        |

|     |  |      |    |
|-----|--|------|----|
| 442 | Contact dermatitis. <i>Nature Reviews Disease Primers</i> , <b>2021</b> , 7, 38  | 51.1 | 10 |
| 441 | Incidence rates of occupational contact dermatitis in Denmark between 2007 and 2018: A population-based study. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 421-428                               | 2.7  | 0  |
| 440 | CD8 tissue-resident memory T cells recruit neutrophils that are essential for flare-ups in contact dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2021</b> , | 9.3  | 2  |
| 439 | Chromium and cobalt release from metallic earrings from the Danish market. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 523-530   | 2.7  | 0  |
| 438 | No immediate effect of regulatory reduction of chromium in leather among adult patients with chromium allergy. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 514-522                               | 2.7  | 0  |
| 437 | Contact dermatitis caused by glucose sensors, insulin pumps, and tapes: Results from a 5-year period. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 75-81  | 2.7  | 8  |
| 436 | Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015-2018. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 109-120                                  | 2.7  | 8  |
| 435 | Increased occurrence of hand eczema in young children following the Danish hand hygiene recommendations during the COVID-19 pandemic. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 144-152        | 2.7  | 15 |
| 434 | The epidemic of contact allergy to methylisothiazolinone-An analysis of Danish consecutive patients patch tested between 2005 and 2019. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 254-262      | 2.7  | 5  |
| 433 | The stratum corneum transcriptome in atopic dermatitis can be assessed by tape stripping. <i>Journal of Dermatological Science</i> , <b>2021</b> , 101, 14-21                                      | 4.3  | 3  |
| 432 | Degree of employment, sick leave, and costs following notification of occupational contact dermatitis-A register-based study. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 224-235                | 2.7  | 2  |
| 431 | Decrease of contact allergy to hydroxyisohexyl 3-cyclohexene carboxaldehyde in Europe prior to its ban and diagnostic value. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 419-422                 | 2.7  | 2  |
| 430 | Prevalence, incidence, and severity of hand eczema in the general population - A systematic review and meta-analysis. <i>Contact Dermatitis</i> , <b>2021</b> , 84, 361-374                        | 2.7  | 14 |
| 429 | Facial dermatoses in health care professionals induced by the use of protective masks during the COVID-19 pandemic. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 710-711                          | 2.7  | 4  |
| 428 | Facial contact dermatitis caused by cosmetic-relevant allergens. <i>Contact Dermatitis</i> , <b>2021</b> , 85, 650-659   | 2.7  | 3  |
| 427 | Skin dysbiosis in the microbiome in atopic dermatitis is site-specific and involves bacteria, fungus and virus. <i>BMC Microbiology</i> , <b>2021</b> , 21, 256                                    | 4.5  | 2  |
| 426 | Clinical manifestations and impact on daily life of allergy to polyethylene glycol (PEG) in ten patients. <i>Clinical and Experimental Allergy</i> , <b>2021</b> , 51, 463-470                     | 4.1  | 30 |
| 425 | Guidelines for diagnosis, prevention and treatment of hand eczema.. <i>Contact Dermatitis</i> , <b>2021</b> ,  | 2.7  | 8  |

|     |   |      |    |
|-----|---|------|----|
| 424 | Protocol for a systematic review on systemic and skin toxicity of important hazardous hair and nail cosmetic ingredients in hairdressers. <i>BMJ Open</i> , <b>2021</b> , 11, e050612   | 3    | 2  |
| 423 | Metals in used and unused metalworking fluids: X-ray fluorescence spectrometry as a screening test. <i>Contact Dermatitis</i> , <b>2020</b> , 83, 83-87   | 2.7  | 2  |
| 422 | Allergic contact dermatitis due to butylene glycol in cosmetics. <i>Contact Dermatitis</i> , <b>2020</b> , 83, 242-243  | 2.7  | 1  |
| 421 | Natural ingredients in cosmetic products-A suggestion for a screening series for skin allergy. <i>Contact Dermatitis</i> , <b>2020</b> , 83, 251-270  | 2.7  | 7  |
| 420 | Children with vaccination granulomas and aluminum contact allergy: Evaluation of predispositions, avoidance behavior, and quality of life. <i>Contact Dermatitis</i> , <b>2020</b> , 83, 99-107                               | 2.7  | 5  |
| 419 | Contact Allergy to Fragrances <b>2020</b> , 1-33  |      | 1  |
| 418 | Prevention of Allergic Contact Dermatitis: Safe Exposure Levels of Sensitizers <b>2020</b> , 1-12   |      |    |
| 417 | Isothiazolinones <b>2020</b> , 507-520  |      | 2  |
| 416 | Allergic contact stomatitis caused by (meth)acrylates in an occlusal splint. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 112-114  | 2.7  | 2  |
| 415 | Exposure analysis using X-ray fluorescence device and a cobalt spot test in four patients with cobalt allergy. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 67-69  | 2.7  | 4  |
| 414 | Contact allergy to 2-hydroxyethyl methacrylate in Denmark. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 229-231  | 2.7  | 2  |
| 413 | CI Solvent Yellow 14 (Sudan I) identified as the allergen in a plastic part of glasses. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 183-185   | 2.7  | 1  |
| 412 | A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm" to identify allergens tested in cosmetic series across Europe. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 195-200 | 2.7  | 2  |
| 411 | Skin barrier damage after exposure to paraphenylenediamine. <i>Journal of Allergy and Clinical Immunology</i> , <b>2020</b> , 145, 619-631.e2   | 11.5 | 11 |
| 410 | High incidence of hand eczema in Danish schoolchildren following intensive hand hygiene during the COVID-19 pandemic: a nationwide questionnaire study. <i>British Journal of Dermatology</i> , <b>2020</b> , 183, 975-976    | 4    | 7  |
| 409 | Pathogenic CD8 Epidermis-Resident Memory T Cells Displace Dendritic Epidermal T Cells in Allergic Dermatitis. <i>Journal of Investigative Dermatology</i> , <b>2020</b> , 140, 806-815.e5                                     | 4.3  | 18 |
| 408 | Usability of a spot test for isothiazolinones. <i>Contact Dermatitis</i> , <b>2020</b> , 82, 165-167  | 2.7  | 3  |
| 407 | The epidemic of methylisothiazolinone contact allergy in Europe: follow-up on changing exposures. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2020</b> , 34, 333-339                           | 4.6  | 32 |

|     |   |     |     |
|-----|---|-----|-----|
| 406 | Use of protective gloves by hairdressers: A review of efficacy and potential adverse effects. <i>Contact Dermatitis</i> , <b>2020</b> , 83, 75-82   | 2.7 | 4   |
| 405 | Twenty-eight-day follow-up of patch test reactions to p-phenylenediamine and p-phenylenediamine dihydrochloride: A multicentre study on behalf of the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 1-8 | 2.7 | 8   |
| 404 | Diagnostic workup of occupational allergic nickel dermatitis in a nurse with multiple nickel exposures. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 311-313   | 2.7 | 9   |
| 403 | Nickel allergy and allergic contact dermatitis: A clinical review of immunology, epidemiology, exposure, and treatment. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 227-241   | 2.7 | 86  |
| 402 | Patch test reactivity to aluminium chambers. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 318-319  | 2.7 | 6   |
| 401 | Multispectral imaging of hand eczema. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 438-445   | 2.7 | 1   |
| 400 | Causative exposures and temporal development of cobalt allergy in Denmark between 2002 and 2017. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 242-248  | 2.7 | 13  |
| 399 | Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects <b>2019</b> , 1-16   |     |     |
| 398 | Quality of life and disease severity in dermatitis patients with fragrance allergy-A cross-sectional European questionnaire study. <i>Contact Dermatitis</i> , <b>2019</b> , 81, 89-96  | 2.7 | 6   |
| 397 | Effects of sampling strategy and DNA extraction on human skin microbiome investigations. <i>Scientific Reports</i> , <b>2019</b> , 9, 17287   | 4.9 | 34  |
| 396 | Highlights in allergic contact dermatitis 2018/2019. <i>Current Opinion in Allergy and Clinical Immunology</i> , <b>2019</b> , 19, 334-340  | 3.3 | 11  |
| 395 | Optimal patch test concentration for three widely used sensitizing fragrance substances without mandatory labelling in cosmetics. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 325-327   | 2.7 | 4   |
| 394 | Temporal changes in chromium allergy in Denmark between 2002 and 2017. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 156-161  | 2.7 | 19  |
| 393 | Nickel deposition and penetration into the stratum corneum after short metallic nickel contact: An experimental study. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 86-93  | 2.7 | 20  |
| 392 | The European baseline series and recommended additions: 2019. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 1-4   | 2.7 | 101 |
| 391 | Cobalt content of a convenience sample of leather shoes and gloves in Denmark. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 248-249  | 2.7 | 9   |
| 390 | Prevalence of contact allergy in the general population: A systematic review and meta-analysis. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 77-85   | 2.7 | 108 |
| 389 | Allergic contact dermatitis caused by hydroperoxides of limonene and dose-response relationship-A repeated open application test (ROAT) study. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 208-216  | 2.7 | 25  |

|     |  |     |    |
|-----|--|-----|----|
| 388 | Occupational allergic contact dermatitis caused by cobalt in machine oil. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 59-61  | 2.7 | 5  |
| 387 | Skin tape stripping: Which layers of the epidermis are removed?. <i>Contact Dermatitis</i> , <b>2019</b> , 80, 319-321   | 2.7 | 4  |
| 386 | Changes in filaggrin degradation products and corneocyte surface texture by season. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 1143-1150   | 4   | 15 |
| 385 | Effect of atopic skin stressors on natural moisturizing factors and cytokines in healthy adult epidermis. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 679-688   | 4   | 6  |
| 384 | Adverse reactions to tattoos in the general population of Denmark. <i>Journal of the American Academy of Dermatology</i> , <b>2018</b> , 79, 770-772   | 4.5 | 4  |
| 383 | Concentration of filaggrin monomers, its metabolites and corneocyte surface texture in individuals with a history of atopic dermatitis and controls. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 796-804 | 4.6 | 5  |
| 382 | Isothiazolinones are still widely used in paints purchased in five European countries: a follow-up study. <i>Contact Dermatitis</i> , <b>2018</b> , 78, 246-253  | 2.7 | 29 |
| 381 | Nickel and cobalt release from fidget spinners on the Danish market. <i>Contact Dermatitis</i> , <b>2018</b> , 78, 357-359   |     | 6  |
| 380 | The association between atopic dermatitis and hand eczema: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , <b>2018</b> , 178, 879-888   | 4   | 48 |
| 379 | Self-testing for contact allergy to hair dyes—a 5-year follow-up multicentre study. <i>Contact Dermatitis</i> , <b>2018</b> , 78, 131-138  | 2.7 | 8  |
| 378 | Contact allergy to lanolin: temporal changes in prevalence and association with atopic dermatitis. <i>Contact Dermatitis</i> , <b>2018</b> , 78, 70-75   | 2.7 | 28 |
| 377 | Short contact with nickel causes allergic contact dermatitis: an experimental study. <i>British Journal of Dermatology</i> , <b>2018</b> , 179, 1127-1134  | 4   | 24 |
| 376 | Increased Production of IL-17A-Producing $\gamma\delta$ T Cells in the Thymus of Filaggrin-Deficient Mice. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 988   | 8.4 | 8  |
| 375 | Contact Allergy: A Review of Current Problems from a Clinical Perspective. <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,  | 4.6 | 35 |
| 374 | Ten-year trends in contact allergy to formaldehyde and formaldehyde-releasers. <i>Contact Dermatitis</i> , <b>2018</b> , 79, 263-269   | 2.7 | 44 |
| 373 | Leopard dermatitis of the neck-Case series of 10 patients. <i>Contact Dermatitis</i> , <b>2018</b> , 79, 389-391   | 2.7 | 2  |
| 372 | Contact allergy in Danish children: Current trends. <i>Contact Dermatitis</i> , <b>2018</b> , 79, 295-302  | 2.7 | 32 |
| 371 | Isothiazolinones <b>2018</b> , 1-14  |     |    |

|     |   |     |     |
|-----|---|-----|-----|
| 370 | Children with atopic dermatitis may have unacknowledged contact allergies contributing to their skin symptoms. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 428-436  | 4.6 | 19  |
| 369 | A proposal to create an extension to the European baseline series. <i>Contact Dermatitis</i> , <b>2018</b> , 78, 101-108  | 2.7 | 43  |
| 368 | Fragrance contact allergens in 5588 cosmetic products identified through a novel smartphone application. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2018</b> , 32, 79-85  | 4.6 | 36  |
| 367 | Electrochemical Screening Spot Test Method for Detection of Nickel and Cobalt Ion Release From Metal Surfaces. <i>Dermatitis</i> , <b>2018</b> , 29, 187-192  | 2.6 | 3   |
| 366 | Methylisothiazolinone contact allergy in Croatia: Epidemiology and course of disease following patch testing. <i>Contact Dermatitis</i> , <b>2018</b> , 79, 162-167   | 2.7 | 10  |
| 365 | Allergic contact dermatitis caused by plastic items containing the ultraviolet absorber drometrizole. <i>Contact Dermatitis</i> , <b>2018</b> , 79, 110-112   | 2.7 | 11  |
| 364 | Can contact allergy to p-phenylenediamine explain the high rates of terpene hydroperoxide allergy? - An epidemiological study based on consecutive patch test results. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 67-73  | 2.7 | 4   |
| 363 | High occurrence of rhinitis symptoms in hairdressing apprentices. <i>International Forum of Allergy and Rhinology</i> , <b>2017</b> , 7, 43-49  | 6.3 | 14  |
| 362 | Filaggrin gene mutations and the distribution of filaggrin in oral mucosa of patients with oral lichen planus and healthy controls. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 887-893   | 4.6 | 3   |
| 361 | Experimental patch testing with chromium-coated materials. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 333-341  | 2.7 | 4   |
| 360 | Symptomatic oral lesions may be associated with contact allergy to substances in oral hygiene products. <i>Clinical Oral Investigations</i> , <b>2017</b> , 21, 2543-2551   | 4.2 | 9   |
| 359 | Incidence of skin and respiratory diseases among Danish hairdressing apprentices. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 160-166   | 2.7 | 21  |
| 358 | Detection of local inflammation induced by repeated exposure to contact allergens by use of IVIS SpectrumCT analyses. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 210-217   | 2.7 | 4   |
| 357 | The role of the skin microbiome in atopic dermatitis: a systematic review. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 1272-1278   | 4   | 115 |
| 356 | Contact allergy to preservatives in patients with occupational contact dermatitis and exposure analysis of preservatives in registered chemical products for occupational use. <i>International Archives of Occupational and Environmental Health</i> , <b>2017</b> , 90, 319-333 | 3.2 | 20  |
| 355 | Criteria for the evidence-based categorisation of skin sensitisers. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 105, 14-21  | 4.7 | 6   |
| 354 | The European nickel regulation and changes since its introduction. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 382-384  | 2.7 | 16  |
| 353 | Allergic contact dermatitis caused by cobalt in leather - clinical cases. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 366-368   | 2.7 | 19  |

|     |  |     |    |
|-----|--|-----|----|
| 352 | Contact allergy in children with atopic dermatitis: a systematic review. <i>British Journal of Dermatology</i> , <b>2017</b> , 177, 395-405  | 4   | 38 |
| 351 | Hand eczema, atopic dermatitis and filaggrin mutations in adult Danes: a registry-based study assessing risk of disability pension. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 95-105                           | 2.7 | 15 |
| 350 | Trends in contact allergy to fragrance mix I in consecutive Danish patients with eczema from 1986 to 2015: a cross-sectional study. <i>British Journal of Dermatology</i> , <b>2017</b> , 176, 1035-1041           | 4   | 17 |
| 349 | Non-mix fragrances are top sensitizers in consecutive dermatitis patients - a cross-sectional study of the 26 EU-labelled fragrance allergens. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 270-279               | 2.7 | 47 |
| 348 | A contact allergic reaction to budesonide mimicking immediate-type allergy. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 62-63  | 2.7 | 5  |
| 347 | European Surveillance System on Contact Allergies (ESSCA): results with the European baseline series, 2013/14. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, 1516-1525 | 4.6 | 85 |
| 346 | Association between atopic dermatitis and contact sensitization: A systematic review and meta-analysis. <i>Journal of the American Academy of Dermatology</i> , <b>2017</b> , 77, 70-78                            | 4.5 | 65 |
| 345 | Nickel allergy in a Danish population 25 years after the first nickel regulation. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 325-332  | 2.7 | 26 |
| 344 | Guidelines for the presentation of contact allergy case reports. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 107-113   | 2.7 | 11 |
| 343 | Health-related quality of life in adult dermatitis patients stratified by filaggrin genotype. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 167-177  | 2.7 | 15 |
| 342 | The epidemic of methylisothiazolinone: a European prospective study. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 272-279   |     | 66 |
| 341 | Consumer Behaviour Among Nickel-allergic Patients. <i>Acta Dermato-Venereologica</i> , <b>2017</b> , 97, 1247-1248   | 2.2 | 1  |
| 340 | Contact allergy to methyldibromo glutaronitrile is still of clinical relevance. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 250-251  | 2.7 | 17 |
| 339 | Immunological, chemical and clinical aspects of exposure to mixtures of contact allergens. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 133-142   | 2.7 | 24 |
| 338 | Prevalence of nickel allergy in Europe following the EU Nickel Directive - a review. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 193-200   | 2.7 | 62 |
| 337 | The importance of a complete declaration of isothiazolinones in products beyond cosmetics. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 171-172   | 2.7 | 11 |
| 336 | Occupational facial contact dermatitis caused by methylchloroisothiazolinone/methylisothiazolinone in a stainless steel aerosol spray. <i>Contact Dermatitis</i> , <b>2017</b> , 77, 173-174                       | 2.7 | 5  |
| 335 | Oral symptoms and salivary findings in oral lichen planus, oral lichenoid lesions and stomatitis. <i>BMC Oral Health</i> , <b>2017</b> , 17, 103   | 3.7 | 18 |



|     |  |     |    |
|-----|--|-----|----|
| 334 | Occupational skin diseases: actual state analysis of patient management pathways in 28 European countries. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31 Suppl 4, 12-30   | 4.6 | 43 |
| 333 | Cross-reactivity between methylisothiazolinone, octylisothiazolinone and benzisothiazolinone using a modified local lymph node assay. <i>British Journal of Dermatology</i> , <b>2017</b> , 176, 176-183   | 4   | 30 |
| 332 | Information about filaggrin genotype is valuable for adult atopic dermatitis patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2017</b> , 31, e156-e158   | 4.6 | 1  |
| 331 | Rapid allergen-induced interleukin-17 and interferon- $\gamma$ secretion by skin-resident memory CD8 T cells. <i>Contact Dermatitis</i> , <b>2017</b> , 76, 218-227  | 2.7 | 48 |
| 330 | Serum cytokine profile and clinicopathological findings in oral lichen planus, oral lichenoid lesions and stomatitis. <i>Clinical and Experimental Dental Research</i> , <b>2017</b> , 3, 220-226  | 1.9 | 3  |
| 329 | Allergic contact dermatitis of the face caused by <i>Magnolia officinalis</i> bark extract. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 385-387  | 2.7 | 6  |
| 328 | Comparative sensitizing potencies of fragrances, preservatives, and hair dyes. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 265-275   | 2.7 | 22 |
| 327 | Cobalt release and complications resulting from the use of dental prostheses. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 377-383  | 2.7 | 15 |
| 326 | Assessment of chromium(VI) release from 848 jewellery items by use of a diphenylcarbazide spot test. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 115-7   | 2.7 | 6  |
| 325 | Please, label the label; a case report of occupational allergic contact dermatitis caused by methylisothiazolinone in adhesive labels. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 314-315   | 2.7 | 9  |
| 324 | Epidermal filaggrin deficiency mediates increased systemic T-helper 17 immune response. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 706-12  | 4   | 19 |
| 323 | Allergic perioral contact dermatitis caused by rubber chemicals during dental treatment. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 110-1   | 2.7 | 5  |
| 322 | Contact allergy to rubber accelerators remains prevalent: retrospective results from a tertiary clinic suggesting an association with facial dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 1768-1773 | 4.6 | 11 |
| 321 | Predictive factors of self-reported hand eczema in adult Danes: a population-based cohort study with 5-year follow-up. <i>British Journal of Dermatology</i> , <b>2016</b> , 175, 287-95   | 4   | 29 |
| 320 | Recent trends in epidemiology, sensitization and legal requirements of selected relevant contact allergens. <i>Expert Review of Clinical Immunology</i> , <b>2016</b> , 12, 289-300  | 5.1 | 13 |
| 319 | Quantification of Epidermal Filaggrin in Human Skin and its Response to Skin Irritation. <i>Journal of Investigative Dermatology</i> , <b>2016</b> , 136, 1296-1299  | 4.3 | 6  |
| 318 | Basics in Diagnostic Work Up and Assessment of Clinical Relevance <b>2016</b> , 57-67  |     | 1  |
| 317 | Contact Allergy in Danish Healthcare Workers: A Retrospective Matched Case-control Study. <i>Acta Dermato-Venereologica</i> , <b>2016</b> , 96, 237-40   | 2.2 | 27 |

|     |   |      |     |
|-----|---|------|-----|
| 316 | Contact dermatitis caused by panthenol used for aftercare treatment of a new tattoo. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 50-2   | 2.7  | 10  |
| 315 | Nickel released from children's toys is deposited on the skin. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 380-1  | 2.7  | 10  |
| 314 | The effect of environmental humidity and temperature on skin barrier function and dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2016</b> , 30, 223-49                            | 4.6  | 133 |
| 313 | Sensitization to cyanoacrylates caused by prolonged exposure to a glucose sensor set in a diabetic child. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 124-5   | 2.7  | 44  |
| 312 | Oxidized limonene and oxidized linalool - concomitant contact allergy to common fragrance terpenes. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 273-80  | 2.7  | 39  |
| 311 | Hand eczema among hairdressing apprentices in Denmark following a nationwide prospective intervention programme: 6-year follow-up. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 32-40                                    | 2.7  | 11  |
| 310 | Friction from paper and cardboard causing occupational dermatitis in non-atopic individuals. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 307-8  | 2.7  | 8   |
| 309 | User evaluation of patient counselling, combining nurse consultation and eHealth in hand eczema. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 205-16   | 2.7  | 0   |
| 308 | Elicitation threshold of cobalt chloride: analysis of patch test dose-response studies. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 105-9   | 2.7  | 15  |
| 307 | Sorbitan sesquioleate; a rare cause of contact allergy in consecutively patch tested dermatitis patients. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 242-5   | 2.7  | 16  |
| 306 | Experimental skin deposition of chromium on the hands following handling of samples of leather and metal. <i>Contact Dermatitis</i> , <b>2016</b> , 75, 89-95   | 2.7  | 17  |
| 305 | Leather Contains Cobalt and Poses a Risk of Allergic Contact Dermatitis: Cobalt Indicator Solution and X-ray Florescence Spectrometry as Screening Tests. <i>Dermatitis</i> , <b>2016</b> , 27, 202-7                     | 2.6  | 25  |
| 304 | Contact allergy to chlorhexidine in a tertiary dermatology clinic in Denmark. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 29-36   | 2.7  | 29  |
| 303 | Quality in epidemiological surveillance of contact allergy. <i>Contact Dermatitis</i> , <b>2016</b> , 74, 175-80  | 2.7  | 8   |
| 302 | Filaggrin gene mutations are not associated with food and aeroallergen sensitization without concomitant atopic dermatitis in adults. <i>Journal of Allergy and Clinical Immunology</i> , <b>2015</b> , 135, 1375-8.e11.5 | 11.5 | 27  |
| 301 | Course of skin symptoms and quality of life in children referred for patch testing--a long-term follow-up study. <i>Acta Dermato-Venereologica</i> , <b>2015</b> , 95, 206-10   | 2.2  | 7   |
| 300 | Chlorhexidine allergy: sources of exposure in the health-care setting. <i>British Journal of Anaesthesia</i> , <b>2015</b> , 114, 704-5   | 5.4  | 23  |
| 299 | Allergic contact dermatitis caused by an antiseptic containing cetrimide. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 60-1  | 2.7  | 5   |

|     |  |     |     |
|-----|--|-----|-----|
| 298 | Airborne contact dermatitis caused by common ivy ( <i>Hedera helix</i> L. ssp. <i>helix</i> ). <i>Contact Dermatitis</i> , <b>2015</b> , 72, 243-4   | 2.7 | 11  |
| 297 | Severe atopic dermatitis in childhood and working life as a hairdresser - the benefit of female discipline and insight in critical exposures. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 256                                  | 2.7 |     |
| 296 | Herbal medicine as a cause of recurrent facial oedema. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 342-4   | 2.7 | 3   |
| 295 | Occupational airborne contact dermatitis caused by sevoflurane. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 241-3  | 2.7 | 4   |
| 294 | Chromium(VI) release from leather and metals can be detected with a diphenylcarbazide spot test. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 281-8   | 2.7 | 41  |
| 293 | The association between metal allergy, total knee arthroplasty, and revision: study based on the Danish Knee Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2015</b> , 86, 378-83 | 4.3 | 54  |
| 292 | Association between cobalt allergy and dermatitis caused by leather articles--a questionnaire study. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 106-14  | 2.7 | 26  |
| 291 | Occupational skin diseases in hairdressing apprentices - has anything changed?. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 40-6   | 2.7 | 24  |
| 290 | Chlorhexidine in cosmetic products - a market survey. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 55-8   | 2.7 | 25  |
| 289 | Patch testing with hair cosmetic series in Europe: a critical review and recommendation. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 69-81   | 2.7 | 29  |
| 288 | European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 195-221  | 2.7 | 725 |
| 287 | Chromium allergy and dermatitis: prevalence and main findings. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 261-80  | 2.7 | 66  |
| 286 | Nickel acts as an adjuvant during cobalt sensitization. <i>Experimental Dermatology</i> , <b>2015</b> , 24, 229-31   | 4   | 24  |
| 285 | Response shift in severity assessment of hand eczema with visual analogue scales. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 178-83   | 2.7 | 3   |
| 284 | Xerosis is associated with asthma in men independent of atopic dermatitis and filaggrin gene mutations. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 1807-15                        | 4.6 | 7   |
| 283 | Characteristics of patients patch tested in the European Surveillance System on Contact Allergies (ESSCA) network, 2009-2012. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 82-90  | 2.7 | 29  |
| 282 | Undisclosed methylisothiazolinone in wet wipes for occupational use causing occupational allergic contact dermatitis in a nurse. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 182-4   | 2.7 | 8   |
| 281 | Jewellery: alloy composition and release of nickel, cobalt and lead assessed with the EU synthetic sweat method. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 231-8   | 2.7 | 29  |

|     |  |     |    |
|-----|--|-----|----|
| 280 | Persistent periorbital allergic contact dermatitis in a dental technician caused by airborne thiuram exposure. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 321-2   | 2.7 | 8  |
| 279 | Failures in risk assessment and risk management for cosmetic preservatives in Europe and the impact on public health. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 133-41   | 2.7 | 37 |
| 278 | Clinical consequences of sesquiterpene lactone mix contact allergy in Denmark. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 1430-1   | 4   | 4  |
| 277 | Skin reaction and regeneration after single sodium lauryl sulfate exposure stratified by filaggrin genotype and atopic dermatitis phenotype. <i>British Journal of Dermatology</i> , <b>2015</b> , 172, 1519-1529    | 4   | 22 |
| 276 | Difficulties in using Material Safety Data Sheets to analyse occupational exposures to contact allergens. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 147-53   | 2.7 | 16 |
| 275 | Glove use among hairdressers: difficulties in the correct use of gloves among hairdressers and the effect of education. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 362-6  | 2.7 | 16 |
| 274 | Sign of the kiss from black henna tattoos. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 370-1   | 2.7 | 2  |
| 273 | Patch test results with fragrance markers of the baseline series - analysis of the European Surveillance System on Contact Allergies (ESSCA) network 2009-2012. <i>Contact Dermatitis</i> , <b>2015</b> , 73, 163-71 | 2.7 | 41 |
| 272 | Methylisothiazolinone and benzisothiazolinone are widely used in paint: a multicentre study of paints from five European countries. <i>Contact Dermatitis</i> , <b>2015</b> , 72, 127-38                             | 2.7 | 65 |
| 271 | Methylisothiazolinone in rinse-off products causes allergic contact dermatitis: a repeated open-application study. <i>British Journal of Dermatology</i> , <b>2015</b> , 173, 115-22                                 | 4   | 34 |
| 270 | Anatomical patterns of dermatitis in adult filaggrin mutation carriers. <i>Journal of the American Academy of Dermatology</i> , <b>2015</b> , 72, 440-8  | 4.5 | 23 |
| 269 | Cohort Profile: the Health2006 cohort, research centre for prevention and health. <i>International Journal of Epidemiology</i> , <b>2014</b> , 43, 568-75  | 7.8 | 76 |
| 268 | Occupational irritant contact dermatitis diagnosed by analysis of contact irritants and allergens in the work environment. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 364-70                                      | 2.7 | 26 |
| 267 | The combined diagnosis of allergic and irritant contact dermatitis in a retrospective cohort of 1000 consecutive patients with occupational contact dermatitis. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 356-63 | 2.7 | 14 |
| 266 | The nickel dose-response relationship by filaggrin genotype (FLG). <i>Contact Dermatitis</i> , <b>2014</b> , 71, 49-53   | 2.7 | 9  |
| 265 | Allergic chromium dermatitis from wearing chromium-free footwear. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 185-7  | 2.7 | 10 |
| 264 | Immune responses to hair dyes containing toluene-2,5-diamine. <i>British Journal of Dermatology</i> , <b>2014</b> , 170, 352-9   | 4   | 10 |
| 263 | Hand eczema prognosis and consequences: a 7-year follow-up study. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 1428-33   | 4   | 33 |

|     |  |      |    |
|-----|--|------|----|
| 262 | Chlorhexidine in cosmetic products a market survey. <i>Clinical and Translational Allergy</i> , <b>2014</b> , 4, P69   | 5.2  | 1  |
| 261 | Multicentre patch testing with methylisothiazolinone by the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 317-20                                   | 2.7  | 6  |
| 260 | Patch testing with a textile dye mix--a multicentre study. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 215-23  | 2.7  | 14 |
| 259 | Systemic immunogenicity of para-Phenylenediamine and Diphenylcyclopropenone: two potent contact allergy-inducing haptens. <i>Immunologic Research</i> , <b>2014</b> , 58, 40-50                                  | 4.3  | 6  |
| 258 | p-Phenylenediamine and Risk of Sensitization in Children. <i>Current Treatment Options in Allergy</i> , <b>2014</b> , 1, 299-309   | 1    | 5  |
| 257 | Emission of isothiazolinones from water-based paints. <i>Environmental Science &amp; Technology</i> , <b>2014</b> , 48, 6989-94  | 10.3 | 60 |
| 256 | An analysis of gender differences in patients with hand eczema - everyday exposures, severity, and consequences. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 21-30   | 2.7  | 23 |
| 255 | Asthma and respiratory symptoms among hairdressers in Denmark: results from a register based questionnaire study. <i>American Journal of Industrial Medicine</i> , <b>2014</b> , 57, 1368-76                     | 2.7  | 16 |
| 254 | Associations of filaggrin gene loss-of-function variants and human papillomavirus-related cancer and pre-cancer in Danish adults. <i>PLoS ONE</i> , <b>2014</b> , 9, e99437                                      | 3.7  | 12 |
| 253 | Filaggrin loss-of-function mutations and incident cancer: a population-based study. <i>British Journal of Dermatology</i> , <b>2014</b> , 171, 1407-14   | 4    | 17 |
| 252 | Failure of total hip implants: metals and metal release in 52 cases. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 319-25  | 2.7  | 22 |
| 251 | Filaggrin is a predominant member of the denaturation-resistant nickel-binding proteome of human epidermis. <i>Journal of Investigative Dermatology</i> , <b>2014</b> , 134, 1164-1166                           | 4.3  | 32 |
| 250 | Metal release and metal allergy after total hip replacement with resurfacing versus conventional hybrid prosthesis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2014</b> , 85, 348-54 | 4.3  | 20 |
| 249 | Associations of filaggrin gene loss-of-function variants with urinary phthalate metabolites and testicular function in young Danish Men. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 345-50    | 8.4  | 21 |
| 248 | Occupational contact dermatitis in hairdressers: an analysis of patch test data from the Danish contact dermatitis group, 2002-2011. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 233-7                         | 2.7  | 47 |
| 247 | Protein contact dermatitis caused by worms and insects used to feed exotic birds. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 64-6   | 2.7  | 4  |
| 246 | Isothiazolinones in commercial products at Danish workplaces. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 65-74  | 2.7  | 51 |
| 245 | Cost-of-illness of patients with contact dermatitis in Denmark. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 154-61   | 2.7  | 17 |

|     |   |     |    |
|-----|---|-----|----|
| 244 | Hidden exposure to formaldehyde in a swab caused allergic contact dermatitis. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 258-60  | 2.7 | 9  |
| 243 | Patch testing with methylchloroisothiazolinone/methylisothiazolinone 200 ppm aq. detects significantly more contact allergy than 100 ppm. A multicentre study within the European Environmental and Contact Dermatitis Research Group. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 31-4 | 2.7 | 17 |
| 242 | Fragrance allergy and quality of life - a case-control study. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 81-9  | 2.7 | 24 |
| 241 | Occupational contact dermatitis in blue-collar workers: results from a multicentre study from the Danish Contact Dermatitis Group (2003-2012). <i>Contact Dermatitis</i> , <b>2014</b> , 71, 348-55   | 2.7 | 29 |
| 240 | An immune response study of oakmoss absolute and its constituents atranol and chloroatranol. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 282-90   | 2.7 | 10 |
| 239 | Effectiveness of the Healthy Skin Clinic--a randomized clinical trial of nurse-led patient counselling in hand eczema. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 202-14   | 2.7 | 25 |
| 238 | Individuals with complete filaggrin deficiency may have an increased risk of squamous cell carcinoma. <i>British Journal of Dermatology</i> , <b>2014</b> , 170, 1380-1   | 4   | 12 |
| 237 | Epicutaneous exposure to nickel induces nickel allergy in mice via a MyD88-dependent and interleukin-1-dependent pathway. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 224-32  | 2.7 | 22 |
| 236 | Allergic contact dermatitis in Danish children referred for patch testing - a nationwide multicentre study. <i>Contact Dermatitis</i> , <b>2014</b> , 70, 104-11  | 2.7 | 50 |
| 235 | Skin pH, atopic dermatitis, and filaggrin mutations. <i>Dermatitis</i> , <b>2014</b> , 25, 127-9  | 2.6 | 9  |
| 234 | Positive patch test reactions to oxidized limonene: exposure and relevance. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 264-72  | 2.7 | 29 |
| 233 | Occupations at risk of developing contact allergy to isothiazolinones in Danish contact dermatitis patients: results from a Danish multicentre study (2009-2012). <i>Contact Dermatitis</i> , <b>2014</b> , 71, 295-302   | 2.7 | 43 |
| 232 | Characteristics of chromium-allergic dermatitis patients prior to regulatory intervention for chromium in leather: a questionnaire study. <i>Contact Dermatitis</i> , <b>2014</b> , 71, 338-47  | 2.7 | 31 |
| 231 | Skin prick test reactivity to aeroallergens by filaggrin mutation status. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2014</b> , 28, 238-41  | 4.6 | 2  |
| 230 | Systematic allergy investigation of patients with red eyes. <i>Acta Ophthalmologica</i> , <b>2014</b> , 92, 0-0   | 3.7 |    |
| 229 | Association between loss-of-function mutations in the filaggrin gene and self-reported food allergy and alcohol sensitivity. <i>International Archives of Allergy and Immunology</i> , <b>2013</b> , 161, 234-42  | 3.7 | 19 |
| 228 | The role of glutathione S-transferase and claudin-1 gene polymorphisms in contact sensitization: a cross-sectional study. <i>British Journal of Dermatology</i> , <b>2013</b> , 168, 762-70   | 4   | 28 |
| 227 | Filaggrin compound heterozygous patients carry mutations in trans position. <i>Experimental Dermatology</i> , <b>2013</b> , 22, 572-5   | 4   | 5  |

|     |  |     |    |
|-----|--|-----|----|
| 226 | An international multicentre study on the allergenic activity of air-oxidized R-limonene. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 214-23   | 2.7 | 49 |
| 225 | Filaggrin mutations are strongly associated with contact sensitization in individuals with dermatitis. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 273-6   | 2.7 | 67 |
| 224 | Contact allergy to common ingredients in hair dyes. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 32-9   | 2.7 | 68 |
| 223 | Occupational allergic contact dermatitis diagnosed by a systematic stepwise exposure assessment of allergens in the work environment. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 153-63   | 2.7 | 25 |
| 222 | The hair dye allergy self-test: considerations for treating physicians. <i>British Journal of Dermatology</i> , <b>2013</b> , 168, 448   | 4   |    |
| 221 | Patch testing with 2.0% (0.60 mg/cm <sup>2</sup> ) formaldehyde instead of 1.0% (0.30 mg/cm <sup>2</sup> ) detects significantly more contact allergy. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 50-3                            | 2.7 | 23 |
| 220 | Fragrance allergy and quality of life - development and validation of a disease-specific quality of life instrument. <i>Contact Dermatitis</i> , <b>2013</b> , 70, 69  | 2.7 | 11 |
| 219 | Xerosis is associated with atopic dermatitis, hand eczema and contact sensitization independent of filaggrin gene mutations. <i>Acta Dermato-Venereologica</i> , <b>2013</b> , 93, 406-10  | 2.2 | 23 |
| 218 | Categorization of fragrance contact allergens for prioritization of preventive measures: clinical and experimental data and consideration of structure-activity relationships. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 196-230 | 2.7 | 61 |
| 217 | Methylisothiazolinone in paint forces a patient out of her apartment. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 252-3  | 2.7 | 27 |
| 216 | Does cobalt spot testing of copper items result in false-positive test reactions?. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 387-8   | 2.7 | 2  |
| 215 | Severe occupational contact dermatitis caused by black rubber as a consequence of p-phenylenediamine allergy resulting from a temporary henna tattoo. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 377-9                            | 2.7 | 7  |
| 214 | Five cases of severe chronic dermatitis caused by isothiazolinones. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 57-9   | 2.7 | 11 |
| 213 | Knowledge, attitudes and behaviour in everyday life with chronic hand eczema: a qualitative study. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 1056-65  | 4   | 21 |
| 212 | Filaggrin gene mutations and risk of basal cell carcinoma. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 1162-4   | 2.7 | 11 |
| 211 | Methylisothiazolinone contact allergy--growing epidemic. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 271-5   | 2.7 | 80 |
| 210 | Nickel may be released from iPhone(®) 5. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 255-6   | 2.7 | 6  |
| 209 | Allergic contact dermatitis caused by sorbitan sesquioleate imitating severe glove dermatitis in a patient with filaggrin mutation. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 313-5  | 2.7 | 7  |

|     |   |     |     |
|-----|---|-----|-----|
| 208 | Carriers of filaggrin gene (FLG) mutations avoid professional exposure to irritants in adulthood. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 355-62  | 2.7 | 27  |
| 207 | One thousand cases of severe occupational contact dermatitis. <i>Contact Dermatitis</i> , <b>2013</b> , 68, 259-68  | 2.7 | 60  |
| 206 | Consumer leather exposure: an unrecognized cause of cobalt sensitization. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 276-9   | 2.7 | 43  |
| 205 | Activation of non-sensitizing or low-sensitizing fragrance substances into potent sensitizers - prehaptenes and prohaptens. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 323-34                                  | 2.7 | 63  |
| 204 | Nickel allergy following European Union regulation in Denmark, Germany, Italy and the U.K. <i>British Journal of Dermatology</i> , <b>2013</b> , 169, 854-8   | 4   | 59  |
| 203 | Airborne sensitization to isothiazolinones observed in a 3-month-old boy. <i>Contact Dermatitis</i> , <b>2013</b> , 69, 55-6  | 2.7 | 15  |
| 202 | Vitamin D status, filaggrin genotype, and cardiovascular risk factors: a Mendelian randomization approach. <i>PLoS ONE</i> , <b>2013</b> , 8, e57647  | 3.7 | 45  |
| 201 | Chemical intolerance among hairdressers in Denmark. <i>PLoS ONE</i> , <b>2013</b> , 8, e71241   | 3.7 | 1   |
| 200 | No association between loss-of-function mutations in filaggrin and diabetes, cardiovascular disease, and all-cause mortality. <i>PLoS ONE</i> , <b>2013</b> , 8, e84293   | 3.7 | 5   |
| 199 | Occupational food-related hand dermatoses seen over a 10-year period. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 264-70  | 2.7 | 45  |
| 198 | Chromium in leather footwear - risk assessment of chromium allergy and dermatitis. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 279-85   | 2.7 | 40  |
| 197 | Allergic nickel dermatitis caused by playing the guitar: case report and assessment of nickel release from guitar strings. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 101-3                                    | 2.7 | 8   |
| 196 | A quantification of occupational skin exposures and the use of protective gloves among hairdressers in Denmark. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 323-34  | 2.7 | 29  |
| 195 | Current patch test results with the European baseline series and extensions to it from the European Surveillance System on Contact Allergy Network, 2007-2008. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 9-19 | 2.7 | 100 |
| 194 | Contact allergy to epoxy resin: risk occupations and consequences. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 73-7   | 2.7 | 35  |
| 193 | Occupational contact dermatitis in painters: an analysis of patch test data from the Danish Contact Dermatitis Group. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 293-7   | 2.7 | 56  |
| 192 | Self-testing for contact sensitization to hair dyes--scientific considerations and clinical concerns of an industry-led screening programme. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 300-11                 | 2.7 | 21  |
| 191 | Consequences of occupational food-related hand dermatoses with a focus on protein contact dermatitis. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 328-33  | 2.7 | 23  |



|     |   |      |     |
|-----|---|------|-----|
| 190 | Prevalence of allergic contact dermatitis caused by hydroxyisohexyl 3-cyclohexene carboxaldehyde has not changed in Denmark. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 49-51  | 2.7  | 10  |
| 189 | Contact sensitization to common haptens is associated with atopic dermatitis: new insight. <i>British Journal of Dermatology</i> , <b>2012</b> , 166, 1255-61   | 4    | 76  |
| 188 | A patient's drawing helped the physician to make the correct diagnosis: occupational contact allergy to isothiazolinone. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 174-6  | 2.7  | 9   |
| 187 | Air-oxidized linalool: a frequent cause of fragrance contact allergy. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 247-59  | 2.7  | 73  |
| 186 | Creams used by hand eczema patients are often contaminated with <i>Staphylococcus aureus</i> . <i>Acta Dermato-Venereologica</i> , <b>2012</b> , 92, 441-2  | 2.2  | 7   |
| 185 | A novel multiplex analysis of filaggrin polymorphisms: a universally applicable method for genotyping. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 1488-92   | 6.2  | 43  |
| 184 | Chronic hand eczema--self-management and prognosis: a study protocol for a randomised clinical trial. <i>BMC Dermatology</i> , <b>2012</b> , 12, 6  | 2.1  | 11  |
| 183 | Facial allergic contact dermatitis caused by fragrance ingredients released by an electric shaver. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 380-1  | 2.7  | 4   |
| 182 | Follow-up of the monitored levels of preservative sensitivity in Europe: overview of the years 2001-2008. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 312-4   | 2.7  | 39  |
| 181 | Nickel may be released from laptop computers. <i>Contact Dermatitis</i> , <b>2012</b> , 67, 384-5   | 2.7  | 21  |
| 180 | Nickel allergy and dermatitis following use of a laptop computer. <i>Journal of the American Academy of Dermatology</i> , <b>2012</b> , 67, e170-1  | 4.5  | 21  |
| 179 | Interaction between filaggrin null mutations and tobacco smoking in relation to asthma. <i>Journal of Allergy and Clinical Immunology</i> , <b>2012</b> , 129, 374-80, 380.e1-2   | 11.5 | 32  |
| 178 | Skin barrier abnormality caused by filaggrin (FLG) mutations is associated with increased serum 25-hydroxyvitamin D concentrations. <i>Journal of Allergy and Clinical Immunology</i> , <b>2012</b> , 130, 1204-1207.e2   | 11.5 | 64  |
| 177 | Individuals who are homozygous for the 2282del4 and R501X filaggrin null mutations do not always develop dermatitis and complete long-term remission is possible. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 386-9 | 4.6  | 13  |
| 176 | The filaggrin null genotypes R501X and 2282del4 seem not to be associated with psoriasis: results from general population study and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2012</b> , 26, 782-4                | 4.6  | 13  |
| 175 | Atopic diseases by filaggrin mutations and birth year. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2012</b> , 67, 705-8  | 9.3  | 19  |
| 174 | Filaggrin loss-of-function mutation R501X and 2282del4 carrier status is associated with fissured skin on the hands: results from a cross-sectional population study. <i>British Journal of Dermatology</i> , <b>2012</b> , 166, 46-53                            | 4    | 39  |
| 173 | Hypersensitivity reactions to metallic implants - diagnostic algorithm and suggested patch test series for clinical use. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 4-19   | 2.7  | 143 |

|     |  |     |    |
|-----|--|-----|----|
| 172 | Do hairdressers in Denmark have their hand eczema reported as an occupational disease? Results from a register-based questionnaire study. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 72-8                                       | 2.7 | 19 |
| 171 | Cobalt release from implants and consumer items and characteristics of cobalt sensitized patients with dermatitis. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 113-22  | 2.7 | 32 |
| 170 | Patch test concentrations (doses in mg/cm <sup>2</sup> ) for the 12 non-mix fragrance substances regulated by European legislation. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 131-6  | 2.7 | 26 |
| 169 | Cobalt spot test used for diagnosis of occupationally-related exposure to cobalt-containing powder. <i>Contact Dermatitis</i> , <b>2012</b> , 66, 228-9  | 2.7 | 9  |
| 168 | Inverse association between rheumatoid arthritis and contact allergy. <i>Acta Dermato-Venereologica</i> , <b>2012</b> , 92, 175-6  | 2.2 | 3  |
| 167 | Prevention of hand eczema among Danish hairdressing apprentices: an intervention study. <i>Occupational and Environmental Medicine</i> , <b>2012</b> , 69, 310-6   | 2.1 | 45 |
| 166 | Allergic Contact Dermatitis in Humans: Experimental and Quantitative Aspects <b>2011</b> , 241-251   |     | 8  |
| 165 | A cobalt spot test was useful in the diagnostic work-up of a cobalt allergic patient suffering from oral hypersensitivity to cobalt. <i>Journal of the American Academy of Dermatology</i> , <b>2011</b> , 65, 659-660             | 4.5 | 8  |
| 164 | Methylisothiazolinone contact allergy: a review. <i>British Journal of Dermatology</i> , <b>2011</b> , 165, 1178-82  | 4   | 92 |
| 163 | Low-level efficacy of cosmetic preservatives. <i>International Journal of Cosmetic Science</i> , <b>2011</b> , 33, 190-6   | 2.7 | 19 |
| 162 | Excessive nickel release from earrings purchased from independent shops and street markets--a field study from Warsaw and London. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2011</b> , 25, 1021-6 | 4.6 | 27 |
| 161 | Nickel reactivity and filaggrin null mutations--evaluation of the filaggrin bypass theory in a general population. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 24-31   | 2.7 | 53 |
| 160 | Occupational hand eczema caused by nickel and evaluated by quantitative exposure assessment. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 32-6  | 2.7 | 49 |
| 159 | Healthy worker effect in hairdressing apprentices. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 80-4  | 2.7 | 30 |
| 158 | Exposures and reactions to allergens among hairdressing apprentices and matched controls. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 85-9   | 2.7 | 15 |
| 157 | Quantitative assessment of diethylthiourea exposure in two cases of occupational allergic contact dermatitis. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 116-8  | 2.7 | 11 |
| 156 | The increase in p-phenylenediamine allergy in Denmark is not explained by an increase in contact allergy to para group chemicals. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 176-9  | 2.7 | 3  |
| 155 | No association between metal allergy and cardiac in-stent restenosis in patients with dermatitis-results from a linkage study. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 138-41  | 2.7 | 23 |

|     |  |     |     |
|-----|--|-----|-----|
| 154 | Can exposure limitations for well-known contact allergens be simplified? An analysis of dose-response patch test data. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 337-42                      | 2.7 | 27  |
| 153 | Metal allergen of the 21st century--a review on exposure, epidemiology and clinical manifestations of palladium allergy. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 185-95                    | 2.7 | 98  |
| 152 | Occupational contact urticaria caused by didecyl dimethyl ammonium chloride. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 297-8   | 2.7 | 20  |
| 151 | Deodorants are the leading cause of allergic contact dermatitis to fragrance ingredients. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 258-64   | 2.7 | 38  |
| 150 | Prevalence of and factors influencing sensitization to corticosteroids in a Danish patch test population. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 325-9                                    | 2.7 | 23  |
| 149 | Methylisothiazolinone contact allergy and dose-response relationships. <i>Contact Dermatitis</i> , <b>2011</b> , 64, 330-6   | 2.7 | 34  |
| 148 | Validation of self-reporting of hand eczema among Danish hairdressing apprentices. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 146-50  | 2.7 | 30  |
| 147 | Clinical work-up of a highly reactive nickel-allergic patient. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 51-3  | 2.7 | 3   |
| 146 | Classification of hand eczema: clinical and aetiological types. Based on the guideline of the Danish Contact Dermatitis Group. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 13-21               | 2.7 | 73  |
| 145 | Hand eczema guidelines based on the Danish guidelines for the diagnosis and treatment of hand eczema. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 3-12   | 2.7 | 121 |
| 144 | Palladium allergy prevalence might be underestimated because of an inadequate test allergen. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 63-63   | 2.7 |     |
| 143 | Contact allergy and human biomonitoring--an overview with a focus on metals. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 125-37  | 2.7 | 6   |
| 142 | Hand eczema in hairdressers: a Danish register-based study of the prevalence of hand eczema and its career consequences. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 151-8                     | 2.7 | 70  |
| 141 | Enhanced sensitization and elicitation responses caused by mixtures of common fragrance allergens. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 336-42  | 2.7 | 62  |
| 140 | Provocation test with metallic palladium in a palladium-allergic patient. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 304-6  | 2.7 | 11  |
| 139 | Contact allergy to the 26 specific fragrance ingredients to be declared on cosmetic products in accordance with the EU cosmetics directive. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 266-75 | 2.7 | 93  |
| 138 | Contact allergy and allergic contact dermatitis in children - a review of current data. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 254-65   | 2.7 | 84  |
| 137 | Excessive nickel release from mobile phones--a persistent cause of nickel allergy and dermatitis. <i>Contact Dermatitis</i> , <b>2011</b> , 65, 354-8  | 2.7 | 30  |

|     |   |      |     |
|-----|---|------|-----|
| 136 | Assessment of nickel and cobalt release from 200 unused hand-held work tools for sale in Denmark - Sources of occupational metal contact dermatitis?. <i>Science of the Total Environment</i> , <b>2011</b> , 409, 4663-6 | 10.2 | 32  |
| 135 | Prevention of type 1 diabetes by inducing subclinical dermatitis on a small area. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2011</b> , 27, 954-8   | 7.5  | 3   |
| 134 | Percutaneous penetration characteristics and release kinetics of contact allergens encapsulated in ethosomes. <i>Cutaneous and Ocular Toxicology</i> , <b>2011</b> , 30, 38-44  | 1.8  | 10  |
| 133 | Encapsulating contact allergens in liposomes, ethosomes, and polycaprolactone may affect their sensitizing properties. <i>Cutaneous and Ocular Toxicology</i> , <b>2011</b> , 30, 116-23                                  | 1.8  | 5   |
| 132 | A possible association between a dysfunctional skin barrier (filaggrin null-mutation status) and diabetes: a cross-sectional study. <i>BMJ Open</i> , <b>2011</b> , 1, e000062  | 3    | 28  |
| 131 | Association between cancer and contact allergy: a linkage study. <i>BMJ Open</i> , <b>2011</b> , 1, e000084   | 3    | 22  |
| 130 | Quality of life in a population of patients with hand eczema: a six-month follow-up study. <i>Acta Dermato-Venereologica</i> , <b>2011</b> , 91, 484-6  | 2.2  | 12  |
| 129 | Fragrances <b>2011</b> , 607-627  |      | 8   |
| 128 | Hair Dyes <b>2011</b> , 629-641   |      | 6   |
| 127 | Active sensitization and contact allergy to methyl 2-octynoate. <i>Contact Dermatitis</i> , <b>2010</b> , 62, 97-101  | 2.7  | 8   |
| 126 | Temporal trends of preservative allergy in Denmark (1985-2008). <i>Contact Dermatitis</i> , <b>2010</b> , 62, 102-8   | 2.7  | 59  |
| 125 | The epidemiology of hand eczema in the general population--prevalence and main findings. <i>Contact Dermatitis</i> , <b>2010</b> , 62, 75-87  | 2.7  | 306 |
| 124 | Filaggrin haploinsufficiency among patients with dermatitis from a tertiary referral centre: early findings and possible phenotype. <i>Contact Dermatitis</i> , <b>2010</b> , 62, 182-3                                   | 2.7  | 12  |
| 123 | Sensitivity and specificity of the nickel spot (dimethylglyoxime) test. <i>Contact Dermatitis</i> , <b>2010</b> , 62, 279-88.7  |      | 104 |
| 122 | Fragrance mix II in the baseline series contributes significantly to detection of fragrance allergy. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 270-6  | 2.7  | 37  |
| 121 | Formaldehyde exposure and patterns of concomitant contact allergy to formaldehyde and formaldehyde-releasers. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 31-6  | 2.7  | 28  |
| 120 | Filaggrin null mutations and association with contact allergy and allergic contact dermatitis: results from a tertiary dermatology clinic. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 89-95                            | 2.7  | 33  |
| 119 | A spot test for detection of cobalt release - early experience and findings. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 63-9   | 2.7  | 90  |

|     |   |      |     |
|-----|---|------|-----|
| 118 | Patch test reactivity to metal allergens following regulatory interventions: a 33-year retrospective study. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 102-6   | 2.7  | 29  |
| 117 | Cobalt release from inexpensive jewellery: has the use of cobalt replaced nickel following regulatory intervention?. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 70-6   | 2.7  | 49  |
| 116 | Identification of metallic items that caused nickel dermatitis in Danish patients. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 151-6  | 2.7  | 39  |
| 115 | Prevalence and cause of methylisothiazolinone contact allergy. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 164-7  | 2.7  | 81  |
| 114 | Ethosome formulation of contact allergens may enhance patch test reactions in patients. <i>Contact Dermatitis</i> , <b>2010</b> , 63, 209-14  | 2.7  | 7   |
| 113 | The effect of tobacco smoking and alcohol consumption on the prevalence of self-reported hand eczema: a cross-sectional population-based study. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 619-26                               | 4    | 40  |
| 112 | Consumer available permanent hair dye products cause major allergic immune activation in an animal model. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 102-7  | 4    | 24  |
| 111 | The association between null mutations in the filaggrin gene and contact sensitization to nickel and other chemicals in the general population. <i>British Journal of Dermatology</i> , <b>2010</b> , 162, 1278-85                              | 4    | 102 |
| 110 | Filaggrin null mutations increase the risk and persistence of hand eczema in subjects with atopic dermatitis: results from a general population study. <i>British Journal of Dermatology</i> , <b>2010</b> , 163, 115-20                        | 4    | 75  |
| 109 | Repeated exposure to hair dye induces regulatory T cells in mice. <i>British Journal of Dermatology</i> , <b>2010</b> , 163, 992-8  | 4    | 20  |
| 108 | Personal use of hair dyes and temporary black tattoos in Copenhagen hairdressers. <i>Annals of Occupational Hygiene</i> , <b>2010</b> , 54, 453-8   |      | 15  |
| 107 | Ethosome formulations of known contact allergens can increase their sensitizing capacity. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 374-8   | 2.2  | 12  |
| 106 | Filaggrin null-mutations may be associated with a distinct subtype of atopic hand eczema. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 528   | 2.2  | 15  |
| 105 | Effect of tobacco smoking and alcohol consumption on the prevalence of nickel sensitization and contact sensitization. <i>Acta Dermato-Venereologica</i> , <b>2010</b> , 90, 27-33  | 2.2  | 33  |
| 104 | No association between nickel allergy and reporting cosmetic dermatitis from mascara or eye shadow: a cross-sectional general population study. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2010</b> , 24, 722-5 | 4.6  | 20  |
| 103 | Prevention of diabetes in NOD mice by repeated exposures to a contact allergen inducing a sub-clinical dermatitis. <i>PLoS ONE</i> , <b>2010</b> , 5, e10591  | 3.7  | 11  |
| 102 | Impact of self-reported multiple chemical sensitivity on everyday life: a qualitative study. <i>Scandinavian Journal of Public Health</i> , <b>2009</b> , 37, 621-6   | 3    | 29  |
| 101 | Nickel allergy in Danish women before and after nickel regulation. <i>New England Journal of Medicine</i> , <b>2009</b> , 360, 2259-60  | 59.2 | 78  |

|     |   |      |     |
|-----|---|------|-----|
| 100 | Characteristics of nickel-allergic dermatitis patients seen in private dermatology clinics in Denmark: a questionnaire study. <i>Acta Dermato-Venereologica</i> , <b>2009</b> , 89, 384-8   | 2.2  | 27  |
| 99  | Nickel release from inexpensive jewelry and hair clasps purchased in an EU country - Are consumers sufficiently protected from nickel exposure?. <i>Science of the Total Environment</i> , <b>2009</b> , 407, 5315-8                        | 10.2 | 56  |
| 98  | Acceptable risk of contact allergy in the general population assessed by CE-DUR--a method to detect and categorize contact allergy epidemics based on patient data. <i>Regulatory Toxicology and Pharmacology</i> , <b>2009</b> , 54, 183-7 | 3.4  | 25  |
| 97  | Patch test dose-response study: polysensitized individuals do not express lower elicitation thresholds than single/double-sensitized individuals. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 103-6                          | 4    | 3   |
| 96  | Contact sensitization to fragrances in the general population: a Koch <sup>®</sup> approach may reveal the burden of disease. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 729-35   | 4    | 32  |
| 95  | Clinical severity and prognosis of hand eczema. <i>British Journal of Dermatology</i> , <b>2009</b> , 160, 1229-36  | 4    | 54  |
| 94  | The prevalence and morbidity of sensitization to fragrance mix I in the general population. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 95-101   | 4    | 78  |
| 93  | Hydroxyisohexyl 3-cyclohexene carboxaldehyde allergy: relationship between patch test and repeated open application test thresholds. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 560-7                                       | 4    | 21  |
| 92  | Sites of dermatitis in a patch test population: hand dermatitis is associated with polysensitization. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 808-13   | 4    | 23  |
| 91  | Inverse relationship between contact allergy and psoriasis: results from a patient- and a population-based study. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 1119-23  | 4    | 30  |
| 90  | Contact allergy to allergens of the TRUE-test (panels 1 and 2) has decreased modestly in the general population. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 1124-9  | 4    | 94  |
| 89  | Delay in medical attention to hand eczema: a follow-up study. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 1294-300   | 4    | 37  |
| 88  | The prevalence of chromium allergy in Denmark is currently increasing as a result of leather exposure. <i>British Journal of Dermatology</i> , <b>2009</b> , 161, 1288-93   | 4    | 65  |
| 87  | Patch Testing - by Anton C. De Groot. <i>Contact Dermatitis</i> , <b>2009</b> , 60, 120-120   | 2.7  |     |
| 86  | Association between positive patch tests to epoxy resin and fragrance mix I ingredients. <i>Contact Dermatitis</i> , <b>2009</b> , 60, 155-7  | 2.7  | 19  |
| 85  | Contamination versus preservation of cosmetics: a review on legislation, usage, infections, and contact allergy. <i>Contact Dermatitis</i> , <b>2009</b> , 60, 70-8   | 2.7  | 124 |
| 84  | p-Phenylenediamine sensitization is more prevalent in central and southern European patch test centres than in Scandinavian: results from a multicentre study. <i>Contact Dermatitis</i> , <b>2009</b> , 60, 314-9                          | 2.7  | 65  |
| 83  | Mobile phones are now covered by the European Union Nickel Directive. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 56-7  | 2.7  | 26  |

|    |   |     |     |
|----|---|-----|-----|
| 82 | Nickel allergy in patch-tested female hairdressers and assessment of nickel release from hairdressers scissors and crochet hooks. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 281-6   | 2.7 | 34  |
| 81 | The association between hand eczema and nickel allergy has weakened among young women in the general population following the Danish nickel regulation: results from two cross-sectional studies. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 342-8 | 2.7 | 42  |
| 80 | Fragrance contact allergic patients: strategies for use of cosmetic products and perceived impact on life situation. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 320-4  | 2.7 | 31  |
| 79 | Prevalence of nickel and cobalt allergy among female patients with dermatitis before and after Danish government regulation: a 23-year retrospective study. <i>Journal of the American Academy of Dermatology</i> , <b>2009</b> , 61, 799-805         | 4.5 | 74  |
| 78 | The association between metal allergy, total hip arthroplasty, and revision. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2009</b> , 80, 646-52   | 4.3 | 109 |
| 77 | The dose-response relationship between the patch test and ROAT and the potential use for regulatory purposes. <i>Contact Dermatitis</i> , <b>2009</b> , 61, 201-8   | 2.7 | 41  |
| 76 | Medical consultations in relation to severity of hand eczema in the general population. <i>British Journal of Dermatology</i> , <b>2008</b> , 158, 773-7  | 4   | 46  |
| 75 | Methyldibromoglutaronitrile allergy: relationship between patch test and repeated open application test thresholds. <i>British Journal of Dermatology</i> , <b>2008</b> , 159, 1138-43  | 4   | 16  |
| 74 | Significant exposures to isoeugenol derivatives in perfumes. <i>Contact Dermatitis</i> , <b>2008</b> , 58, 278-81   | 2.7 | 17  |
| 73 | The outcome of dimethylglyoxime testing in a sample of cell phones in Denmark. <i>Contact Dermatitis</i> , <b>2008</b> , 59, 38-42  | 2.7 | 54  |
| 72 | Decreasing trends in methyldibromo glutaronitrile contact allergy—following regulatory intervention. <i>Contact Dermatitis</i> , <b>2008</b> , 59, 48-51  | 2.7 | 64  |
| 71 | Associations between baseline allergens and polysensitization. <i>Contact Dermatitis</i> , <b>2008</b> , 59, 96-102   | 2.7 | 19  |
| 70 | Trends of contact allergy to fragrance mix I and Myroxylon pereirae among Danish eczema patients tested between 1985 and 2007. <i>Contact Dermatitis</i> , <b>2008</b> , 59, 238-44   | 2.7 | 50  |
| 69 | Results from additional nickel patch test readings in a sample of schoolgirls from the general population. <i>Contact Dermatitis</i> , <b>2008</b> , 59, 317-8  | 2.7 | 14  |
| 68 | FS06.3Chloroatranol clinical studies and exposure analysis. <i>Contact Dermatitis</i> , <b>2008</b> , 50, 147-147   | 2.7 |     |
| 67 | Dose response aspects of contact allergy. <i>Contact Dermatitis</i> , <b>2008</b> , 50, 154-154   | 2.7 |     |
| 66 | PCS.06Establishment of safe exposure limits for the elicitation of allergy to fragrances. <i>Contact Dermatitis</i> , <b>2008</b> , 50, 124-124   | 2.7 |     |
| 65 | Severity of hand eczema assessed by patients and dermatologist using a photographic guide. <i>British Journal of Dermatology</i> , <b>2007</b> , 156, 77-80   | 4   | 39  |

|    |  |     |     |
|----|--|-----|-----|
| 64 | Nickel allergy: relationship between patch test and repeated open application test thresholds. <i>British Journal of Dermatology</i> , <b>2007</b> , 157, 723-9        | 4   | 58  |
| 63 | Contact allergy epidemics and their controls. <i>Contact Dermatitis</i> , <b>2007</b> , 56, 185-95   | 2.7 | 105 |
| 62 | Experimental elicitation with hydroxyisohexyl-3-cyclohexene carboxaldehyde-containing deodorants. <i>Contact Dermatitis</i> , <b>2007</b> , 56, 146-50                 | 2.7 | 23  |
| 61 | Selected important fragrance sensitizers in perfumes--current exposures. <i>Contact Dermatitis</i> , <b>2007</b> , 56, 201-4   | 2.7 | 41  |
| 60 | Dose per unit area - a study of elicitation of nickel allergy. <i>Contact Dermatitis</i> , <b>2007</b> , 56, 255-61  | 2.7 | 33  |
| 59 | Primin in the European standard patch test series for 20 years. <i>Contact Dermatitis</i> , <b>2007</b> , 56, 344-6  | 2.7 | 30  |
| 58 | 20 Years of standard patch testing in an eczema population with focus on patients with multiple contact allergies. <i>Contact Dermatitis</i> , <b>2007</b> , 57, 76-83 | 2.7 | 65  |
| 57 | Difficulties in avoiding exposure to allergens in cosmetics. <i>Contact Dermatitis</i> , <b>2007</b> , 57, 105-9   | 2.7 | 45  |
| 56 | 10-year prevalence of contact allergy in the general population in Denmark estimated through the CE-DUR method. <i>Contact Dermatitis</i> , <b>2007</b> , 57, 265-72   | 2.7 | 44  |
| 55 | The epidemiology of contact allergy in the general population--prevalence and main findings. <i>Contact Dermatitis</i> , <b>2007</b> , 57, 287-99                      | 2.7 | 476 |
| 54 | Inflammatory bowel disease in relation to contact allergy: a patient-based study. <i>Scandinavian Journal of Gastroenterology</i> , <b>2007</b> , 42, 572-6            | 2.4 | 18  |
| 53 | Prognosis of occupational hand eczema: a follow-up study. <i>Archives of Dermatology</i> , <b>2006</b> , 142, 305-11   |     | 97  |
| 52 | Reduction in the frequency of sensitization to thiurams. A result of legislation?. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 170-1                                 | 2.7 | 33  |
| 51 | Severe allergic hair dye reactions in 8 children. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 87-91  | 2.7 | 75  |
| 50 | Systemic contact dermatitis after oral exposure to nickel: a review with a modified meta-analysis. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 79-86                 | 2.7 | 93  |
| 49 | Quality of life and depression in a population of occupational hand eczema patients. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 106-11                              | 2.7 | 131 |
| 48 | Cr(III) reactivity and foot dermatitis in Cr(VI) positive patients. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 140-4  | 2.7 | 36  |
| 47 | Patch test dose-response study of p-phenylenediamine: thresholds and anatomical regional differences. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 145-9              | 2.7 | 23  |



|    |  |     |     |
|----|--|-----|-----|
| 46 | Cr(III) and Cr(VI) in leather and elicitation of eczema. <i>Contact Dermatitis</i> , <b>2006</b> , 54, 278-82  | 2.7 | 56  |
| 45 | Unconsumed precursors and couplers after formation of oxidative hair dyes. <i>Contact Dermatitis</i> , <b>2006</b> , 55, 95-100  | 2.7 | 25  |
| 44 | Not only oxidized R-(+)- but also S-(-)-limonene is a common cause of contact allergy in dermatitis patients in Europe. <i>Contact Dermatitis</i> , <b>2006</b> , 55, 274-9  | 2.7 | 65  |
| 43 | Allergic Contact Dermatitis in Humans [Experimental and Quantitative Aspects <b>2006</b> , 189-198   |     | 7   |
| 42 | Increased retest reactivity by both patch and use test with methyldibromoglutaronitrile in sensitized individuals. <i>Acta Dermato-Venereologica</i> , <b>2006</b> , 86, 8-12                                      | 2.2 | 1   |
| 41 | The hand eczema severity index (HECSI): a scoring system for clinical assessment of hand eczema. A study of inter- and intraobserver reliability. <i>British Journal of Dermatology</i> , <b>2005</b> , 152, 302-7 | 4   | 167 |
| 40 | Relation between diagnoses on severity, sick leave and loss of job among patients with occupational hand eczema. <i>British Journal of Dermatology</i> , <b>2005</b> , 152, 93-8                                   | 4   | 151 |
| 39 | Contact dermatitis to hair dyes in a Danish adult population: an interview-based study. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 132-5   | 4   | 89  |
| 38 | Relation between patients and physicians severity assessment of occupational hand eczema. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 596-600   | 4   | 28  |
| 37 | Less skin irritation from alcohol-based disinfectant than from detergent used for hand disinfection. <i>British Journal of Dermatology</i> , <b>2005</b> , 153, 1142-6   | 4   | 72  |
| 36 | Experimental nickel elicitation thresholds--a review focusing on occluded nickel exposure. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 57-64   | 2.7 | 60  |
| 35 | Contact allergy to methyldibromo glutaronitrile--data from a front line network. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 138-41  | 2.7 | 24  |
| 34 | Patch testing with a new fragrance mix - reactivity to the individual constituents and chemical detection in relevant cosmetic products. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 216-25                      | 2.7 | 89  |
| 33 | Patch testing with a new fragrance mix detects additional patients sensitive to perfumes and missed by the current fragrance mix. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 207-15                             | 2.7 | 141 |
| 32 | Selected oxidized fragrance terpenes are common contact allergens. <i>Contact Dermatitis</i> , <b>2005</b> , 52, 320-82.7  |     | 159 |
| 31 | Methyldibromoglutaronitrile in rinse-off products causes allergic contact dermatitis: an experimental study. <i>British Journal of Dermatology</i> , <b>2004</b> , 150, 90-5                                       | 4   | 53  |
| 30 | Methyldibromoglutaronitrile in leave-on products elicits contact allergy at low concentration. <i>British Journal of Dermatology</i> , <b>2004</b> , 151, 817-22   | 4   | 17  |
| 29 | A link between skin and airways regarding sensitivity to fragrance products?. <i>British Journal of Dermatology</i> , <b>2004</b> , 151, 1197-203  | 4   | 40  |

|    |  |     |     |
|----|--|-----|-----|
| 28 | Influence of a detergent on skin response to methyldibromo glutaronitrile in sensitized individuals. <i>Contact Dermatitis</i> , <b>2004</b> , 50, 1-5   | 2.7 | 25  |
| 27 | Augmentation of skin response by exposure to a combination of allergens and irritants - a review. <i>Contact Dermatitis</i> , <b>2004</b> , 50, 265-73   | 2.7 | 60  |
| 26 | Hair dye contact allergy: quantitative exposure assessment of selected products and clinical cases. <i>Contact Dermatitis</i> , <b>2004</b> , 50, 344-8  | 2.7 | 49  |
| 25 | Content of oak moss allergens atranol and chloroatranol in perfumes and similar products. <i>Contact Dermatitis</i> , <b>2004</b> , 50, 367-70   | 2.7 | 36  |
| 24 | A survey of occupational hand eczema in Denmark. <i>Contact Dermatitis</i> , <b>2004</b> , 51, 159-66  | 2.7 | 175 |
| 23 | Determination of methyldibromoglutaronitrile in cosmetic products by high-performance liquid chromatography with electrochemical detection. Method validation. <i>Journal of Chromatography A</i> , <b>2004</b> , 1031, 315-7                    | 4.5 | 17  |
| 22 | Effect of a moisturizer on skin susceptibility to NiCl <sub>2</sub> . <i>Acta Dermato-Venereologica</i> , <b>2003</b> , 83, 93-7   | 2.2 | 49  |
| 21 | Contact allergy to oak moss: search for sensitizing molecules using combined bioassay-guided chemical fractionation, GC-MS, and structure-activity relationship analysis. <i>Archives of Dermatological Research</i> , <b>2003</b> , 295, 229-35 | 3.3 | 58  |
| 20 | The composition of fine fragrances is changing. <i>Contact Dermatitis</i> , <b>2003</b> , 48, 130-2  | 2.7 | 59  |
| 19 | Methyldibromo glutaronitrile: clinical experience and exposure-based risk assessment. <i>Contact Dermatitis</i> , <b>2003</b> , 48, 150-4  | 2.7 | 37  |
| 18 | Fragrance allergy in patients with hand eczema - a clinical study. <i>Contact Dermatitis</i> , <b>2003</b> , 48, 317-23  | 2.7 | 59  |
| 17 | Chloroatranol, an extremely potent allergen hidden in perfumes: a dose-response elicitation study. <i>Contact Dermatitis</i> , <b>2003</b> , 49, 180-4   | 2.7 | 60  |
| 16 | Deodorants: an experimental provocation study with cinnamic aldehyde. <i>Journal of the American Academy of Dermatology</i> , <b>2003</b> , 48, 194-200  | 4.5 | 41  |
| 15 | Fragrance contact allergy: a clinical review. <i>American Journal of Clinical Dermatology</i> , <b>2003</b> , 4, 789-98  | 7.1 | 89  |
| 14 | Oak moss extracts in the diagnosis of fragrance contact allergy. <i>Contact Dermatitis</i> , <b>2002</b> , 46, 157-61  | 2.7 | 25  |
| 13 | Combined effects of irritants and allergens. Synergistic effects of nickel and sodium lauryl sulfate in nickel-sensitized individuals. <i>Contact Dermatitis</i> , <b>2002</b> , 47, 21-6  | 2.7 | 72  |
| 12 | Quantitative aspects of contact allergy to chromium and exposure to chrome-tanned leather. <i>Contact Dermatitis</i> , <b>2002</b> , 47, 127-34  | 2.7 | 59  |
| 11 | Contact allergy to fragrances: clinical and experimental investigations of the fragrance mix and its ingredients. <i>Contact Dermatitis</i> , <b>2002</b> , 46 Suppl 3, 4-31   | 2.7 | 5   |

|    |  |     |    |
|----|--|-----|----|
| 10 | The time-dose-response relationship for elicitation of contact dermatitis in isoeugenol allergic individuals. <i>Toxicology and Applied Pharmacology</i> , <b>2001</b> , 170, 166-71   | 4.6 | 85 |
| 9  | Rash related to use of scented products. A questionnaire study in the Danish population. Is the problem increasing?. <i>Contact Dermatitis</i> , <b>2000</b> , 42, 222-6   | 2.7 | 14 |
| 8  | Lyral is an important sensitizer in patients sensitive to fragrances. <i>British Journal of Dermatology</i> , <b>1999</b> , 141, 1076-83   | 4   | 97 |
| 7  | Contact allergy to cosmetics: testing with patientsOwn products. <i>Contact Dermatitis</i> , <b>1999</b> , 40, 310-5   | 2.7 | 53 |
| 6  | Identification of risk products for fragrance contact allergy: A case-referent study based on patientsHistories. <i>American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society</i> , <b>1998</b> , 9, 80-86 |     | 23 |
| 5  | Contact allergy to popular perfumes; assessed by patch test, use test and chemical analysis. <i>British Journal of Dermatology</i> , <b>1996</b> , 135, 419-422  | 4   | 27 |
| 4  | Natural ingredients based cosmetics. Content of selected fragrance sensitizers. <i>Contact Dermatitis</i> , <b>1996</b> , 34, 423-6  | 2.7 | 83 |
| 3  | Contact allergy to popular perfumes; assessed by patch test, use test and chemical analysis. <i>British Journal of Dermatology</i> , <b>1996</b> , 135, 419-422  | 4   | 44 |
| 2  | Erythema-index of clinical patch test reactions. <i>Skin Research and Technology</i> , <b>1995</b> , 1, 26-9   | 1.9 | 6  |
| 1  | The fragrance mix and its constituents: a 14-year material. <i>Contact Dermatitis</i> , <b>1995</b> , 32, 18-23  | 2.7 | 93 |