## Lei Tao

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4092430/publications.pdf

Version: 2024-02-01

567281 610901 64 815 15 24 citations h-index g-index papers 68 68 68 985 citing authors all docs docs citations times ranked

#	Article	IF	Citations
1	Elemene displays anti-cancer ability on laryngeal cancer cells in vitro and in vivo. Cancer Chemotherapy and Pharmacology, 2006, 58, 24-34.	2.3	74
2	The prognostic value of preoperative neutrophils, platelets, lymphocytes, monocytes and calculated ratios in patients with laryngeal squamous cell cancer. Oncotarget, 2017, 8, 60514-60527.	1.8	56
3	Alterations of microbiota structure in the larynx relevant to laryngeal carcinoma. Scientific Reports, 2017, 7, 5507.	3.3	39
4	Hypoxia promotes stem-like properties of laryngeal cancer cell lines by increasing the CD133+ stem cell fraction. International Journal of Oncology, 2014, 44, 1652-1660.	3.3	33
5	Correlation Between the NLRP3 Inflammasome and the Prognosis of Patients With LSCC. Frontiers in Oncology, 2019, 9, 588.	2.8	33
6	Helicobacter pylori infection of the larynx may be an emerging risk factor for laryngeal squamous cell carcinoma. Clinical and Translational Oncology, 2012, 14, 905-910.	2.4	32
7	Neutrophil infiltration mediated by CXCL5 accumulation in the laryngeal squamous cell carcinoma microenvironment: A mechanism by which tumour cells escape immune surveillance. Clinical Immunology, 2017, 175, 34-40.	3.2	32
8	Nomogram for Predicting Central Lymph Node Metastasis in Papillary Thyroid Cancer: A Retrospective Cohort Study of Two Clinical Centers. Cancer Research and Treatment, 2020, 52, 1010-1018.	3.0	30
9	Risk stratification for lateral involvement in papillary thyroid carcinoma patients with central lymph node metastasis. Endocrine, 2020, 68, 320-328.	2.3	26
10	BCL11A Promotes the Progression of Laryngeal Squamous Cell Carcinoma. Frontiers in Oncology, 2020, 10, 375.	2.8	23
11	Surgical management of primary parapharyngeal space tumors: a 10-year review. Acta Oto-Laryngologica, 2017, 137, 656-661.	0.9	22
12	Composition and abundance of microbiota in the pharynx in patients with laryngeal carcinoma and vocal cord polyps. Journal of Microbiology, 2017, 55, 648-654.	2.8	21
13	Significance of examined lymph nodes number and metastatic lymph nodes ratio in overall survival and adjuvant treatment decision in resected laryngeal carcinoma. Cancer Medicine, 2020, 9, 3006-3014.	2.8	18
14	Reappraisal of metastatic lymph node topography in head and neck squamous cell carcinomas. Otolaryngology - Head and Neck Surgery, 2006, 135, 445-450.	1.9	17
15	Association of interleukin-10 promoter polymorphisms and corresponding plasma levels with susceptibility to laryngeal squamous cell carcinoma. Oncology Letters, 2014, 7, 1721-1727.	1.8	17
16	Prognostic Impact of Tumorâ€Infiltrating Lymphocytes in Laryngeal Squamous Cell Carcinoma Patients. Laryngoscope, 2021, 131, E1249-E1255.	2.0	17
17	Association between <i>Helicobacter pylori </i> Infection and Laryngeal Squamous Cell Carcinoma in a Chinese Male Population. Orl, 2011, 73, 295-300.	1.1	15
18	Association between helicobacter pylori infection and carcinoma of the larynx or pharynx. Head and Neck, 2016, 38, E2291-6.	2.0	14

#	Article	IF	CITATIONS
19	A prognostic nomogram for predicting risk of recurrence in laryngeal squamous cell carcinoma patients after tumor resection to assist decision making for postoperative adjuvant treatment. Journal of Surgical Oncology, 2019, 120, 698-706.	1.7	14
20	Throat Microbial Community Structure and Functional Changes in Postsurgery Laryngeal Carcinoma Patients. Applied and Environmental Microbiology, 2020, 86, .	3.1	14
21	Pretreatment Level of Red Cell Distribution Width as a Prognostic Indicator for Survival in a Large Cohort Study of Male Laryngeal Squamous Carcinoma. Frontiers in Oncology, 2019, 9, 271.	2.8	13
22	Genetic polymorphisms and plasma levels of BCL11A contribute to the development of laryngeal squamous cell carcinoma. PLoS ONE, 2017, 12, e0171116.	2.5	13
23	Significance of MDM2-309 Polymorphisms and Induced Corresponding Plasma MDM2 Levels in Susceptibility to Laryngeal Squamous Cell Carcinoma. DNA and Cell Biology, 2014, 33, 88-94.	1.9	12
24	Oncologic outcomes of surgical treatment for T3 glottic laryngeal squamous cell carcinoma. Head and Neck, 2018, 40, 1734-1742.	2.0	12
25	Retrospective analysis of 659 laryngeal squamous cell carcinoma patients treated with open laryngeal function-preserving operations. Acta Oto-Laryngologica, 2018, 138, 1043-1050.	0.9	11
26	A prognostic nomogram for predicting the long-term survival outcome of hypopharyngeal squamous cell carcinoma patients after tumour resection to assist the decision-making of postoperative adjuvant treatment. European Journal of Surgical Oncology, 2020, 46, 245-251.	1.0	11
27	Survival prediction and treatment strategies for patients with advanced laryngeal carcinoma: a population-based study. International Journal of Clinical Oncology, 2020, 25, 1483-1491.	2.2	11
28	A nomogram for predicting occult lymph node metastasis in early hypopharyngeal cancer with cNO. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3515-3522.	1.6	10
29	A positive feed-forward loop between Fusobacterium nucleatum and ethanol metabolism reprogramming drives laryngeal cancer progression and metastasis. IScience, 2022, 25, 103829.	4.1	10
30	Tumor-Infiltrating PD-L1+ Neutrophils Induced by GM-CSF Suppress T Cell Function in Laryngeal Squamous Cell Carcinoma and Predict Unfavorable Prognosis. Journal of Inflammation Research, 2022, Volume 15, 1079-1097.	3.5	10
31	Association of the microsatellite (GT) < sub > n < /sub > repeat polymorphisms of the HO-1 gene promoter and corresponding serum levels with the risk of laryngeal squamous cell carcinoma. Acta Oto-Laryngologica, 2016, 136, 806-811.	0.9	9
32	Association of the recurrence and canceration rate of vocal leukoplakia with interleukin-10 promoter variants over a 2-year period. Acta Oto-Laryngologica, 2016, 136, 1147-1153.	0.9	9
33	Clinical behaviours and prognoses of high- and low-risk parotid malignancies based on histology. European Archives of Oto-Rhino-Laryngology, 2019, 276, 497-503.	1.6	9
34	Risk stratification of postoperative recurrence in hypopharyngeal squamous-cell carcinoma patients with nodal metastasis. Journal of Cancer Research and Clinical Oncology, 2021, 147, 803-811.	2.5	9
35	Role of T helper 17 cytokines in the tumour immune inflammation response of patients with laryngeal squamous cell carcinoma. Oncology Letters, 2017, 14, 561-568.	1.8	8
36	The presence of risk factors and corresponding treatment strategies post-surgical resection in stage IV hypopharyngeal squamous cell carcinoma patients: a retrospective cohort study. Annals of Translational Medicine, 2020, 8, 189-189.	1.7	8

#	Article	IF	Citations
37	Prognostic value of pathological tumor size in patients with supraglottic carcinoma. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2021, 42, 102757.	1.3	8
38	Long-term clinical outcomes of supracricoid partial laryngectomy with cricohyoidoepiglottopexy for glottic carcinoma. Acta Oto-Laryngologica, 2019, 139, 803-809.	0.9	7
39	Management of the NO neck in patients with laryngeal squamous cell carcinoma. Acta Oto-Laryngologica, 2019, 139, 908-912.	0.9	7
40	A Specific Predicting Model for Screening Skip Metastasis From Patients With Negative Central Lymph Nodes Metastasis in Papillary Thyroid Cancer. Frontiers in Endocrinology, 2021, 12, 743900.	3.5	7
41	<i>Fusobacterium nucleatum</i> impairs <scp>DNA</scp> mismatch repair and stability in patients with squamous cell carcinoma of the head and neck. Cancer, 2022, 128, 3170-3184.	4.1	7
42	Oncological outcomes of surgical treatment for T3 supraglottic laryngeal squamous cell carcinoma patients. Acta Oto-Laryngologica, 2018, 138, 1028-1034.	0.9	6
43	Clinical outcome and comparison between squamous and non-squamous cell carcinoma of the larynx. Acta Oto-Laryngologica, 2020, 140, 195-201.	0.9	6
44	Features of Lymph Node Metastasis and Structural Recurrence in Papillary Thyroid Carcinoma Located in the Upper Portion of the Thyroid: A Retrospective Cohort Study. Frontiers in Endocrinology, 2021, 12, 793997.	3.5	6
45	Pathologic Tumor Size as a Predictor of the Survival Outcomes of Patients With Glottic Carcinoma. Otolaryngology - Head and Neck Surgery, 2021, 164, 353-358.	1.9	5
46	Results of surgical treatment alone for primary subglottic carcinoma. Acta Oto-Laryngologica, 2019, 139, 432-438.	0.9	4
47	Prognostic values of preoperative plateletâ€toâ€lymphocyte ratio and plateletâ€related indices in advanced hypopharyngeal squamous cell carcinoma. Clinical Otolaryngology, 2020, 45, 221-230.	1.2	4
48	Link between CIITA rs3087456 polymorphism and the risk of laryngeal squamous cell carcinoma in a Chinese population. Pathology Research and Practice, 2020, 216, 152793.	2.3	4
49	Diabetic mortality risk among cancer patients in the United State SEER population, 1975–2016. Endocrine, 2020, 70, 323-330.	2.3	4
50	Management of clinically n <scp>odeâ€negative</scp> glottic squamous cell carcinoma patients according to r <scp>iskâ€scoring</scp> model for occult lymph node metastases. Laryngoscope Investigative Otolaryngology, 2022, 7, 715-722.	1.5	3
51	A Predictive Nomogram for Lymph Node Metastasis in Supraglottic Laryngeal Squamous Cell Carcinoma. Frontiers in Oncology, 2022, 12, 786207.	2.8	3
52	Cooperation of side population cells with CD133 to enrich cancer stem cells in a laryngeal cancer cell line. Head and Neck, 2013, 36, n/a-n/a.	2.0	2
53	Neoglottis reconstruction with sternohyoid muscles on upper-tracheal orifice after laryngectomy. European Archives of Oto-Rhino-Laryngology, 2017, 274, 383-388.	1.6	2
54	A study of the association between local recurrence and surgical margins in vertical partial laryngectomy for T1 glottic squamous cell carcinoma. Acta Oto-Laryngologica, 2019, 139, 707-712.	0.9	2

#	Article	IF	CITATIONS
55	Bilateral second branchial cleft fistulae coexisting with bilateral pre-auricular fistulae: A rare case report. Acta Oto-Laryngologica Case Reports, 2020, 5, 1-5.	0.2	2
56	Assessment and treatment strategies for occult contralateral lymph node metastasis in hypopharyngeal squamous cell carcinoma patients with ipsilateral node-positive necks. Oral Oncology, 2021, 114, 105183.	1.5	2
57	Association of the recurrence of vocal leukoplakia with MDM2-309 variants over a 2-year period: a prospective study. Acta Oto-Laryngologica, 2016, 136, 95-99.	0.9	1
58	Preoperative tracheotomy as reflection of tumor size impacting oncologic outcomes of patients with advanced stage glottic carcinoma. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4943-4950.	1.6	1
59	Hypopharynx reconstruction for primary hypopharyngeal carcinoma: a retrospective study and literature review. Translational Cancer Research, 2021, 10, 3236-3247.	1.0	1
60	A Nomogram to Predict Nodal Response after Induction Chemotherapy for Hypopharyngeal Carcinoma. Laryngoscope, 2023, 133, 849-855.	2.0	1
61	The author's reply regarding "Clinical Behaviours and Prognoses of High and Low Risk Parotid Malignancies Based on Histology― European Archives of Oto-Rhino-Laryngology, 2019, 276, 2627-2627.	1.6	O
62	Clinical effect of postoperative chemoradiotherapy in resected advanced laryngeal squamous cell carcinoma. Oncology Letters, 2019, 17, 4717-4725.	1.8	0
63	Risk stratification and corresponding postoperative treatment strategies for occult contralateral lymph node metastasis in pyriform sinus squamous cell carcinoma patients with ipsilateral node-positive necks. Annals of Translational Medicine, 2021, 9, 649-649.	1.7	0
64	Preoperative tracheotomy in the treatment of upper airway obstruction of patients with advanced stage supraglottic carcinoma. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2022, 43, 103381.	1.3	0