

# Mina K Kim

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4093666/mina-k-kim-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100  
papers

1,922  
citations

21  
h-index

41  
g-index

108  
ext. papers

2,319  
ext. citations

4.2  
avg, IF

5.33  
L-index

#	Paper	IF	Citations
100	Ingredient and Salinity Variations in Stews Sold in a College Town and Consumer Acceptance of Stews among Korean College Students.. <i>Preventive Nutrition and Food Science</i> , <b>2022</b> , 27, 121-126	2.4	0
99	The roles of sucrose on the retronasal thresholds of tea catechins and polyphenols in water-based system. <i>Journal of Sensory Studies</i> , <b>2021</b> , 36, e12653	2.2	
98	Influence of visual appearance on consumer perception of spiciness in kimchi. <i>Journal of Sensory Studies</i> , <b>2021</b> , 36, e12659	2.2	1
97	An Experimental Study on the Performance of Corrugated Cardboard as a Sustainable Sound-Absorbing and Insulating Material. <i>Sustainability</i> , <b>2021</b> , 13, 5546	3.6	4
96	Analysis of Volatile Compounds in Coffee Prepared by Various Brewing and Roasting Methods. <i>Foods</i> , <b>2021</b> , 10,	4.9	3
95	Analysis of furan and monosaccharides in various coffee beans. <i>Journal of Food Science and Technology</i> , <b>2021</b> , 58, 862-869	3.3	7
94	Effect of roasting temperature and time on volatile compounds, total polyphenols, total flavonoids, and lignan of omija ( <i>Schisandra chinensis</i> Baillon) fruit extract. <i>Food Chemistry</i> , <b>2021</b> , 338, 127836	8.5	7
93	Analysis of volatile compounds in rooibos tea ( <i>Aspalathus linearis</i> ) using different extraction methods and their relationship with human sensory perception. <i>Food Research International</i> , <b>2021</b> , 141, 109942	7	5
92	Microbial communities related to sensory characteristics of commercial drinkable yogurt products in Korea. <i>Innovative Food Science and Emerging Technologies</i> , <b>2021</b> , 67, 102565	6.8	4
91	Changes of Physicochemical and Enzymatic Activities of Prepared with Different Amount of Rice during 30 Days of Fermentation. <i>Foods</i> , <b>2021</b> , 10,	4.9	2
90	Analysis of furan in various instant noodles by solid-phase microextraction-gas chromatography/mass spectrometry. <i>Food Control</i> , <b>2021</b> , 126, 108047	6.2	1
89	Effects of Various Pre-Treatment and Cooking on the Levels of Biogenic Amines in Korean and Norwegian Mackerel. <i>Foods</i> , <b>2021</b> , 10,	4.9	3
88	Effect of various roasting, extraction and drinking conditions on furan and 5-hydroxymethylfurfural levels in coffee. <i>Food Chemistry</i> , <b>2021</b> , 358, 129806	8.5	9
87	Analysis of Heterocyclic carbonyl compounds and 4-methylimidazole in coffee made with various roasting and brewing conditions. <i>LWT - Food Science and Technology</i> , <b>2021</b> , 151, 112231	5.4	5
86	Correlating Capsaicinoid Levels and Physicochemical Properties of Kimchi and Its Perceived Spiciness. <i>Foods</i> , <b>2021</b> , 10,	4.9	4
85	Characterization of Key Aroma-Active Compounds Isolated from Omija Fruit Treated Differently Based on Odor Activity Values and Descriptive Sensory Analysis. <i>Foods</i> , <b>2020</b> , 9,	4.9	4
84	Influence of Processing Conditions on the Flavor Profiles of Mulberry ( <i>Linn</i> ) Fruits Using Instrumental Flavor Analysis and Descriptive Sensory Analysis. <i>Foods</i> , <b>2020</b> , 9,	4.9	2

83	Comparison of orthonasal thresholds of key volatile flavor compounds responsible for traditional doenjang flavor in two matrices: Water-based and soybean-based model system. <i>Journal of Sensory Studies</i> , <b>2020</b> , 35, e12567	2.2	1
82	Effect of roasting conditions on the formation and kinetics of furan in various nuts. <i>Food Chemistry</i> , <b>2020</b> , 331, 127338	8.5	4
81	Development of caramel colour with improved colour stability and reduced 4-methylimidazole. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , <b>2020</b> , 37, 1110-1117	3.2	
80	Influence of Roasting Temperatures on the Antioxidant Properties, $\beta$ -Glucan Content, and Volatile Flavor Profiles of Shiitake Mushroom. <i>Foods</i> , <b>2020</b> , 10,	4.9	3
79	Sound Absorption Coefficient and Sound Transmission Loss of Porous Sponge Attached Corrugated Cardboard of Noise Insulation Cover. <i>Palpu Chongi Gisul/Journal of Korea Technical Association of the Pulp and Paper Industry</i> , <b>2020</b> , 52, 38-44	1	2
78	Correlation analysis between the concentration of $\beta$ -dicarbonyls and flavor compounds in soy sauce. <i>Food Bioscience</i> , <b>2020</b> , 36, 100615	4.9	3
77	Development of a 3D scanning method to discriminate blocks of Octopus minor with surplus water gain. <i>Food Chemistry</i> , <b>2020</b> , 303, 125414	8.5	2
76	Physiochemical Quality and Sensory Characteristics of Made with Soybean, Rice, and Wheat for Commercial Production. <i>Foods</i> , <b>2020</b> , 9,	4.9	5
75	Influences of appearance characteristics on consumer acceptance and perception of $\beta$ -glu-soo $\beta$ n fermented soybean paste (doenjang). <i>Journal of Sensory Studies</i> , <b>2020</b> , 35, e12597	2.2	2
74	Defining just-about-right concentration for doenjang soup appealing to Korean consumers. <i>Journal of Sensory Studies</i> , <b>2020</b> , 35, e12603	2.2	2
73	Analysis of furan in semi-solid and paste type foods. <i>Food Science and Biotechnology</i> , <b>2020</b> , 29, 293-301	3	11
72	Suppressive Effect of L. Leaves on Retinal Damage Against A2E-Induced ARPE-19 Cells and Mice. <i>Molecules</i> , <b>2020</b> , 25,	4.8	5
71	Influence of bacterial starter cultures on the sensory characteristics of doenjang, a fermented soybean paste, and their impact on consumer hedonic perception. <i>Journal of Sensory Studies</i> , <b>2019</b> , 34, e12508	2.2	4
70	Carcinogenic risk associated with popular Korean dishes: An approach of combined risk assessments using Oral Slope Factor and BMDL values. <i>Food Research International</i> , <b>2019</b> , 125, 108530	7	2
69	Comprehensive Evaluation of Microbiological and Physicochemical Properties of Commercial Drinking Yogurts in Korea. <i>Food Science of Animal Resources</i> , <b>2019</b> , 39, 820-830	3.2	2
68	Effects of Different Harvesting Times and Oxidative Fermentation Methods on Phytochemicals, Flavors, and Sensory Properties of Korean Teas. <i>ACS Symposium Series</i> , <b>2019</b> , 77-95	0.4	1
67	Validation of analytical method for furan determination in eight food matrices and its levels in various foods. <i>Journal of Separation Science</i> , <b>2019</b> , 42, 1012-1018	3.4	3
66	Instrumental volatile flavor analysis of omija ( <i>Schisandra chinensis</i> Baillon) using headspace stir-bar sorptive extraction-gas chromatography-mass spectrometry and its relationship to human sensory perceptions. <i>Food Research International</i> , <b>2019</b> , 120, 650-655	7	17

65	Identification of sensory characteristics that drive consumer preferences of commercially mass-produced doenjang in Korea. <i>Journal of Sensory Studies</i> , <b>2018</b> , 33, e12323	2.2	9
64	Analysis of ethyl carbamate in plum wines produced in Korea. <i>Food Science and Biotechnology</i> , <b>2018</b> , 27, 277-282	3	6
63	Categorization of fruits according to their content of polyphenols and vitamin C, antiradical activity, and quality parameters. <i>Journal of Food Processing and Preservation</i> , <b>2018</b> , 42, e13421	2.1	5
62	Determination of compositional quality and volatile flavor characteristics of radish-based Kimchi suitable for Chinese consumers and its correlation to consumer acceptability. <i>Food Science and Biotechnology</i> , <b>2018</b> , 27, 1265-1273	3	7
61	Defining gu-soo perception in Doenjang (fermented soybean paste) using consumer tests with limited sensory modality and instrumental analysis. <i>Food Chemistry</i> , <b>2018</b> , 267, 210-216	8.5	10
60	Sensory and instrumental volatile flavor analysis of commercial orange juices prepared by different processing methods. <i>Food Chemistry</i> , <b>2018</b> , 267, 217-222	8.5	25
59	Reduction of biogenic amine contents in fermented soybean paste using food additives. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 98, 470-476	5.4	9
58	Correlating physicochemical quality characteristics to consumer hedonic perception of traditional Doenjang (fermented soybean paste) in Korea. <i>Journal of Sensory Studies</i> , <b>2018</b> , 33, e12462	2.2	10
57	Polycyclic aromatic hydrocarbon levels and risk assessment for food from service facilities in Korea. <i>Food Additives and Contaminants: Part B Surveillance</i> , <b>2017</b> , 10, 143-148	3.3	1
56	Black Adzuki Bean ( <i>Vigna angularis</i> ) Attenuates High-Fat Diet-Induced Colon Inflammation in Mice. <i>Journal of Medicinal Food</i> , <b>2017</b> , 20, 367-375	2.8	15
55	Effects of the predominant bacteria from meju and doenjang on the production of volatile compounds during soybean fermentation. <i>International Journal of Food Microbiology</i> , <b>2017</b> , 262, 8-13	5.8	30
54	Organic acids as a freshness indicator for tofu (soybean curd). <i>Journal of Food Science and Technology</i> , <b>2017</b> , 54, 3443-3450	3.3	2
53	Reduction of 4(5)-Methylimidazole Using Cookie Model Systems. <i>Journal of Food Science</i> , <b>2017</b> , 82, 2526-2531	3.4	7
52	Protective effects of <i>Stachys sieboldii</i> MIQ extract in SK-N-SH cells and its memory ameliorative effect in mice. <i>Journal of Food Biochemistry</i> , <b>2017</b> , 41, e12411	3.3	5
51	Furan Levels and Sensory Profiles of Commercial Coffee Products Under Various Handling Conditions. <i>Journal of Food Science</i> , <b>2017</b> , 82, 2759-2766	3.4	15
50	Effect of reversed coffee grinding and roasting process on physicochemical properties including volatile compound profiles. <i>Innovative Food Science and Emerging Technologies</i> , <b>2017</b> , 44, 97-102	6.8	21
49	Black adzuki bean ( <i>Vigna angularis</i> ) extract exerts phenotypic effects on white adipose tissue and reverses liver steatosis in diet-induced obese mice. <i>Journal of Food Biochemistry</i> , <b>2017</b> , 41, e12333	3.3	4
48	Qualitative Consumer Preference Studies on Korean-style Kimchi in Chinese Living in Korea. <i>Journal of the East Asian Society of Dietary Life</i> , <b>2017</b> , 27, 185-193	0.5	2

47	Comparison of quality characteristics of Doenjang reduced of sodium content. <i>Korean Journal of Food Preservation</i> , <b>2017</b> , 24, 771-777	0.5	3
46	Safety and technological characterization of coagulase-negative staphylococci isolates from traditional Korean fermented soybean foods for starter development. <i>International Journal of Food Microbiology</i> , <b>2016</b> , 236, 9-16	5.8	37
45	Analysis and risk assessment of 4(5)-methylimidazole in brown colored foods and beverages. <i>Food Additives and Contaminants: Part B Surveillance</i> , <b>2016</b> , 9, 59-65	3.3	12
44	Black Adzuki Bean ( <i>Vigna angularis</i> ) Extract Protects Pancreatic $\beta$ Cells and Improves Glucose Tolerance in C57BL/6J Mice Fed a High-Fat Diet. <i>Journal of Medicinal Food</i> , <b>2016</b> , 19, 442-9	2.8	7
43	Volatile and non-volatile compounds in green tea affected in harvesting time and their correlation to consumer preference. <i>Journal of Food Science and Technology</i> , <b>2016</b> , 53, 3735-3743	3.3	28
42	Determination of furan levels in commercial orange juice products and its correlation to the sensory and quality characteristics. <i>Food Chemistry</i> , <b>2016</b> , 211, 654-60	8.5	18
41	Analysis of polychlorinated biphenyls (PCBs), heavy metals and omega-3 fatty acids in commercially available Korean functional fish oil supplements. <i>International Journal of Food Science and Technology</i> , <b>2016</b> , 51, 2217-2224	3.8	13
40	Identification of Drivers of Liking for Bar-Type Snacks Based on Individual Consumer Preference. <i>Journal of Food Science</i> , <b>2016</b> , 81, S174-81	3.4	13
39	Effect of Various Food Additives on the Levels of 4(5)-Methylimidazole in a Soy Sauce Model System. <i>Journal of Food Science</i> , <b>2016</b> , 81, T262-7	3.4	7
38	Antioxidant activities and quality characteristics of omija ( <i>Schizandra chinensis</i> Baillon) cookies. <i>Food Science and Biotechnology</i> , <b>2015</b> , 24, 931-937	3	15
37	Formation and reduction of furan in a soy sauce model system. <i>Food Chemistry</i> , <b>2015</b> , 189, 114-9	8.5	10
36	Effect of citrulline, urea, ethanol, and urease on the formation of ethyl carbamate in soybean paste model system. <i>Food Chemistry</i> , <b>2015</b> , 189, 74-9	8.5	17
35	Influence of functional information on consumer liking and consumer perception related to health claims for blueberry functional beverages. <i>International Journal of Food Science and Technology</i> , <b>2015</b> , 50, 70-76	3.8	22
34	Formation and reduction of carcinogenic furan in various model systems containing food additives. <i>Food Chemistry</i> , <b>2015</b> , 189, 108-13	8.5	14
33	Preparation of probiotic powder by the spray freeze-drying method. <i>Journal of Food Engineering</i> , <b>2015</b> , 150, 70-74	6	28
32	Development of a spray freeze-drying method for preparation of volatile shiitake mushroom ( <i>Lentinus edodes</i> ) powder. <i>International Journal of Food Science and Technology</i> , <b>2015</b> , 50, 2222-2228	3.8	15
31	The Antioxidant Properties and Inhibitory Effects on HepG2 Cells of Chicory Cultivated Using Three Different Kinds of Fertilizers in the Absence and Presence of Pesticides. <i>Molecules</i> , <b>2015</b> , 20, 12061-75	4.8	7
30	Effects of black adzuki bean ( <i>Vigna angularis</i> ) extract on proliferation and differentiation of 3T3-L1 preadipocytes into mature adipocytes. <i>Nutrients</i> , <b>2015</b> , 7, 277-92	6.7	27

29	Influences of intrinsic and extrinsic factors on consumer acceptance of orange juice using consumer liking testing and Kano analysis techniques. <i>Food Science and Biotechnology</i> , <b>2015</b> , 24, 1687-1693	3	7
28	Effects of black adzuki bean ( <i>Vigna angularis</i> , Geomguseul) extract on body composition and hypothalamic neuropeptide expression in rats fed a high-fat diet. <i>Food and Nutrition Research</i> , <b>2015</b> , 59, 27719	3.1	4
27	Lifespan Extending and Stress Resistant Properties of Vitexin from <i>Vigna angularis</i> in <i>Caenorhabditis elegans</i> . <i>Biomolecules and Therapeutics</i> , <b>2015</b> , 23, 582-9	4.2	21
26	Suppression of Obesity by Black Adzuki Beans ( <i>Vigna angularis</i> ) in High-fat Diet Fed Obese Mouse Model. <i>FASEB Journal</i> , <b>2015</b> , 29, 608.7	0.9	
25	Consumer Awareness on Omija using Qualitative Consumer Research. <i>Journal of the East Asian Society of Dietary Life</i> , <b>2015</b> , 25, 396	0.5	1
24	Volatile compounds as markers of tofu (soybean curd) freshness during storage. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 772-9	5.7	13
23	Reduction of carcinogenic 4(5)-methylimidazole in a caramel model system: influence of food additives. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 6481-6	5.7	17
22	A comparison study of hygiene status in meals for poorly-fed children through microbiological analysis. <i>Journal of Nutrition and Health</i> , <b>2014</b> , 47, 214	0.8	3
21	Correlating consumer perception and consumer acceptability of traditional Doenjang in Korea. <i>Journal of Food Science</i> , <b>2014</b> , 79, S2330-6	3.4	19
20	Antioxidant activities of volatile and non-volatile fractions of selected traditionally brewed Korean rice wines. <i>Journal of the Institute of Brewing</i> , <b>2014</b> , 120, n/a-n/a	2	5
19	Consumer awareness and interest toward sodium reduction trends in Korea. <i>Journal of Food Science</i> , <b>2014</b> , 79, S1416-23	3.4	13
18	Analysis and risk assessment of ethyl carbamate in various fermented foods. <i>European Food Research and Technology</i> , <b>2013</b> , 236, 891-898	3.4	17
17	Identification of sensory attributes that drive consumer liking of commercial orange juice products in Korea. <i>Journal of Food Science</i> , <b>2013</b> , 78, S1451-8	3.4	33
16	Influence of packaging information on consumer liking of chocolate milk. <i>Journal of Dairy Science</i> , <b>2013</b> , 96, 4843-56	4	52
15	Formation of carcinogenic 4(5)-methylimidazole in caramel model systems: a role of sulphite. <i>Food Chemistry</i> , <b>2013</b> , 136, 1165-8	8.5	27
14	Consumer awareness of salt and sodium reduction and sodium labeling. <i>Journal of Food Science</i> , <b>2012</b> , 77, S307-13	3.4	42
13	EVALUATION OF KEY FLAVOR COMPOUNDS IN REDUCED- AND FULL-FAT CHEDDAR CHEESES USING SENSORY STUDIES ON MODEL SYSTEMS. <i>Journal of Sensory Studies</i> , <b>2011</b> , 26, 278-290	2.2	29
12	Development and validation of analytical methods for ethyl carbamate in various fermented foods. <i>Food Chemistry</i> , <b>2011</b> , 126, 1373-1379	8.5	40

11	Preparation of kanamycin powder by an optimized spray freeze-drying method. <i>Powder Technology</i> , <b>2010</b> , 199, 159-164	5.2	20
10	Analysis of furan in heat-processed foods consumed in Korea using solid phase microextraction/gas chromatography/mass spectrometry (SPME/GC/MS). <i>Food Chemistry</i> , <b>2010</b> , 123, 1328-1333	8.5	40
9	Furan in commercially processed foods: four-year field monitoring and risk assessment study in Korea. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2009</b> , 72, 1304-10	3.2	22
8	Impact of storage temperature and product pH on the survival of <i>Listeria monocytogenes</i> in vacuum-packaged souse. <i>Journal of Food Protection</i> , <b>2009</b> , 72, 637-43	2.5	1
7	Identification of volatile components in basil ( <i>Ocimum basilicum</i> L.) and thyme leaves ( <i>Thymus vulgaris</i> L.) and their antioxidant properties. <i>Food Chemistry</i> , <b>2005</b> , 91, 131-137	8.5	521
6	Antioxidative activities of volatile extracts from green tea, oolong tea, and black tea. <i>Journal of Agricultural and Food Chemistry</i> , <b>2003</b> , 51, 7396-401	5.7	64
5	TOXICOLOGY AND ANTIOXIDANT ACTIVITIES OF NON-ENZYMATIC BROWNING REACTION PRODUCTS: REVIEW. <i>Food Reviews International</i> , <b>2002</b> , 18, 151-175	5.5	80
4	Antioxidative activity of heterocyclic compounds found in coffee volatiles produced by Maillard reaction. <i>Journal of Agricultural and Food Chemistry</i> , <b>2002</b> , 50, 5480-4	5.7	183
3	Influences of product pH and salinity on the retronasal threshold values of capsaicin. <i>Journal of Sensory Studies</i> , e12701	2.2	1
2	Aroma analyses of fermented soybean paste (doenjang) using descriptive sensory analysis and Chamber/thermal extractor combined with thermal desorber/gas chromatography/mass spectrometry. <i>Journal of Sensory Studies</i> , e12703	2.2	0
1	Analysis of capsaicin and the perceived spiciness of cabbage kimchi according to different preparation methods. <i>Journal of Sensory Studies</i> , e12709	2.2	0