

Bruno Spire

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4093824/bruno-spire-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

280
papers

7,982
citations

40
h-index

79
g-index

297
ext. papers

9,147
ext. citations

4.9
avg, IF

5.22
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 280 | On-Demand Preexposure Prophylaxis in Men at High Risk for HIV-1 Infection. <i>New England Journal of Medicine</i> , 2015 , 373, 2237-46 | 59.2 | 939 |
| 279 | Scaling up of highly active antiretroviral therapy in a rural district of Malawi: an effectiveness assessment. <i>Lancet, The</i> , 2006 , 367, 1335-42 | 40 | 381 |
| 278 | International AIDS Society global scientific strategy: towards an HIV cure 2016. <i>Nature Medicine</i> , 2016 , 22, 839-50 | 50.5 | 303 |
| 277 | Efficacy, safety, and effect on sexual behaviour of on-demand pre-exposure prophylaxis for HIV in men who have sex with men: an observational cohort study. <i>Lancet HIV,the</i> , 2017 , 4, e402-e410 | 7.8 | 256 |
| 276 | Adherence to highly active antiretroviral therapies (HAART) in HIV-infected patients: from a predictive to a dynamic approach. <i>Social Science and Medicine</i> , 2002 , 54, 1481-96 | 5.1 | 230 |
| 275 | Failure to maintain long-term adherence to highly active antiretroviral therapy: the role of lipodystrophy. <i>Aids</i> , 2001 , 15, 2441-4 | 3.5 | 205 |
| 274 | Self-reported symptoms after initiation of a protease inhibitor in HIV-infected patients and their impact on adherence to HAART. <i>HIV Clinical Trials</i> , 2001 , 2, 38-45 | | 179 |
| 273 | The dynamic of adherence to highly active antiretroviral therapy: results from the French National APROCO cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 28, 232-9 | 3.1 | 141 |
| 272 | Universal test and treat and the HIV epidemic in rural South Africa: a phase 4, open-label, community cluster randomised trial. <i>Lancet HIV,the</i> , 2018 , 5, e116-e125 | 7.8 | 140 |
| 271 | Advancing global health and strengthening the HIV response in the era of the Sustainable Development Goals: the International AIDS Society-Lancet Commission. <i>Lancet, The</i> , 2018 , 392, 312-358 | 40 | 135 |
| 270 | Nucleotide sequence of HIV1-NDK: a highly cytopathic strain of the human immunodeficiency virus. <i>Gene</i> , 1989 , 81, 275-84 | 3.8 | 118 |
| 269 | The impact of methadone or buprenorphine treatment and ongoing injection on highly active antiretroviral therapy (HAART) adherence: evidence from the MANIF2000 cohort study. <i>Addiction</i> , 2008 , 103, 1828-36 | 4.6 | 109 |
| 268 | Nonadherence among HIV-infected injecting drug users: the impact of social instability. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2002 , 31 Suppl 3, S149-53 | 3.1 | 106 |
| 267 | The human immunodeficiency virus type 1 Vpr transactivator: cooperation with promoter-bound activator domains and binding to TFIIIB. <i>Journal of Molecular Biology</i> , 1996 , 261, 599-606 | 6.5 | 103 |
| 266 | Adherence to HIV treatment among IDUs and the role of opioid substitution treatment (OST). <i>International Journal of Drug Policy</i> , 2007 , 18, 262-70 | 5.5 | 100 |
| 265 | Health-related quality of life after 1 year of highly active antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 32, 38-47 | 3.1 | 100 |
| 264 | Depression and Clinical Progression in HIV-Infected Drug Users Treated with Highly Active Antiretroviral Therapy. <i>Antiviral Therapy</i> , 2005 , 10, 53-61 | 1.6 | 100 |

| | | | |
|-----|--|------|----|
| 263 | Retention in opioid substitution treatment: a major predictor of long-term virological success for HIV-infected injection drug users receiving antiretroviral treatment. <i>Clinical Infectious Diseases</i> , 2009 , 49, 1433-40 | 11.6 | 94 |
| 262 | Efficacy of an educational and counseling intervention on adherence to highly active antiretroviral therapy: French prospective controlled study. <i>HIV Clinical Trials</i> , 2003 , 4, 121-31 | | 92 |
| 261 | Factors associated with nonadherence to highly active antiretroviral therapy: a 5-year follow-up analysis with correction for the bias induced by missing data in the treatment maintenance phase. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 41, 477-85 | 3.1 | 90 |
| 260 | Factors associated with non-adherence to long-term highly active antiretroviral therapy: a 10 year follow-up analysis with correction for the bias induced by missing data. <i>Journal of Antimicrobial Chemotherapy</i> , 2009 , 64, 599-606 | 5.1 | 78 |
| 259 | Post-exposure prophylaxis with doxycycline to prevent sexually transmitted infections in men who have sex with men: an open-label randomised substudy of the ANRS IPERGAY trial. <i>Lancet Infectious Diseases, The</i> , 2018 , 18, 308-317 | 25.5 | 75 |
| 258 | Monitoring of HIV viral loads, CD4 cell counts, and clinical assessments versus clinical monitoring alone for antiretroviral therapy in rural district hospitals in Cameroon (Stratall ANRS 12110/ESTHER): a randomised non-inferiority trial. <i>Lancet Infectious Diseases, The</i> , 2011 , 11, 825-33 | 25.5 | 74 |
| 257 | The French national prospective cohort of patients co-infected with HIV and HCV (ANRS CO13 HEPAVIH): early findings, 2006-2010. <i>BMC Infectious Diseases</i> , 2010 , 10, 303 | 4 | 71 |
| 256 | Health-related quality of life in French people living with HIV in 2003: results from the national ANRS-EN12-VESPA Study. <i>Aids</i> , 2007 , 21 Suppl 1, S19-27 | 3.5 | 62 |
| 255 | Self-reported fatigue and depressive symptoms as main indicators of the quality of life (QOL) of patients living with HIV and Hepatitis C: implications for clinical management and future research. <i>HIV Clinical Trials</i> , 2007 , 8, 320-7 | | 60 |
| 254 | Drug use patterns and adherence to treatment among HIV-positive patients: evidence from a large sample of French outpatients (ANRS-EN12-VESPA 2003). <i>Drug and Alcohol Dependence</i> , 2006 , 82 Suppl 1, S71-9 | 4.9 | 58 |
| 253 | Uptake of PrEP and condom and sexual risk behavior among MSM during the ANRS IPERGAY trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28 Suppl 1, 48-55 | 2.2 | 54 |
| 252 | Financial barriers to HIV treatment in Yaoundé, Cameroon: first results of a national cross-sectional survey. <i>Bulletin of the World Health Organization</i> , 2009 , 87, 279-87 | 8.2 | 53 |
| 251 | Impact of Early versus Late Adherence to Highly Active Antiretroviral Therapy on Immuno-Virological Response: A 3-Year Follow-Up Study. <i>Antiviral Therapy</i> , 2003 , 8, 585-594 | 1.6 | 53 |
| 250 | Transcomplementation of VIF- HIV-1 mutants in CEM cells suggests that VIF affects late steps of the viral life cycle. <i>Virology</i> , 1993 , 193, 186-92 | 3.6 | 52 |
| 249 | Determinants of unplanned antiretroviral treatment interruptions among people living with HIV in Yaoundé, Cameroon (EVAL survey, ANRS 12-116). <i>Tropical Medicine and International Health</i> , 2008 , 13, 1470-8 | 2.3 | 51 |
| 248 | Buprenorphine in primary care: risk factors for treatment injection and implications for clinical management. <i>Drug and Alcohol Dependence</i> , 2008 , 97, 105-13 | 4.9 | 48 |
| 247 | HIV disclosure and unsafe sex among HIV-infected women in Cameroon: results from the ANRS-EVAL study. <i>Social Science and Medicine</i> , 2009 , 69, 885-91 | 5.1 | 46 |
| 246 | Health-related quality of life in HIV-1-infected patients on HAART: a five-years longitudinal analysis accounting for dropout in the APROCO-COPILOTE cohort (ANRS CO-8). <i>Quality of Life Research</i> , 2007 , 16, 577-91 | 3.7 | 45 |

| | | | |
|-----|--|------|----|
| 245 | Health related quality of life among both current and former injection drug users who are HIV-infected. <i>Drug and Alcohol Dependence</i> , 2007 , 86, 175-82 | 4.9 | 45 |
| 244 | Unsafe sex in regular partnerships among heterosexual persons living with HIV: evidence from a large representative sample of individuals attending outpatients services in France (ANRS-EN12-VESPA Study). <i>Aids</i> , 2007 , 21 Suppl 1, S57-62 | 3.5 | 44 |
| 243 | Unprotected sex in regular partnerships among homosexual men living with HIV: a comparison between sero-nonconcordant and seroconcordant couples (ANRS-EN12-VESPA Study). <i>Aids</i> , 2007 , 21 Suppl 1, S43-8 | 3.5 | 41 |
| 242 | Living with HIV, Antiretroviral Treatment Experience and Tobacco Smoking: Results from a Multisite Cross-Sectional Study. <i>Antiviral Therapy</i> , 2008 , 13, 389-398 | 1.6 | 41 |
| 241 | Tobacco smoking in HIV-infected versus general population in France: heterogeneity across the various groups of people living with HIV. <i>PLoS ONE</i> , 2014 , 9, e107451 | 3.7 | 40 |
| 240 | ANRS-COMFEST: description of a community-based HIV testing intervention in non-medical settings for men who have sex with men. <i>BMJ Open</i> , 2012 , 2, e000693 | 3 | 39 |
| 239 | Factors associated with antiretroviral treatment initiation amongst HIV-positive individuals linked to care within a universal test and treat programme: early findings of the ANRS 12249 TasP trial in rural South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28 Suppl 3, 39-51 | 2.2 | 38 |
| 238 | Multiple discriminations experienced by people living with HIV in France: results from the ANRS-Vespa2 study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014 , 26 Suppl 1, S97-S106 | 2.2 | 38 |
| 237 | Acceptability of an "on-demand" pre-exposure HIV prophylaxis trial among men who have sex with men living in France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 468-77 | 2.2 | 38 |
| 236 | Discrimination against HIV-infected people and the spread of HIV: some evidence from France. <i>PLoS ONE</i> , 2007 , 2, e411 | 3.7 | 38 |
| 235 | The effect of Depressive Symptoms at ART Initiation on HIV Clinical Progression and Mortality: Implications in Clinical Practice. <i>Antiviral Therapy</i> , 2007 , 12, 1067-1074 | 1.6 | 38 |
| 234 | Access to and use of unauthorised online HIV self-tests by internet-using French-speaking men who have sex with men. <i>Sexually Transmitted Infections</i> , 2012 , 88, 368-74 | 2.8 | 37 |
| 233 | HIV-1 DNA levels in peripheral blood mononuclear cells and cannabis use are associated with intermittent HIV shedding in semen of men who have sex with men on successful antiretroviral regimens. <i>Clinical Infectious Diseases</i> , 2014 , 58, 1763-70 | 11.6 | 36 |
| 232 | Predictors of non-adherence to methadone maintenance treatment in opioid-dependent individuals: implications for clinicians. <i>Current Pharmaceutical Design</i> , 2014 , 20, 4097-105 | 3.3 | 36 |
| 231 | HIV prevalence and sexual risk behaviors associated with awareness of HIV status among men who have sex with men in Paris, France. <i>AIDS and Behavior</i> , 2013 , 17, 1266-78 | 4.3 | 35 |
| 230 | Decentralization of HIV care in Cameroon: increased access to antiretroviral treatment and associated persistent barriers. <i>Health Policy</i> , 2009 , 92, 165-73 | 3.2 | 35 |
| 229 | Drug injection cessation among HIV-infected injecting drug users. <i>Addictive Behaviors</i> , 2004 , 29, 1189-97 | 4.2 | 34 |
| 228 | Pleasure and PrEP: Pleasure-Seeking Plays a Role in Prevention Choices and Could Lead to PrEP Initiation. <i>American Journal of Men's Health</i> , 2019 , 13, 1557988319827396 | 2.2 | 34 |

| | | | |
|-----|---|------|----|
| 227 | Innovative community-based educational face-to-face intervention to reduce HIV, hepatitis C virus and other blood-borne infectious risks in difficult-to-reach people who inject drugs: results from the ANRS-AERLI intervention study. <i>Addiction</i> , 2016 , 111, 94-106 | 4.6 | 34 |
| 226 | Gender Differences in Adherence and Response to Antiretroviral Treatment in the Stratall Trial in Rural District Hospitals in Cameroon. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 69, 355-64 | 3.1 | 33 |
| 225 | Delayed HIV diagnosis and initiation of antiretroviral therapy: inequalities by educational level, COHERE in EuroCoord. <i>Aids</i> , 2014 , 28, 2297-306 | 3.5 | 33 |
| 224 | Internet-using men who have sex with men would be interested in accessing authorised HIV self-tests available for purchase online. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013 , 25, 49-54 | 2.2 | 33 |
| 223 | Efficacy and safety of varenicline for smoking cessation in people living with HIV in France (ANRS 144 Inter-ACTIV): a randomised controlled phase 3 clinical trial. <i>Lancet HIV,the</i> , 2018 , 5, e126-e135 | 7.8 | 32 |
| 222 | Monitoring of HIV viral load, CD4 cell count, and clinical assessment versus clinical monitoring alone for antiretroviral therapy in low-resource settings (Stratall ANRS 12110/ESTHER): a cost-effectiveness analysis. <i>Lancet Infectious Diseases, The</i> , 2013 , 13, 577-86 | 25.5 | 32 |
| 221 | Health-related quality of life and health locus of control beliefs among HIV-infected treated patients. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 407-13 | 4.1 | 32 |
| 220 | Patient-reported outcomes with direct-acting antivirals for the treatment of chronic hepatitis C: current knowledge and outstanding issues. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 259-268 | 4.2 | 31 |
| 219 | Self-reported side-effects of anti-retroviral treatment among IDUs: a 7-year longitudinal study (APROCO-COPILOTE COHORT ANRS CO-8). <i>International Journal of Drug Policy</i> , 2007 , 18, 288-95 | 5.5 | 31 |
| 218 | Unsafe sex with casual partners and quality of life among HIV-infected gay men: evidence from a large representative sample of outpatients attending French hospitals (ANRS-EN12-VESPA). <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 42, 597-603 | 3.1 | 31 |
| 217 | Expanding access to non-medicalized community-based rapid testing to men who have sex with men: an urgent HIV prevention intervention (the ANRS-DRAG study). <i>PLoS ONE</i> , 2013 , 8, e61225 | 3.7 | 31 |
| 216 | Addressing social issues in a universal HIV test and treat intervention trial (ANRS 12249 TasP) in South Africa: methods for appraisal. <i>BMC Public Health</i> , 2015 , 15, 209 | 4.1 | 30 |
| 215 | Methadone induction in primary care for opioid dependence: a pragmatic randomized trial (ANRS Methaville). <i>PLoS ONE</i> , 2014 , 9, e112328 | 3.7 | 30 |
| 214 | Buprenorphine sniffing as a response to inadequate care in substituted patients: results from the Subazur survey in south-eastern France. <i>Addictive Behaviors</i> , 2008 , 33, 1625-9 | 4.2 | 30 |
| 213 | Factors correlated with disclosure of HIV infection in the French Antilles and French Guiana: results from the ANRS-EN13-VESPA-DFA Study. <i>Aids</i> , 2007 , 21 Suppl 1, S89-94 | 3.5 | 30 |
| 212 | Enhanced HIV infectivity and changes in GP120 conformation associated with viral incorporation of human leucocyte antigen class I molecules. <i>Aids</i> , 1999 , 13, 2033-42 | 3.5 | 29 |
| 211 | Adherence to antiretroviral therapy in patients enrolled in a comprehensive care program in Cambodia: A 24-month follow-up assessment. <i>Antiviral Therapy</i> , 2008 , 13, 697-703 | 1.6 | 29 |
| 210 | Performance of HIV care decentralization from the patient's perspective: health-related quality of life and perceived quality of services in Cameroon. <i>Health Policy and Planning</i> , 2012 , 27, 301-15 | 3.4 | 28 |

| | | | |
|-----|--|-----|----|
| 209 | Drug resistance and adherence to HIV/AIDS antiretroviral treatment: against a double standard between the north and the south. <i>Aids</i> , 2004 , 18 Suppl 3, S55-61 | 3.5 | 28 |
| 208 | Do HIV-infected injecting drug users over-report adherence to highly active antiretroviral therapy? A comparison between patients' self-reports and serum protease inhibitor concentrations in the French Manif 2000 cohort study. <i>Aids</i> , 2001 , 15, 1075-7 | 3.5 | 28 |
| 207 | Frequency and correlates of late presentation for HIV infection in France: older adults are a risk group - results from the ANRS-VESPA2 Study, France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014 , 26 Suppl 1, S83-93 | 2.2 | 27 |
| 206 | HIV prevention: What have we learned from community experiences in concentrated epidemics?. <i>Journal of the International AIDS Society</i> , 2008 , 11, 5 | 5.4 | 27 |
| 205 | Impact of early versus late adherence to highly active antiretroviral therapy on immuno-virological response: a 3-year follow-up study. <i>Antiviral Therapy</i> , 2003 , 8, 585-94 | 1.6 | 27 |
| 204 | Predictors of non-prescribed opioid use after one year of methadone treatment: an attributable-risk approach (ANRS-Methaville trial). <i>Drug and Alcohol Dependence</i> , 2014 , 135, 1-8 | 4.9 | 26 |
| 203 | Adherence to antiretroviral treatment in HIV-positive patients in the Cameroon context: promoting the use of medication reminder methods. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 57 Suppl 1, S40-3 | 3.1 | 26 |
| 202 | Sexual difficulties in people living with HIV in France--results from a large representative sample of outpatients attending French hospitals (ANRS-EN12-VESPA). <i>AIDS and Behavior</i> , 2008 , 12, 670-6 | 4.3 | 26 |
| 201 | On-demand pre-exposure prophylaxis with tenofovir disoproxil fumarate plus emtricitabine among men who have sex with men with less frequent sexual intercourse: a post-hoc analysis of the ANRS IPERGAY trial. <i>Lancet HIV</i> , 2020 , 7, e113-e120 | 7.8 | 26 |
| 200 | Health-related quality of life of people living with HIV followed up in hospitals in France: comparing trends and correlates between 2003 and 2011 (ANRS-VESPA and VESPA2 national surveys). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2014 , 26 Suppl 1, S29-40 | 2.2 | 25 |
| 199 | Prevalence of unsafe sex with one's steady partner either HIV-negative or of unknown HIV status and associated determinants in Cameroon (EVAL ANRS12-116 survey). <i>Sexually Transmitted Infections</i> , 2010 , 86, 148-54 | 2.8 | 25 |
| 198 | Impact of short-term adherence on virological and immunological success of HAART: a case study among French HIV-infected IDUs. <i>International Journal of STD and AIDS</i> , 2001 , 12, 324-8 | 1.4 | 25 |
| 197 | Adherence to antiretroviral therapy in patients enrolled in a comprehensive care program in Cambodia: a 24-month follow-up assessment. <i>Antiviral Therapy</i> , 2008 , 13, 697-703 | 1.6 | 25 |
| 196 | Satisfaction with fertility- and sexuality-related information in young women with breast cancer--ELIPPSE40 cohort. <i>BMC Cancer</i> , 2015 , 15, 572 | 4.8 | 24 |
| 195 | Heterogeneous response to HAART across a diverse population of people living with HIV: results from the ANRS-EN12-VESPA Study. <i>Aids</i> , 2007 , 21 Suppl 1, S5-12 | 3.5 | 24 |
| 194 | Differences in replication and cytopathogenicity of human immunodeficiency virus type 1 (HIV-1) are not determined by long terminal repeats (LTR). <i>Virology</i> , 1990 , 177, 759-63 | 3.6 | 24 |
| 193 | Correlates of cocaine use during methadone treatment: implications for screening and clinical management (ANRS Methaville study). <i>Harm Reduction Journal</i> , 2016 , 13, 12 | 4.6 | 23 |
| 192 | Task shifting HIV care in rural district hospitals in Cameroon: evidence of comparable antiretroviral treatment-related outcomes between nurses and physicians in the Stratall ANRS/ESTHER trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 569-76 | 3.1 | 23 |

| | | | |
|-----|--|------|----|
| 191 | Living with HIV, antiretroviral treatment experience and tobacco smoking: results from a multisite cross-sectional study. <i>Antiviral Therapy</i> , 2008 , 13, 389-97 | 1.6 | 23 |
| 190 | Assessing adherence to antiretroviral therapy in randomized HIV clinical trials: a review of currently used methods. <i>Expert Review of Anti-Infective Therapy</i> , 2013 , 11, 239-50 | 5.5 | 22 |
| 189 | Higher risk of unsafe sex and impaired quality of life among patients not receiving antiretroviral therapy in Cameroon: results from the EVAL survey (ANRS 12-116). <i>Aids</i> , 2010 , 24 Suppl 1, S17-25 | 3.5 | 22 |
| 188 | Harmful alcohol consumption and patterns of substance use in HIV-infected patients receiving antiretrovirals (ANRS-EN12-VESPA Study): relevance for clinical management and intervention. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 1136-45 | 2.2 | 21 |
| 187 | Comparison of risk factors in HIV-infected men who have sex with men, coinfecting or not with hepatitis C virus (ANRS VESPA2 French cross-sectional national survey). <i>Sexually Transmitted Infections</i> , 2015 , 91, 21-3 | 2.8 | 20 |
| 186 | What will it really take to end the HIV epidemic?. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 1-4 | 2.2 | 20 |
| 185 | Time patterns of adherence and long-term virological response to non-nucleoside reverse transcriptase inhibitor regimens in the Stratall ANRS 12110/ESTHER trial in Cameroon. <i>Antiviral Therapy</i> , 2013 , 18, 29-37 | 1.6 | 19 |
| 184 | Protective effect of coffee consumption on all-cause mortality of French HIV-HCV co-infected patients. <i>Journal of Hepatology</i> , 2017 , 67, 1157-1167 | 13.4 | 18 |
| 183 | Has the employment status of people living with HIV changed since the early 2000s?. <i>Aids</i> , 2015 , 29, 1533-47 | 3.5 | 18 |
| 182 | The HIV-1 Vpr co-activator induces a conformational change in TFIIIB. <i>FEBS Letters</i> , 1999 , 450, 235-9 | 3.8 | 18 |
| 181 | Expression of an immunogenic region of HIV by a filamentous bacteriophage vector. <i>Gene</i> , 1991 , 99, 261-5 | 3.8 | 18 |
| 180 | Patterns of patient and healthcare provider viewpoints regarding participation in HIV cure-related clinical trials. Findings from a multicentre French survey using Q methodology (ANRS-APSEC). <i>PLoS ONE</i> , 2017 , 12, e0187489 | 3.7 | 18 |
| 179 | Suicide risk in a representative sample of people receiving HIV care: Time to target most-at-risk populations (ANRS VESPA2 French national survey). <i>PLoS ONE</i> , 2017 , 12, e0171645 | 3.7 | 17 |
| 178 | Association between elevated coffee consumption and daily chocolate intake with normal liver enzymes in HIV-HCV infected individuals: results from the ANRS CO13 HEPAVIH cohort study. <i>Journal of Hepatology</i> , 2014 , 60, 46-53 | 13.4 | 17 |
| 177 | Distributive sharing among HIV-HCV co-infected injecting drug users: the preventive role of trust in one's physician. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 232-8 | 2.2 | 17 |
| 176 | Disclosure and religion among people living with HIV/AIDS in France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2008 , 20, 521-6 | 2.2 | 17 |
| 175 | Impaired anger control as an underappreciated side effect of treatments for chronic HCV infection in HIV-HCV coinfecting patients. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 92-6 | 3 | 17 |
| 174 | Increased Uptake of HCV Testing through a Community-Based Educational Intervention in Difficult-to-Reach People Who Inject Drugs: Results from the ANRS-AERLI Study. <i>PLoS ONE</i> , 2016 , 11, e0157062 | 3.7 | 17 |

| | | | |
|-----|--|------|----|
| 173 | Is on-Demand HIV Pre-exposure Prophylaxis a Suitable Tool for Men Who Have Sex With Men Who Practice Chemsex? Results From a Substudy of the ANRS-IPERGAY Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 79, e69-e75 | 3.1 | 17 |
| 172 | A prospective, longitudinal study of sleep disturbance and comorbidity in opiate dependence (the ANRS Methaville study). <i>Psychopharmacology</i> , 2016 , 233, 1203-13 | 4.7 | 16 |
| 171 | Delayed first consultation after diagnosis of HIV infection in Cameroon. <i>Aids</i> , 2009 , 23, 1015-9 | 3.5 | 16 |
| 170 | The env gene variability is not directly related to the high cytopathogenicity of an HIV1 variant. <i>Virology</i> , 1990 , 177, 756-8 | 3.6 | 16 |
| 169 | No significant effect of cannabis use on the count and percentage of circulating CD4 T-cells in HIV-HCV co-infected patients (ANRS CO13-HEPAVIH French cohort). <i>Drug and Alcohol Review</i> , 2017 , 36, 227-238 | 3.2 | 15 |
| 168 | Cannabis Use and Reduced Risk of Insulin Resistance in HIV-HCV Infected Patients: A Longitudinal Analysis (ANRS CO13 HEPAVIH). <i>Clinical Infectious Diseases</i> , 2015 , 61, 40-8 | 11.6 | 15 |
| 167 | Acceptability of HIV cure-related trials: the challenges for physicians and people living with HIV (ANRS-APSEC). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 914-920 | 2.2 | 15 |
| 166 | Low alcohol consumption as a predictor of higher CD4+ cell count in HIV-treated patients: a french paradox or a proxy of healthy behaviors? The ANRS APROCO-COPILOTE CO-08 cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 65, e148-50 | 3.1 | 15 |
| 165 | Failure to achieve immunological recovery in HIV-infected patients with clinical and virological success after 10 years of combined ART: role of treatment course. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 240-245 | 5.1 | 15 |
| 164 | Methadone induction in primary care (ANRS-Methaville): a phase III randomized intervention trial. <i>BMC Public Health</i> , 2012 , 12, 488 | 4.1 | 15 |
| 163 | Prevalence and predictors of deterioration of a trustful patient-provider relationship among HIV-infected persons treated with antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 47, 467-71 | 3.1 | 15 |
| 162 | Adding HCV treatment to HIV treatment in HIV-HCV coinfecting patients: the impact on the different dimensions of fatigue and self-reported side effects. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 413-21 | 4.8 | 15 |
| 161 | Awareness of non-occupational HIV postexposure prophylaxis among French people living with HIV: the need for better targeting. <i>Aids</i> , 2007 , 21 Suppl 1, S71-6 | 3.5 | 15 |
| 160 | Indinavir plasma concentration and adherence score are codeterminant of early virologic response in HIV-infected patients of the APROCO cohort. <i>Therapeutic Drug Monitoring</i> , 2005 , 27, 63-70 | 3.2 | 15 |
| 159 | The detection of non-adherence by self-administered questionnaires can be optimized by protease inhibitor plasma concentration determination. <i>Aids</i> , 2003 , 17, 1096-9 | 3.5 | 15 |
| 158 | Costs and benefits of on-demand HIV preexposure prophylaxis in MSM. <i>Aids</i> , 2018 , 32, 95-102 | 3.5 | 14 |
| 157 | Intimate partner violence against HIV-positive Cameroonian women: Prevalence, associated factors and relationship with antiretroviral therapy discontinuity-results from the ANRS-12288 EVOLCam survey. <i>Women's Health</i> , 2019 , 15, 1745506519848546 | 3 | 14 |
| 156 | Elevated coffee consumption and reduced risk of insulin resistance in HIV-HCV coinfecting patients (HEPAVIH ANRS CO-13). <i>Hepatology</i> , 2012 , 56, 2010 | 11.2 | 14 |

| | | | |
|-----|---|------|----|
| 155 | Empowering HIV testing as a prevention tool: targeting interventions for high-risk men who have sex with men. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 1039-45 | 2.2 | 14 |
| 154 | Positive impact of hepatitis C virus (HCV) treatment on antiretroviral treatment adherence in human immunodeficiency virus-HCV coinfecting patients: one more argument for expanded access to HCV treatment for injecting drug users. <i>Addiction</i> , 2012 , 107, 152-9 | 4.6 | 14 |
| 153 | Genomic variability of selected LAV-related AIDS retroviruses. <i>AIDS Research</i> , 1986 , 2, 19-30 | | 14 |
| 152 | Is PrEP Needed for MSM in West Africa? HIV Incidence in a Prospective Multicountry Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, e80-e82 | 3.1 | 13 |
| 151 | Assessment of mental health outcomes and associated factors among workers in community-based HIV care centers in the early stage of the COVID-19 outbreak in Mali. <i>Health Policy OPEN</i> , 2020 , 1, 100017 | 1.9 | 13 |
| 150 | Brief Report: Prolonged Viral Suppression Over a 12-Year Follow-up of HIV-Infected Patients: The Persistent Impact of Adherence at 4 Months After Initiation of Combined Antiretroviral Therapy in the ANRS CO8 APROCO-COPILOTE Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 74, 203-207 | 3.1 | 13 |
| 149 | High levels of alcohol consumption increase the risk of advanced hepatic fibrosis in HIV/hepatitis C virus-coinfecting patients: a sex-based analysis using transient elastography at enrollment in the HEPAVIH ANRS CO13 cohort. <i>Clinical Infectious Diseases</i> , 2014 , 59, 1190-2 | 11.6 | 13 |
| 148 | Coming out of the Nkuta: disclosure of sexual orientation associated with reduced risk behavior among MSM in Cameroon. <i>Archives of Sexual Behavior</i> , 2012 , 41, 525-7 | 3.5 | 13 |
| 147 | Individual and structural factors associated with HIV status disclosure to main partner in Cameroon: ANRS 12-116 EVAL survey, 2006-2007. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 57 Suppl 1, S22-6 | 3.1 | 13 |
| 146 | Psychosocial correlates of inconsistent condom use among HIV-infected patients enrolled in a structured ART interruptions trial in Côte d'Ivoire: results from the TRIVACAN trial (ANRS 1269). <i>Tropical Medicine and International Health</i> , 2010 , 15, 706-12 | 2.3 | 13 |
| 145 | Better health-related quality of life after switching from a virologically effective regimen to a regimen containing efavirenz or nevirapine. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 54-61 | 2.2 | 13 |
| 144 | Impact of HAART-related side effects on unsafe sexual behaviours in HIV-infected injecting drug users: 7-year follow up. <i>Aids</i> , 2004 , 18, 1321-5 | 3.5 | 13 |
| 143 | Desire for a child among HIV-infected women receiving antiretroviral therapy in Cameroon: results from the national survey EVAL (ANRS 12-116). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 441-51 | 2.2 | 12 |
| 142 | Increase in Unemployment over the 2000s: Comparison between People Living with HIV and the French General Population. <i>PLoS ONE</i> , 2016 , 11, e0165634 | 3.7 | 12 |
| 141 | Determinants of virological response to antiretroviral therapy: socio-economic status still plays a role in the era of cART. Results from the ANRS-VESPA 2 study, France. <i>Antiviral Therapy</i> , 2016 , 21, 661-670 | 1.6 | 11 |
| 140 | Visiting one's native country: the risks of nonadherence in HIV-infected sub-Saharan migrants--ANRS VIHVO study. <i>Journal of the International Association of Providers of AIDS Care</i> , 2013 , 12, 407-13 | 1.7 | 11 |
| 139 | Non-medical use of opioids among HIV-infected opioid dependent individuals on opioid maintenance treatment: the need for a more comprehensive approach. <i>Harm Reduction Journal</i> , 2011 , 8, 31 | 4.6 | 11 |
| 138 | Sexual risk behaviour among people living with HIV according to the biomedical risk of transmission: results from the ANRS-VESPA2 survey. <i>Journal of the International AIDS Society</i> , 2016 , 19, 20095 | 5.4 | 11 |

| | | | |
|-----|--|-----|----|
| 137 | Interest in HIV pre-exposure prophylaxis in men who have sex with men in West Africa (CohMSM ANRS 12324 - Expertise France). <i>Tropical Medicine and International Health</i> , 2018 , 23, 1084-1091 | 2.3 | 10 |
| 136 | Impact of HCV treatment and depressive symptoms on adherence to HAART among HIV-HCV-coinfected patients: results from the ANRS-CO13-HEPAVIH cohort. <i>Antiviral Therapy</i> , 2014 , 19, 171-8 | 1.6 | 10 |
| 135 | Long-term nonprogressive human immunodeficiency virus-1 infection in a kidney allograft recipient. <i>Transplantation</i> , 1998 , 66, 1384-6 | 1.8 | 10 |
| 134 | Treatment interruption in HIV-positive patients followed up in Cameroon's antiretroviral treatment programme: individual and health care supply-related factors (ANRS-12288 EVOLCam survey). <i>Tropical Medicine and International Health</i> , 2018 , 23, 315-326 | 2.3 | 9 |
| 133 | Engaging HIV-HCV co-infected patients in HCV treatment: the roles played by the prescribing physician and patients' beliefs (ANRS CO13 HEPAVIH cohort, France). <i>BMC Health Services Research</i> , 2012 , 12, 59 | 2.9 | 9 |
| 132 | Suicidal risk among patients enrolled in methadone maintenance treatment: HCV status and implications for suicide prevention (ANRS Methaville). <i>Comprehensive Psychiatry</i> , 2015 , 62, 123-31 | 7.3 | 9 |
| 131 | Self-reported alcohol abuse in HIV-HCV co-infected patients: a better predictor of HIV virological rebound than physician's perceptions (HEPAVIH ANRS CO13 cohort). <i>Addiction</i> , 2013 , 108, 1250-8 | 4.6 | 9 |
| 130 | Implementing operational research to scale-up access to antiretroviral therapy for HIV infection: lessons learned from the Cameroonian experience. <i>Current Opinion in HIV and AIDS</i> , 2011 , 6, 239-44 | 4.2 | 9 |
| 129 | Cellular HIV-1 DNA quantification and short-term and long-term response to antiretroviral therapy. <i>Journal of Antimicrobial Chemotherapy</i> , 2011 , 66, 1582-9 | 5.1 | 9 |
| 128 | Impact of immunodepression and moderate alcohol consumption on coronary and other arterial disease events in an 11-year cohort of HIV-infected patients on antiretroviral therapy. <i>BMJ Open</i> , 2012 , 2, | 3 | 9 |
| 127 | Incidence, medical and socio-behavioural predictors of psychiatric events in an 11-year follow-up of HIV-infected patients on antiretroviral therapy. <i>Antiviral Therapy</i> , 2012 , 17, 1079-83 | 1.6 | 9 |
| 126 | Adherence as a predictor of sexual behaviors in people living with HIV/AIDS during the first year of antiretroviral therapy in rural Cameroon: data from Stratall ANRS 12110/ESTHER trial. <i>PLoS ONE</i> , 2012 , 7, e36118 | 3.7 | 9 |
| 125 | What is the effect of self-identified HIV activism in willingness to participate in HIV cure-related clinical trials? Results from the ANRS-APSEC study. <i>Journal of Virus Eradication</i> , 2019 , 5, 152-162 | 2.8 | 9 |
| 124 | Significant reductions in alcohol use after hepatitis C treatment: results from the ANRS CO13-HEPAVIH cohort. <i>Addiction</i> , 2017 , 112, 1669-1679 | 4.6 | 8 |
| 123 | Differences in HIV cure clinical trial preferences of French people living with HIV and physicians in the ANRS-APSEC study: a discrete choice experiment. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25443 | 5.4 | 8 |
| 122 | Willingness to receive intravenous buprenorphine treatment in opioid-dependent people refractory to oral opioid maintenance treatment: results from a community-based survey in France. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017 , 12, 46 | 3.4 | 8 |
| 121 | Week 96 efficacy of lopinavir/ritonavir monotherapy in virologically suppressed patients with HIV: a randomized non-inferiority trial (ANRS 140 DREAM). <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 1672-1676 | 5.1 | 8 |
| 120 | Prevalence of HIV at the Kokoyo informal gold mining site: what lies behind the glitter of gold with regard to HIV epidemics in Mali? A community-based approach (the ANRS-12339 Sanu Gundo cross-sectional survey). <i>BMJ Open</i> , 2017 , 7, e016558 | 3 | 8 |

| | | | |
|-----|---|-----|---|
| 119 | Disclosure of HIV Status Beyond Sexual Partners by People Living with HIV in France: A Call for Help? Results from the National Cross-Sectional Survey ANRS-VESPA2. <i>AIDS and Behavior</i> , 2017 , 21, 196-206 | 4.3 | 8 |
| 118 | Factors associated with HCV risk practices in methadone-maintained patients: the importance of considering the couple in prevention interventions. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2014 , 9, 37 | 3.4 | 8 |
| 117 | Withdrawal symptoms as a predictor of mortality in patients HIV-infected through drug use and receiving highly active antiretroviral therapy (HAART). <i>Drug and Alcohol Dependence</i> , 2009 , 99, 96-104 | 4.9 | 8 |
| 116 | Impact on health-related quality of life of a switch from enfuvirtide to raltegravir among multidrug-resistant HIV-1-infected patients: a randomized open-label trial (EASIER-ANRS 138). <i>HIV Clinical Trials</i> , 2010 , 11, 283-93 | | 8 |
| 115 | Impact of HIV comprehensive care and treatment on serostatus disclosure among Cameroonian patients in rural district hospitals. <i>PLoS ONE</i> , 2013 , 8, e55225 | 3.7 | 8 |
| 114 | Quality of life improvement in HIV-1 patients treated with raltegravir in a real-life observational study: RACING. <i>HIV Clinical Trials</i> , 2017 , 18, 1-16 | | 7 |
| 113 | Developing a patient-reported outcome measure for HIV care on perceived barriers to antiretroviral adherence: assessing the needs of HIV clinicians through qualitative analysis. <i>Quality of Life Research</i> , 2018 , 27, 379-388 | 3.7 | 7 |
| 112 | Call for action to secure universal access to ART in developing countries. <i>Lancet, The</i> , 2010 , 375, 1693-4 | 4.0 | 7 |
| 111 | Proximity to HIV is associated with a high rate of HIV testing among men who have sex with men living in Douala, Cameroon. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 1020-7 | 2.2 | 7 |
| 110 | Adherence to and effectiveness of highly active antiretroviral treatment for HIV infection: assessing the bidirectional relationship. <i>Medical Care</i> , 2012 , 50, 410-8 | 3.1 | 7 |
| 109 | How do HIV-infected smokers react to cigarette price increases? Evidence from the APROCO-COPILOTE-ANRS CO8 Cohort. <i>Current HIV Research</i> , 2009 , 7, 462-7 | 1.3 | 7 |
| 108 | Depressive symptoms and exposure to efavirenz in West African HIV-infected adults. <i>HIV Clinical Trials</i> , 2008 , 9, 445-7 | | 7 |
| 107 | Concealment of HIV and unsafe sex with steady partner is extremely infrequent. <i>Aids</i> , 2005 , 19, 1431-3 | 3.5 | 7 |
| 106 | Do migrants overreport adherence to highly active antiretroviral therapy?: results from the French VESPA (ANRS-EN12) National Survey. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006 , 42, 646-7 | 3.1 | 7 |
| 105 | R57K polymorphism in the human immunodeficiency virus type 1 protease as predictor of early virological failure in a cohort of antiretroviral-naive patients treated mostly with a nelfinavir-containing regimen. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 3623-6 | 5.9 | 7 |
| 104 | Pain in methadone patients: Time to address undertreatment and suicide risk (ANRS-Methaville trial). <i>PLoS ONE</i> , 2017 , 12, e0176288 | 3.7 | 7 |
| 103 | Changes in risky sexual behaviours among West African MSM enrolled in a quarterly HIV testing and counselling prevention programme (CohMSM ANRS 12324 - Expertise France). <i>Sexually Transmitted Infections</i> , 2020 , 96, 115-120 | 2.8 | 7 |
| 102 | HIV pre-exposure prophylaxis for men who have sex with men in west Africa: a multicountry demonstration study. <i>Lancet HIV,the</i> , 2021 , 8, e420-e428 | 7.8 | 7 |

| | | | |
|-----|--|-----|---|
| 101 | Factors associated with satisfaction with community-based non-medicalized counseling and testing using HIV rapid tests among MSM in France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28, 1240-8 | 2.2 | 7 |
| 100 | Decrease in self-reported offences and incarceration rates during methadone treatment: A comparison between patients switching from buprenorphine to methadone and maintenance treatment incident users (ANRS-Methaville trial). <i>International Journal of Drug Policy</i> , 2017 , 39, 86-91 | 5.5 | 6 |
| 99 | Male clients of male sex workers in West Africa: A neglected high-risk population. <i>PLoS ONE</i> , 2019 , 14, e0212245 | 3.7 | 6 |
| 98 | Client-Initiated Violence Against Zambian Female Sex Workers: Prevalence and Associations With Behavior, Environment, and Sexual History. <i>Journal of Interpersonal Violence</i> , 2021 , 36, NP9483-NP9500 | 2.2 | 6 |
| 97 | Prediction of HIV drug resistance based on virologic, immunologic, clinical, and/or adherence criteria in the Stratall ANRS 12110/ESTHER trial in Cameroon. <i>Clinical Infectious Diseases</i> , 2013 , 57, 604-7 ^{11.6} | | 6 |
| 96 | Changes in sexual activity and risk behaviors among PLWHA initiating ART in rural district hospitals in Cameroon [Data from the STRATALL ANRS 12110/ESTHER trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013 , 25, 347-355 | 2.2 | 6 |
| 95 | Self-reported side effects in buprenorphine and methadone patients receiving antiretroviral therapy: results from the MANIF 2000 cohort study. <i>Addiction</i> , 2010 , 105, 2160-8 | 4.6 | 6 |
| 94 | Smoking motivations and quitting motivations among HIV-infected smokers. <i>Antiviral Therapy</i> , 2009 , 14, 781-7 | 1.6 | 6 |
| 93 | Short article: Fatigue in the long term after HCV treatment in HIV-HCV-coinfected patients: functional limitations persist despite viral clearance in patients exposed to peg-interferon/ribavirin-containing regimens (ANRS CO13-HEPAVIH cohort). <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 1003-7 | 2.2 | 6 |
| 92 | A reduced factor structure for the PROQOL-HIV questionnaire provided reliable indicators of health-related quality of life. <i>Journal of Clinical Epidemiology</i> , 2016 , 72, 116-25 | 5.7 | 6 |
| 91 | Combined Sexual Behavioral Profiles in HIV-Seronegative Men Who have Sex with Men in West Africa (CohMSM ANRS 12324-Expertise France). <i>Archives of Sexual Behavior</i> , 2020 , 49, 331-345 | 3.5 | 6 |
| 90 | A Group-Based Trajectory Model for Changes in Pre-Exposure Prophylaxis and Condom Use Among Men Who Have Sex with Men Participating in the ANRS IPERGAY Trial. <i>AIDS Patient Care and STDs</i> , 2018 , 32, 495-510 | 5.8 | 6 |
| 89 | Effect of Lopinavir/Ritonavir Monotherapy on Quality of Life and Self-Reported Symptoms among Antiretroviral-Naive Patients: Results of the MONARK Trial. <i>Antiviral Therapy</i> , 2008 , 13, 591-599 | 1.6 | 6 |
| 88 | Will CURE trials introduce an uncomfortable revolution in the field of HIV research?. <i>HIV Clinical Trials</i> , 2017 , 18, 174-175 | | 5 |
| 87 | Factors associated with partner notification of STIs in men who have sex with men on PrEP in France: a cross-sectional substudy of the ANRS-IPERGAY trial. <i>Sexually Transmitted Infections</i> , 2018 , 94, 490-493 | 2.8 | 5 |
| 86 | Community engagement in the provision of culturally competent HIV and STI prevention services: lessons from the French experience in the era of PrEP. <i>Journal of the International AIDS Society</i> , 2019 , 22 Suppl 6, e25350 | 5.4 | 5 |
| 85 | Self-Reported Bothersome Symptoms Across Different Socioepidemiological Groups of People Living With HIV Attending French Hospitals: Results From the ANRS-VESPA2 Survey. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 110-119 | 4.8 | 5 |
| 84 | Using patient-reported outcomes to improve the management of co-infection with HIV and HCV: the ANRS CO13 HEPAVIH cohort. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014 , 8, 351-8 | 4.2 | 5 |

| | | | |
|----|---|-----|---|
| 83 | Susceptibility to transmitting HIV in patients initiating antiretroviral therapy in rural district hospitals in Cameroon (Stratall ANRS 12110/ESTHER Trial). <i>PLoS ONE</i> , 2013 , 8, e62611 | 3.7 | 5 |
| 82 | Determinants of benzodiazepine use in a representative population of HIV-infected individuals: the role of HIV status disclosure (ANRS-EN12-VESPA study). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011 , 23, 1163-70 | 2.2 | 5 |
| 81 | Factors associated with liver biopsy performance in HCV-HIV coinfecting injecting drug users with HCV viremia: results from a five-year longitudinal assessment. <i>Journal of Urban Health</i> , 2004 , 81, 48-57 | 5.8 | 5 |
| 80 | Twelve-year mortality in HIV-infected patients receiving antiretroviral therapy: the role of social vulnerability. The ANRS CO8 APROCO-COPILOTE cohort. <i>Antiviral Therapy</i> , 2015 , 20, 763-72 | 1.6 | 5 |
| 79 | Effect of anxiety symptoms on adherence to highly active antiretroviral therapy in HIV-infected women. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1328-9 | 4.6 | 5 |
| 78 | Effect of On-Demand Oral Pre-exposure Prophylaxis With Tenofovir/Emtricitabine on Herpes Simplex Virus-1/2 Incidence Among Men Who Have Sex With Men: A Substudy of the ANRS IPERGAY Trial. <i>Open Forum Infectious Diseases</i> , 2018 , 5, ofy295 | 1 | 5 |
| 77 | Changes in sexual activity and risk behaviors among PLWHA initiating ART in rural district hospitals in Cameroon -- data from the STRATALL ANRS 12110/ESTHER trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013 , 25, 347-55 | 2.2 | 5 |
| 76 | Impact of HIV risk perception on both pre-exposure prophylaxis and condom use. <i>Journal of Health Psychology</i> , 2021 , 26, 1575-1586 | 3.1 | 4 |
| 75 | Community-Based Care in the ANRS-IPERGAY Trial: The Challenges of Combination Prevention. <i>AIDS Education and Prevention</i> , 2019 , 31, 259-272 | 2 | 4 |
| 74 | Spontaneous and post-treatment HCV clearance: relationships with health-related quality of life in HIV infection (ANRS-VESPA2 study). <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 701-13 | 4.2 | 4 |
| 73 | Changes in kidney function among men having sex with men starting on demand tenofovir disoproxil fumarate - emtricitabine for HIV pre-exposure prophylaxis. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25420 | 5.4 | 4 |
| 72 | Identity, Representations, and Beliefs: HIV Controllers Living on the Frontier of Good Health and Illness. <i>Qualitative Health Research</i> , 2016 , 26, 1483-94 | 3.9 | 4 |
| 71 | The ANRS-Ipergay trial, an opportunity to use qualitative research to understand the perception of the "participant"-physician relationship. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 41-47 | 2.2 | 4 |
| 70 | Transactional sex among men who have sex with men participating in the CohMSM prospective cohort study in West Africa. <i>PLoS ONE</i> , 2019 , 14, e0217115 | 3.7 | 4 |
| 69 | Minimal interference: A basis for selecting ART for prevention with positives. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013 , 25, 1284-90 | 2.2 | 4 |
| 68 | HIV-positive men who have sex with men: biography, diversity in lifestyles, common experience of living with HIV. ANRS-EN12 VESPA Study, 2003. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 71-80 | 2.2 | 4 |
| 67 | Correlates of poor perceived health among individuals living with HIV and HBV chronic infections: a longitudinal assessment. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011 , 23, 501-7 | 2.2 | 4 |
| 66 | Forced treatment interruptions and risk of HIV resistance in countries adopting law enforcement against marginalized populations. <i>Aids</i> , 2007 , 21, 1062-3 | 3.5 | 4 |

| | | | |
|----|--|------|---|
| 65 | Patient-Reported Outcomes in First-Line Antiretroviral Therapy: Results From NEAT001/ANRS143 Trial Comparing Darunavir/Ritonavir in Combination With Tenofovir/Emtricitabine or Raltegravir. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 79, 519-526 | 3.1 | 4 |
| 64 | Reaching a Different Population of MSM in West Africa With the Integration of PrEP Into a Comprehensive Prevention Package (CohMSM-PrEP ANRS 12369-Expertise France). <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, 292-301 | 3.1 | 3 |
| 63 | Who are the persons living with HIV who might refuse to participate in HIV cure-related clinical trials with treatment interruption?. <i>Aids</i> , 2020 , 34, 1095-1099 | 3.5 | 3 |
| 62 | The COVID-19 response must integrate people living with HIV needs in Sub-Saharan Africa: the case of Mali. <i>Tropical Medicine and Health</i> , 2020 , 48, 41 | 3.4 | 3 |
| 61 | Does Quality of Life and Sexual Quality of Life in HIV Patients Differ Between Non-treated HIV Controllers and Treated Patients in the French ANRS VESPA 2 National Survey?. <i>AIDS and Behavior</i> , 2019 , 23, 132-139 | 4.3 | 3 |
| 60 | Hepatitis B Virus Prevalence and Vaccination in Men Who Have Sex With Men in West Africa (CohMSM ANRS 12324-Expertise France). <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz249 | 1 | 3 |
| 59 | High viral loads among HIV-positive MSM attending gay venues: implications for HIV transmission. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 63, e122-4 | 3.1 | 3 |
| 58 | Harm reduction and control of HIV in IDUs in France. <i>Lancet, The</i> , 2008 , 372, 448 | 4.0 | 3 |
| 57 | Posttraumatic Stress Disorder as a Significant Correlate of Voluntary Antiretroviral Treatment Interruption in Adult HIV-Infected Patients Followed up in French Hospitals: Data From the ANRS-VESPA2 National Survey. <i>Journal of Clinical Psychiatry</i> , 2018 , 79, | 4.6 | 3 |
| 56 | What are the situational and behavioral factors associated with condomless anal sex without pre-exposure prophylaxis in MSM?. <i>Aids</i> , 2020 , 34, 1367-1375 | 3.5 | 3 |
| 55 | Larger is not necessarily better! Impact of HIV care unit characteristics on virological success: results from the French national representative ANRS-VESPA2 study. <i>Health Policy</i> , 2016 , 120, 936-47 | 3.2 | 3 |
| 54 | Temporal trends of population viral suppression in the context of Universal Test and Treat: the ANRS 12249 TasP trial in rural South Africa. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25402 | 5.4 | 3 |
| 53 | Early ART Initiation Improves HIV Status Disclosure and Social Support in People Living with HIV, Linked to Care Within a Universal Test and Treat Program in Rural South Africa (ANRS 12249 TasP Trial). <i>AIDS and Behavior</i> , 2021 , 25, 1306-1322 | 4.3 | 3 |
| 52 | Heterogeneity in the prevalence of high-risk human papillomavirus infection in HIV-negative and HIV-positive men who have sex with men in West Africa. <i>Clinical Infectious Diseases</i> , 2021 , | 11.6 | 3 |
| 51 | Patient profiles as organizing HIV cliniciansPART adherence management: a qualitative analysis. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 207-210 | 2.2 | 3 |
| 50 | A generalized additive model to disentangle age and diagnosis-specific cohort effects in psychological and behavioral outcomes in people living with HIV: the French cross-sectional ANRS-VESPA2 survey. <i>BMC Public Health</i> , 2019 , 19, 590 | 4.1 | 2 |
| 49 | Cost-Effectiveness Analysis of Lopinavir/Ritonavir Monotherapy Versus Standard Combination Antiretroviral Therapy in HIV-1 Infected Patients with Viral Suppression in France (ANRS 140 DREAM). <i>PharmacoEconomics - Open</i> , 2019 , 3, 505-515 | 2.1 | 2 |
| 48 | Hepatitis B testing, treatment, and virologic suppression in HIV-infected patients in Cameroon (ANRS 12288 EVOLCAM). <i>BMC Infectious Diseases</i> , 2020 , 20, 49 | 4 | 2 |

| | | | |
|----|---|-----|---|
| 47 | Positive Virological Outcomes of HIV-Infected Patients on Protease Inhibitor-Based Second-Line Regimen in Cambodia: The ANRS 12276 2PICAM Study. <i>Frontiers in Public Health</i> , 2018 , 6, 63 | 6 | 2 |
| 46 | Evolution of patients' socio-behavioral characteristics in the context of DAA: Results from the French ANRS CO13 HEPAVIH cohort of HIV-HCV co-infected patients. <i>PLoS ONE</i> , 2018 , 13, e0199874 | 3.7 | 2 |
| 45 | Adherence to PI-based 2nd-line regimens in Cambodia is not simply a question of individual behaviour: the ANRS 12276 2PICAM study. <i>Tropical Medicine and International Health</i> , 2017 , 22, 1428-1435 | 3.3 | 2 |
| 44 | Decentralization of access to antiretroviral therapy in Cameroon: correlates of HIV physicians' knowledge in HIV care. <i>Antiviral Therapy</i> , 2011 , 16, 423-8 | 1.6 | 2 |
| 43 | Similar short-term efficacy of antiretroviral therapy in patients infected with HIV B and non-B subtype strains in France. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 56, e67-9 | 3.1 | 2 |
| 42 | La rupture de confiance envers le médecin auprès de patients infectés par le VIH : quels déterminants psychosociaux ?. <i>Les Cahiers Internationaux De Psychologie Sociale</i> , 2009 , Numéro 82, 145 | 0.3 | 2 |
| 41 | The burden of HIV experience and care among MSM having an HIV-positive seroconcordant steady partner: a possible research hypothesis. Results from the French VESPA ANRS EN-12 study. <i>Sexually Transmitted Infections</i> , 2011 , 87, 396-8 | 2.8 | 2 |
| 40 | Individual and healthcare supply-related barriers to treatment initiation in HIV-positive patients enrolled in the Cameroonian antiretroviral treatment access programme. <i>Health Policy and Planning</i> , 2021 , 36, 137-148 | 3.4 | 2 |
| 39 | Short article: Anger and quality of life in patients co-infected with HIV and hepatitis C virus: a cross-sectional study (ANRS CO13-HEPAVIH). <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 786-791 | 2.2 | 2 |
| 38 | Homonegativity, sexual violence and condom use with women in men who have sex with men and women in West Africa. <i>Aids</i> , 2021 , 35, 681-687 | 3.5 | 2 |
| 37 | Investigating Recent Testing among MSM: Results from Community-Based HIV Rapid Testing Attendees in France. <i>Journal of Sexually Transmitted Diseases</i> , 2013 , 2013, 648791 | | 2 |
| 36 | Concomitant use of benzodiazepine and alcohol in methadone-maintained patients from the ANRS Methaville trial: Preventing the risk of opioid overdose in patients who failed with buprenorphine. <i>Drug and Alcohol Review</i> , 2016 , 35, 61-69 | 3.2 | 2 |
| 35 | Factors Associated with Virological Rebound in HIV-Positive Sub-Saharan Migrants Living in France After Traveling Back to Their Native Country: ANRS-VIHVO 2006-2009 Study. <i>Journal of Immigrant and Minority Health</i> , 2019 , 21, 1342-1348 | 2.2 | 2 |
| 34 | Long-term safety and vaccine-induced seropositivity in healthy volunteers from HIV vaccine trials. <i>Aids</i> , 2019 , 33, 2061-2071 | 3.5 | 2 |
| 33 | Changes in Sexual Behaviors in Men Who Have Sex with Men: A Comparison Between the Double-Blind and Open-Label Extension Phases of the ANRS-IPERGAY Trial. <i>AIDS and Behavior</i> , 2020 , 24, 3093-3106 | 4.3 | 2 |
| 32 | Intimate partner violence by men living with HIV in Cameroon: Prevalence, associated factors and implications for HIV transmission risk (ANRS-12288 EVOLCAM). <i>PLoS ONE</i> , 2021 , 16, e0246192 | 3.7 | 2 |
| 31 | Impact of COVID-19 Pandemic on Men Who Have Sex With Men That Practice Chemsex in France: Results From the National ERAS Web Survey. <i>American Journal of Men's Health</i> , 2022 , 16, 15579883211073225 | 2.3 | 2 |
| 30 | Sex work among female workers in the traditional mining sector in Mali - results from the ANRS-12339 Sanu Gundo cross-sectional study in 2015. <i>African Journal of AIDS Research</i> , 2019 , 18, 215-223 | 1.8 | 1 |

| | | | |
|----|--|-----|---|
| 29 | Taking empowerment into account: the response of community-based organisations to the HIV care needs of men who have sex with men in West Africa (CohMSM ANRS 12324 - Expertise France). <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 1403-1411 | 2.2 | 1 |
| 28 | Characterization of Physicians That Might Be Reluctant to Propose HIV Cure-Related Clinical Trials with Treatment Interruption to Their Patients? The ANRS-APSEC Study. <i>Vaccines</i> , 2020 , 8, | 5.3 | 1 |
| 27 | Factors associated with alcohol use before sex among HIV-negative female sex workers in Zambia. <i>International Journal of STD and AIDS</i> , 2020 , 31, 119-126 | 1.4 | 1 |
| 26 | Intimate ties of people living with HIV in France resulted both from social status and the experience of being HIV-infected: results from the ANRS-Vespa2 study, France. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 807-816 | 2.2 | 1 |
| 25 | "We are our choices"--AIDS impact special issue Amsterdam 2015. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016 , 28 Suppl 1, 1-2 | 2.2 | 1 |
| 24 | Tackling global health inequities in the HIV response. <i>Lancet, The</i> , 2018 , 392, 263-264 | 4.0 | 1 |
| 23 | Time to combine intervention with prevention in countries where HIV is also driven by hazardous drinking: The journal publishes both invited and unsolicited letters. <i>Addiction</i> , 2013 , 108, 221-2 | 4.6 | 1 |
| 22 | Risk Factors for HCV Reinfection or Transmission in HIV-HCV Coinfected MSM (ANRS-VESPA2 French National Survey). <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 70, e179-82 | 3.1 | 1 |
| 21 | Update of the Long-term Follow-up of Healthy Volunteers from Preventive HIV-1 Vaccine Trials: ANRS COV1-COHVAC Cohort. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, A189-A190 | 1.6 | 1 |
| 20 | Prolonged medically recorded treatment interruptions among HIV-infected patients on highly active antiretroviral therapy with controlled viremia: when physicians have to juggle patient negotiation and guidelines. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53, 544-6 | 3.1 | 1 |
| 19 | No variability across centers in adherence and response to HAART in French hospitals: results from the ANRS-EN12-VESPA study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52, 643-7 | 3.1 | 1 |
| 18 | The Dynamic of Adherence to Highly Active Antiretroviral Therapy: Results From the French National APROCO Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2001 , 28, 232-239 | 3.1 | 1 |
| 17 | Drug-resistant genotyping in HIV-1 therapy. <i>Lancet, The</i> , 1999 , 354, 1121 | 4.0 | 1 |
| 16 | Evaluation of Drug Abuse by Hair Analysis and Self-Reported Use Among MSM Under PrEP: Results From a French Substudy of the ANRS-IPERGAY Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, 552-561 | 3.1 | 1 |
| 15 | Adherence to quarterly HIV prevention services and its impact on HIV incidence in men who have sex with men in West Africa (CohMSM ANRS 12324 - Expertise France). <i>BMC Public Health</i> , 2021 , 21, 9724-1 | 4.1 | 1 |
| 14 | Sexual Behavior with Serodiscordant Partners Among HIV-Positive Men Who Have Sex with Men Followed Up in Hospitals Between 2003 and 2011 in France: Results from a Repeated National Representative Survey (ANRS VESPA and VESPA2). <i>AIDS Patient Care and STDs</i> , 2016 , 30, 193-6 | 5.8 | 1 |
| 13 | An Assessment of Health Interventions Required to Prevent the Transmission of HIV Infection Among Men Having Sex with Men in Bujumbura, Burundi. <i>Journal of Community Health</i> , 2016 , 41, 1033-43 | 4.1 | 1 |
| 12 | "Yes, I'm interested in taking PrEP!": PrEP interest among women respondents to the European community-based survey "Flash! PrEP in Europe". <i>PLoS ONE</i> , 2021 , 16, e0246037 | 3.7 | 1 |

| | | | |
|----|--|------|---|
| 11 | Renunciation of health care by people living with HIV in France is still associated with discrimination in health-care services and social insecurity - results from the ANRS-VESPA2 survey. <i>Antiviral Therapy</i> , 2018 , 23, 443-450 | 1.6 | ○ |
| 10 | Evolution of Condom Use Among a 5-Year Cohort of Female Sex Workers in Zambia. <i>AIDS and Behavior</i> , 2021 , 1 | 4.3 | ○ |
| 9 | Rapid antiretroviral therapy initiation and its effect on treatment response in MSM in West Africa. <i>Aids</i> , 2021 , 35, 2201-2210 | 3.5 | ○ |
| 8 | Individual and healthcare supply-related HIV transmission factors in HIV-positive patients enrolled in the antiretroviral treatment access program in the Centre and Littoral regions in Cameroon (ANRS-12288 EVOLCam survey).. <i>PLoS ONE</i> , 2022 , 17, e0266451 | 3.7 | ○ |
| 7 | Living conditions, HIV and gender affirmation care pathways of transgender people living with HIV in France: a nationwide, comprehensive, cross-sectional, community-based research protocol (ANRS Trans&HIV).. <i>BMJ Open</i> , 2021 , 11, e052691 | 3 | ○ |
| 6 | Rate and Predictors of Ineffective HIV Protection in African Men Who Have Sex with Men Taking Pre-Exposure Prophylaxis.. <i>AIDS and Behavior</i> , 2022 , 1 | 4.3 | ○ |
| 5 | Assesment of Awareness of, Concerns and Attitudes Towards HIV-Related Court-Case Sentences in France in a Representative Sample of People Living with HIV (ANRS VESPA2 Survey). <i>AIDS and Behavior</i> , 2018 , 22, 3264-3272 | 4.3 | |
| 4 | Quality of life assessment in HIV clinical research in resource-limited settings: better late than never. <i>Tropical Medicine and International Health</i> , 2010 , 15, 1008-10 | 2.3 | |
| 3 | Loss to follow-up among female sex workers in Zambia: findings from a five-year HIV-incidence cohort. <i>African Journal of AIDS Research</i> , 2020 , 19, 296-303 | 1.8 | |
| 2 | Becoming adherent to a preventive treatment for HIV: a qualitative approach. <i>Psychology, Health and Medicine</i> , 2020 , 25, 270-281 | 2.1 | |
| 1 | Low Seroprevalence of Hepatitis C Among Men Who Have Sex With Men in West Africa. <i>Clinical Infectious Diseases</i> , 2021 , 73, e858-e859 | 11.6 | |