

Koichi Suzuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4094422/publications.pdf>

Version: 2024-02-01

59
papers

664
citations

687363

13
h-index

580821

25
g-index

60
all docs

60
docs citations

60
times ranked

1261
citing authors

#	ARTICLE	IF	CITATIONS
1	Global DNA demethylation in gastrointestinal cancer is age dependent and precedes genomic damage. <i>Cancer Cell</i> , 2006, 9, 199-207.	16.8	245
2	Longitudinal monitoring of KRAS-mutated circulating tumor DNA enables the prediction of prognosis and therapeutic responses in patients with pancreatic cancer. <i>PLoS ONE</i> , 2019, 14, e0227366.	2.5	57
3	The genomic damage estimated by arbitrarily primed PCR DNA fingerprinting is useful for the prognosis of gastric cancer. <i>Gastroenterology</i> , 2003, 125, 1330-1340.	1.3	48
4	Monitoring circulating tumor DNA revealed dynamic changes in KRAS status in patients with metastatic colorectal cancer. <i>Oncotarget</i> , 2018, 9, 24398-24413.	1.8	29
5	Sessile serrated adenoma shares similar genetic and epigenetic features with microsatellite unstable colon cancer in a location-dependent manner. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 695-700.	1.8	25
6	DNA methylation alterations of AXIN2 in serrated adenomas and colon carcinomas with microsatellite instability. <i>BMC Cancer</i> , 2014, 14, 466.	2.6	25
7	Multiple primary malignancies involving primary sporadic colorectal cancer in Japan: incidence of gastric cancer with colorectal cancer patients may be higher than previously recognized. <i>World Journal of Surgical Oncology</i> , 2015, 13, 23.	1.9	25
8	Epigenetic inactivation of the extracellular matrix metallopeptidase ADAMTS19 gene and the metastatic spread in colorectal cancer. <i>Clinical Epigenetics</i> , 2015, 7, 124.	4.1	24
9	Clinical characteristics of synchronous colorectal cancers in Japan. <i>World Journal of Surgical Oncology</i> , 2016, 14, 272.	1.9	24
10	Array-based identification of common DNA methylation alterations in ulcerative colitis. <i>International Journal of Oncology</i> , 2012, 40, 983-994.	3.3	21
11	Overexpression of satellite alpha transcripts leads to chromosomal instability via segregation errors at specific chromosomes. <i>International Journal of Oncology</i> , 2018, 52, 1685-1693.	3.3	17
12	A High Abdominal Aortic Calcification Score on CT is a Risk Factor for Postoperative Pancreatic Fistula in Elderly Patients Undergoing Pancreaticoduodenectomy. <i>World Journal of Surgery</i> , 2018, 42, 1129-1137.	1.6	16
13	Clinical and molecular assessment of regorafenib monotherapy. <i>Oncology Reports</i> , 2017, 37, 2506-2512.	2.6	15
14	En bloc pancreaticoduodenectomy and right hemicolectomy for locally advanced right-sided colon cancer. <i>World Journal of Gastrointestinal Oncology</i> , 2017, 9, 372.	2.0	15
15	Heterogeneous expression of zinc-finger E-box-binding homeobox 1 plays a pivotal role in metastasis via regulation of miR-200c in epithelial-mesenchymal transition. <i>International Journal of Oncology</i> , 2016, 49, 1057-1067.	3.3	13
16	Identification of a potent epigenetic biomarker for resistance to camptothecin and poor outcome to irinotecan-based chemotherapy in colon cancer. <i>International Journal of Oncology</i> , 2011, 40, 217-26.	3.3	11
17	Morphological response contributes to patient selection for rescue liver resection in chemotherapy patients with initially un-resectable colorectal liver metastasis. <i>Oncology Letters</i> , 2017, 14, 1491-1499.	1.8	6
18	XELIRI regimen plus continuous treatment with bevacizumab is well-tolerated and effective in metastatic colorectal cancer patients in a second-line setting involving the sequential administration of XELOX and XELIRI. <i>Molecular and Clinical Oncology</i> , 2014, 2, 827-832.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Sequential administration of XELOX and XELIRI is effective, feasible and well tolerated by patients with metastatic colorectal cancer. <i>Oncology Letters</i> , 2017, 13, 4947-4952.	1.8	4
20	Multiple primary malignancies of six organs in a Japanese male patient: A case report. <i>Molecular and Clinical Oncology</i> , 2019, 10, 511-515.	1.0	4
21	High relative levels of satellite alpha transcripts predict increased risk of bilateral breast cancer and multiple primary cancer in patients with breast cancer and lacking BRCA-related clinical features. <i>Oncology Reports</i> , 2019, 42, 857-865.	2.6	4
22	Detection of KRAS Mutations in Plasma DNA Using a fully Automated Rapid Detection System in Colorectal Cancer Patients. <i>Pathology and Oncology Research</i> , 2017, 23, 737-744.	1.9	3
23	Methylation-Sensitive Amplification Length Polymorphism (MS-AFLP) Microarrays for Epigenetic Analysis of Human Genomes. <i>Methods in Molecular Biology</i> , 2018, 1766, 137-156.	0.9	3
24	Efficacy of Neoadjuvant Chemotherapy with Capecitabine plus Oxaliplatin in the Treatment of Locally Advanced Sigmoid Colon Cancer Invading the Urinary Bladder: A Report of Three Cases. <i>Case Reports in Surgery</i> , 2019, 2019, 1-7.	0.4	3
25	Tolerability and Adverse Events of Adjuvant Chemotherapy for Rectal Cancer in Patients With Diverting Ileostomy. <i>In Vivo</i> , 2020, 34, 3399-3406.	1.3	3
26	Optimal value of CA19-9 determined by KRAS-mutated circulating tumor DNA contributes to the prediction of prognosis in pancreatic cancer patients. <i>Scientific Reports</i> , 2021, 11, 20797.	3.3	3
27	Clinical and molecular assessment of response to regorafenib.. <i>Journal of Clinical Oncology</i> , 2016, 34, 568-568.	1.6	3
28	Genome-wide DNA hypomethylation drives a more invasive pancreatic cancer phenotype and has predictive occult distant metastasis and prognosis potential. <i>International Journal of Oncology</i> , 2022, 60, .	3.3	2
29	Prophylactic use of pegfilgrastim enables the management of severe neutropenia without dose delays in patients with metastatic colorectal cancer treated with TAS-102 plus bevacizumab. <i>Molecular and Clinical Oncology</i> , 2022, 16, 103.	1.0	2
30	Surgical Resection with Neoadjuvant Chemotherapy for Locoregionally Recurrent Appendiceal Cancer Invading the External Iliac Vessels. <i>Case Reports in Surgery</i> , 2018, 2018, 1-6.	0.4	1
31	Detection of satellite alpha transcript in sera, as a surrogate marker for the risk of development of multiple cancers in colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 2015, 33, e22044-e22044.	1.6	1
32	Satellite alpha transcripts as a biomarker to predict the development of breast cancer with bilateral or multiple primary malignancies.. <i>Journal of Clinical Oncology</i> , 2017, 35, e23202-e23202.	1.6	1
33	Overexpression of satellite alpha transcript in breast cancer patients to impair specific chromosomes.. <i>Journal of Clinical Oncology</i> , 2017, 35, e23216-e23216.	1.6	1
34	The clinical significance of KRAS monitoring in tumor tissues and blood of patients with pancreatic tumor.. <i>Journal of Clinical Oncology</i> , 2017, 35, 334-334.	1.6	1
35	Monitoring circulating tumor DNA revealed dynamic changes in KRAS status in patients with metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2018, 36, e15630-e15630.	1.6	1
36	Liquid biopsy leads to a paradigm shift in cancer treatment.. <i>Journal of Clinical Oncology</i> , 2016, 34, 602-602.	1.6	1

#	ARTICLE	IF	CITATIONS
37	Efficacy, tolerability, and manageability of TAS-102 plus bevacizumab for metastatic colorectal cancer patients in clinical practice.. <i>Journal of Clinical Oncology</i> , 2018, 36, e15535-e15535.	1.6	1
38	Sequential assessments of KRAS-mutated circulating tumor DNA in longitudinal monitoring enable the prediction of prognosis and therapeutic responses in patients with pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, e15712-e15712.	1.6	1
39	Temporary loss of consciousness during cetuximab treatment of a patient with metastatic colon cancer: a case report. <i>Surgical Case Reports</i> , 2019, 5, 145.	0.6	1
40	Multiple primary malignancies involving primary sporadic colorectal cancer in Japan: Incidence of gastric cancer with colorectal cancer patients may be higher than previously recognized.. <i>Journal of Clinical Oncology</i> , 2014, 32, 1583-1583.	1.6	0
41	Emergence of KRAS mutation in detection of circulating tumor DNA during treatments for metastatic gastrointestinal cancer patients.. <i>Journal of Clinical Oncology</i> , 2015, 33, 11026-11026.	1.6	0
42	Practical applications of liquid biopsy in the colorectal cancer treatment.. <i>Journal of Clinical Oncology</i> , 2016, 34, e23044-e23044.	1.6	0
43	Improving metachronous cancer risk assessment using clinicopathological information in colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 2016, 34, e15092-e15092.	1.6	0
44	Clinical significance of monitoring KRAS in the blood of pancreatic cancer patients.. <i>Journal of Clinical Oncology</i> , 2017, 35, e23042-e23042.	1.6	0
45	Difference in appearance of KRAS mutated circulating tumor DNA in patients with metastatic colorectal cancer during treatments.. <i>Journal of Clinical Oncology</i> , 2017, 35, e23025-e23025.	1.6	0
46	Clinical significance of FDG-PET/CT in assessment of recurrence in breast cancer patients before surgery.. <i>Journal of Clinical Oncology</i> , 2017, 35, e23215-e23215.	1.6	0
47	Dynamics and characteristics of KRAS mutated circulating tumor DNA in patients with metastatic colorectal cancer during various treatments.. <i>Journal of Clinical Oncology</i> , 2018, 36, 665-665.	1.6	0
48	Clinical significance of monitoring KRAS in tissue and serum of pancreatic cancer patients.. <i>Journal of Clinical Oncology</i> , 2018, 36, 286-286.	1.6	0
49	Significance of monitoring vascular endothelial growth factor signals in blood during treatment of colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 2018, 36, e15563-e15563.	1.6	0
50	The significance of monitoring KRAS, human epidermal growth factor receptor 2, and vascular endothelial growth factor signals in the blood of colorectal cancer patients during treatment.. <i>Journal of Clinical Oncology</i> , 2018, 36, e24053-e24053.	1.6	0
51	Clinical significance of monitoring KRAS in tissue and plasma of pancreatic cancer patients.. <i>Journal of Clinical Oncology</i> , 2019, 37, 254-254.	1.6	0
52	Significance of monitoring plasma vascular endothelial growth factor signals during treatment of colorectal cancer patients.. <i>Journal of Clinical Oncology</i> , 2019, 37, 577-577.	1.6	0
53	Satellite alpha transcript levels to predict risk of bilateral breast cancer and multiple primary cancer in patients with breast cancer who lack BRCA-related clinical features.. <i>Journal of Clinical Oncology</i> , 2019, 37, e12575-e12575.	1.6	0
54	Clinical significance of monitoring KRAS in tissue and plasma of pancreatic cancer patients.. <i>Journal of Clinical Oncology</i> , 2020, 38, 745-745.	1.6	0

#	ARTICLE	IF	CITATIONS
55	Early peritoneal metastasis after laparoscopic incisional hernia repair secondary to colon cancer resection: A case report. <i>Annals of Medicine and Surgery</i> , 2021, 71, 103000.	1.1	0
56	Title is missing!. , 2019, 14, e0227366.		0
57	Title is missing!. , 2019, 14, e0227366.		0
58	Title is missing!. , 2019, 14, e0227366.		0
59	Title is missing!. , 2019, 14, e0227366.		0