
William Hiesinger

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4094531/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Early planned institution of biventricular mechanical circulatory support results in improved outcomes compared with delayed conversion of a left ventricular assist device to a biventricular assist device. Journal of Thoracic and Cardiovascular Surgery, 2009, 137, 971-977.	0.8	297
2	Predicting Right Ventricular Failure in the Modern, Continuous Flow Left Ventricular Assist Device Era. Annals of Thoracic Surgery, 2013, 96, 857-864.	1.3	207
3	Single-Cell Transcriptomic Profiling of Vascular Smooth Muscle Cell Phenotype Modulation in Marfan Syndrome Aortic Aneurysm. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 2195-2211.	2.4	126
4	Type A Aortic Dissection—Experience Over 5 Decades. Journal of the American College of Cardiology, 2020, 76, 1703-1713.	2.8	109
5	An innovative biologic system for photon-powered myocardium in the ischemic heart. Science Advances, 2017, 3, e1603078.	10.3	88
6	Twelfth Interagency Registry for Mechanically Assisted Circulatory Support Report: Readmissions After Left Ventricular Assist Device. Annals of Thoracic Surgery, 2022, 113, 722-737.	1.3	87
7	A Bioengineered Hydrogel System Enables Targeted and Sustained Intramyocardial Delivery of Neuregulin, Activating the Cardiomyocyte Cell Cycle and Enhancing Ventricular Function in a Murine Model of Ischemic Cardiomyopathy. Circulation: Heart Failure, 2014, 7, 619-626.	3.9	53
8	Risk of reoperative valve surgery for endocarditis associated with drug use. Journal of Thoracic and Cardiovascular Surgery, 2020, 159, 1262-1268.e2.	0.8	34
9	Predicting post-operative right ventricular failure using video-based deep learning. Nature Communications, 2021, 12, 5192.	12.8	32
10	Designing clinically translatable artificial intelligence systems for high-dimensional medical imaging. Nature Machine Intelligence, 2021, 3, 929-935.	16.0	29
11	Donors after circulatory death heart trial. Future Cardiology, 2021, 17, 11-17.	1.2	28
12	The Incremental Value of Right Ventricular Size and Strain in the Risk Assessment of Right Heart Failure Post - Left Ventricular Assist Device Implantation. Journal of Cardiac Failure, 2018, 24, 823-832.	1.7	26
13	Evaluation of Risk Factors for Heart-Lung Transplant Recipient Outcome. Circulation, 2019, 140, 1261-1272.	1.6	21
14	Right ventricular load adaptability metrics in patients undergoing left ventricular assist device implantation. Journal of Thoracic and Cardiovascular Surgery, 2019, 157, 1023-1033.e4.	0.8	16
15	Use of patient-specific computational models for optimization of aortic insufficiency after implantation of left ventricular assist device. Journal of Thoracic and Cardiovascular Surgery, 2021, 162, 1556-1563.	0.8	16
16	Use of direct oral anticoagulants after heart transplantation. Journal of Heart and Lung Transplantation, 2020, 39, 399-401.	0.6	14
17	Outcomes of patients with infection related to a ventricular assist device after heart transplantation. Clinical Transplantation, 2019, 33, e13692.	1.6	12
18	"Cheese Wire―Fenestration of Dissection Intimal Flap to Facilitate Thoracic Endovascular Aortic Repair in Chronic Dissection. Journal of Vascular and Interventional Radiology, 2020, 31, 150-154.e2.	0.5	12

WILLIAM HIESINGER

#	Article	IF	CITATIONS
19	A design-based model of the aortic valve for fluid-structure interaction. Biomechanics and Modeling in Mechanobiology, 2021, 20, 2413-2435.	2.8	12
20	Transplant Outcomes in Destination Therapy Left Ventricular Assist Device Patients. ASAIO Journal, 2020, 66, 394-398.	1.6	11
21	Embryologic Origin Influences Smooth Muscle Cell Phenotypic Modulation Signatures in Murine Marfan Syndrome Aortic Aneurysm. Arteriosclerosis, Thrombosis, and Vascular Biology, 2022, 42, 1154-1168.	2.4	11
22	Operative technique and pitfalls in donor heart procurement. Asian Cardiovascular and Thoracic Annals, 2017, 25, 80-82.	0.5	10
23	Patient-Specific Computational Fluid Dynamics Reveal Localized Flow Patterns Predictive of Post–Left Ventricular Assist Device Aortic Incompetence. Circulation: Heart Failure, 2021, 14, e008034.	3.9	9
24	Impact of Surgical Approach in Double Lung Transplantation: Median Sternotomy vs Clamshell Thoracotomy. Transplantation Proceedings, 2020, 52, 321-325.	0.6	7
25	Long-term survival in patients with post-LVAD right ventricular failure: multi-state modelling with competing outcomes of heart transplant. Journal of Heart and Lung Transplantation, 2021, 40, 778-785.	0.6	7
26	Extended Static Hypothermic Preservation In Cardiac Transplantation: A Case Report. Transplantation Proceedings, 2021, 53, 2509-2511.	0.6	7
27	Cell transplantation in heart failure: where do we stand in 2016?. European Journal of Cardio-thoracic Surgery, 2016, 50, 396-399.	1.4	6
28	Computational Fluid Dynamics Simulations to Predict False Lumen Enlargement After Surgical Repair of Type-A Aortic Dissection. Seminars in Thoracic and Cardiovascular Surgery, 2022, 34, 443-448.	0.6	6
29	Modeling Effects of Immunosuppressive Drugs on Human Hearts Using Induced Pluripotent Stem Cell–Derived Cardiac Organoids and Single-Cell RNA Sequencing. Circulation, 2022, 145, 1367-1369.	1.6	6
30	Post-Transplant Extracorporeal Membrane Oxygenation for Severe Primary Graft Dysfunction to Support the Use of Marginal Donor Hearts. Transplant International, 2022, 35, 10176.	1.6	6
31	Injectable Bioengineered Hydrogel Therapy in the Treatment of Ischemic Cardiomyopathy. Current Treatment Options in Cardiovascular Medicine, 2017, 19, 30.	0.9	5
32	First lung and kidney multi-organ transplant following COVID-19 Infection. Journal of Heart and Lung Transplantation, 2021, 40, 856-859.	0.6	5
33	Acute Induced Pressure Overload Rapidly Incites Thoracic Aortic Aneurysmal Smooth Muscle Cell Phenotype. Hypertension, 2022, 79, HYPERTENSIONAHA12118640.	2.7	5
34	Prolonged veno-arterial extracorporeal life support for cardiac failure. International Journal of Artificial Organs, 2018, 41, 437-444.	1.4	4
35	The Use of Factor Eight Inhibitor Bypass Activity (FEIBA) for the Treatment of Perioperative Hemorrhage in Left Ventricular Assist Device Implantation. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 2651-2658.	1.3	4
36	Impact of using higher-risk donor hearts for candidates with pre-transplant mechanical circulatory support. Journal of Heart and Lung Transplantation, 2022, 41, 237-243.	0.6	4

WILLIAM HIESINGER

#	Article	IF	CITATIONS
37	Analysis of the revised heart allocation policy and the influence of increased mechanical circulatory support on survival. Journal of Thoracic and Cardiovascular Surgery, 2023, 165, 2090-2103.e2.	0.8	4
38	Controlled Comparison of Simulated Hemodynamics Across Tricuspid and Bicuspid Aortic Valves. Annals of Biomedical Engineering, 2022, 50, 1053-1072.	2.5	4
39	Relation of Length of Survival After Orthotopic Heart Transplantation to Age of the Donor. American Journal of Cardiology, 2020, 131, 54-59.	1.6	3
40	Planned Concomitant Left and Right Ventricular Assist Device Insertion to Avoid Long-term Biventricular Mechanical Support: Bridge to Right Ventricular Recovery. Heart Surgery Forum, 2018, 21, E412-E414.	0.5	3
41	Successful Repair of Type A Aortic Dissection in an Octogenarian With Double Aortic Arch. Annals of Thoracic Surgery, 2019, 107, e19-e21.	1.3	2
42	Open-Chest Ablation of Incessant Ventricular Tachycardia During Left Ventricular Assist Device Implantation. JACC: Clinical Electrophysiology, 2020, 6, 901-902.	3.2	2
43	RVEX: Right Ventricular External Device for Biomimetic Support and Monitoring of the Right Heart. Advanced Materials Technologies, 2022, 7, .	5.8	2
44	Ventricular assist device implantation in the elderly. Annals of Cardiothoracic Surgery, 2014, 3, 570-2.	1.7	1
45	A modified implantation technique for temporary right ventricular assist device: Enabling ambulation and less invasive decannulation. Journal of Cardiac Surgery, 2019, 34, 1083-1085.	0.7	0
46	Commentary: Bespoke tricuspid tailoring—bringing patient-specific valve repair to the forgotten valve. JTCVS Techniques, 2021, 10, 296-297.	0.4	0