Vigdis Vindenes

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4095051/vigdis-vindenes-publications-by-year.pdf

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73	1,111 citations	19	30
papers		h-index	g-index
85 ext. papers	1,349 ext. citations	2.9 avg, IF	4.35 L-index

#	Paper Paper	IF	Citations
73	Comparative Neuropharmacology and Pharmacokinetics of Methamphetamine and Its Thiophene Analog Methiopropamine in Rodents. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
72	Multimorbidity, psychoactive substance use and psychological distress among acute medically ill patients: a cross-sectional study. <i>BMJ Open</i> , 2021 , 11, e052428	3	
71	Distribution of tetrahydrocannabinol and cannabidiol in several different postmortem matrices. <i>Forensic Science International</i> , 2021 , 329, 111082	2.6	1
70	Psychoactive substances have major impact on injuries in rural arctic Norway - A prospective observational study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021 , 65, 824-833	1.9	O
69	The Association between the Alcohol Biomarker Phosphatidylethanol (PEth) and Self-Reported Alcohol Consumption among Russian and Norwegian Medical Patients. <i>Alcohol and Alcoholism</i> , 2021 , 56, 726-736	3.5	1
68	Does the preparation for intravenous administration affect the composition of heroin injections? A controlled laboratory study. <i>Addiction</i> , 2021 , 116, 3104-3112	4.6	1
67	Comparison of the Diagnostic Value of Phosphatidylethanol and Carbohydrate-Deficient Transferrin as Biomarkers of Alcohol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 153-162	3.7	7
66	Which illicit drugs are injected in Oslo? A study based on analysis of drug residues in used injection equipment and self-reported information. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211043	3984	1
65	The alcohol marker phosphatidylethanol is closely related to AST, GGT, ferritin and HDL-C. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 ,	3.1	1
64	Comparison of anticoagulant rodenticide concentrations in liver and feces from apparently healthy red foxes. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020 , 32, 560-564	1.5	3
63	Determination of anticoagulant rodenticides in faeces of exposed dogs and in a healthy dog population. <i>Acta Veterinaria Scandinavica</i> , 2020 , 62, 30	2	4
62	Associations between psychoactive substance use and sensation seeking behavior among drivers in Norway. <i>BMC Public Health</i> , 2020 , 20, 23	4.1	6
61	Determination of drug residues in used syringe needles. <i>Drug Testing and Analysis</i> , 2020 , 12, 410-416	3.5	2
60	Prevalence of psychoactive substance use among acutely hospitalised patients in Oslo and Moscow: a cross-sectional, observational study. <i>BMJ Open</i> , 2020 , 10, e032572	3	3
59	Post-mortem toxicological analyses of blood samples from 107 patients receiving opioid agonist treatment: substances detected and pooled opioid and benzodiazepine concentrations. <i>Addiction</i> , 2020 , 116, 845	4.6	5
58	Harmful alcohol use among acutely ill hospitalized medical patients in Oslo and Moscow: A cross-sectional study. <i>Drug and Alcohol Dependence</i> , 2019 , 204, 107588	4.9	14
57	PREVALENCE OF ANTICOAGULANT RODENTICIDES IN FECES OF WILD RED FOXES (VULPES VULPES) IN NORWAY. <i>Journal of Wildlife Diseases</i> , 2019 , 55, 834	1.3	3

56	Fatally injured drivers in Norway 2005-2015-Trends in substance use and crash characteristics. <i>Traffic Injury Prevention</i> , 2019 , 20, 460-466	1.8	6
55	Interpreting oral fluid drug results in prisoners: monitoring current drug intake and detection times for drugs self-administered prior to detention. <i>Forensic Toxicology</i> , 2019 , 37, 59-74	2.6	
54	Driver-related risk factors of fatal road traffic crashes associated with alcohol or drug impairment. <i>Accident Analysis and Prevention</i> , 2019 , 131, 191-199	6.1	28
53	Pharmacokinetics of Single Doses of Methadone and Buprenorphine in Blood and Oral Fluid in Healthy Volunteers and Correlation With Effects on Psychomotor and Cognitive Functions. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 489-493	1.7	1
52	The active heroin metabolite 6-acetylmorphine has robust reinforcing effects as assessed by self-administration in the rat. <i>Neuropharmacology</i> , 2019 , 150, 192-199	5.5	4
51	A clinical trial on the acute effects of methadone and buprenorphine on actual driving and cognitive function of healthy volunteers. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 442-453	3.8	14
50	PREVALENCE OF ANTICOAGULANT RODENTICIDES IN FECES OF WILD RED FOXES () IN NORWAY. Journal of Wildlife Diseases, 2019 , 55, 834-843	1.3	1
49	Metabolites of Heroin in Several Different Post-mortem Matrices. <i>Journal of Analytical Toxicology</i> , 2018 , 42, 311-320	2.9	16
48	Is Hair Analysis Useful in Postmortem Cases?. Journal of Analytical Toxicology, 2018, 42, 49-54	2.9	11
47	Morphine reduced perceived anger from neutral and implicit emotional expressions. <i>Psychoneuroendocrinology</i> , 2018 , 91, 123-131	5	8
47		2.6	8
	Psychoneuroendocrinology, 2018, 91, 123-131 Can measurements of heroin metabolites in post-mortem matrices other than peripheral blood		
46	Psychoneuroendocrinology, 2018, 91, 123-131 Can measurements of heroin metabolites in post-mortem matrices other than peripheral blood indicate if death was rapid or delayed?. Forensic Science International, 2018, 290, 121-128 Quantitative method for analysis of six anticoagulant rodenticides in faeces, applied in a case with	2.6	13
46 45	Psychoneuroendocrinology, 2018, 91, 123-131 Can measurements of heroin metabolites in post-mortem matrices other than peripheral blood indicate if death was rapid or delayed?. Forensic Science International, 2018, 290, 121-128 Quantitative method for analysis of six anticoagulant rodenticides in faeces, applied in a case with repeated samples from a dog. Acta Veterinaria Scandinavica, 2018, 60, 3 Roadside survey of alcohol and drug use among Norwegian drivers in 2016-2017: A follow-up of the	2.6	13
46 45 44	Can measurements of heroin metabolites in post-mortem matrices other than peripheral blood indicate if death was rapid or delayed?. Forensic Science International, 2018, 290, 121-128 Quantitative method for analysis of six anticoagulant rodenticides in faeces, applied in a case with repeated samples from a dog. Acta Veterinaria Scandinavica, 2018, 60, 3 Roadside survey of alcohol and drug use among Norwegian drivers in 2016-2017: A follow-up of the 2008-2009 survey. Traffic Injury Prevention, 2018, 19, 555-562 Association between speeding and use of alcohol and medicinal and illegal drugs and involvement	2.6	13 13
46 45 44 43	Can measurements of heroin metabolites in post-mortem matrices other than peripheral blood indicate if death was rapid or delayed?. Forensic Science International, 2018, 290, 121-128 Quantitative method for analysis of six anticoagulant rodenticides in faeces, applied in a case with repeated samples from a dog. Acta Veterinaria Scandinavica, 2018, 60, 3 Roadside survey of alcohol and drug use among Norwegian drivers in 2016-2017: A follow-up of the 2008-2009 survey. Traffic Injury Prevention, 2018, 19, 555-562 Association between speeding and use of alcohol and medicinal and illegal drugs and involvement in road traffic crashes among motor vehicle drivers. Traffic Injury Prevention, 2018, 19, 779-785 Comparative Study of Postmortem Concentrations of Antidepressants in Several Different	2.6 2 1.8	13 13 13
46 45 44 43 42	Can measurements of heroin metabolites in post-mortem matrices other than peripheral blood indicate if death was rapid or delayed?. Forensic Science International, 2018, 290, 121-128 Quantitative method for analysis of six anticoagulant rodenticides in faeces, applied in a case with repeated samples from a dog. Acta Veterinaria Scandinavica, 2018, 60, 3 Roadside survey of alcohol and drug use among Norwegian drivers in 2016-2017: A follow-up of the 2008-2009 survey. Traffic Injury Prevention, 2018, 19, 555-562 Association between speeding and use of alcohol and medicinal and illegal drugs and involvement in road traffic crashes among motor vehicle drivers. Traffic Injury Prevention, 2018, 19, 779-785 Comparative Study of Postmortem Concentrations of Antidepressants in Several Different Matrices. Journal of Analytical Toxicology, 2018, 42, 446-458 Determination of cocaine, metabolites and a crack cocaine biomarker in whole blood by	2.6 2 1.8 1.8	13 13 13 1 15

38	Toxicological findings in suspected drug-impaired drivers in Norway - Trends during 1990-2015. Forensic Science International, 2017 , 280, 15-24	2.6	15
37	Differences in combinations and concentrations of drugs of abuse in fatal intoxication and driving under the influence cases. <i>Forensic Science International</i> , 2017 , 281, 127-133	2.6	14
36	Conversion factors for assessment of driving impairment after exposure to multiple benzodiazepines/z-hypnotics or opioids. <i>Forensic Science International</i> , 2017 , 281, 29-36	2.6	8
35	Methiopropamine in blood samples from drivers suspected of being under the influence of drugs. <i>Traffic Injury Prevention</i> , 2016 , 17, 1-4	1.8	19
34	Determination of safety margins for whole blood concentrations of alcohol and nineteen drugs in driving under the influence cases. <i>Forensic Science International</i> , 2016 , 259, 119-26	2.6	7
33	Comparison of (+)- and (-)-Naloxone on the Acute Psychomotor-Stimulating Effects of Heroin, 6-Acetylmorphine, and Morphine in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 358, 209-15	4.7	3
32	Novel psychoactive substances. <i>Tidsskrift for Den Norske Laegeforening</i> , 2016 , 136, 714-7	3.5	6
31	New designer drugs from the web. <i>Tidsskrift for Den Norske Laegeforening</i> , 2016 , 136, 721-3	3.5	1
30	Extended Detection of Amphetamine and Methamphetamine in Oral Fluid. <i>Therapeutic Drug Monitoring</i> , 2016 , 38, 114-9	3.2	9
29	Detection of Nitrobenzodiazepines and Their 7-Amino Metabolites in Oral Fluid. <i>Journal of Analytical Toxicology</i> , 2016 , 40, 310-2	2.9	9
28	A fatal intoxication with phenazone (antipyrine). Forensic Science International, 2015, 248, e13-5	2.6	3
27	Associations between driving under the influence of alcohol or drugs, speeding and seatbelt use among fatally injured car drivers in Norway. <i>Accident Analysis and Prevention</i> , 2015 , 78, 14-19	6.1	43
26	Concentrations of APINACA, 5F-APINACA, UR-144 and its degradant product in blood samples from six impaired drivers compared to previous reported concentrations of other synthetic cannabinoids. <i>Forensic Science International</i> , 2015 , 246, 98-103	2.6	46
25	Determination of dopamine concentrations in brain extracellular fluid using microdialysis with short sampling intervals, analyzed by ultra high performance liquid chromatography tandem mass spectrometry. <i>Journal of Pharmacological and Toxicological Methods</i> , 2015 , 74, 75-9	1.7	24
24	Recent trends in the availability and use of amphetamine and methamphetamine in Norway. <i>Forensic Science International</i> , 2015 , 246, 92-7	2.6	26
23	Detection Times of Diazepam, Clonazepam, and Alprazolam in Oral Fluid Collected From Patients Admitted to Detoxification, After High and Repeated Drug Intake. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 451-60	3.2	15
22	Determination of a selection of anti-epileptic drugs and two active metabolites in whole blood by reversed phase UPLC-MS/MS and some examples of application of the method in forensic toxicology cases. <i>Drug Testing and Analysis</i> , 2015 , 7, 634-44	3.5	24
21	Codeine to morphine concentration ratios in samples from living subjects and autopsy cases after incubation. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 99-105	2.9	7

(2008-2014)

20	Long-term stability of morphine, codeine, and 6-acetylmorphine in real-life whole blood samples, stored at -20°LC. Forensic Science International, 2014 , 239, 6-10	2.6	21
19	Prevalence of synthetic cannabinoids in blood samples from Norwegian drivers suspected of impaired driving during a seven weeks period. <i>Accident Analysis and Prevention</i> , 2014 , 62, 26-31	6.1	52
18	Lethal poisonings with AH-7921 in combination with other substances. <i>Forensic Science International</i> , 2014 , 244, e21-4	2.6	68
17	An accidental poisoning with mitragynine. Forensic Science International, 2014, 245, e29-32	2.6	57
16	Role of 6-monoacetylmorphine in the acute release of striatal dopamine induced by intravenous heroin. <i>International Journal of Neuropsychopharmacology</i> , 2014 , 17, 1357-65	5.8	22
15	Drugged driving arrests in Norway before and after the implementation of per se law. <i>Forensic Science International</i> , 2014 , 245, 171-7	2.6	19
14	Detection time for THC in oral fluid after frequent cannabis smoking. <i>Therapeutic Drug Monitoring</i> , 2014 , 36, 808-14	3.2	10
13	Analyses of beverage remains in drug rape cases revealing drug residuesthe possibility of contamination from drug concentrated oral fluid or oral cavity contained tablets. <i>Journal of Forensic Sciences</i> , 2014 , 59, 208-10	1.8	4
12	Methyl tert-butyl ether (MTBE) detected in abnormally high concentrations in postmortem blood and urine from two persons found dead inside a car containing a gasoline spill. <i>Journal of Forensic Sciences</i> , 2013 , 58, 1393-6	1.8	2
11	Has the intake of THC by cannabis users changed over the last decade? Evidence of increased exposure by analysis of blood THC concentrations in impaired drivers. <i>Forensic Science International</i> , 2013 , 226, 197-201	2.6	23
10	Levels of heroin and its metabolites in blood and brain extracellular fluid after i.v. heroin administration to freely moving rats. <i>British Journal of Pharmacology</i> , 2013 , 170, 546-56	8.6	49
9	Long-term stability of GHB in post-mortem samples and samples from living persons, stored at -20°C, using fluoride preservatives. <i>Forensic Science International</i> , 2012 , 222, 47-51	2.6	17
8	Simultaneous measurement of heroin and its metabolites in brain extracellular fluid by microdialysis and ultra performance liquid chromatography tandem mass spectrometry. <i>Journal of Pharmacological and Toxicological Methods</i> , 2012 , 66, 14-21	1.7	17
7	Impairment based legislative limits for driving under the influence of non-alcohol drugs in Norway. <i>Forensic Science International</i> , 2012 , 219, 1-11	2.6	117
6	Oral fluid is a viable alternative for monitoring drug abuse: detection of drugs in oral fluid by liquid chromatography-tandem mass spectrometry and comparison to the results from urine samples from patients treated with Methadone or Buprenorphine. <i>Journal of Analytical Toxicology</i> , 2011 , 35, 32	2.9 2 -9	54
5	Interactions between morphine and the morphine-glucuronides measured by conditioned place preference and locomotor activity. <i>Pharmacology Biochemistry and Behavior</i> , 2009 , 93, 1-9	3.9	7
4	Different effects on dopamine release in nucleus accumbens in mice by the morphine metabolites morphine-6-glucuronide and morphine-3-glucuronide. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009 , 105, 357-60	3.1	5
3	Different time schedules affect conditioned place preference after morphine and morphine-6-glucuronide administration. <i>Pharmacology Biochemistry and Behavior</i> , 2008 , 89, 374-83	3.9	9

Bromadiolone poisoning: LC-MS method and pharmacokinetic data. *Journal of Forensic Sciences*, 2008, 53, 993-6

Conditioned place preference induced by morphine and morphine-6-glucuronide in mice.

Pharmacology Biochemistry and Behavior, **2006**, 85, 292-7

3.9
22