

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4095180/qiang-fang-publications-by-citations.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109 papers	2,289 citations	27 h-index	40 g-index
112 ext. papers	2,688 ext. citations	4.8 avg, IF	5.13 L-index

#	Paper	IF	Citations
109	Non-porous low-k dielectric films based on a new structural amorphous fluoropolymer. <i>Advanced Materials</i> , 2013 , 25, 4875-8	24	120
108	Star-shaped donor-pi-acceptor conjugated oligomers with 1,3,5-triazine cores: convergent synthesis and multifunctional properties. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 10374-83	3.4	84
107	Benzothiadiazoyl-triazoyl cyclodextrin: a selective fluoroionophore for Ni(II). <i>Tetrahedron</i> , 2008 , 64, 8716-8720	6.7	2067
106	New optoelectronic materials based on bitriazines: synthesis and properties. <i>Organic Letters</i> , 2008 , 10, 709-12	6.2	65
105	New Soluble Poly(aryleneethynylene)s Consisting of Electron-Accepting Benzothiadiazole Units and Electron-Donating Dialkoxybenzene Units. Synthesis, Molecular Assembly, Orientation on Substrates, and Electrochemical and Optical Properties. <i>Macromolecules</i> , 2003 , 36, 4262-4267	5.5	65
104	Postpolymerization of Functional Organosiloxanes: An Efficient Strategy for Preparation of Low-k Material with Enhanced Thermostability and Mechanical Properties. <i>Macromolecules</i> , 2014 , 47, 6311-6315	5.5	56
103	Hydrogenation of N-propylcarbazole over supported ruthenium as a new prototype of liquid organic hydrogen carriers (LOHC). <i>RSC Advances</i> , 2013 , 3, 24877	3.7	55
102	New Conjugated Triazine Based Molecular Materials for Application in Optoelectronic Devices: Design, Synthesis, and Properties. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 2423-2427	3.8	53
101	Multi-carbazole derivatives: new dyes for highly efficient dye-sensitized solar cells. <i>RSC Advances</i> , 2012 , 2, 2427	3.7	51
100	Benzocyclobutene-functionalized poly(m-phenylene): A novel polymer with low dielectric constant and high thermostability. <i>Polymer</i> , 2014 , 55, 3628-3633	3.9	47
99	Fluorinated and Thermo-Cross-Linked Polyhedral Oligomeric Silsesquioxanes: New Organic-Inorganic Hybrid Materials for High-Performance Dielectric Application. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12782-12790	9.5	46
98	A New Fluorinated Polysiloxane with Good Optical Properties and Low Dielectric Constant at High Frequency Based on Easily Available Tetraethoxysilane (TEOS). <i>Macromolecules</i> , 2017 , 50, 9394-9402	5.5	46
97	New Alternative Copolymer Constituted of Fluorene and Triphenylamine Units with a Tunable CHO Group in the Side Chain. Quantitative Transformation of the CHO Group to CHCHAR Groups and Optical and Electrochemical Properties of the Polymers. <i>Macromolecules</i> , 2004 , 37, 5894-5899	5.5	46
96	Bisindoles containing a 2,1,3-benzothiadiazole unit: novel non-doping red organic light-emitting diodes with excellent color purity. <i>Chemical Communications</i> , 2005 , 1468-70	5.8	45
95	A novel fluorene derivative containing four triphenylamine groups: Highly thermostable blue emitter with hole-transporting ability for organic light-emitting diode (OLED). <i>Synthetic Metals</i> , 2005 , 155, 206-210	3.6	43
94	An Intrinsically Microporous Network Polymer with Good Dielectric Properties at High Frequency. <i>Macromolecules</i> , 2016 , 49, 7314-7321	5.5	42
93	A novel one-pot synthesized organosiloxane: synthesis and conversion to directly thermo-crosslinked polysiloxanes with low dielectric constants and excellent thermostability. <i>Polymer Chemistry</i> , 2015 , 6, 5984-5988	4.9	39

92	Postpolymerization of a fluorinated and reactive poly(aryl ether): an efficient way to balance the solubility and solvent resistance of the polymer. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 20437-4385	8.5	37
91	Conversion of a Biorenewable Plant Oil (Anethole) to a New Fluoropolymer with Both Low Dielectric Constant and Low Water Uptake. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 4451-4456	8.3	35
90	Sustainable alternative to bisphenol A epoxy resin: high-performance recyclable epoxy vitrimers derived from protocatechuic acid. <i>Polymer Chemistry</i> , 2020 , 11, 4500-4506	4.9	34
89	Synthesis and characterization of a novel functional monomer containing two allylphenoxy groups and one S-triazine ring and the properties of its copolymer with 4,4'-bismaleimidodiphenylmethane (BMDPM). <i>Polymer</i> , 2001 , 42, 7595-7602	3.9	34
88	Facile conversion of plant oil (anethole) to a high-performance material. <i>Polymer Chemistry</i> , 2017 , 8, 2010-2015	4.9	30
87	New Triazine-Based Polymers with Low Dielectric Constants and High Thermostability Derived from Biorenewable Anethole and Thermocrosslinkable Benzocyclobutene. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 5620-5626	8.3	30
86	Low Dielectric Fluorinated Polynorbornene with Good Thermostability and Transparency Derived from a Biobased Allylphenol (Eugenol). <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 4078-4086	8.3	29
85	A Low-Dielectric Polymer Derived from a Biorenewable Phenol (Eugenol). <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 13518-13523	8.3	28
84	A New Poly(fluorene-co-carbazole) with a Large Substituent Group at the 9-Position of the Carbazole Moiety: An Efficient Blue Emitter. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 1651-1656	4.8	28
83	High Performance Polymer Derived from a Biorenewable Plant Oil (Anethole). <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 2578-2584	8.3	27
82	Probing ultrafast excited state dynamics and nonlinear absorption properties of three star-shaped conjugated oligomers with 1,3,5-triazine core. <i>RSC Advances</i> , 2014 , 4, 10960	3.7	26
81	A new fluoropolymer having triazine rings as a dielectric material: synthesis and properties. <i>Polymer Chemistry</i> , 2017 , 8, 6173-6180	4.9	26
80	New Fluoropolymers Having Both Low Water Uptake and a Low Dielectric Constant. <i>Macromolecular Chemistry and Physics</i> , 2015 , 216, 2302-2308	2.6	26
79	A new sensor for copper(II) ion based on carboxyl acid groups substituted polyfluoreneethynylene. <i>Reactive and Functional Polymers</i> , 2008 , 68, 1715-1721	4.6	26
78	Synthesis and optical and electrochemical properties of new π -conjugated 1,3,5-triazine-containing polymers. <i>Journal of Polymer Science Part A</i> , 2005 , 43, 6554-6561	2.5	26
77	Benzocyclobutene resin with fluorene backbone: a novel thermosetting material with high thermostability and low dielectric constant. <i>RSC Advances</i> , 2014 , 4, 39884-39888	3.7	25
76	Perfluorocyclobutyl-based polymers for functional materials. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1280-1301	4.3	24
75	The synthesis and properties of novel π -conjugated 2,1,3-benzothiadiazole oligomers. <i>Dyes and Pigments</i> , 2009 , 80, 194-198	4.6	24

74	Fluoro-containing Polysiloxane Thermoset with Good Thermostability and Acid Resistance Based on the Renewable Multifunctional Vanillin. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 7304-7311	8.3	23
73	A new low dielectric material with high thermostability based on a thermosetting trifluoromethyl substituted aromatic molecule. <i>RSC Advances</i> , 2013 , 3, 23128	3.7	23
72	Phosphorus- and Sulfur-Containing High-Refractive-Index Polymers with High Tg and Transparency Derived from a Bio-Based Aldehyde. <i>Macromolecules</i> , 2020 , 53, 125-131	5.5	23
71	Intrinsic High Refractive Index SiloxaneSulfide Polymer Networks Having High Thermostability and Transmittance via ThiolEne Cross-Linking Reaction. <i>Macromolecules</i> , 2018 , 51, 7567-7573	5.5	23
70	An X-shaped E-conjugated polymer comprising of fluorene units and anthracene units with high efficiency. Synthesis and optical and electrochemical properties. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 5616-5625	2.5	22
69	New E-Conjugated Polymers Containing 1,3,5-Triazine Units in the Main Chain: Synthesis and Optical and Electrochemical Properties of the Polymers. <i>Macromolecular Rapid Communications</i> , 2005 , 26, 998-1001	4.8	22
68	Chemical preparation and characterization of new biodegradable aliphatic polyesters end-capped with diverse steroidal moieties. <i>Journal of Polymer Science Part A</i> , 2006 , 44, 2045-2058	2.5	21
67	New soluble unsaturated polyketone derived from diarylidenecycloalketone: synthesis and optical and electrochemical properties of E-conjugated poly(diarylidenecyclohexanone) with long side chains. <i>Polymer</i> , 2003 , 44, 2947-2956	3.9	21
66	s-Triazine-based functional monomers with thermocrosslinkable propargyl units: Synthesis and conversion to the heat-resistant polymers. <i>Polymer</i> , 2016 , 102, 301-307	3.9	21
65	GelSol Transition of Vanillin-Based Polyimine Vitrimers: Imparting Vitrimers with Extra Welding and Self-Healing Abilities. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 295-303	4.3	20
64	High-Performance Polyimides with High Tg and Excellent Dimensional Stability at High Temperature Prepared via a Cooperative Action of Hydrogen-Bond Interaction and Cross-Linking Reaction. <i>ACS Applied Polymer Materials</i> , 2019 , 1, 2099-2107	4.3	19
63	An X-shaped solution-processible oligomer having an anthracene unit as a core: A new organic light-emitting material with high thermostability and efficiency. <i>Organic Electronics</i> , 2010 , 11, 74-80	3.5	18
62	Synthesis and characterization of triallylphenoxytriazine and the properties of its copolymer with bismaleimide. <i>Journal of Applied Polymer Science</i> , 2001 , 81, 1248-1257	2.9	18
61	Post-functionalization of novolac resins by introducing thermo-crosslinkable DCFCF2 groups as the side chains: a new strategy for production of thermosetting polymers without releasing volatiles. <i>Polymer Chemistry</i> , 2016 , 7, 4313-4316	4.9	17
60	Variable Polymer Properties Driven by Substituent Groups: Investigation on a Trifluorovinylether-Functionalized Polyfluorene at the C-9 Position. <i>Macromolecular Chemistry and Physics</i> , 2015 , 216, 742-748	2.6	17
59	Alkyl side chain driven tunable redYellowGreen emission: Investigation on the new E-conjugated polymers comprising of 2,7-carbazole unit and 2,1,3-benzo-thiadiazole units with different side chains. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 1376-1387	2.5	17
58	New E-conjugated polyaryleneethynylenes containing a 1,3,5-triazine unit in the main chain: Synthesis and optical and electrochemical properties. <i>Journal of Polymer Science Part A</i> , 2006 , 44, 3797-3806	3.5	17
57	Biobased Anethole-Functionalized Poly(phenylene oxides): New Low Dielectric Materials with High Tg and Good Dimensional Stability. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 9277-9282	8.3	16

56	Biomass materials derived from anethole: conversion and application. <i>Polymer Chemistry</i> , 2020 , 11, 954-963	4.9	16
55	Conjugated poly(anthracene-alt-fluorene)s with X-shaped repeating units: New blue-light emitting polymers. <i>Polymer</i> , 2008 , 49, 2282-2287	3.9	15
54	Synthesis and Properties of a New Poly(arylene ethynylene) Containing 1,3,5-Triazine Units. <i>Macromolecular Chemistry and Physics</i> , 2004 , 205, 795-800	2.6	15
53	A facile conversion of a bio-based resveratrol to the high-performance polymer with high Tg and high char yield. <i>Polymer</i> , 2020 , 200, 122570	3.9	14
52	Polyethylenimine-coated iron oxide magnetic nanoparticles for high efficient gene delivery. <i>Applied Nanoscience (Switzerland)</i> , 2018 , 8, 811-821	3.3	14
51	A facile and economical procedure for the synthesis of maleimide derivatives using an acidic ionic liquid as a catalyst. <i>Tetrahedron Letters</i> , 2012 , 53, 4245-4247	2	14
50	New organic dyes containing E- or Z-trifluoromethyl acrylic acid as the electron acceptors for dye-sensitized solar cell applications: an investigation of the effect of molecular configuration on the power conversion efficiency of the cells. <i>RSC Advances</i> , 2013 , 3, 1069-1072	3.7	14
49	A New Polymeric Light-Emitting Material with Pure Green Emission: Poly(fluorene-alt-quinoxaline) with Benzothiadiazole Groups in the Side Chain. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 651-656	2.6	14
48	Cross-Linkable Fluorinated Polynorbornene with High Thermostability and Low Dielectric Constant at High Frequency. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 768-774	4.3	14
47	Dendrimeric organosiloxane with thermopolymerizable DCFCF ₂ groups as the arms: synthesis and transformation to the polymer with both ultra-low k and low water uptake. <i>Polymer Chemistry</i> , 2016 , 7, 3378-3382	4.9	14
46	Synthesis and properties of poly(arylenevinylene)s comprising of an electron-donating carbazole unit and an electron-accepting 2,1,3-benzothiadiazole (or fluorenone) unit in the main chain. <i>Polymer</i> , 2005 , 46, 11927-11933	3.9	13
45	High performance low dielectric polysiloxanes with high thermostability and low water uptake. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 1397-1402	7.8	13
44	A new type of unsaturated polyester resin with low dielectric constant and high thermostability: preparation and properties. <i>RSC Advances</i> , 2012 , 2, 6504	3.7	12
43	Low Dielectric Polymers with High Thermostability Derived from Biobased Vanillin. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 15013-15019	8.3	12
42	A Fluorinated Thermocrosslinkable Organosiloxane: A New Low-k Material at High Frequency with Low Water Uptake. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2000600	4.8	12
41	A Novel Thermo-Polymerizable Aromatic Diamine: Synthesis and Application in Enhancement of the Properties of Conventional Polyimides. <i>Macromolecular Chemistry and Physics</i> , 2016 , 217, 856-862	2.6	11
40	Titanium-Mediated Direct Carbon-Carbon Double Bond Formation to α -Trifluoromethyl Acids: A New Contribution to the Knoevenagel Reaction and a High-Yielding and Stereoselective Synthesis of α -Trifluoromethylacrylic Acids. <i>Advanced Synthesis and Catalysis</i> , 2011 , 353, 3161-3165	5.6	11
39	New low bandgap molecules based on ethylene-separated benzothiadiazoles: synthesis and bandgap comparison. <i>Tetrahedron Letters</i> , 2010 , 51, 4462-4465	2	11

38	Efficient Improvement of Fluorescence Quantum Yield of Fluoreneethynylene-Based Polymers by Introducing a Perfluoroalkylbenzene Unit to the Polymers. <i>Macromolecular Rapid Communications</i> , 2007 , 28, 772-779	4.8	11
37	A new glass-forming molecule having a fluorene skeleton: synthesis and conversion to the polymer with a low dielectric constant, high hydrophobicity and thermostability. <i>Polymer Chemistry</i> , 2016 , 7, 5925-5929	4.9	11
36	A Bio-Based Allylphenol (Eugenol)-Functionalized Fluorinated Maleimide with Low Dielectric Constant and Low Water Uptake. <i>Macromolecular Chemistry and Physics</i> , 2018 , 219, 1800252	2.6	11
35	High Performance Low Dielectric Constant Polymer with Good Film-Forming Ability Developed from Renewable Plant Oil (Anethole). <i>Macromolecular Chemistry and Physics</i> , 2018 , 219, 1800133	2.6	11
34	New Colorless and Transparent Poly(ether imide) Derived from a Biobased Plant Oil (Anethole): Synthesis and Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 11728-11734	8.3	10
33	Propargyl ether-functionalized poly(m-phenylene): a new precursor for the preparation of polymers with high modulus and high Tg. <i>RSC Advances</i> , 2015 , 5, 23009-23014	3.7	10
32	Preparation and Properties of New Soluble EConjugated Polymers Containing a Fumaronitrile Unit in the Main Chain. <i>Macromolecular Rapid Communications</i> , 2004 , 25, 1429-1432	4.8	10
31	Biobased Anethole/Polyacrylate Cross-Linked Materials with Good Transparency and High Thermostability. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 3575-3579	8.3	9
30	A new polymer with low dielectric constant based on trifluoromethyl-substituted arene: preparation and properties. <i>RSC Advances</i> , 2014 , 4, 40782-40787	3.7	9
29	Synthesis and properties of solution-processible oligomers for the use of organic light-emitting diodes (OLEDs). <i>Thin Solid Films</i> , 2011 , 519, 7772-7778	2.2	9
28	Understanding how intrinsic micro-pores affect the dielectric properties of polymers: an approach to synthesize ultra-low dielectric polymers with bulky tetrahedral units as cores. <i>Polymer Chemistry</i> , 2020 , 11, 2674-2680	4.9	8
27	A spiro-centered thermopolymerizable fluorinated macromonomer: synthesis and conversion to the high performance polymer. <i>RSC Advances</i> , 2017 , 7, 18861-18866	3.7	8
26	A new procedure for the synthesis of EConjugated polymers via ligand-free iron(III)-catalyzed oxidative homocoupling reaction of grignard reagents. <i>RSC Advances</i> , 2012 , 2, 8055	3.7	8
25	A New Four-Arm Organosiloxane with Thermopolymerizable Trifluorovinyl ether Groups: Synthesis and Conversion to the Polymer with both Low Dielectric Constant and Low Water Uptake. <i>Macromolecular Chemistry and Physics</i> , 2017 , 218, 1700010	2.6	6
24	Ethoxy-substituted Oligo-phenylenevinylene-Bridged Organic Dyes for Efficient Dye-Sensitized Solar Cells. <i>Chinese Journal of Chemistry</i> , 2012 , 30, 1497-1503	4.9	6
23	Investigation on the properties of a three-component copolymer consisting of tris(allylphenoxy) triazine monomer and a diamine-chain-extension bismaleimide. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 475-480	2.9	6
22	The bio-based phthalocyanine resins with high Tg and high char yield derived from vanillin. <i>Polymer</i> , 2021 , 224, 123723	3.9	6
21	A novel post-polymerizable polynorbornene prepared via ROMP: easy synthesis and conversion into a free-standing film with high Tg and low dielectric constant. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 1467-1474	7.8	6

20	A fluoropolymer with a low dielectric constant at a high frequency derived from bio-based anethole. <i>Polymer Chemistry</i> , 2021 , 12, 4501-4507	4.9	6
19	Resveratrol-Based Fluorinated Materials with High Thermostability and Good Dielectric Properties at High Frequency. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 16905-16911	8.3	5
18	Graphene-Like Covalent Organic Framework with a Wide Band Gap Synthesized On Surface via Stepwise Reactions. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 15958-15962	16.4	5
17	An effective strategy for the preparation of intrinsic low-k and ultralow-loss dielectric polysiloxanes at high frequency by introducing trifluoromethyl groups into the polymers. <i>Polymer Chemistry</i> , 2020 , 11, 6163-6170	4.9	5
16	A bio-based low dielectric material at a high frequency derived from resveratrol. <i>Polymer Chemistry</i> , 2021 , 12, 402-407	4.9	5
15	Pd(II)-catalyzed base-free oxidative homocoupling of fluorene diboronic acid ester: A new approach for the synthesis of π -conjugated polymers. <i>Journal of Polymer Science Part A</i> , 2011 , 49, 4098-4101	2.5	4
14	Synthesis and Properties of Highly Photoluminescent and Electrochemically Active Polymers Containing 2-Pyrazoline Units in the Main Chain. <i>Macromolecular Rapid Communications</i> , 2004 , 25, 1856-1859	4.8	4
13	A new π -conjugated star-shaped polymer comprising of full fluorene units: An efficient blue emitter without reduction of color purity undergoing an annealing. <i>Synthetic Metals</i> , 2009 , 159, 29-35	3.6	3
12	Low-Dielectric Polymers Derived From Biomass. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 2835-2848	4.3	3
11	A biobased low dielectric resin derived from vanillin and guaiacol. <i>Polymer Chemistry</i> , 2021 , 12, 766-770	4.9	3
10	New organic/inorganic hybrid materials: high refractive index polymers based on cyclotriphosphazene with high thermostability and transparency. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5826-5832	7.8	3
9	A highly heat-resistant phthalocyanine resin based on a bio-based anethole. <i>European Polymer Journal</i> , 2021 , 157, 110645	5.2	3
8	Optical limiting property and ultrafast pump-probe study of two X-shaped oligomers with anthracene unit as a core. <i>Optik</i> , 2020 , 206, 164330	2.5	1
7	Fluorinated Benzocyclobutene-Based Low-k Polymer at High Frequency. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 842-848	4.3	1
6	A fluorinated low dielectric polymer at high frequency derived from allylphenol and benzocyclobutene by a facile route. <i>European Polymer Journal</i> , 2022 , 163, 110943	5.2	1
5	High T _g and excellent ultraviolet-shielding efficiency modified PMMA derived from protocatechuic acid. <i>European Polymer Journal</i> , 2021 , 156, 110609	5.2	0
4	Graphene-Like Covalent Organic Framework with a Wide Band Gap Synthesized On Surface via Stepwise Reactions. <i>Angewandte Chemie</i> , 2020 , 132, 16092-16096	3.6	
3	Optical limiting property and ultrafast response study of Y and X-shaped oligomers: An investigation on the central core effect. <i>Optik</i> , 2019 , 194, 163090	2.5	

- 2 Macromol. Chem. Phys. 7/2015. *Macromolecular Chemistry and Physics*, **2015**, 216, 812-812 2.6
- 1 Macromol. Chem. Phys. 7/2016. *Macromolecular Chemistry and Physics*, **2016**, 217, 924-924 2.6