

Takaaki Kubota

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4097125/takaaki-kubota-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

3,339
citations

33
h-index

48
g-index

202
ext. papers

3,616
ext. citations

3.1
avg, IF

5.04
L-index

#	Paper	IF	Citations
125	The Daphniphyllum alkaloids. <i>Natural Product Reports</i> , 2009 , 26, 936-62	15.1	192
124	Bioactive macrolides and polyketides from marine dinoflagellates of the genus Amphidinium. <i>Journal of Natural Products</i> , 2007 , 70, 451-60	4.9	180
123	Total synthesis and biological evaluation of amphidinolide V and analogues. <i>Chemistry - A European Journal</i> , 2009 , 15, 4011-29	4.8	86
122	Paratunamides A-D, oxindole alkaloids from <i>Cinnamodendron axillare</i> . <i>Journal of Natural Products</i> , 2006 , 69, 1517-21	4.9	76
121	Amphidinolides T2, T3, and T4, new 19-membered macrolides from the dinoflagellate <i>Amphidinium</i> sp. and the biosynthesis of amphidinolide T1. <i>Journal of Organic Chemistry</i> , 2001 , 66, 134-42	4.2	65
120	Lycopladines B-D and lyconadin B, new alkaloids from <i>Lycopodium complanatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 5995-6000	3.4	64
119	Absolute stereochemistry of amphidinolide C. <i>Organic Letters</i> , 2001 , 3, 1363-6	6.2	62
118	Luteophanols B and C, new polyhydroxyl compounds from marine dinoflagellate <i>Amphidinium</i> sp.. <i>Tetrahedron</i> , 1998 , 54, 14455-14464	2.4	56
117	Lyconadins D and E, and complanadine E, new <i>Lycopodium</i> alkaloids from <i>Lycopodium complanatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 749-53	3.4	55
116	Nakinadine A, a novel bis-pyridine alkaloid with a β-amino acid moiety from sponge <i>Amphimedon</i> sp.. <i>Tetrahedron Letters</i> , 2007 , 48, 4983-4985	2	51
115	Bioactive macrolides and polyketides from marine dinoflagellates. <i>Pure and Applied Chemistry</i> , 2003 , 75, 337-342	2.1	51
114	Ma'edamines A and B, Cytotoxic Bromotyrosine Alkaloids with a Unique 2(1H)Pyrazinone Ring from Sponge <i>Suberea</i> sp.. <i>Tetrahedron</i> , 2000 , 56, 8107-8110	2.4	51
113	Pyriodemins B-D, potent cytotoxic bis-pyridine alkaloids from marine sponge <i>amphimedon</i> sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2000 , 48, 974-7	1.9	50
112	Pyriodemin A, a cytotoxic pyridine alkaloid with an isoxazolidine moiety from sponge <i>Amphimedon</i> sp. <i>Tetrahedron Letters</i> , 1999 , 40, 4819-4820	2	50
111	Nakijiquinones G-I, new sesquiterpenoid quinones from marine sponge. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 7561-4	3.4	48
110	Bromopyrrole alkaloids from marine sponges of the genus <i>Agelas</i> . <i>Journal of Natural Products</i> , 2009 , 72, 488-91	4.9	45
109	Nagelamide J, a novel dimeric bromopyrrole alkaloid from a sponge <i>Agelas</i> species. <i>Organic Letters</i> , 2007 , 9, 2369-71	6.2	44

108	Luteophanol D, New Polyhydroxyl Metabolite from Marine Dinoflagellate Amphidinium sp.. <i>Marine Drugs</i> , 2005 , 3, 113-118	6	44
107	Lycopladine A, a new C16N alkaloid from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2006 , 47, 3287-3289	4.2	42
106	Amphidinolide T5, a new 19-membered macrolide from a dinoflagellate and X-ray structure of amphidinolide T1. <i>Tetrahedron</i> , 2001 , 57, 6175-6179	2.4	41
105	Zamamidine C, 3,4-dihydro-6-hydroxy-10,11-epoxymanzamine A, and 3,4-dihydromanzamine J N-oxide, new manzamine alkaloids from sponge Amphimedon sp.. <i>Tetrahedron</i> , 2009 , 65, 2313-2317	2.4	40
104	Nagelamides K and L, dimeric bromopyrrole alkaloids from sponge Agelas species. <i>Organic Letters</i> , 2008 , 10, 2099-102	6.2	39
103	Complanadines C and D, new dimeric alkaloids from Lycopodium complanatum. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 413-7	3.4	39
102	Nagelamides Q and R, novel dimeric bromopyrrole alkaloids from sponges Agelas sp. <i>Organic Letters</i> , 2009 , 11, 1785-8	6.2	38
101	Zamamidines A and B, new manzamine alkaloids from the sponge Amphimedon species. <i>Organic Letters</i> , 2009 , 11, 21-4	6.2	37
100	Cloning of polyketide synthase genes from amphidinolide-producing dinoflagellate Amphidinium sp. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 1314-8	2.3	37
99	Brasilicardin A, a natural immunosuppressant, targets amino Acid transport system L. <i>Chemistry and Biology</i> , 2006 , 13, 1153-60		37
98	Lyconadins C and F, new Lycopodium alkaloids from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2011 , 52, 289-292	2	36
97	Absolute stereochemistry of amphidinolide C: synthesis of C-17-10 and C-17-29 segments. <i>Tetrahedron</i> , 2003 , 59, 1613-1625	2.4	36
96	Ceratinadins A-C, new bromotyrosine alkaloids from an Okinawan marine sponge Pseudoceratina sp. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 4569-72	2.9	34
95	Iejimalides show anti-osteoclast activity via V-ATPase inhibition. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006 , 70, 1364-70	2.1	34
94	Amphidinolide C2, New Macrolide from Marine Dinoflagellate Amphidinium Species. <i>Marine Drugs</i> , 2004 , 2, 83-87	6	34
93	Colopsinol A, a Novel Polyhydroxyl Metabolite from Marine Dinoflagellate Amphidinium sp.. <i>Journal of Organic Chemistry</i> , 1999 , 64, 1478-1482	4.2	34
92	Benzosceptrin C, a new dimeric bromopyrrole alkaloid from sponge Agelas sp.. <i>Tetrahedron Letters</i> , 2009 , 50, 7268-7270	2	33
91	Nakijinamines C-E, new heteroaromatic alkaloids from the sponge Suberites species. <i>Organic Letters</i> , 2011 , 13, 3016-9	6.2	32

90	Absolute stereochemistry of amphidinolide E. <i>Journal of Organic Chemistry</i> , 2002 , 67, 1651-6	4.2	31
89	Nakinadines BE: new pyridine alkaloids with a ß-amino acid moiety from sponge Amphimedon sp.. <i>Tetrahedron</i> , 2008 , 64, 3127-3132	2.4	30
88	Hyrтимomines D and E, bisindole alkaloids from a marine sponge Hyrtios sp.. <i>Tetrahedron Letters</i> , 2013 , 54, 4038-4040	2	29
87	Nakijiquinones J-R, sesquiterpenoid quinones with an amine residue from okinawan marine sponges. <i>Journal of Natural Products</i> , 2010 , 73, 467-71	4.9	29
86	Lycopladine H, a novel alkaloid with fused-tetracyclic skeleton from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2009 , 50, 6534-6536	2	29
85	Agelasines OQ, new diterpene alkaloids with a 9-N-methyladenine unit from a marine sponge Agelas sp.. <i>Tetrahedron</i> , 2012 , 68, 9738-9744	2.4	28
84	Nitrogen-containing verticillene diterpenoids from the Taiwanese soft coral Cespitularia taeniata. <i>Journal of Natural Products</i> , 2007 , 70, 1961-5	4.9	28
83	Pyridine A, a novel pyridine alkaloid with an azoxy moiety from sponge Cribrochalina sp.. <i>Tetrahedron Letters</i> , 2006 , 47, 997-998	2	28
82	Lycopladines F and G, new C16N2-type alkaloids with an additional C4N unit from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2009 , 50, 4221-4224	2	27
81	Eudistomidins H-K, new ß-carboline alkaloids from the Okinawan marine tunicate Eudistoma glaucus. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 4220-3	2.9	27
80	Hyrтioseragamines A and B, new alkaloids from the sponge Hyrtios species. <i>Organic Letters</i> , 2011 , 13, 628-31	6.2	26
79	Yezoōtogirins AĀ, new tricyclic terpenoids from Hypericum yezoense. <i>Tetrahedron Letters</i> , 2009 , 50, 4747-4750	2	26
78	Calyciphylline D, a novel alkaloid with an unprecedented fused-pentacyclic skeleton from Daphniphyllum calycinum. <i>Organic Letters</i> , 2007 , 9, 1207-9	6.2	26
77	Metachromins LQ, new sesquiterpenoid quinones with an amino acid residue from sponge Spongia sp.. <i>Tetrahedron</i> , 2007 , 63, 8770-8773	2.4	26
76	Nagelamides M and N, new bromopyrrole alkaloids from sponge Agelas species. <i>Tetrahedron</i> , 2008 , 64, 10810-10813	2.4	26
75	Amphezonol A, a novel polyhydroxyl metabolite from marine dinoflagellate Amphidinium sp.. <i>Tetrahedron Letters</i> , 2006 , 47, 4369-4371	2	25
74	Halichonadins K and L, new dimeric sesquiterpenoids from a sponge Halichondria sp. <i>Organic Letters</i> , 2012 , 14, 3498-501	6.2	24
73	Nakijiquinones E and F, new dimeric sesquiterpenoid quinones from marine sponge. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 2185-8	3.4	24

72	Calyciphylline C, a novel Daphniphyllum alkaloid from Daphniphyllum calycinum. <i>Tetrahedron Letters</i> , 2007 , 48, 1587-1589	2	24
71	Calyciphyllines HM, new Daphniphyllum alkaloids from Daphniphyllum calycinum. <i>Tetrahedron</i> , 2008 , 64, 1901-1908	2.4	24
70	Daphtenidines AD, new Daphniphyllum alkaloids from Daphniphyllum teijsmannii. <i>Tetrahedron</i> , 2006 , 62, 4743-4748	2.4	24
69	Amphidinolide V, novel 14-membered macrolide from marine dinoflagellate Amphidinium sp.. <i>Tetrahedron Letters</i> , 2000 , 41, 713-716	2	24
68	Calyciphyllines N-P, alkaloids from Daphniphyllum calycinum. <i>Journal of Natural Products</i> , 2009 , 72, 148-149	2.4	23
67	Calyciphylline G, a novel alkaloid with an unprecedented fused-hexacyclic skeleton from Daphniphyllum calycinum. <i>Tetrahedron Letters</i> , 2007 , 48, 5693-5695	2	23
66	Colopsinols B and C, new long chain polyhydroxy compounds from cultured marine dinoflagellate Amphidinium sp.. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999 , 3483-3487		23
65	Zamamiphidin A, a new manzamine related alkaloid from an Okinawan marine sponge Amphimedon sp. <i>Organic Letters</i> , 2013 , 15, 610-2	6.2	22
64	Biosynthetic study of amphidinolide C. <i>Tetrahedron</i> , 2001 , 57, 5975-5977	2.4	22
63	Biosynthetic study of amphidinolide B. <i>Chemical and Pharmaceutical Bulletin</i> , 2001 , 49, 1366-7	1.9	22
62	Heteroaromatic alkaloids, nakijinamines, from a sponge Suberites sp.. <i>Tetrahedron</i> , 2012 , 68, 8545-8550	2.4	21
61	Determination of the cryptic stereochemistry of the first PKS chain-extension step in ansamitocin biosynthesis by <i>Actinosynnema pretiosum</i> . <i>ChemBioChem</i> , 2006 , 7, 1221-5	3.8	21
60	Serratezomines D and E, new Lycopodium alkaloids from Lycopodium serratum var. serratum. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 3577-80	2.9	20
59	Eudistomidin G, a new beta-carboline alkaloid from the Okinawan marine tunicate Eudistoma glaucus and structure revision of eudistomidin B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 4100-3	2.9	20
58	Calyciphyllines E and F, novel hepta- and pentacyclic alkaloids from Daphniphyllum calycinum. <i>Tetrahedron Letters</i> , 2007 , 48, 3809-3812	2	20
57	Two theonellapeptolide congeners from marine sponge Theonella sp.. <i>Tetrahedron</i> , 1999 , 55, 10305-10314	2.4	20
56	Zamamidine D, a Manzamine Alkaloid from an Okinawan Amphimedon sp. Marine Sponge. <i>Journal of Natural Products</i> , 2017 , 80, 1196-1199	4.9	19
55	Amphidinins C-F, amphidinolide Q analogues from marine dinoflagellate Amphidinium sp. <i>Organic Letters</i> , 2014 , 16, 5624-7	6.2	19

54	Petiolins A-C, phloroglucinol derivatives from <i>Hypericum pseudopetiolum</i> var. <i>kiusianum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 5619-23	3.4	19
53	Pyrinadines B-G, new bis-pyridine alkaloids with an azoxy moiety from sponge <i>Cribrochalina</i> sp. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 8415-9	3.4	19
52	Colopsinols D and E, new polyhydroxyl linear carbon chain compounds from marine dinoflagellate <i>Amphidinium</i> sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2000 , 48, 1447-51	1.9	19
51	Amphidinolide C3, a New Cytotoxic 25-Membered Macrolide from Marine Dinoflagellate <i>Amphidinium</i> sp. <i>Heterocycles</i> , 2010 , 82, 333	0.8	19
50	Absolute configuration of amphidinin A. <i>Journal of Natural Products</i> , 2014 , 77, 1541-4	4.9	18
49	Tyrokeradines A and B, new bromotyrosine alkaloids with an imidazolyl-quinolinone moiety from a verongid sponge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 1337-9	2.9	18
48	Amphidinin B, a new polyketide metabolite from marine dinoflagellate <i>Amphidinium</i> sp. <i>Journal of Antibiotics</i> , 2006 , 59, 512-6	3.7	18
47	Amphidinolactone B, a new 26-membered macrolide from dinoflagellate <i>Amphidinium</i> sp. <i>Journal of Antibiotics</i> , 2007 , 60, 376-9	3.7	17
46	Amphidinolactone A, a New 13-Membered Macrolide from Dinoflagellate <i>Amphidinium</i> sp.. <i>Heterocycles</i> , 2007 , 72, 567	0.8	17
45	Ceratinadins E and F, New Bromotyrosine Alkaloids from an Okinawan Marine Sponge sp. <i>Marine Drugs</i> , 2018 , 16,	6	17
44	Plakoridine C, a novel piperidine alkaloid from an Okinawan marine sponge <i>Plakortis</i> sp.. <i>Tetrahedron Letters</i> , 2009 , 50, 3202-3204	2	16
43	Absolute stereochemistry of amphidinolide Q. <i>Organic Letters</i> , 2008 , 10, 3709-11	6.2	16
42	Metachromins R-T, new sesquiterpenoids from marine sponge <i>Spongia</i> sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2007 , 55, 1731-3	1.9	15
41	Hyrtnadines C and D, New Azepinoindole-Type Alkaloids from a Marine Sponge <i>Hyrtilios</i> sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2016 , 64, 975-8	1.9	14
40	Total synthesis of amphidinolactone A and its absolute configuration. <i>Tetrahedron Letters</i> , 2009 , 50, 1475-1477	14	
39	Lannotinidines H-J, new Lycopodium alkaloids from <i>Lycopodium annotinum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 877-81	1.9	14
38	Total Synthesis of the 7,10-Epimer of the Proposed Structure of Amphidinolide N, Part II: Synthesis of C17-C29 Subunit and Completion of the Synthesis. <i>Chemistry - A European Journal</i> , 2016 , 22, 3287-3291	4.8	14
37	New merosesquiterpenes from a Vietnamese marine sponge of <i>Spongia</i> sp. and their biological activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 3043-3047	2.9	13

36	Lycopladine E, a New C16N1-Type Alkaloid from <i>Lycopodium complanatum</i> . <i>Heterocycles</i> , 2007 , 74, 843	0.8	13
35	Biyouxanthonones A - D, Prenylated Xanthonones from Roots of <i>Hypericum chinense</i> . <i>Heterocycles</i> , 2010 , 80, 613	0.8	12
34	Total Synthesis of the 7,10-Epimer of the Proposed Structure of Amphidinolide N, Part I: Synthesis of the C1-C13 Subunit. <i>Chemistry - A European Journal</i> , 2016 , 22, 3282-3286	4.8	11
33	Pyrinodemins G-J new bis-3-alkylpyridine alkaloids from a marine sponge <i>Amphimedon</i> sp.. <i>Tetrahedron</i> , 2013 , 69, 96-100	2.4	11
32	Manzamenones L-N, new dimeric fatty-acid derivatives from an Okinawan marine sponge <i>Plakortis</i> sp. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 244-7	2.9	11
31	Revised structure and stereochemical assignments of amphidinolide N. <i>Journal of Antibiotics</i> , 2013 , 66, 277-9	3.7	11
30	Pyrinodemins E and F, new 3-alkylpyridine alkaloids from sponge <i>Amphimedon</i> sp. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 267-70	2.9	11
29	Lycovatine A, a C16N-Type Quaternary Alkaloid from <i>Lycopodium clavatum</i> var. <i>robustum</i> . <i>Heterocycles</i> , 2006 , 69, 469	0.8	11
28	Nagelamide I and 2,2'-didebromonagelamide B, new dimeric bromopyrrole-imidazole alkaloids from a marine sponge <i>Agelas</i> sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2014 , 62, 213-6	1.9	10
27	Platisidines A-C, N-Methylpyridinium Alkaloids from an Okinawan Marine Sponge of <i>Plakortis</i> Species. <i>Heterocycles</i> , 2010 , 80, 1407	0.8	10
26	Petirolins F-I, benzophenone rhamnosides from <i>Hypericum pseudopetirolatum</i> var. <i>kiusianum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 1171-3	1.9	9
25	Untenolide A, a new polyketide from an Okinawan marine sponge <i>Plakortis</i> sp.. <i>Tetrahedron Letters</i> , 2010 , 51, 4023-4026	2	9
24	Tyrokeradines G and H, new bromotyrosine alkaloids from an Okinawan <i>Verongid</i> sponge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 5221-3	2.9	8
23	Cyclopiazonic acid biosynthesis gene cluster gene <i>cpaM</i> is required for speradine A biosynthesis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2015 , 79, 2081-5	2.1	8
22	Naucleamide F, a New Monoterpene Indole Alkaloid from <i>Nauclea latifolia</i> . <i>Heterocycles</i> , 2009 , 79, 765	0.8	8
21	Xestosaprol C, a New Pentacyclic Hydroquinone Sulfate from a Marine Sponge <i>Xestospongia sapra</i> . <i>Heterocycles</i> , 2008 , 76, 1571	0.8	8
20	Integrated omics unveil the secondary metabolic landscape of a basal dinoflagellate. <i>BMC Biology</i> , 2020 , 18, 139	7.3	7
19	The manzamine alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2020 , 84, 1-124	4.8	7

18	Ma'edamines C and D, New Bromotyrosine Alkaloids Possessing a Unique Tetrasubstituted Pyridinium Moiety from an Okinawan Marine Sponge sp. <i>Organic Letters</i> , 2019 , 21, 8824-8826	6.2	7
17	Amphidinin G, a putative biosynthetic precursor of amphidinin A from marine dinoflagellate <i>Amphidinium</i> sp.. <i>Tetrahedron Letters</i> , 2015 , 56, 990-993	2	7
16	Inhibitory effects of metachromins L-Q and its related analogs against receptor tyrosine kinases EGFR and HER2. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 117-8	2.9	7
15	Daphnezomines T--V, alkaloids from <i>Daphniphyllum humile</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 504-7	1.9	7
14	Iejimalide C is a potent V-ATPase inhibitor, and induces actin disorganization. <i>Biological and Pharmaceutical Bulletin</i> , 2014 , 37, 1944-7	2.3	6
13	Tyrokeradines C-F, new bromotyrosine alkaloids from the Verongid sponges. <i>Chemical and Pharmaceutical Bulletin</i> , 2012 , 60, 1599-601	1.9	6
12	Bioactive Metabolites from Marine Dinoflagellates 2010 , 263-325		6
11	Sarusubine A, a new dimeric Lythraceae alkaloid from <i>Lagerstroemia subcostata</i> . <i>Tetrahedron Letters</i> , 2007 , 48, 7502-7504	2	6
10	Petiolins D and E, Phloroglucinol Derivatives from <i>Hypericum pseudopetiolatum</i> var. <i>kiusianum</i> . <i>Heterocycles</i> , 2009 , 79, 917	0.8	6
9	Stereochemistry of theonezolides AII. <i>Tetrahedron Letters</i> , 2013 , 54, 783-787	2	5
8	Ishigadine A, a new canthin-6-one alkaloid from an Okinawan marine sponge <i>Hyrtilis</i> sp.. <i>Tetrahedron Letters</i> , 2018 , 59, 4500-4502	2	5
7	Taurospongins B and C, new acetylenic fatty acid derivatives possessing a taurine amide residue from a marine sponge of the family Spongiidae. <i>RSC Advances</i> , 2014 , 4, 11073-11079	3.7	4
6	Nakijiquinone S and nakijinol C, new meroterpenoids from a marine sponge of the family spongiidae. <i>Chemical and Pharmaceutical Bulletin</i> , 2014 , 62, 209-12	1.9	4
5	Manzamenones Inhibit T-Cell Protein Tyrosine Phosphatase. <i>Marine Drugs</i> , 2006 , 4, 9-14	6	4
4	Macrocarquinoids A-C, new meroterpenoids from <i>Sargassum macrocarpum</i> . <i>Journal of Natural Medicines</i> , 2021 , 75, 194-200	3.3	4
3	Biosynthetic Study of Amphidinin A and Amphidinolide P. <i>Chemical and Pharmaceutical Bulletin</i> , 2016 , 64, 979-81	1.9	3
2	Symbiodinolactone A, a new 12-membered macrolide from symbiotic marine dinoflagellate <i>Symbiodinium</i> sp.. <i>Tetrahedron Letters</i> , 2018 , 59, 4496-4499	2	3
1	Kamiohnoynesides A and B, two new polyacetylene glycosides from flowers of edible <i>Chrysanthemum</i> "Kamiohno". <i>Journal of Natural Medicines</i> , 2021 , 75, 167-172	3.3	1

