

Takaaki Kubota

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4097125/takaaki-kubota-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

3,339
citations

33
h-index

48
g-index

202
ext. papers

3,616
ext. citations

3.1
avg, IF

5.04
L-index

#	Paper	IF	Citations
125	Macrocarquinoids A-C, new meroterpenoids from <i>Sargassum macrocarpum</i> . <i>Journal of Natural Medicines</i> , 2021 , 75, 194-200	3.3	4
124	Kamiohnoynesides A and B, two new polyacetylene glycosides from flowers of edible <i>Chrysanthemum "Kamiohno"</i> . <i>Journal of Natural Medicines</i> , 2021 , 75, 167-172	3.3	1
123	Integrated omics unveil the secondary metabolic landscape of a basal dinoflagellate. <i>BMC Biology</i> , 2020 , 18, 139	7.3	7
122	The manzamine alkaloids. <i>The Alkaloids Chemistry and Biology</i> , 2020 , 84, 1-124	4.8	7
121	Ma'edamines C and D, New Bromotyrosine Alkaloids Possessing a Unique Tetrasubstituted Pyridinium Moiety from an Okinawan Marine Sponge sp. <i>Organic Letters</i> , 2019 , 21, 8824-8826	6.2	7
120	Symbiodinolactone A, a new 12-membered macrolide from symbiotic marine dinoflagellate <i>Symbiodinium</i> sp.. <i>Tetrahedron Letters</i> , 2018 , 59, 4496-4499	2	3
119	Ishigadine A, a new canthin-6-one alkaloid from an Okinawan marine sponge <i>Hirtios</i> sp.. <i>Tetrahedron Letters</i> , 2018 , 59, 4500-4502	2	5
118	Ceratinadins E and F, New Bromotyrosine Alkaloids from an Okinawan Marine Sponge sp. <i>Marine Drugs</i> , 2018 , 16,	6	17
117	Zamamidine D, a Manzamine Alkaloid from an Okinawan Amphimedon sp. Marine Sponge. <i>Journal of Natural Products</i> , 2017 , 80, 1196-1199	4.9	19
116	New merosesquiterpenes from a Vietnamese marine sponge of <i>Spongia</i> sp. and their biological activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 3043-3047	2.9	13
115	Hirtinadines C and D, New Azepinoindole-Type Alkaloids from a Marine Sponge <i>Hirtios</i> sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2016 , 64, 975-8	1.9	14
114	Total Synthesis of the 7,10-Epimer of the Proposed Structure of Amphidinolide N, Part I: Synthesis of the C1-C13 Subunit. <i>Chemistry - A European Journal</i> , 2016 , 22, 3282-3286	4.8	11
113	Total Synthesis of the 7,10-Epimer of the Proposed Structure of Amphidinolide N, Part II: Synthesis of C17-C29 Subunit and Completion of the Synthesis. <i>Chemistry - A European Journal</i> , 2016 , 22, 3287-3291	4.8	14
112	Biosynthetic Study of Amphidin A and Amphidinolide P. <i>Chemical and Pharmaceutical Bulletin</i> , 2016 , 64, 979-81	1.9	3
111	Tyrokeradines G and H, new bromotyrosine alkaloids from an Okinawan Verongid sponge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 5221-3	2.9	8
110	Cyclopiazonic acid biosynthesis gene cluster gene <i>cpaM</i> is required for speradine A biosynthesis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2015 , 79, 2081-5	2.1	8
109	Amphidin G, a putative biosynthetic precursor of amphidin A from marine dinoflagellate <i>Amphidinium</i> sp.. <i>Tetrahedron Letters</i> , 2015 , 56, 990-993	2	7

108	Amphidinins C-F, amphidinolide Q analogues from marine dinoflagellate <i>Amphidinium</i> sp. <i>Organic Letters</i> , 2014 , 16, 5624-7	6.2	19
107	Taurospongins B and C, new acetylenic fatty acid derivatives possessing a taurine amide residue from a marine sponge of the family Spongiidae. <i>RSC Advances</i> , 2014 , 4, 11073-11079	3.7	4
106	Absolute configuration of amphidinin A. <i>Journal of Natural Products</i> , 2014 , 77, 1541-4	4.9	18
105	Iejimalide C is a potent V-ATPase inhibitor, and induces actin disorganization. <i>Biological and Pharmaceutical Bulletin</i> , 2014 , 37, 1944-7	2.3	6
104	Nakijiquinone S and nakijinol C, new meroterpenoids from a marine sponge of the family spongiidae. <i>Chemical and Pharmaceutical Bulletin</i> , 2014 , 62, 209-12	1.9	4
103	Nagelamide I and 2,2'-dibromonagelamide B, new dimeric bromopyrrole-imidazole alkaloids from a marine sponge <i>Agelas</i> sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2014 , 62, 213-6	1.9	10
102	Pyrimodems G-J, new bis-3-alkylpyridine alkaloids from a marine sponge <i>Amphimedon</i> sp.. <i>Tetrahedron</i> , 2013 , 69, 96-100	2.4	11
101	Stereochemistry of theonezolides A-C. <i>Tetrahedron Letters</i> , 2013 , 54, 783-787	2	5
100	Manzamenones L-N, new dimeric fatty-acid derivatives from an Okinawan marine sponge <i>Plakortis</i> sp. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 244-7	2.9	11
99	Zamamiphidin A, a new manzamine related alkaloid from an Okinawan marine sponge <i>Amphimedon</i> sp. <i>Organic Letters</i> , 2013 , 15, 610-2	6.2	22
98	Inhibitory effects of metachromins L-Q and its related analogs against receptor tyrosine kinases EGFR and HER2. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 117-8	2.9	7
97	Hyrtrimomines D and E, bisindole alkaloids from a marine sponge <i>Hyrtilos</i> sp.. <i>Tetrahedron Letters</i> , 2013 , 54, 4038-4040	2	29
96	Revised structure and stereochemical assignments of amphidinolide N. <i>Journal of Antibiotics</i> , 2013 , 66, 277-9	3.7	11
95	Tyrokeradines C-F, new bromotyrosine alkaloids from the Verongid sponges. <i>Chemical and Pharmaceutical Bulletin</i> , 2012 , 60, 1599-601	1.9	6
94	Heteroaromatic alkaloids, nakijinamines, from a sponge <i>Suberites</i> sp.. <i>Tetrahedron</i> , 2012 , 68, 8545-8550	2.4	21
93	Agelasines O-Q, new diterpene alkaloids with a 9-N-methyladenine unit from a marine sponge <i>Agelas</i> sp.. <i>Tetrahedron</i> , 2012 , 68, 9738-9744	2.4	28
92	Halichonadins K and L, new dimeric sesquiterpenoids from a sponge <i>Halichondria</i> sp. <i>Organic Letters</i> , 2012 , 14, 3498-501	6.2	24
91	Nakijinamines C-E, new heteroaromatic alkaloids from the sponge <i>Suberites</i> species. <i>Organic Letters</i> , 2011 , 13, 3016-9	6.2	32

90	Hyrteroseragamines A and B, new alkaloids from the sponge Hyrtios species. <i>Organic Letters</i> , 2011 , 13, 628-31	6.2	26
89	Lyconadins D and E, and complanadine E, new Lycopodium alkaloids from Lycopodium complanatum. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 749-53	3.4	55
88	Pyrinodemins E and F, new 3-alkylpyridine alkaloids from sponge Amphimedon sp. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 267-70	2.9	11
87	Eudistomidins H-K, new carboline alkaloids from the Okinawan marine tunicate Eudistoma glaucus. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 4220-3	2.9	27
86	Lyconadins C and F, new Lycopodium alkaloids from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2011 , 52, 289-292	2	36
85	Bioactive Metabolites from Marine Dinoflagellates 2010 , 263-325		6
84	Nakijiquinones J-R, sesquiterpenoid quinones with an amine residue from okinawan marine sponges. <i>Journal of Natural Products</i> , 2010 , 73, 467-71	4.9	29
83	Platisidines A-C, N-Methylpyridinium Alkaloids from an Okinawan Marine Sponge of Plakortis Species. <i>Heterocycles</i> , 2010 , 80, 1407	0.8	10
82	Untenolide A, a new polyketide from an Okinawan marine sponge Plakortis sp.. <i>Tetrahedron Letters</i> , 2010 , 51, 4023-4026	2	9
81	Eudistomidin G, a new beta-carboline alkaloid from the Okinawan marine tunicate Eudistoma glaucus and structure revision of eudistomidin B. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 4100-3	2.9	20
80	Ceratinadins A-C, new bromotyrosine alkaloids from an Okinawan marine sponge Pseudoceratina sp. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 4569-72	2.9	34
79	Biyouxanthonones A - D, Prenylated Xanthonones from Roots of Hypericum chinense. <i>Heterocycles</i> , 2010 , 80, 613	0.8	12
78	Amphidinolide C3, a New Cytotoxic 25-Membered Macrolide from Marine Dinoflagellate Amphidinium sp. <i>Heterocycles</i> , 2010 , 82, 333	0.8	19
77	Total synthesis and biological evaluation of amphidinolide V and analogues. <i>Chemistry - A European Journal</i> , 2009 , 15, 4011-29	4.8	86
76	Lycopladines F and G, new C16N2-type alkaloids with an additional C4N unit from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2009 , 50, 4221-4224	2	27
75	Lycopladine H, a novel alkaloid with fused-tetracyclic skeleton from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2009 , 50, 6534-6536	2	29
74	Benzosceptrin C, a new dimeric bromopyrrole alkaloid from sponge Agelas sp.. <i>Tetrahedron Letters</i> , 2009 , 50, 7268-7270	2	33
73	Zamamidine C, 3,4-dihydro-6-hydroxy-10,11-epoxymanzamine A, and 3,4-dihydromanzamine J N-oxide, new manzamine alkaloids from sponge Amphimedon sp.. <i>Tetrahedron</i> , 2009 , 65, 2313-2317	2.4	40

72	Total synthesis of amphidinolactone A and its absolute configuration. <i>Tetrahedron Letters</i> , 2009 , 50, 1475-1477	14	
71	Plakoridine C, a novel piperidine alkaloid from an Okinawan marine sponge Plakortis sp.. <i>Tetrahedron Letters</i> , 2009 , 50, 3202-3204	2	16
70	Yezoötogirins A-C, new tricyclic terpenoids from <i>Hypericum yezoense</i> . <i>Tetrahedron Letters</i> , 2009 , 50, 4747-4750	2	26
69	Nakijiquinones E and F, new dimeric sesquiterpenoid quinones from marine sponge. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 2185-8	3.4	24
68	Tyrokeradines A and B, new bromotyrosine alkaloids with an imidazolyl-quinolinone moiety from a verongid sponge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 1337-9	2.9	18
67	Serratezomines D and E, new Lycopodium alkaloids from <i>Lycopodium serratum</i> var. <i>serratum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 3577-80	2.9	20
66	Nagelamides Q and R, novel dimeric bromopyrrole alkaloids from sponges <i>Agelas</i> sp. <i>Organic Letters</i> , 2009 , 11, 1785-8	6.2	38
65	Calyciphyllines N-P, alkaloids from <i>Daphniphyllum calycinum</i> . <i>Journal of Natural Products</i> , 2009 , 72, 148-51	19	23
64	Zamamidines A and B, new manzamine alkaloids from the sponge <i>Amphimedon</i> species. <i>Organic Letters</i> , 2009 , 11, 21-4	6.2	37
63	The <i>Daphniphyllum</i> alkaloids. <i>Natural Product Reports</i> , 2009 , 26, 936-62	15.1	192
62	Bromopyrrole alkaloids from marine sponges of the genus <i>Agelas</i> . <i>Journal of Natural Products</i> , 2009 , 72, 488-91	4.9	45
61	Petiolins F-I, benzophenone rhamnosides from <i>Hypericum pseudopetiolum</i> var. <i>kiusianum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 1171-3	1.9	9
60	Daphnezomines T-V, alkaloids from <i>Daphniphyllum humile</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 504-7	1.9	7
59	Lannotinidines H-J, new Lycopodium alkaloids from <i>Lycopodium annotinum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 877-81	1.9	14
58	Naucleamide F, a New Monoterpene Indole Alkaloid from <i>Nauclea latifolia</i> . <i>Heterocycles</i> , 2009 , 79, 765	0.8	8
57	Petiolins D and E, Phloroglucinol Derivatives from <i>Hypericum pseudopetiolum</i> var. <i>kiusianum</i> . <i>Heterocycles</i> , 2009 , 79, 917	0.8	6
56	Nagelamides K and L, dimeric bromopyrrole alkaloids from sponge <i>Agelas</i> species. <i>Organic Letters</i> , 2008 , 10, 2099-102	6.2	39
55	Absolute stereochemistry of amphidinolide Q. <i>Organic Letters</i> , 2008 , 10, 3709-11	6.2	16

54	Petiolins A-C, phloroglucinol derivatives from <i>Hypericum pseudopetiolum</i> var. <i>kiusianum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 5619-23	3.4	19
53	Nakijiquinones G-I, new sesquiterpenoid quinones from marine sponge. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 7561-4	3.4	48
52	Calyciphyllines HM, new Daphniphyllum alkaloids from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron</i> , 2008 , 64, 1901-1908	2.4	24
51	Nakinadines BE: new pyridine alkaloids with a ß-amino acid moiety from sponge <i>Amphimedon</i> sp.. <i>Tetrahedron</i> , 2008 , 64, 3127-3132	2.4	30
50	Nagelamides M and N, new bromopyrrole alkaloids from sponge <i>Agelas</i> species. <i>Tetrahedron</i> , 2008 , 64, 10810-10813	2.4	26
49	Xestosaprol C, a New Pentacyclic Hydroquinone Sulfate from a Marine Sponge <i>Xestospongia sapra</i> . <i>Heterocycles</i> , 2008 , 76, 1571	0.8	8
48	Calyciphylline D, a novel alkaloid with an unprecedented fused-pentacyclic skeleton from <i>Daphniphyllum calycinum</i> . <i>Organic Letters</i> , 2007 , 9, 1207-9	6.2	26
47	Nitrogen-containing verticillene diterpenoids from the Taiwanese soft coral <i>Cespitularia taeniata</i> . <i>Journal of Natural Products</i> , 2007 , 70, 1961-5	4.9	28
46	Nagelamide J, a novel dimeric bromopyrrole alkaloid from a sponge <i>Agelas</i> species. <i>Organic Letters</i> , 2007 , 9, 2369-71	6.2	44
45	Bioactive macrolides and polyketides from marine dinoflagellates of the genus <i>Amphidinium</i> . <i>Journal of Natural Products</i> , 2007 , 70, 451-60	4.9	180
44	Lycopladine E, a New C ₁₆ N ₁ -Type Alkaloid from <i>Lycopodium complanatum</i> . <i>Heterocycles</i> , 2007 , 74, 843	0.8	13
43	Metachromins LQ, new sesquiterpenoid quinones with an amino acid residue from sponge <i>Spongia</i> sp.. <i>Tetrahedron</i> , 2007 , 63, 8770-8773	2.4	26
42	Calyciphylline C, a novel <i>Daphniphyllum</i> alkaloid from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron Letters</i> , 2007 , 48, 1587-1589	2	24
41	Calyciphyllines E and F, novel hepta- and pentacyclic alkaloids from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron Letters</i> , 2007 , 48, 3809-3812	2	20
40	Nakinadine A, a novel bis-pyridine alkaloid with a ß-amino acid moiety from sponge <i>Amphimedon</i> sp.. <i>Tetrahedron Letters</i> , 2007 , 48, 4983-4985	2	51
39	Calyciphylline G, a novel alkaloid with an unprecedented fused-hexacyclic skeleton from <i>Daphniphyllum calycinum</i> . <i>Tetrahedron Letters</i> , 2007 , 48, 5693-5695	2	23
38	Sarusubine A, a new dimeric Lythraceae alkaloid from <i>Lagerstroemia subcostata</i> . <i>Tetrahedron Letters</i> , 2007 , 48, 7502-7504	2	6
37	Complanadines C and D, new dimeric alkaloids from <i>Lycopodium complanatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 413-7	3.4	39

36	Amphidinolactone B, a new 26-membered macrolide from dinoflagellate Amphidinium sp. <i>Journal of Antibiotics</i> , 2007 , 60, 376-9	3.7	17
35	Metachromins R-T, new sesquiterpenoids from marine sponge Spongia sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2007 , 55, 1731-3	1.9	15
34	Amphidinolactone A, a New 13-Membered Macrolide from Dinoflagellate Amphidinium sp.. <i>Heterocycles</i> , 2007 , 72, 567	0.8	17
33	Determination of the cryptic stereochemistry of the first PKS chain-extension step in ansamitocin biosynthesis by Actinosynnema pretiosum. <i>ChemBioChem</i> , 2006 , 7, 1221-5	3.8	21
32	Lycovatine A, a C16N-Type Quaternary Alkaloid from Lycopodium clavatum var. robustum. <i>Heterocycles</i> , 2006 , 69, 469	0.8	11
31	lejimalides show anti-osteoclast activity via V-ATPase inhibition. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006 , 70, 1364-70	2.1	34
30	Paratunamides A-D, oxindole alkaloids from Cinnamodendron axillare. <i>Journal of Natural Products</i> , 2006 , 69, 1517-21	4.9	76
29	Manzamenones Inhibit T-Cell Protein Tyrosine Phosphatase. <i>Marine Drugs</i> , 2006 , 4, 9-14	6	4
28	Cloning of polyketide synthase genes from amphidinolide-producing dinoflagellate Amphidinium sp. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 1314-8	2.3	37
27	Amphidin B, a new polyketide metabolite from marine dinoflagellate Amphidinium sp. <i>Journal of Antibiotics</i> , 2006 , 59, 512-6	3.7	18
26	Lycoplazines B-D and lyconadin B, new alkaloids from Lycopodium complanatum. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 5995-6000	3.4	64
25	Pyrinazines B-G, new bis-pyridine alkaloids with an azoxy moiety from sponge Cribrochalina sp. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 8415-9	3.4	19
24	Brasilicardin A, a natural immunosuppressant, targets amino Acid transport system L. <i>Chemistry and Biology</i> , 2006 , 13, 1153-60		37
23	Daphtenidines AD, new Daphniphyllum alkaloids from Daphniphyllum teijsmannii. <i>Tetrahedron</i> , 2006 , 62, 4743-4748	2.4	24
22	Pyrinazine A, a novel pyridine alkaloid with an azoxy moiety from sponge Cribrochalina sp.. <i>Tetrahedron Letters</i> , 2006 , 47, 997-998	2	28
21	Lycoplazine A, a new C16N alkaloid from Lycopodium complanatum. <i>Tetrahedron Letters</i> , 2006 , 47, 3287-3289		42
20	Amphezanol A, a novel polyhydroxyl metabolite from marine dinoflagellate Amphidinium sp.. <i>Tetrahedron Letters</i> , 2006 , 47, 4369-4371	2	25
19	Luteophanol D, New Polyhydroxyl Metabolite from Marine Dinoflagellate Amphidinium sp.. <i>Marine Drugs</i> , 2005 , 3, 113-118	6	44

18	Amphidinolide C2, New Macrolide from Marine Dinoflagellate Amphidinium Species. <i>Marine Drugs</i> , 2004 , 2, 83-87	6	34
17	Bioactive macrolides and polyketides from marine dinoflagellates. <i>Pure and Applied Chemistry</i> , 2003 , 75, 337-342	2.1	51
16	Absolute stereochemistry of amphidinolide C: synthesis of C-10 and C-17-29 segments. <i>Tetrahedron</i> , 2003 , 59, 1613-1625	2.4	36
15	Absolute stereochemistry of amphidinolide E. <i>Journal of Organic Chemistry</i> , 2002 , 67, 1651-6	4.2	31
14	Biosynthetic study of amphidinolide C. <i>Tetrahedron</i> , 2001 , 57, 5975-5977	2.4	22
13	Amphidinolide T5, a new 19-membered macrolide from a dinoflagellate and X-ray structure of amphidinolide T1. <i>Tetrahedron</i> , 2001 , 57, 6175-6179	2.4	41
12	Amphidinolides T2, T3, and T4, new 19-membered macrolides from the dinoflagellate Amphidinium sp. and the biosynthesis of amphidinolide T1. <i>Journal of Organic Chemistry</i> , 2001 , 66, 134-42	4.2	65
11	Absolute stereochemistry of amphidinolide C. <i>Organic Letters</i> , 2001 , 3, 1363-6	6.2	62
10	Biosynthetic study of amphidinolide B. <i>Chemical and Pharmaceutical Bulletin</i> , 2001 , 49, 1366-7	1.9	22
9	Colopsinols D and E, new polyhydroxyl linear carbon chain compounds from marine dinoflagellate Amphidinium sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2000 , 48, 1447-51	1.9	19
8	Pyridodems B-D, potent cytotoxic bis-pyridine alkaloids from marine sponge amphimedon sp. <i>Chemical and Pharmaceutical Bulletin</i> , 2000 , 48, 974-7	1.9	50
7	Ma'edamines A and B, Cytotoxic Bromotyrosine Alkaloids with a Unique 2(1H)Pyrazinone Ring from Sponge Suberea sp.. <i>Tetrahedron</i> , 2000 , 56, 8107-8110	2.4	51
6	Amphidinolide V, novel 14-membered macrolide from marine dinoflagellate Amphidinium sp.. <i>Tetrahedron Letters</i> , 2000 , 41, 713-716	2	24
5	Pyridodemin A, a cytotoxic pyridine alkaloid with an isoxazolidine moiety from sponge Amphimedon sp. <i>Tetrahedron Letters</i> , 1999 , 40, 4819-4820	2	50
4	Two theonellapeptolide congeners from marine sponge Theonella sp.. <i>Tetrahedron</i> , 1999 , 55, 10305-10314	2.4	20
3	Colopsinols B and C, new long chain polyhydroxy compounds from cultured marine dinoflagellate Amphidinium sp.. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999 , 3483-3487		23
2	Colopsinol A, a Novel Polyhydroxyl Metabolite from Marine Dinoflagellate Amphidinium sp.. <i>Journal of Organic Chemistry</i> , 1999 , 64, 1478-1482	4.2	34
1	Luteophanols B and C, new polyhydroxyl compounds from marine dinoflagellate Amphidinium sp.. <i>Tetrahedron</i> , 1998 , 54, 14455-14464	2.4	56

