

# Zhihong Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4097721/publications.pdf>

Version: 2024-02-01

127  
papers

12,909  
citations

19636

61  
h-index

22808

112  
g-index

128  
all docs

128  
docs citations

128  
times ranked

14757  
citing authors

#	ARTICLE	IF	CITATIONS
1	All solid-state polymer electrolytes for high-performance lithium ion batteries. <i>Energy Storage Materials</i> , 2016, 5, 139-164.	9.5	768
2	Nitrogen-doped graphene nanosheets with excellent lithium storage properties. <i>Journal of Materials Chemistry</i> , 2011, 21, 5430.	6.7	686
3	Safety-Reinforced Poly(Propylene Carbonate)-Based All-Solid-State Polymer Electrolyte for Ambient-Temperature Solid Polymer Lithium Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1501082.	10.2	532
4	$\text{NH}_2\text{CH}_3\text{NH}_2\text{PbI}_3$ : An Alternative Organolead Iodide Perovskite Sensitizer for Mesoscopic Solar Cells. <i>Chemistry of Materials</i> , 2014, 26, 1485-1491.	3.2	516
5	Methylamine-Gas-Induced Defect-Healing Behavior of $\text{CH}_3\text{NH}_3\text{PbI}_3$ Thin Films for Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9705-9709.	7.2	377
6	In Situ Generation of Poly (Vinylene Carbonate) Based Solid Electrolyte with Interfacial Stability for $\text{LiCoO}_2$ Lithium Batteries. <i>Advanced Science</i> , 2017, 4, 1600377.	5.6	377
7	High-voltage and free-standing poly(propylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 512 Td (carbonate)/ $\text{Li}_6\text{O}$ composite solid electrolyte for wide temperature range and flexible solid lithium ion battery. <i>Journal of Materials Chemistry A</i> , 2017, 5, 4940-4948.	5.2	373
8	Synthesis of Nitrogen-Doped $\text{MnO}$ /Graphene Nanosheets Hybrid Material for Lithium Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 658-664.	4.0	331
9	Renewable and Superior Thermal-Resistant Cellulose-Based Composite Nonwoven as Lithium-Ion Battery Separator. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 128-134.	4.0	317
10	Graphene oxide nanosheets/multi-walled carbon nanotubes hybrid as an excellent electrocatalytic material towards $\text{VO}_2^+/\text{VO}_2$ redox couples for vanadium redox flow batteries. <i>Energy and Environmental Science</i> , 2011, 4, 4710.	15.6	286
11	Strategies for improving the cyclability and thermo-stability of $\text{LiMn}_2\text{O}_4$ -based batteries at elevated temperatures. <i>Journal of Materials Chemistry A</i> , 2015, 3, 4092-4123.	5.2	258
12	Biomass-derived materials for electrochemical energy storages. <i>Progress in Polymer Science</i> , 2015, 43, 136-164.	11.8	251
13	Progress in nitrile-based polymer electrolytes for high performance lithium batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10070-10083.	5.2	243
14	Graphene oxide nanoplatelets as excellent electrochemical active materials for $\text{VO}_2^+/\text{VO}_2$ and $\text{V}^{2+}/\text{V}^{3+}$ redox couples for a vanadium redox flow battery. <i>Carbon</i> , 2011, 49, 693-700.	5.4	234
15	Novel Design Concepts of Efficient $\text{Mg}$ -Ion Electrolytes toward High-Performance Magnesium-Selenium and Magnesium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2017, 7, 1602055.	10.2	231
16	One dimensional $\text{MnO}_2$ /titanium nitride nanotube coaxial arrays for high performance electrochemical capacitive energy storage. <i>Energy and Environmental Science</i> , 2011, 4, 3502.	15.6	221
17	Sustainable, heat-resistant and flame-retardant cellulose-based composite separator for high-performance lithium ion battery. <i>Scientific Reports</i> , 2014, 4, 3935.	1.6	203
18	Additive-Modulated Evolution of $\text{HC}(\text{NH}_2)_2\text{PbI}_3$ Black Polymorph for Mesoscopic Perovskite Solar Cells. <i>Chemistry of Materials</i> , 2015, 27, 7149-7155.	3.2	197

#	ARTICLE	IF	CITATIONS
19	Mesoporous Coaxial Titanium Nitride-Vanadium Nitride Fibers of Core-shell Structures for High-Performance Supercapacitors. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 3058-3063.	4.0	183
20	Interfacial Study on Solid Electrolyte Interphase at Li Metal Anode: Implication for Li Dendrite Growth. <i>Journal of the Electrochemical Society</i> , 2016, 163, A592-A598.	1.3	180
21	Mesoporous NiCo <sub>2</sub> O <sub>4</sub> nanoflakes as electrocatalysts for rechargeable Li-O <sub>2</sub> batteries. <i>Chemical Communications</i> , 2013, 49, 3540.	2.2	167
22	Cellulose/Polysulfonamide Composite Membrane as a High Performance Lithium-Ion Battery Separator. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 194-199.	3.2	166
23	A high temperature operating nanofibrous polyimide separator in Li-ion battery. <i>Solid State Ionics</i> , 2013, 232, 44-48.	1.3	157
24	High Performance Solid Polymer Electrolytes for Rechargeable Batteries: A Self-Catalyzed Strategy toward Facile Synthesis. <i>Advanced Science</i> , 2017, 4, 1700174.	5.6	155
25	A Superior Polymer Electrolyte with Rigid Cyclic Carbonate Backbone for Rechargeable Lithium Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 17897-17905.	4.0	146
26	Interface engineering for high-performance perovskite hybrid solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19205-19217.	5.2	145
27	Facile Preparation of Mesoporous Titanium Nitride Microspheres for Electrochemical Energy Storage. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 93-98.	4.0	142
28	Polydopamine-coated cellulose microfibrillated membrane as high performance lithium-ion battery separator. <i>RSC Advances</i> , 2014, 4, 7845.	1.7	134
29	A facile method of preparing mixed conducting LiFePO <sub>4</sub> /graphene composites for lithium-ion batteries. <i>Solid State Ionics</i> , 2010, 181, 1685-1689.	1.3	132
30	Carbonate-linked poly(ethylene oxide) polymer electrolytes towards high performance solid state lithium batteries. <i>Electrochimica Acta</i> , 2017, 225, 151-159.	2.6	128
31	Vapour-based processing of hole-conductor-free CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> perovskite/C <sub>60</sub> fullerene planar solar cells. <i>RSC Advances</i> , 2014, 4, 28964-28967.	1.7	127
32	Taichi-inspired rigid-flexible coupling cellulose-supported solid polymer electrolyte for high-performance lithium batteries. <i>Scientific Reports</i> , 2014, 4, 6272.	1.6	127
33	Facile and Reliable in Situ Polymerization of Poly(Ethyl Cyanoacrylate)-Based Polymer Electrolytes toward Flexible Lithium Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 8737-8741.	4.0	122
34	A Strategy to Make High Voltage LiCoO <sub>2</sub> Compatible with Polyethylene Oxide Electrolyte in All-Solid-State Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2017, 164, A3454-A3461.	1.3	116
35	Molybdenum nitride based hybrid cathode for rechargeable lithium-O <sub>2</sub> batteries. <i>Chemical Communications</i> , 2011, 47, 11291.	2.2	115
36	Single-Ion Conducting Electrolyte Based on Electrospun Nanofibers for High-Performance Lithium Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1803422.	10.2	109

#	ARTICLE	IF	CITATIONS
37	Rigid-Flexible Coupling High Ionic Conductivity Polymer Electrolyte for an Enhanced Performance of $\text{LiMn}_2\text{O}_4/\text{Graphite}$ Battery at Elevated Temperature. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 4720-4727.	4.0	108
38	Nanostructured Titanium Nitride/PEDOT:PSS Composite Films As Counter Electrodes of Dye-Sensitized Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 1087-1092.	4.0	105
39	A sustainable and rigid-flexible coupling cellulose-supported poly(propylene carbonate) polymer electrolyte towards 5 V high voltage lithium batteries. <i>Electrochimica Acta</i> , 2016, 188, 23-30.	2.6	102
40	A hybrid material of vanadium nitride and nitrogen-doped graphene for lithium storage. <i>Journal of Materials Chemistry</i> , 2011, 21, 11916.	6.7	96
41	Advanced Catalytic Materials for Ethanol Oxidation in Direct Ethanol Fuel Cells. <i>Catalysts</i> , 2020, 10, 166.	1.6	95
42	Molybdenum Nitride/N-Doped Carbon Nanospheres for Lithium- $\text{O}_2$ Battery Cathode Electrocatalyst. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 3677-3682.	4.0	90
43	Functional lithium borate salts and their potential application in high performance lithium batteries. <i>Coordination Chemistry Reviews</i> , 2015, 292, 56-73.	9.5	90
44	An interpenetrating network poly(diethylene glycol carbonate)-based polymer electrolyte for solid state lithium batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 11124-11130.	5.2	89
45	From Ambient to Unipolar Behavior in Discotic Dye Field-Effect Transistors. <i>Advanced Materials</i> , 2008, 20, 2715-2719.	11.1	83
46	Dendrite-Free Lithium Deposition via Flexible-Rigid Coupling Composite Network for $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4/\text{Li}$ Metal Batteries. <i>Small</i> , 2018, 14, e1802244.	5.2	83
47	Exploring polymeric lithium tartaric acid borate for thermally resistant polymer electrolyte of lithium batteries. <i>Electrochimica Acta</i> , 2013, 92, 132-138.	2.6	81
48	Reproducible One-Step Fabrication of Compact $\text{MAPbCl}_3$ Thin Films Derived from Mixed-Lead-Halide Precursors. <i>Chemistry of Materials</i> , 2014, 26, 7145-7150.	3.2	81
49	A renewable bamboo carbon/polyaniline composite for a high-performance supercapacitor electrode material. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 877-882.	1.2	80
50	Rainbow Perylene Monoimides: Easy Control of Optical Properties. <i>Chemistry - A European Journal</i> , 2009, 15, 878-884.	1.7	79
51	In situ synthesis of a graphene/titanium nitride hybrid material with highly improved performance for lithium storage. <i>Journal of Materials Chemistry</i> , 2012, 22, 4938.	6.7	79
52	A superior thermostable and nonflammable composite membrane towards high power battery separator. <i>Nano Energy</i> , 2014, 10, 277-287.	8.2	77
53	A high-voltage poly(methylethyl $\hat{\pm}$ -cyanoacrylate) composite polymer electrolyte for 5 V lithium batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 5191-5197.	5.2	76
54	TiN/VN composites with core/shell structure for supercapacitors. <i>Materials Research Bulletin</i> , 2011, 46, 835-839.	2.7	75

#	ARTICLE	IF	CITATIONS
55	Core-Extended Terrylene Tetracarboxdiimide: Synthesis and Chiroptical Characterization. <i>Organic Letters</i> , 2011, 13, 5528-5531.	2.4	74
56	Liquid-Liquid and Solid-Liquid Equilibrium of the Ternary System Ethanol + Cesium Sulfate + Water at (10, 30, and 50) °C. <i>Journal of Chemical &amp; Engineering Data</i> , 2003, 48, 1561-1564.	1.0	73
57	Electrodeposition of nanostructured cobalt selenide films towards high performance counter electrodes in dye-sensitized solar cells. <i>RSC Advances</i> , 2013, 3, 16528.	1.7	71
58	High-Performance Solution-Deposited Ambipolar Organic Transistors Based on Terrylene Diimides. <i>Chemistry of Materials</i> , 2010, 22, 2120-2124.	3.2	69
59	A Core-Shell Structured Polysulfonamide-Based Composite Nonwoven Towards High Power Lithium Ion Battery Separator. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1341-A1347.	1.3	67
60	Hierarchical micro/nano-structured titanium nitride spheres as a high-performance counter electrode for a dye-sensitized solar cell. <i>Journal of Materials Chemistry</i> , 2012, 22, 6067.	6.7	64
61	Single-ion dominantly conducting polyborates towards high performance electrolytes in lithium batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7773-7779.	5.2	63
62	Two Players Make a Formidable Combination: In Situ Generated Poly(acrylic anhydride-2-methyl-acrylic) High-Voltage Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 41462-41472.	4.0	63
63	Electric-Field-Directed Parallel Alignment Architecting 3D Lithium-Ion Pathways within Solid Composite Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 15691-15696.	4.0	63
64	A Simple and Versatile Route to Stable Quantum Dot-Dye Hybrids in Nonaqueous and Aqueous Solutions. <i>Journal of the American Chemical Society</i> , 2008, 130, 17242-17243.	6.6	62
65	Recent advances in nanostructured metal phosphides as promising anode materials for rechargeable batteries. <i>Journal of Materials Chemistry A</i> , 2020, 8, 19113-19132.	5.2	61
66	A single-ion gel polymer electrolyte based on polymeric lithium tartaric acid borate and its superior battery performance. <i>Solid State Ionics</i> , 2014, 262, 747-753.	1.3	60
67	Nitrogen-doping of chemically reduced mesocarbon microbead oxide for the improved performance of lithium ion batteries. <i>Carbon</i> , 2012, 50, 1355-1362.	5.4	58
68	In Situ Formation of Polysulfonamide Supported Poly(ethylene glycol) Divinyl Ether Based Polymer Electrolyte toward Monolithic Sodium Ion Batteries. <i>Small</i> , 2017, 13, 1601530.	5.2	58
69	Perylenes as sensitizers in hybrid solar cells: how molecular size influences performance. <i>Journal of Materials Chemistry</i> , 2009, 19, 5405.	6.7	57
70	CuInS <sub>2</sub> Nanocrystals/PEDOT:PSS Composite Counter Electrode for Dye-Sensitized Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 6242-6246.	4.0	56
71	Thermal Stability and Mechanical Response of Bi <sub>2</sub> Te <sub>3</sub> -Based Materials for Thermoelectric Applications. <i>ACS Applied Energy Materials</i> , 2020, 3, 2078-2089.	2.5	56
72	A highly safe and inflame retarding aramid lithium ion battery separator by a papermaking process. <i>Solid State Ionics</i> , 2013, 245-246, 49-55.	1.3	55

#	ARTICLE	IF	CITATIONS
73	A single-ion gel polymer electrolyte system for improving cycle performance of LiMn2O4 battery at elevated temperatures. <i>Electrochimica Acta</i> , 2014, 141, 167-172.	2.6	54
74	A Core@sheath Nanofibrous Separator for Lithium Ion Batteries Obtained by Coaxial Electrospinning. <i>Macromolecular Materials and Engineering</i> , 2013, 298, 806-813.	1.7	48
75	A Heat-Resistant Silica Nanoparticle Enhanced Polysulfonamide Nonwoven Separator for High-Performance Lithium Ion Battery. <i>Journal of the Electrochemical Society</i> , 2013, 160, A769-A774.	1.3	46
76	Rutile TiO2 nanorod arrays directly grown on Ti foil substrates towards lithium-ion micro-batteries. <i>Thin Solid Films</i> , 2011, 519, 5978-5982.	0.8	42
77	Flexible graphite film with laser drilling pores as novel integrated anode free of metal current collector for sodium ion battery. <i>Electrochemistry Communications</i> , 2015, 61, 84-88.	2.3	42
78	1D Coaxial Platinum/Titanium Nitride Nanotube Arrays with Enhanced Electrocatalytic Activity for the Oxygen Reduction Reaction: Towards Li-Air Batteries. <i>ChemSusChem</i> , 2012, 5, 1712-1715.	3.6	40
79	Electrospun melamine resin-based multifunctional nonwoven membrane for lithium ion batteries at the elevated temperatures. <i>Journal of Power Sources</i> , 2016, 327, 196-203.	4.0	40
80	Exfoliated graphite nanosheets/carbon nanotubes hybrid materials for superior performance supercapacitors. <i>Journal of Solid State Electrochemistry</i> , 2011, 15, 1179-1184.	1.2	39
81	An elastic germanium-carbon nanotubes-copper foam monolith as an anode for rechargeable lithium batteries. <i>RSC Advances</i> , 2013, 3, 1336-1340.	1.7	38
82	A composite gel polymer electrolyte with high voltage cyclability for Ni-rich cathode of lithium-ion battery. <i>Electrochemistry Communications</i> , 2015, 61, 32-35.	2.3	37
83	Highly porous single-ion conductive composite polymer electrolyte for high performance Li-ion batteries. <i>Journal of Power Sources</i> , 2018, 397, 79-86.	4.0	37
84	Heat-resistant and rigid-flexible coupling glass-fiber nonwoven supported polymer electrolyte for high-performance lithium ion batteries. <i>Electrochimica Acta</i> , 2015, 157, 191-198.	2.6	35
85	A novel polyphosphonate flame-retardant additive towards safety-reinforced all-solid-state polymer electrolyte. <i>Materials Chemistry and Physics</i> , 2020, 239, 122014.	2.0	35
86	A biocompatible titanium nitride nanorods derived nanostructured electrode for biosensing and bioelectrochemical energy conversion. <i>Biosensors and Bioelectronics</i> , 2011, 26, 4088-4094.	5.3	34
87	Highly porous single ion conducting polymer electrolyte for advanced lithium-ion batteries via facile water-induced phase separation process. <i>Journal of Membrane Science</i> , 2018, 568, 22-29.	4.1	34
88	Graphdiyne-Modified Polyimide Separator: A Polysulfide-Immobilizing Net Hinders the Shuttling of Polysulfides in Lithium-Sulfur Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 35738-35745.	4.0	34
89	Novel Sodium-Poly(tartaric acid)Borate-Based Single-Ion Conducting Polymer Electrolyte for Sodium-Metal Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 10053-10060.	2.5	34
90	Effectively suppressing lithium dendrite growth via an es-LiSPCE single-ion conducting nano fiber membrane. <i>Journal of Materials Chemistry A</i> , 2020, 8, 2518-2528.	5.2	33

#	ARTICLE	IF	CITATIONS
91	A Polyborate Coated Cellulose Composite Separator for High Performance Lithium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2015, 162, A834-A838.	1.3	32
92	Rigidity Bridging Flexibility to Harmonize Three Excited-State Deactivation Pathways for NIR-Fluorescent Imaging-Guided Phototherapy. <i>Advanced Healthcare Materials</i> , 2021, 10, e2101003.	3.9	31
93	Optical modulation of supramolecular assembly of amphiphilic photochromic diarylethene: from nanofiber to nanosphere. <i>Chemical Communications</i> , 2011, 47, 6876.	2.2	30
94	Sustainable and Superior Heat-Resistant Alginate Nonwoven Separator of LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> /Li Batteries Operated at 55 °C. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 3694-3701.	4.0	30
95	Unraveling the Critical Role of Melt-Spinning Atmosphere in Enhancing the Thermoelectric Performance of p-Type Bi <sub>0.52</sub> Sb <sub>1.48</sub> Te <sub>3</sub> Alloys. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 36186-36195.	4.0	28
96	A Heat Resistant and Flame-Retardant Polysulfonamide/Polypropylene Composite Nonwoven for High Performance Lithium Ion Battery Separator. <i>Journal of the Electrochemical Society</i> , 2014, 161, A1032-A1038.	1.3	26
97	A facile non-solvent induced phase separation process for preparation of highly porous polybenzimidazole separator for lithium metal battery application. <i>Scientific Reports</i> , 2019, 9, 19320.	1.6	24
98	Recent advances of non-lithium metal anode materials for solid-state lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2022, 10, 16761-16778.	5.2	23
99	Electric-field-induced out-of-plane alignment of clay in poly(dimethylsiloxane) with enhanced anisotropic thermal conductivity and mechanical properties. <i>Composites Science and Technology</i> , 2018, 165, 39-47.	3.8	21
100	In-situ generation of high performance thiol-conjugated solid polymer electrolytes via reliable thiol-acrylate click chemistry. <i>Journal of Power Sources</i> , 2020, 456, 228024.	4.0	20
101	An insight into the effect of nitrogen doping on the performance of a reduced graphene oxide counter electrode for dye-sensitized solar cells. <i>RSC Advances</i> , 2013, 3, 9005.	1.7	18
102	Improving solution-processed n-type organic field-effect transistors by transfer-printed metal/semiconductor and semiconductor/semiconductor heterojunctions. <i>Organic Electronics</i> , 2014, 15, 1884-1889.	1.4	16
103	Facile and Powerful In Situ Polymerization Strategy for Sulfur-Based All-Solid Polymer Electrolytes in Lithium Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 34274-34281.	4.0	14
104	Low temperature performance enhancement of high-safety Lithium-Sulfur battery enabled by synergetic adsorption and catalysis. <i>Electrochimica Acta</i> , 2020, 353, 136470.	2.6	14
105	Nitrogen-Doped Porous Carbon as High-Performance Cathode Material for Lithium-Sulfur Battery. <i>ChemistrySelect</i> , 2017, 2, 11030-11034.	0.7	13
106	PACAP stimulates insulin secretion by PAC1 receptor and ion channels in $\beta$ -cells. <i>Cellular Signalling</i> , 2019, 61, 48-56.	1.7	13
107	Visible light-mediated atom transfer radical addition to styrene: base controlled selective (phenylsulfonyl)difluoromethylation. <i>Organic Chemistry Frontiers</i> , 2020, 7, 617-621.	2.3	13
108	Ionic liquid-based electrolyte with dual-functional LiDFOB additive toward high-performance LiMn <sub>2</sub> O <sub>4</sub> batteries. <i>Ionics</i> , 2017, 23, 1399-1406.	1.2	12

#	ARTICLE	IF	CITATIONS
109	A novel intrinsic flame-retardant and flexible polyurethane solid electrolyte for lithium batteries. <i>Materials Chemistry and Physics</i> , 2022, 279, 125763.	2.0	11
110	Amino-substituted rylene dicarboximides and their quinoidal charge delocalization after deprotonation. <i>Chemical Communications</i> , 2008, , 5028.	2.2	10
111	Influence of PEG 6000 on gallium oxide (Ga <sub>2</sub> O <sub>3</sub> ) polymorphs and photocatalytic properties. <i>Science China Chemistry</i> , 2015, 58, 532-538.	4.2	10
112	Contactless electric-field driven Z-alignment of ceramic nanoparticles in polymer electrolyte to enhance ionic conductivity. <i>Materials and Design</i> , 2020, 192, 108753.	3.3	10
113	Layered Tin Phosphide Composites as Promising Anodes for Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 11306-11313.	2.5	10
114	A poly(1,3-dioxolane) based deep-eutectic polymer electrolyte for high performance ambient polymer lithium battery. <i>Materials Today Physics</i> , 2022, 22, 100620.	2.9	10
115	Synthesis, Electrochemical Properties and Self-Assembly of a Proton-Conducting Core-Shell Macromolecule. <i>Chemistry - A European Journal</i> , 2012, 18, 2239-2243.	1.7	9
116	Functional Layers for Zn <sup>II</sup> Ion Detection: From Molecular Design to Optical Fiber Sensors. <i>Journal of Physical Chemistry B</i> , 2014, 118, 309-314.	1.2	9
117	Synergy of Single-ion Conductive and Thermo-responsive Copolymer Hydrogels Achieving Anti-Arrhenius Ionic Conductivity. <i>Chemistry - an Asian Journal</i> , 2019, 14, 1404-1408.	1.7	9
118	A delicately designed functional binder enabling in situ construction of 3D crosslinking robust network for high-performance Si/graphite composite anode. <i>Journal of Polymer Science</i> , 2022, 60, 1835-1844.	2.0	8
119	The morphology transformation from helical nanofiber to helical nanotube in a diarylethene self-assembly system. <i>Chemical Communications</i> , 2014, 50, 8335-8338.	2.2	7
120	Flame-retardant polyurethane elastomer based on aluminum salt of monomethylphosphinate. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021, 143, 2953-2961.	2.0	7
121	High performance polyimide-based separator for 4.5V high voltage LiCoO <sub>2</sub> battery with superior safety. <i>Materials Chemistry and Physics</i> , 2022, 282, 125975.	2.0	7
122	Li <sub>0.35</sub> La <sub>0.55</sub> TiO <sub>3</sub> nanofibers filled poly (ethylene carbonate) composite electrolyte with enhanced ion conduction and electrochemical stability. <i>Thin Solid Films</i> , 2021, 734, 138835.	0.8	6
123	AC Electric-Field Assistant Architecting Ordered Network of Ni@PS Microspheres in Epoxy Resin to Enhance Conductivity. <i>Polymers</i> , 2021, 13, 3826.	2.0	4
124	Lithium Batteries: Single-Ion Conducting Electrolyte Based on Electrospun Nanofibers for High-Performance Lithium Batteries (Adv. Energy Mater. 10/2019). <i>Advanced Energy Materials</i> , 2019, 9, 1970029.	10.2	2
125	Insight into Superior Electrochemical Performance of 4.5 V High-Voltage LiCoO <sub>2</sub> Using a Robust Polyacrylonitrile Binder. <i>ACS Applied Energy Materials</i> , 2022, 5, 3072-3080.	2.5	2
126	Electric field-driven preparation of elastomer/plastic nanoparticles gradient films with enhanced damping property. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48401.	1.3	1



#	ARTICLE	IF	CITATIONS
127	A novel conjugated heterotriangulene polymer for high performance organic lithium-ion battery. <i>Dyes and Pigments</i> , 2021, 191, 109352.	2.0	1