
Jennifer L Wolny

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4098525/publications.pdf Version: 2024-02-01



IENNIEED I MOLNY

#	Article	IF	CITATIONS
1	Harmful Algal Bloom Species in the St. Martin River: Surveying the Headwaters of Northern Maryland's Coastal Bays. Journal of Coastal Research, 2022, 38, .	0.3	1
2	Characterization of <i>Dinophysis</i> spp. (Dinophyceae, Dinophysiales) from the midâ€Atlantic region of the United States ¹ . Journal of Phycology, 2020, 56, 404-424.	2.3	20
3	Urea Inputs Drive Picoplankton Blooms in Sarasota Bay, Florida, U.S.A Water (Switzerland), 2020, 12, 2755.	2.7	9
4	Current and Future Remote Sensing of Harmful Algal Blooms in the Chesapeake Bay to Support the Shellfish Industry. Frontiers in Marine Science, 2020, 7, .	2.5	42
5	Long-term spatiotemporal variability of southwest Florida whiting events from MODIS observations. International Journal of Remote Sensing, 2018, 39, 906-923.	2.9	7
6	Identification, growth and toxicity assessment of Coolia Meunier (Dinophyceae) from Nova Scotia, Canada. Harmful Algae, 2018, 75, 45-56.	4.8	14
7	Optical and biochemical properties of a southwest Florida whiting event. Estuarine, Coastal and Shelf Science, 2017, 196, 258-268.	2.1	15
8	Monitoring the 2007 Florida east coast Karenia brevis (Dinophyceae) red tide and neurotoxic shellfish poisoning (NSP) event. Algae, 2015, 30, 49-58.	2.3	20
9	Identification of the harmful dinoflagellate Vulcanodinium rugosum recovered from a ballast tank of a globally traveled ship in Port Tampa Bay, Florida, USA. Harmful Algae, 2014, 39, 202-209.	4.8	17
10	Methods for sampling and analysis of marine microalgae in ship ballast tanks: a case study from Tampa Bay, Florida, USA. Algae, 2011, 26, 181-192.	2.3	11
11	Harmful Algal Blooms in South Carolina Residential and Golf Course Ponds. Population and Environment, 2003, 24, 387-413.	3.0	70