
Bernt Alm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4098897/publications.pdf Version: 2024-02-01



REDNT ALM

#	Article	IF	CITATIONS
1	Neonatal Antibiotic Treatment Is a Risk Factor for Early Wheezing. Pediatrics, 2008, 121, 697-702.	1.0	146
2	Factors associated with discontinuation of breastfeeding before 1 month of age. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 55-60.	0.7	114
3	The impact of pre―and postâ€natal smoke exposure on future asthma and bronchial hyperâ€responsiveness. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 1030-1035.	0.7	93
4	Asthma symptoms in early childhood – what happens then?. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 471-478.	0.7	61
5	Early protective and risk factors for allergic rhinitis at age 4½ yr. Pediatric Allergy and Immunology, 2011, 22, 398-404.	1.1	60
6	Early fish introduction and neonatal antibiotics affect the risk of asthma into school age. Pediatric Allergy and Immunology, 2013, 24, 339-344.	1.1	56
7	Populationâ€based waist circumference and waistâ€toâ€height ratio reference values in preschool children. Acta Paediatrica, International Journal of Paediatrics, 2009, 98, 1632-1636.	0.7	48
8	Preschool wheeze – impact of early fish introduction and neonatal antibiotics. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, 1561-1566.	0.7	48
9	Why do ALTE infants not die in SIDS?. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 191-194.	0.7	45
10	Asthma in late adolescence - farm childhood is protective and the prevalence increase has levelled off. Pediatric Allergy and Immunology, 2010, 21, 806-813.	1.1	45
11	Antibiotics in the first week of life is a risk factor for allergic rhinitis at school age. Pediatric Allergy and Immunology, 2014, 25, 468-472.	1.1	42
12	Breastfeeding and dummy use have a protective effect on sudden infant death syndrome. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 31-38.	0.7	39
13	Prenatal paracetamol exposure and risk of wheeze at preschool age*. Acta Paediatrica, International Journal of Paediatrics, 2011, 100, 1567-1571.	0.7	30
14	Reduced airway function in early adulthood among subjects with wheezing disorder before two years of age. Pediatric Pulmonology, 2008, 43, 396-403.	1.0	29
15	Updated <scp>S</scp> wedish advice on reducing the risk of sudden infant deathÂsyndrome. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 444-448.	0.7	26
16	Antibiotics in the first week of life were associated with atopic asthma at 12 years of age. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1798-1804.	0.7	25
17	Bed sharing is more common in sudden infant death syndrome than in explained sudden unexpected deaths in infancy. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 777-783.	0.7	24
18	The allergic march comprises the coexistence of related patterns of allergic disease not just the progressive development of one disease. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 1472-1479.	0.7	24

BERNT ALM

#	Article	IF	CITATIONS
19	Stop SIDS – sleeping solitary supine, sucking soother, stopping smoking substitutes. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 260-262.	0.7	22
20	Milk cereal drink increases BMI risk at 12 and 18Âmonths, but formula does not. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1174-1179.	0.7	21
21	High risk of adult asthma following severe wheezing in early life. Pediatric Pulmonology, 2015, 50, 789-797.	1.0	21
22	Eating fish and farm life reduce allergic rhinitis at the age of twelve. Pediatric Allergy and Immunology, 2018, 29, 283-289.	1.1	18
23	A persistently high body mass index increases the risk of atopic asthma atÂschool age. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, 707-712.	0.7	13
24	Overweight at four years of age in a Swedish birth cohort: influence of neighbourhood-level purchasing power. BMC Public Health, 2016, 16, 546.	1.2	13
25	Areaâ€based study shows most parents follow advice to reduce risk of sudden infant death syndrome. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 579-585.	0.7	12
26	Immediate injection pain in infants aged 18 months during vaccination against measles, mumps and rubella with either Priorix® or MMR-II®. Vaccine, 2006, 24, 5800-5805.	1.7	11
27	Higher parental education was associated with better asthma control. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 920-926.	0.7	11
28	Parents with overweight children two and five years of age did not perceive them as weighing too much. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1060-1064.	0.7	10
29	Longitudinal birth cohort study found that a significant proportion of children had abnormal metabolic profiles and insulin resistance at 6Âyears of age. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 486-492.	0.7	10
30	Nutrition- and feeding practice-related risk factors for rapid weight gain during the first year of life: a population-based birth cohort study. BMC Pediatrics, 2020, 20, 507.	0.7	10
31	Alarmingly high prevalence of smoking and symptoms of bronchitis in young women in Sweden: a population-based questionnaire study. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 214-220.	2.5	9
32	Swedish survey of infant sleep practices showed increased bedâ€sharing and positive associations with breastfeeding. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 1835-1841.	0.7	9
33	Influence of neighbourhood purchasing power on breastfeeding at four months of age: a Swedish population-based cohort study. BMC Public Health, 2013, 13, 1077.	1.2	8
34	Consuming milk cereal drinks at one year of age was associated with a twofold risk of being overweight at the age of five. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 1115-1121.	0.7	7
35	Asthma symptoms in early childhood – what happens then?. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 471-478.	0.7	6
36	Body mass index classification misses to identify children with an elevated waist-to-height ratio at 5 years of age. Pediatric Research, 2019, 85, 30-35.	1.1	6

Bernt Alm

#	Article	IF	CITATIONS
37	What makes parents act and react? Parental views and considerations relating to â€~child health' during infancy. Journal of Child Health Care, 2017, 21, 415-423.	0.7	6
38	To co-sleep or not to sleep?. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 1385-1386.	0.7	3
39	Stop SIDS – sleeping solitary supine, sucking soother, stopping smoking substitutes. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 260-262.	0.7	1
40	SIDS diagnosis should not be put to bed. Acta Paediatrica, International Journal of Paediatrics, 2008, 97, 695-696.	0.7	1
41	Challenges to 21st century paediatrics. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 8-9.	0.7	1
42	PD05 ―Asthma and allergy from infancy into school age – the allergic march revisited. Clinical and Translational Allergy, 2014, 4, P5.	1.4	1
43	PD12 ―Living on a farm protects from allergic rhinitis at school age. Clinical and Translational Allergy, 2014, 4, P12.	1.4	0
44	Reply to Mariam Zaidi. Pediatric Allergy and Immunology, 2018, 29, 574-575.	1.1	0
45	Infant body mass index growth patterns predicted overweight at five years, waistâ€toâ€height ratio did not add to this predictivity. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 945-953.	0.7	0