

Helga MidtbÅ,

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4099692/publications.pdf>

Version: 2024-02-01

31
papers

295
citations

933447

10
h-index

940533

16
g-index

31
all docs

31
docs citations

31
times ranked

410
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Disease activity is associated with reduced left ventricular systolic myocardial function in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 371-376. | 0.9 | 33 |
| 2 | Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 147-154. | 1.8 | 30 |
| 3 | Disease activity and left ventricular structure in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2015, 54, 511-519. | 1.9 | 27 |
| 4 | Sex differences in subclinical cardiac disease in overweight and obesity (the FATCOR study). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 1054-1060. | 2.6 | 25 |
| 5 | The association of hypertension with asymptomatic cardiovascular organ damage in rheumatoid arthritis. <i>Blood Pressure</i> , 2016, 25, 298-304. | 1.5 | 19 |
| 6 | Masked hypertension in obesity. <i>Blood Pressure Monitoring</i> , 2017, 22, 12-17. | 0.8 | 17 |
| 7 | Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. <i>Blood Pressure</i> , 2020, 29, 267-275. | 1.5 | 15 |
| 8 | Higher pulse pressure/stroke volume index is associated with impaired outcome in hypertensive patients with left ventricular hypertrophy the LIFE study. <i>Blood Pressure</i> , 2017, 26, 150-155. | 1.5 | 14 |
| 9 | Ankylosing Spondylitis Is Associated with Increased Prevalence of Left Ventricular Hypertrophy. <i>Journal of Rheumatology</i> , 2018, 45, 1249-1255. | 2.0 | 11 |
| 10 | Association of Myocardial Energetic Efficiency with Circumferential and Longitudinal Left Ventricular Myocardial Function in Subjects with Increased Body Mass Index (the FATCOR Study). <i>Journal of Clinical Medicine</i> , 2021, 10, 1581. | 2.4 | 11 |
| 11 | Does fitness improve the cardiovascular risk profile in obese subjects?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 518-524. | 2.6 | 10 |
| 12 | Atherosclerosis in Sjögren's syndrome: evidence, possible mechanisms and knowledge gaps. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 133-42. | 0.8 | 10 |
| 13 | Impact of estimated left atrial volume on prognosis in patients with asymptomatic mild to moderate aortic valve stenosis. <i>International Journal of Cardiology</i> , 2019, 297, 121-125. | 1.7 | 8 |
| 14 | Higher left ventricular mass "wall stress" heart rate product and outcome in aortic valve stenosis. <i>Heart</i> , 2019, 105, 1629-1633. | 2.9 | 8 |
| 15 | Sex disparities in blood pressure development: time for action. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 178-179. | 1.8 | 8 |
| 16 | Effect of fitness on cardiac structure and function in overweight and obesity (the FATCOR study). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 710-717. | 2.6 | 7 |
| 17 | Left Ventricular Systolic Myocardial Function in Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2019, 71, 1276-1283. | 3.4 | 7 |
| 18 | Covariables of Myocardial Function in Women and Men with Increased Body Mass Index. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2020, 27, 579-586. | 2.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Preclinical cardiac disease in women and men with primary aldosteronism. <i>Blood Pressure</i> , 2021, 30, 230-236. | 1.5 | 5 |
| 20 | Concomitant hypertension is associated with abnormal left ventricular geometry and lower systolic myocardial function in overweight participants: the FAT associated CardiovasculaR dysfunction study. <i>Journal of Hypertension</i> , 2020, 38, 1158-1164. | 0.5 | 5 |
| 21 | Low myocardial energetic efficiency is associated with increased mortality in aortic stenosis. <i>Open Heart</i> , 2021, 8, e001720. | 2.3 | 4 |
| 22 | Trends in the occurrence of ischaemic heart disease over time in rheumatoid arthritis: 1821 patients from 1972 to 2017. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 233-242. | 1.1 | 4 |
| 23 | Preclinical cardiac organ damage during statin treatment in patients with inflammatory joint diseases: the RORA-AS statin intervention study. <i>Rheumatology</i> , 2020, 59, 3700-3708. | 1.9 | 3 |
| 24 | Impact of Obesity on Persistent Left Ventricular Hypertrophy After Aortic Valve Replacement for Aortic Stenosis. <i>American Journal of Cardiology</i> , 2019, 123, 942-947. | 1.6 | 2 |
| 25 | Persistent cardiac organ damage in surgically and medically treated primary aldosteronism. <i>Journal of Hypertension</i> , 2022, Publish Ahead of Print, . | 0.5 | 2 |
| 26 | Response to: "Disease activity and left ventricular systolic function in rheumatoid arthritis" by Giollo et al: Table A1. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, e84-e84. | 0.9 | 1 |
| 27 | Intermediate-High Risk Pulmonary Embolism: The Use of Riociguat and Inferior Vena Cava Filter in a Situation of Recurrent Embolism following Insufficient Anticoagulation and Fibrinolytic Therapy. <i>Case Reports in Anesthesiology</i> , 2020, 2020, 1-5. | 0.4 | 1 |
| 28 | How reproducible is the diagnosis of borderline rheumatic heart disease?. <i>International Journal of Cardiology</i> , 2021, 328, 163-164. | 1.7 | 1 |
| 29 | Subclinical Cardiac Organ Damage in Patients with Moderate to Severe Psoriasis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2440. | 2.4 | 1 |
| 30 | HYPERTENSION IS ASSOCIATED WITH MORE ABNORMAL LEFT VENTRICULAR GEOMETRY AND SYSTOLIC MYOCARDIAL DYSFUNCTION IN OVERWEIGHT AND OBESITY. <i>Journal of Hypertension</i> , 2019, 37, e113. | 0.5 | 0 |
| 31 | OUP accepted manuscript. <i>European Journal of Preventive Cardiology</i> , 2021, , . | 1.8 | 0 |