

# Helga MidtbÃ,

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4099692/publications.pdf>

Version: 2024-02-01

31  
papers

295  
citations

933447

10  
h-index

940533

16  
g-index

31  
all docs

31  
docs citations

31  
times ranked

410  
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in the occurrence of ischaemic heart disease over time in rheumatoid arthritis: 1821 patients from 1972 to 2017. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 233-242.	1.1	4
2	Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 147-154.	1.8	30
3	Sex disparities in blood pressure development: time for action. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 178-179.	1.8	8
4	Persistent cardiac organ damage in surgically and medically treated primary aldosteronism. <i>Journal of Hypertension</i> , 2022, Publish Ahead of Print, .	0.5	2
5	Preclinical cardiac disease in women and men with primary aldosteronism. <i>Blood Pressure</i> , 2021, 30, 230-236.	1.5	5
6	How reproducible is the diagnosis of borderline rheumatic heart disease?. <i>International Journal of Cardiology</i> , 2021, 328, 163-164.	1.7	1
7	Association of Myocardial Energetic Efficiency with Circumferential and Longitudinal Left Ventricular Myocardial Function in Subjects with Increased Body Mass Index (the FATCOR Study). <i>Journal of Clinical Medicine</i> , 2021, 10, 1581.	2.4	11
8	Subclinical Cardiac Organ Damage in Patients with Moderate to Severe Psoriasis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2440.	2.4	1
9	Low myocardial energetic efficiency is associated with increased mortality in aortic stenosis. <i>Open Heart</i> , 2021, 8, e001720.	2.3	4
10	OUP accepted manuscript. <i>European Journal of Preventive Cardiology</i> , 2021, , .	1.8	0
11	Intermediate-High Risk Pulmonary Embolism: The Use of Riociguat and Inferior Vena Cava Filter in a Situation of Recurrent Embolism following Insufficient Anticoagulation and Fibrinolytic Therapy. <i>Case Reports in Anesthesiology</i> , 2020, 2020, 1-5.	0.4	1
12	Covariables of Myocardial Function in Women and Men with Increased Body Mass Index. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2020, 27, 579-586.	2.2	6
13	Preclinical cardiac organ damage during statin treatment in patients with inflammatory joint diseases: the RORA-AS statin intervention study. <i>Rheumatology</i> , 2020, 59, 3700-3708.	1.9	3
14	Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. <i>Blood Pressure</i> , 2020, 29, 267-275.	1.5	15
15	Concomitant hypertension is associated with abnormal left ventricular geometry and lower systolic myocardial function in overweight participants: the FAT associated CardiOvasculaR dysfunction study. <i>Journal of Hypertension</i> , 2020, 38, 1158-1164.	0.5	5
16	Impact of estimated left atrial volume on prognosis in patients with asymptomatic mild to moderate aortic valve stenosis. <i>International Journal of Cardiology</i> , 2019, 297, 121-125.	1.7	8
17	Impact of Obesity on Persistent Left Ventricular Hypertrophy After Aortic Valve Replacement for Aortic Stenosis. <i>American Journal of Cardiology</i> , 2019, 123, 942-947.	1.6	2
18	Effect of fitness on cardiac structure and function in overweight and obesity (the FATCOR study). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 710-717.	2.6	7

#	ARTICLE	IF	CITATIONS
19	Higher left ventricular massâ€œwall stressâ€œheart rate product and outcome in aortic valve stenosis. <i>Heart</i> , 2019, 105, 1629-1633.	2.9	8
20	HYPERTENSION IS ASSOCIATED WITH MORE ABNORMAL LEFT VENTRICULAR GEOMETRY AND SYSTOLIC MYOCARDIAL DYSFUNCTION IN OVERWEIGHT AND OBESITY. <i>Journal of Hypertension</i> , 2019, 37, e113.	0.5	0
21	Left Ventricular Systolic Myocardial Function in Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2019, 71, 1276-1283.	3.4	7
22	Sex differences in subclinical cardiac disease in overweight and obesity (the FATCOR study). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 1054-1060.	2.6	25
23	Ankylosing Spondylitis Is Associated with Increased Prevalence of Left Ventricular Hypertrophy. <i>Journal of Rheumatology</i> , 2018, 45, 1249-1255.	2.0	11
24	Disease activity is associated with reduced left ventricular systolic myocardial function in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 371-376.	0.9	33
25	Does fitness improve the cardiovascular risk profile in obese subjects?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 518-524.	2.6	10
26	Masked hypertension in obesity. <i>Blood Pressure Monitoring</i> , 2017, 22, 12-17.	0.8	17
27	Higher pulse pressure/stroke volume index is associated with impaired outcome in hypertensive patients with left ventricular hypertrophy the LIFE study. <i>Blood Pressure</i> , 2017, 26, 150-155.	1.5	14
28	Response to: â€œDisease activity and left ventricular systolic function in rheumatoid arthritisâ€™ by Giollo et al: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, e84-e84.	0.9	1
29	The association of hypertension with asymptomatic cardiovascular organ damage in rheumatoid arthritis. <i>Blood Pressure</i> , 2016, 25, 298-304.	1.5	19
30	Atherosclerosis in Sjögren's syndrome: evidence, possible mechanisms and knowledge gaps. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 133-42.	0.8	10
31	Disease activity and left ventricular structure in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2015, 54, 511-519.	1.9	27