

# Liang-In Lin

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4100727/liang-in-lin-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85  
papers

3,573  
citations

26  
h-index

59  
g-index

89  
ext. papers

4,018  
ext. citations

5.4  
avg, IF

4.45  
L-index

#	Paper	IF	Citations
85	Stability of curcumin in buffer solutions and characterization of its degradation products. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>1997</b> , 15, 1867-76	3.5	1177
84	AML1/RUNX1 mutations in 470 adult patients with de novo acute myeloid leukemia: prognostic implication and interaction with other gene alterations. <i>Blood</i> , <b>2009</b> , 114, 5352-61	2.2	266
83	DNMT3A mutations in acute myeloid leukemia: stability during disease evolution and clinical implications. <i>Blood</i> , <b>2012</b> , 119, 559-68	2.2	180
82	Characterization of CEBPA mutations in acute myeloid leukemia: most patients with CEBPA mutations have biallelic mutations and show a distinct immunophenotype of the leukemic cells. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 1372-9	12.9	176
81	Nucleophosmin mutations in de novo acute myeloid leukemia: the age-dependent incidences and the stability during disease evolution. <i>Cancer Research</i> , <b>2006</b> , 66, 3310-6	10.1	150
80	WT1 mutation in 470 adult patients with acute myeloid leukemia: stability during disease evolution and implication of its incorporation into a survival scoring system. <i>Blood</i> , <b>2010</b> , 115, 5222-31	2.2	128
79	Curcumin inhibits SK-Hep-1 hepatocellular carcinoma cell invasion in vitro and suppresses matrix metalloproteinase-9 secretion. <i>Oncology</i> , <b>1998</b> , 55, 349-53	3.6	109
78	RUNX1 gene mutation in primary myelodysplastic syndrome--the mutation can be detected early at diagnosis or acquired during disease progression and is associated with poor outcome. <i>British Journal of Haematology</i> , <b>2007</b> , 139, 405-14	4.5	107
77	Induction of DNA damage-inducible gene GADD45beta contributes to sorafenib-induced apoptosis in hepatocellular carcinoma cells. <i>Cancer Research</i> , <b>2010</b> , 70, 9309-18	10.1	69
76	Antiviral activities of niclosamide and nitazoxanide against chikungunya virus entry and transmission. <i>Antiviral Research</i> , <b>2016</b> , 135, 81-90	10.8	67
75	Marrow matrix metalloproteinases (MMPs) and tissue inhibitors of MMP in acute leukaemia: potential role of MMP-9 as a surrogate marker to monitor leukaemic status in patients with acute myelogenous leukaemia. <i>British Journal of Haematology</i> , <b>2002</b> , 117, 835-41	4.5	60
74	Ganoderiol F, a ganoderma triterpene, induces senescence in hepatoma HepG2 cells. <i>Life Sciences</i> , <b>2006</b> , 79, 1129-39	6.8	59
73	Traditional serrated adenoma has two pathways of neoplastic progression that are distinct from the sessile serrated pathway of colorectal carcinogenesis. <i>Modern Pathology</i> , <b>2014</b> , 27, 1375-85	9.8	55
72	Splicing factor mutations predict poor prognosis in patients with de novo acute myeloid leukemia. <i>Oncotarget</i> , <b>2016</b> , 7, 9084-101	3.3	54
71	Suramin Inhibits Chikungunya Virus Entry and Transmission. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133511	3.7	48
70	Autophagy: resetting glutamine-dependent metabolism and oxygen consumption. <i>Autophagy</i> , <b>2012</b> , 8, 1477-93	10.2	47
69	Expression of angiopoietins and vascular endothelial growth factors and their clinical significance in acute myeloid leukemia. <i>Leukemia Research</i> , <b>2008</b> , 32, 904-12	2.7	47

68	Incorporation of mutations in five genes in the revised International Prognostic Scoring System can improve risk stratification in the patients with myelodysplastic syndrome. <i>Blood Cancer Journal</i> , <b>2018</b> , 8, 39	7	43
67	H3K9 histone methyltransferase, KMT1E/SETDB1, cooperates with the SMAD2/3 pathway to suppress lung cancer metastasis. <i>Cancer Research</i> , <b>2014</b> , 74, 7333-43	10.1	43
66	Zebrafish as a disease model for studying human hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 12042-58	5.6	38
65	KRAS mutation is a predictor of oxaliplatin sensitivity in colon cancer cells. <i>PLoS ONE</i> , <b>2012</b> , 7, e50701	3.7	30
64	Epitope-based matching for HLA-alloimmunized platelet refractoriness in patients with hematologic diseases. <i>Transfusion</i> , <b>2010</b> , 50, 2318-27	2.9	30
63	Cyclin E1 Inhibition can Overcome Sorafenib Resistance in Hepatocellular Carcinoma Cells Through Mcl-1 Suppression. <i>Clinical Cancer Research</i> , <b>2016</b> , 22, 2555-64	12.9	28
62	Vertical blockade of the IGFR- PI3K/Akt/mTOR pathway for the treatment of hepatocellular carcinoma: the role of survivin. <i>Molecular Cancer</i> , <b>2014</b> , 13, 2	42.1	28
61	Increased risk of parvovirus B19 infection in young adult cancer patients receiving multiple courses of chemotherapy. <i>Journal of Clinical Microbiology</i> , <b>2002</b> , 40, 3909-12	9.7	28
60	Aberrant expression of annexin A10 is closely related to gastric phenotype in serrated pathway to colorectal carcinoma. <i>Modern Pathology</i> , <b>2015</b> , 28, 268-78	9.8	27
59	Prognostic impacts and dynamic changes of cohesin complex gene mutations in de novo acute myeloid leukemia. <i>Blood Cancer Journal</i> , <b>2017</b> , 7, 663	7	26
58	Ovarian and endometrial endometrioid adenocarcinomas have distinct profiles of microsatellite instability, PTEN expression, and ARID1A expression. <i>Histopathology</i> , <b>2015</b> , 66, 517-28	7.3	24
57	Resveratrol enhances the expression of death receptor Fas/CD95 and induces differentiation and apoptosis in anaplastic large-cell lymphoma cells. <i>Cancer Letters</i> , <b>2011</b> , 309, 46-53	9.9	22
56	Cabozantinib is selectively cytotoxic in acute myeloid leukemia cells with FLT3-internal tandem duplication (FLT3-ITD). <i>Cancer Letters</i> , <b>2016</b> , 376, 218-25	9.9	22
55	GATA2 zinc finger 1 mutations are associated with distinct clinico-biological features and outcomes different from GATA2 zinc finger 2 mutations in adult acute myeloid leukemia. <i>Blood Cancer Journal</i> , <b>2018</b> , 8, 87	7	20
54	Hyperleukocytosis is associated with distinct genetic alterations and is an independent poor-risk factor in de novo acute myeloid leukemia patients. <i>European Journal of Haematology</i> , <b>2018</b> , 101, 86-94	3.8	19
53	GATA2 mutations in patients with acute myeloid leukemia-paired samples analyses show that the mutation is unstable during disease evolution. <i>Annals of Hematology</i> , <b>2015</b> , 94, 211-21	3	18
52	BRAF mutation may have different prognostic implications in early- and late-stage colorectal cancer. <i>Medical Oncology</i> , <b>2016</b> , 33, 39	3.7	18
51	Incorporation of long non-coding RNA expression profile in the 2017 ELN risk classification can improve prognostic prediction of acute myeloid leukemia patients. <i>EBioMedicine</i> , <b>2019</b> , 40, 240-250	8.8	17

50	Significance of histone methyltransferase SETDB1 expression in colon adenocarcinoma. <i>Apms</i> , <b>2017</b> , 125, 985-995	3.4	17
49	Concomitant mutations predict poor prognosis in acute myeloid leukemia patients with double mutant. <i>Haematologica</i> , <b>2018</b> , 103, e510-e513	6.6	16
48	Human parvovirus b19 infection in patients with coronary atherosclerosis. <i>Archives of Medical Research</i> , <b>2009</b> , 40, 612-7	6.6	15
47	Zebrafish as a Model for the Study of Human Myeloid Malignancies. <i>BioMed Research International</i> , <b>2015</b> , 2015, 641475	3	14
46	Oxaliplatin-based chemotherapy is more beneficial in KRAS mutant than in KRAS wild-type metastatic colorectal cancer patients. <i>PLoS ONE</i> , <b>2014</b> , 9, e86789	3.7	14
45	MK-2206 induces apoptosis of AML cells and enhances the cytotoxicity of cytarabine. <i>Medical Oncology</i> , <b>2015</b> , 32, 206	3.7	13
44	JMJD2B as a potential diagnostic immunohistochemical marker for hepatocellular carcinoma: a tissue microarray-based study. <i>Acta Histochemica</i> , <b>2015</b> , 117, 14-9	2	13
43	Rapid assessment of the heterogeneous methylation status of CEBPA in patients with acute myeloid leukemia by using high-resolution melting profile. <i>Journal of Molecular Diagnostics</i> , <b>2011</b> , 13, 514-9	5.1	13
42	Tissue microarray-based study of hepatocellular carcinoma validating SPIB as potential clinical prognostic marker. <i>Acta Histochemica</i> , <b>2016</b> , 118, 38-45	2	12
41	PIG-A gene mutations in four Taiwanese patients with paroxysmal nocturnal haemoglobinuria following aplastic anaemia. <i>British Journal of Haematology</i> , <b>1997</b> , 97, 286-92	4.5	12
40	Anticancer activity of botanical alkyl hydroquinones attributed to topoisomerase II poisoning. <i>Toxicology and Applied Pharmacology</i> , <b>2008</b> , 227, 331-8	4.6	12
39	Growth arrest DNA damage-inducible gene 45 gamma expression as a prognostic and predictive biomarker in hepatocellular carcinoma. <i>Oncotarget</i> , <b>2015</b> , 6, 27953-65	3.3	12
38	Distinct molecular genetics of chronic lymphocytic leukemia in Taiwan: clinical and pathogenetic implications. <i>Haematologica</i> , <b>2017</b> , 102, 1085-1090	6.6	11
37	MicroRNA let-7a-3 gene methylation is associated with karyotyping, CEBPA promoter methylation, and survival in acute myeloid leukemia. <i>Leukemia Research</i> , <b>2014</b> , 38, 625-31	2.7	10
36	Potentiating the efficacy of molecular targeted therapy for hepatocellular carcinoma by inhibiting the insulin-like growth factor pathway. <i>PLoS ONE</i> , <b>2013</b> , 8, e66589	3.7	9
35	Marrow osteopontin level as a prognostic factor in acute myeloid leukaemia. <i>British Journal of Haematology</i> , <b>2008</b> , 141, 736-9	4.5	9
34	Human platelet antigen alleles in 998 Taiwanese blood donors determined by sequence-specific primer polymerase chain reaction. <i>BioMed Research International</i> , <b>2013</b> , 2013, 973789	3	8
33	DNA polymerase I proofreading exonuclease activity is required for endonuclease V repair pathway both in vitro and in vivo. <i>DNA Repair</i> , <b>2018</b> , 64, 59-67	4.3	7

32	Traditional serrated adenoma with BRAF mutation is associated with synchronous/metachronous BRAF-mutated serrated lesions. <i>Histopathology</i> , <b>2016</b> , 68, 810-8	7.3	7
31	Oxaliplatin-based Chemotherapy Might Provide Longer Progression-Free Survival in KRAS Mutant Metastatic Colorectal Cancer. <i>Translational Oncology</i> , <b>2013</b> , 6, 363-9	4.9	7
30	The excision of 3Tpenultimate errors by DNA polymerase I and its role in endonuclease V-mediated DNA repair. <i>DNA Repair</i> , <b>2013</b> , 12, 899-911	4.3	7
29	Clinical implications of sequential MRD monitoring by NGS at 2 time points after chemotherapy in patients with AML. <i>Blood Advances</i> , <b>2021</b> , 5, 2456-2466	7.8	7
28	Murine tribbles homolog 2 deficiency affects erythroid progenitor development and confers macrocytic anemia on mice. <i>Scientific Reports</i> , <b>2016</b> , 6, 31444	4.9	6
27	CpG Island Methylator Phenotype May Predict Poor Overall Survival of Patients with Stage IV Colorectal Cancer. <i>Oncology</i> , <b>2019</b> , 96, 156-163	3.6	4
26	Measurement of uracil-DNA glycosylase activity by matrix assisted laser desorption/ionization time-of-flight mass spectrometry technique. <i>DNA Repair</i> , <b>2021</b> , 97, 103028	4.3	4
25	Application of single nucleotide extension and MALDI-TOF mass spectrometry in proofreading and DNA repair assay. <i>DNA Repair</i> , <b>2018</b> , 61, 63-75	4.3	4
24	Cytarabine-Resistant -ITD Leukemia Cells are Associated with Mutation and Multiple Pathway Alterations-Possible Therapeutic Efficacy of Cabozantinib. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	3
23	Frequent BRAF mutation in early-onset colorectal cancer in Taiwan: association with distinct clinicopathological and molecular features and poor clinical outcome. <i>Journal of Clinical Pathology</i> , <b>2016</b> , 69, 319-25	3.9	3
22	Potential Role of CXCL13/CXCR5 Signaling in Immune Checkpoint Inhibitor Treatment in Cancer.. <i>Cancers</i> , <b>2022</b> , 14,	6.6	3
21	Exacerbation of Liver Tumor Metastasis in / Double Transgenic Zebrafish following Lipopolysaccharide or Dextran Sulphate Sodium Exposure. <i>Pharmaceuticals</i> , <b>2021</b> , 14,	5.2	3
20	Deoxyinosine repair in nuclear extracts of human cells. <i>Cell and Bioscience</i> , <b>2015</b> , 5, 52	9.8	2
19	Characterization of Acute Myeloid Leukemia with PTPN11 Mutation - The Mutation Is Closely Associated with NPM1 Mutation but Inversely Related to FLT3/ITD.. <i>Blood</i> , <b>2007</b> , 110, 3490-3490	2.2	2
18	Proofreading and DNA Repair Assay Using Single Nucleotide Extension and MALDI-TOF Mass Spectrometry Analysis. <i>Journal of Visualized Experiments</i> , <b>2018</b> ,	1.6	2
17	Cetuximab Might Be Detrimental to Metastatic Colorectal Cancer Patients with KRAS Codon 12 Mutations. <i>Anticancer Research</i> , <b>2015</b> , 35, 4207-14	2.3	2
16	Chemotherapy agents induce tartrate-resistant acid phosphatase 5a contributing to the symptom distress in lung cancer patients. <i>European Journal of Pharmacology</i> , <b>2019</b> , 846, 38-48	5.3	1
15	Sequence-Based Typing for Platelet alloantigens. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1310, 167-74	1.4	1

14	Proofreading of single nucleotide insertion/deletion replication errors analyzed by MALDI-TOF mass spectrometry assay. <i>DNA Repair</i> , <b>2020</b> , 88, 102810	4.3	1
13	Tumor Suppressor Activity of CCAAT/Enhancer Binding Protein Alpha Is Epigenetically Down-Regulated in Acute Myeloid Leukemia.. <i>Blood</i> , <b>2007</b> , 110, 2113-2113	2.2	1
12	Effect of Lipopolysaccharides on Liver Tumor Metastasis of Double Transgenic Zebrafish.. <i>Biomedicines</i> , <b>2022</b> , 10,	4.8	1
11	The prognostic role of CpG island methylator phenotype in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 667-667	2.2	1
10	Repurposing cabozantinib with therapeutic potential in KIT-driven t(8;21) acute myeloid leukaemias. <i>Cancer Gene Therapy</i> , <b>2021</b> ,	5.4	1
9	Cabozantinib promotes erythroid differentiation in K562 erythroleukemia cells through global changes in gene expression and JNK activation. <i>Cancer Gene Therapy</i> , <b>2021</b> ,	5.4	1
8	Lipopolysaccharides Enhance Epithelial Hyperplasia and Tubular Adenoma in Intestine-Specific Expression of in Transgenic Zebrafish. <i>Biomedicines</i> , <b>2021</b> , 9,	4.8	1
7	Pyruvium Pamoate Overcomes Cabozantinib-Resistance of FLT3-ITD AML Cells through Modulating the Mitochondria Functions and Signaling Pathways. <i>Blood</i> , <b>2018</b> , 132, 4683-4683	2.2	0
6	Molecular Pathogenesis of Paroxysmal Nocturnal Hemoglobinuria. <i>Hematology</i> , <b>1997</b> , 2, 399-406	2.2	
5	The Clinical Association and Prognostic Impact of IL1RAP Expression in Patients with De Novo Acute Myeloid Leukemia. <i>Blood</i> , <b>2019</b> , 134, 2705-2705	2.2	
4	Clinical and Biological Characterization of Adult Patients with Acute Myeloid Leukemia Bearing T(7;11)(p15;p15) Analysis of 536 Patients. <i>Blood</i> , <b>2008</b> , 112, 2535-2535	2.2	
3	Methylation Status of miRNA Let-7a-3 in Acute Myeloid Leukemia. <i>Blood</i> , <b>2008</b> , 112, 4482-4482	2.2	
2	CEBPA Methylation as a Prognostic Biomarker in Adult Patients with De Novo AML.. <i>Blood</i> , <b>2009</b> , 114, 1569-1569	2.2	
1	Association between risk factors, molecular features and CpG island methylator phenotype colorectal cancer among different age groups in a Taiwanese cohort. <i>British Journal of Cancer</i> , <b>2021</b> , 125, 48-54	8.7	