

Joy M Schmitz

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4100891/joy-m-schmitz-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

6,158
citations

38
h-index

75
g-index

156
ext. papers

6,790
ext. citations

4.1
avg, IF

5.38
L-index

#	Paper	IF	Citations
153	Psychiatric aspects of impulsivity. <i>American Journal of Psychiatry</i> , 2001 , 158, 1783-93	11.9	1634
152	The impact of impulsivity on cocaine use and retention in treatment. <i>Journal of Substance Abuse Treatment</i> , 2001 , 21, 193-8	4.2	328
151	Dextroamphetamine for cocaine-dependence treatment: a double-blind randomized clinical trial. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 522-6	1.7	198
150	Agonist-like or antagonist-like treatment for cocaine dependence with methadone for heroin dependence: two double-blind randomized clinical trials. <i>Neuropsychopharmacology</i> , 2004 , 29, 969-81	8.7	155
149	Naltrexone and relapse prevention treatment for cocaine-dependent patients. <i>Addictive Behaviors</i> , 2001 , 26, 167-80	4.2	139
148	Replacement medication for cocaine dependence: methylphenidate. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17, 485-8	1.7	136
147	Motivational interviewing with cocaine-dependent patients: A pilot study.. <i>Journal of Consulting and Clinical Psychology</i> , 2001 , 69, 858-862	6.5	124
146	Fluoxetine is ineffective for treatment of cocaine dependence or concurrent opiate and cocaine dependence: two placebo-controlled double-blind trials. <i>Journal of Clinical Psychopharmacology</i> , 1995 , 15, 163-74	1.7	118
145	Effects of oral methamphetamine on cocaine use: a randomized, double-blind, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2009 , 101, 34-41	4.9	104
144	Levodopa pharmacotherapy for cocaine dependence: choosing the optimal behavioral therapy platform. <i>Drug and Alcohol Dependence</i> , 2008 , 94, 142-50	4.9	103
143	Fluoxetine treatment of cocaine-dependent patients with major depressive disorder. <i>Drug and Alcohol Dependence</i> , 2001 , 63, 207-14	4.9	94
142	Risperidone for the treatment of cocaine dependence: randomized, double-blind trial. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 305-10	1.7	92
141	Citalopram combined with behavioral therapy reduces cocaine use: a double-blind, placebo-controlled trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2007 , 33, 367-78	3.7	81
140	Working memory fMRI activation in cocaine-dependent subjects: association with treatment response. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 181, 174-82	2.9	79
139	Relationship between impulsivity and decision making in cocaine dependence. <i>Psychiatry Research</i> , 2010 , 178, 299-304	9.9	77
138	A randomized, double-blind, placebo-controlled pilot study of naltrexone in outpatients with bipolar disorder and alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 1863-9	3.7	76
137	Behavioral and emotional problems among children of cocaine- and opiate-dependent parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 421-8	7.2	75

136	Determining predictors of attrition in an outpatient substance abuse program. <i>American Journal of Drug and Alcohol Abuse</i> , 2002 , 28, 55-72	3.7	69
135	The effects of high and low doses of methadone on cigarette smoking. <i>Drug and Alcohol Dependence</i> , 1994 , 34, 237-42	4.9	66
134	Relationship between attentional bias to cocaine-related stimuli and impulsivity in cocaine-dependent subjects. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 117-22	3.7	60
133	Anhedonia Is Associated with Poorer Outcomes in Contingency Management for Cocaine Use Disorder. <i>Journal of Substance Abuse Treatment</i> , 2017 , 72, 32-39	4.2	59
132	The role of drug use outcome expectancies in substance abuse risk: an interactional-transformational model. <i>Addictive Behaviors</i> , 2006 , 31, 2038-62	4.2	55
131	The role of homework in cognitive-behavioral therapy for cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2006 , 74, 633-7	6.5	54
130	Bupropion and Naltrexone in Methamphetamine Use Disorder. <i>New England Journal of Medicine</i> , 2021 , 384, 140-153	59.2	54
129	Effects of nicotine on methadone self-administration in humans. <i>Drug and Alcohol Dependence</i> , 1998 , 50, 157-65	4.9	53
128	Cognitive Behavioral Treatment of Bipolar Disorder and Substance Abuse: A Preliminary Randomized Study. <i>Addictive Disorders and Their Treatment</i> , 2002 , 1, 17-24	0.5	53
127	A stage I pilot study of acceptance and commitment therapy for methadone detoxification. <i>Drug and Alcohol Dependence</i> , 2012 , 125, 215-22	4.9	52
126	Cue reactivity in cocaine-dependent subjects: effects of cue type and cue modality. <i>Addictive Behaviors</i> , 1998 , 23, 7-15	4.2	52
125	A proposed revision of the Fagerstrom Tolerance Questionnaire. <i>Addictive Behaviors</i> , 1993 , 18, 135-43	4.2	48
124	A fine-grained analysis of the role of self-efficacy in self-initiated attempts to quit smoking.. <i>Journal of Consulting and Clinical Psychology</i> , 1990 , 58, 317-322	6.5	48
123	PPAR-gamma agonist pioglitazone modifies craving intensity and brain white matter integrity in patients with primary cocaine use disorder: a double-blind randomized controlled pilot trial. <i>Addiction</i> , 2017 , 112, 1861-1868	4.6	46
122	Combination of Modafinil and d-amphetamine for the Treatment of Cocaine Dependence: A Preliminary Investigation. <i>Frontiers in Psychiatry</i> , 2012 , 3, 77	5	46
121	Treatment outcome of cocaine-alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 1997 , 47, 55-61	4.9	42
120	Medication compliance during a smoking cessation clinical trial: a brief intervention using MEMS feedback. <i>Journal of Behavioral Medicine</i> , 2005 , 28, 139-47	3.6	42
119	A two-phased screening paradigm for evaluating candidate medications for cocaine cessation or relapse prevention: modafinil, levodopa-carbidopa, naltrexone. <i>Drug and Alcohol Dependence</i> , 2014 , 136, 100-7	4.9	41

118	Treatment of cocaine-alcohol dependence with naltrexone and relapse prevention therapy. <i>American Journal on Addictions</i> , 2004 , 13, 333-41	3.7	40
117	Behavioral treatment of cocaine-dependent pregnant women and TB-exposed patients. <i>Addictive Behaviors</i> , 1995 , 20, 533-42	4.2	40
116	Cocaine craving: an evaluation across treatment phases. <i>Journal of Substance Abuse</i> , 1998 , 10, 9-17		38
115	Relapse prevention treatment for cocaine dependence: group vs. individual format. <i>Addictive Behaviors</i> , 1997 , 22, 405-18	4.2	37
114	Impact of a motivational intervention on mechanisms of change in low-income pregnant smokers. <i>Addictive Behaviors</i> , 2004 , 29, 1649-57	4.2	37
113	Cognitive-behavioral therapies for depression and substance use disorders: An overview of traditional, third-wave, and transdiagnostic approaches. <i>American Journal of Drug and Alcohol Abuse</i> , 2017 , 43, 402-415	3.7	36
112	Cocaine dependence with and without comorbid depression: a comparison of patient characteristics. <i>Drug and Alcohol Dependence</i> , 2000 , 60, 189-98	4.9	36
111	Smoking cessation in women with cardiac risk: a comparative study of two theoretically based therapies. <i>Nicotine and Tobacco Research</i> , 1999 , 1, 87-94	4.9	35
110	Safety, tolerability and efficacy of levodopa-carbidopa treatment for cocaine dependence: two double-blind, randomized, clinical trials. <i>Drug and Alcohol Dependence</i> , 2007 , 88, 214-23	4.9	34
109	Distress Tolerance: Associations With Posttraumatic Stress Disorder Symptoms Among Trauma-Exposed, Cocaine-Dependent Adults. <i>Behavior Modification</i> , 2016 , 40, 120-43	2.5	33
108	Behavioral activation and inhibition, negative affect, and gambling severity in a sample of young adult college students. <i>Journal of Gambling Studies</i> , 2012 , 28, 437-49	3	33
107	Medication take-home doses and contingency management.. <i>Experimental and Clinical Psychopharmacology</i> , 1998 , 6, 162-168	3.2	32
106	Baseline neurocognitive profiles differentiate abstainers and non-abstainers in a cocaine clinical trial. <i>Journal of Addictive Diseases</i> , 2009 , 28, 250-7	1.7	31
105	Concurrent treatment for alcohol and tobacco dependence: are patients ready to quit both?. <i>Drug and Alcohol Dependence</i> , 2003 , 69, 1-7	4.9	31
104	A critical review of the Reasons for Smoking Scale. <i>Journal of Substance Abuse</i> , 1991 , 3, 441-55		31
103	High-dose naltrexone therapy for cocaine-alcohol dependence. <i>American Journal on Addictions</i> , 2009 , 18, 356-62	3.7	31
102	Biomarkers for the development of new medications for cocaine dependence. <i>Neuropsychopharmacology</i> , 2014 , 39, 202-19	8.7	29
101	Bupropion and cognitive-behavioral therapy for smoking cessation in women. <i>Nicotine and Tobacco Research</i> , 2007 , 9, 699-709	4.9	28

100	Neural correlates of impulsive aggressive behavior in subjects with a history of alcohol dependence. <i>Behavioral Neuroscience</i> , 2015 , 129, 183-96	2.1	27
99	Cocaine dependence and concurrent marijuana use: a comparison of clinical characteristics. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 193-8	3.7	27
98	Contingency management and levodopa-carbidopa for cocaine treatment: a comparison of three behavioral targets. <i>Experimental and Clinical Psychopharmacology</i> , 2010 , 18, 238-44	3.2	27
97	Adding MEMS feedback to behavioral smoking cessation therapy increases compliance with bupropion: a replication and extension study. <i>Addictive Behaviors</i> , 2007 , 32, 875-80	4.2	27
96	Laboratory measures of methylphenidate effects in cocaine-dependent patients receiving treatment. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 61-8	1.7	27
95	Mindfulness-based stress reduction in therapeutic community treatment: a stage 1 trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 103-8	3.7	26
94	Factor structure and diagnostic efficiency of the BDI-II in treatment-seeking substance users. <i>Drug and Alcohol Dependence</i> , 2008 , 93, 271-8	4.9	26
93	Contingent reinforcement for reduced carbon monoxide levels in methadone maintenance patients. <i>Addictive Behaviors</i> , 1995 , 20, 171-9	4.2	26
92	Compliance with tuberculosis treatment in methadone-maintained patients: behavioral interventions. <i>Journal of Substance Abuse Treatment</i> , 1993 , 10, 371-82	4.2	25
91	Effects of oxytocin on aggressive responding in healthy adult men. <i>Behavioural Pharmacology</i> , 2015 , 26, 798-804	2.4	23
90	A Randomized, Double-Blind, Placebo-Controlled Trial of Citicoline for Cocaine Dependence in Bipolar I Disorder. <i>American Journal of Psychiatry</i> , 2015 , 172, 1014-21	11.9	22
89	Preliminary examination of the orexin system on relapse-related factors in cocaine use disorder. <i>Brain Research</i> , 2020 , 1731, 146359	3.7	22
88	Use of stimulants to treat cocaine and methamphetamine abuse. <i>Current Psychiatry Reports</i> , 2008 , 10, 385-91	9.1	21
87	Anti-saccade error rates as a measure of attentional bias in cocaine dependent subjects. <i>Behavioural Brain Research</i> , 2015 , 292, 493-9	3.4	20
86	Using addiction severity profiles to differentiate cocaine-dependent patients with and without comorbid major depression. <i>American Journal on Addictions</i> , 2006 , 15, 362-9	3.7	20
85	Ritanserin in the treatment of cocaine dependence. <i>Biological Psychiatry</i> , 1997 , 42, 932-40	7.9	19
84	Evaluation of heterogeneity in pharmacotherapy trials for drug dependence: a Bayesian approach. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 95-102	3.7	18
83	War-related changes in cigarette smoking: a survey study of health professionals in Sarajevo. <i>Substance Use and Misuse</i> , 1996 , 31, 639-46	2.2	17

82	Cognitive and affective responses to successful coping during smoking cessation. <i>Journal of Substance Abuse</i> , 1993 , 5, 61-72		17
81	Distress tolerance: Associations with trauma and substance cue reactivity in low-income, inner-city adults with substance use disorders and posttraumatic stress. <i>Psychology of Addictive Behaviors</i> , 2018 , 32, 264-276	3.4	17
80	Regional differences in white matter integrity in stimulant use disorders: A meta-analysis of diffusion tensor imaging studies. <i>Drug and Alcohol Dependence</i> , 2019 , 201, 29-37	4.9	16
79	BabyS Breath II protocol development and design: a secondhand smoke exposure prevention program targeting infants discharged from a neonatal intensive care unit. <i>Contemporary Clinical Trials</i> , 2013 , 35, 97-105	2.3	16
78	A menu of potential reinforcers in a methadone maintenance program. <i>Journal of Substance Abuse Treatment</i> , 1994 , 11, 425-31	4.2	16
77	Using prize-based incentives to enhance daily interactive voice response (IVR) compliance: a feasibility study. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 74-7	4.2	15
76	Substance abuser impulsivity decreases with a nine-month stay in a therapeutic community. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 417-20	3.7	15
75	Experimental analysis of the role of expectancy in nicotine withdrawal.. <i>Psychology of Addictive Behaviors</i> , 1994 , 8, 169-178	3.4	15
74	Prevalence of traumatic brain injury in cocaine-dependent research volunteers. <i>American Journal on Addictions</i> , 2015 , 24, 341-7	3.7	14
73	The influence of dopamine Hydroxylase gene polymorphism rs1611115 on levodopa/carbidopa treatment for cocaine dependence: a preliminary study. <i>Pharmacogenetics and Genomics</i> , 2014 , 24, 370-3 ^{1.9}		14
72	Increased intra-individual reaction time variability in cocaine-dependent subjects: role of cocaine-related cues. <i>Addictive Behaviors</i> , 2012 , 37, 193-7	4.2	14
71	Increased Orbitofrontal Brain Activation after Administration of a Selective Adenosine A(2A) Antagonist in Cocaine Dependent Subjects. <i>Frontiers in Psychiatry</i> , 2012 , 3, 44	5	14
70	Discriminative utility of a brief cognitive status assessment with alcoholics and the impact of cognitive status on acquisition of treatment-relevant information.. <i>Psychology of Addictive Behaviors</i> , 1992 , 6, 34-40	3.4	14
69	Bupropion and naltrexone for smoking cessation: A double-blind randomized placebo-controlled clinical trial. <i>Clinical Pharmacology and Therapeutics</i> , 2016 , 100, 344-52	6.1	14
68	Measures of possible allostatic load in comorbid cocaine and alcohol use disorder: Brain white matter integrity, telomere length, and anti-saccade performance. <i>PLoS ONE</i> , 2019 , 14, e0199729	3.7	13
67	Development of a novel, integrated cognitive-behavioral therapy for co-occurring posttraumatic stress and substance use disorders: A pilot randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2018 , 65, 123-129	2.3	13
66	Altered anterior cingulate cortex to hippocampus effective connectivity in response to drug cues in men with cocaine use disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 271, 59-66	2.9	13
65	Assessment of the relative reinforcement value of smoking and drinking using a multiple-choice measurement strategy. <i>Nicotine and Tobacco Research</i> , 2003 , 5, 729-34	4.9	13

64	Baseline resting heart rate variability predicts post-traumatic stress disorder treatment outcomes in adults with co-occurring substance use disorders and post-traumatic stress. <i>Psychophysiology</i> , 2019 , 56, e13377	4.1	12
63	A sequential multiple assignment randomized trial for cocaine cessation and relapse prevention: Tailoring treatment to the individual. <i>Contemporary Clinical Trials</i> , 2018 , 65, 109-115	2.3	12
62	Behavioral therapies trials: a case example. <i>Nursing Research</i> , 2007 , 56, 210-6	1.9	12
61	Comparing Measures of Medication Taking in a Pharmacotherapy Trial for Cocaine Dependence. <i>Addictive Disorders and Their Treatment</i> , 2004 , 3, 165-173	0.5	12
60	A preliminary longitudinal study of white matter alteration in cocaine use disorder subjects. <i>Drug and Alcohol Dependence</i> , 2017 , 173, 39-46	4.9	11
59	"Who gets in?" Recruitment and screening processes of outpatient substance abuse trials. <i>Addictive Behaviors</i> , 2004 , 29, 389-98	4.2	11
58	Use of monetary reinforcers by cocaine-dependent outpatients. <i>Journal of Substance Abuse Treatment</i> , 1999 , 17, 229-36	4.2	11
57	The role of avoidance and inflexibility in characterizing response to contingency management for cocaine use disorders: A secondary profile analysis. <i>Psychology of Addictive Behaviors</i> , 2015 , 29, 408-13	3.4	10
56	Effects of escitalopram on attentional bias to cocaine-related stimuli and inhibitory control in cocaine-dependent subjects. <i>Journal of Psychopharmacology</i> , 2013 , 27, 801-7	4.6	10
55	Moderators of delay tolerance in treatment-seeking cocaine users. <i>Addictive Behaviors</i> , 2007 , 32, 370-6	4.2	10
54	Illusory predictors: Generalizability of findings in cocaine treatment retention research. <i>Addictive Behaviors</i> , 2007 , 32, 2819-36	4.2	10
53	Cessation of cocaine use during pregnancy: a preliminary comparison. <i>Addictive Behaviors</i> , 1994 , 19, 697-702	4.0	10
52	Bradycardia as a Marker of Chronic Cocaine Use: A Novel Cardiovascular Finding. <i>Behavioral Medicine</i> , 2016 , 42, 1-8	4.4	9
51	Smoking cessation in women with cardiac risk. <i>American Journal of the Medical Sciences</i> , 2003 , 326, 192-6	4.2	9
50	Elevated Neutrophil to Lymphocyte Ratio in Older Adults with Cocaine Use Disorder as a Marker of Chronic Inflammation. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020 , 18, 32-40	3.4	9
49	A meta-analysis of tract-based spatial statistics studies examining white matter integrity in cocaine use disorder. <i>Addiction Biology</i> , 2021 , 26, e12902	4.6	9
48	A Novel, Integrated Cognitive-Behavioral Therapy for Co-Occurring Posttraumatic Stress and Substance Use Disorders: A Case Study. <i>Cognitive and Behavioral Practice</i> , 2019 , 26, 307-322	2.3	8
47	Comparison of Caffeine and d-amphetamine in Cocaine-Dependent Subjects: Differential Outcomes on Subjective and Cardiovascular Effects, Reward Learning, and Salivary Paraxanthine. <i>Journal of Addiction Research & Therapy</i> , 2014 , 5, 176	2.5	8

46	Tobacco, alcohol and caffeine use in a low-income, pregnant population. <i>Journal of Obstetrics and Gynaecology</i> , 2003 , 23, 247-51	1.3	8
45	Treatment session frequency and smoking cessation. <i>Journal of Substance Abuse</i> , 1994 , 6, 77-85		8
44	Resting Heart Rate Variability: Exploring Associations With Symptom Severity in Adults With Substance Use Disorders and Posttraumatic Stress. <i>Journal of Dual Diagnosis</i> , 2019 , 15, 2-7	2.4	8
43	Mindfulness as a predictor of cognitive-behavioral therapy outcomes in inner-city adults with posttraumatic stress and substance dependence. <i>Addictive Behaviors</i> , 2020 , 104, 106283	4.2	6
42	Assessing the validity of nicotine abstinence effects by self- and observer ratings under "blinded" conditions.. <i>Experimental and Clinical Psychopharmacology</i> , 1996 , 4, 330-335	3.2	6
41	Baseline cocaine demand predicts contingency management treatment outcomes for cocaine-use disorder. <i>Psychology of Addictive Behaviors</i> , 2020 , 34, 164-174	3.4	6
40	Anhedonia in cocaine use disorder is associated with inflammatory gene expression. <i>PLoS ONE</i> , 2018 , 13, e0207231	3.7	6
39	Cigarette smoking, type 2 diabetes mellitus, and glucagon-like peptide-1 receptor agonists as a potential treatment for smokers with diabetes: An integrative review. <i>Diabetes Research and Clinical Practice</i> , 2019 , 149, 78-88	7.4	5
38	Stress and Length of Stay in Therapeutic Community Treatment for Adolescents With Substance Use Disorders. <i>Addictive Disorders and Their Treatment</i> , 2013 , 12, 175-182	0.5	5
37	Hepatitis C Knowledge Assessment and Counseling Within the Context of Substance Abuse Treatment. <i>Addictive Disorders and Their Treatment</i> , 2004 , 3, 18-26	0.5	5
36	Increasing Knowledge of HIV and Hepatitis C During Substance Abuse Treatment. <i>Addictive Disorders and Their Treatment</i> , 2005 , 4, 71-76	0.5	5
35	A Survey of Posthospitalization Treatment Needs and Preferences in Cocaine Abusers. <i>American Journal on Addictions</i> , 1994 , 3, 227-235	3.7	5
34	Exenatide Adjunct to Nicotine Patch Facilitates Smoking Cessation and May Reduce Post-Cessation Weight Gain: A Pilot Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 1682-1690	4.9	5
33	Hospital length of stay in individuals with schizophrenia with and without cocaine-positive urine drug screens at hospital admission. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 33-6	1.8	4
32	Serotonin transporter gene promoter polymorphism predicts relationship between years of cocaine use and impulsivity. <i>Psychiatric Genetics</i> , 2015 , 25, 213-4	2.9	4
31	Demographic and psychological factors associated with lifetime cocaine use: An exploratory factor analysis of baseline questionnaires. <i>Addictive Disorders and Their Treatment</i> , 2015 , 14, 70-77	0.5	4
30	The influence of baseline marijuana use on treatment of cocaine dependence: application of an informative-priors bayesian approach. <i>Frontiers in Psychiatry</i> , 2012 , 3, 92	5	4
29	Drug preference in cocaine and alcohol dual-dependent patients. <i>American Journal of Drug and Alcohol Abuse</i> , 2008 , 34, 211-7	3.7	4

28	Situational analysis of coping in substance-abusing patients. <i>Journal of Substance Abuse</i> , 1995 , 7, 189-204		4
27	Plasma pro- and anti-inflammatory cytokines may relate to cocaine use, cognitive functioning, and depressive symptoms in cocaine use disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2021 , 47, 52-64	3.7	4
26	Association Between Recent Cannabis Consumption and Withdrawal-Related Symptoms During Early Abstinence Among Females With Smoked Cocaine Use Disorder. <i>Journal of Addiction Medicine</i> , 2020 , 14, e37-e43	3.8	3
25	Factor Analyses of the Allen Barriers to Treatment Instrument in a Sample of Women Seeking Outpatient Treatment for Substance Abuse. <i>Addictive Disorders and Their Treatment</i> , 2009 , 8, 185-190	0.5	2
24	Stress and Behavior Change in a Substance-Abusing Population Following September 11, 2001. <i>Addictive Disorders and Their Treatment</i> , 2003 , 2, 59-61	0.5	2
23	Context modulated effects of nicotine abstinence on human cooperative responding.. <i>Experimental and Clinical Psychopharmacology</i> , 1998 , 6, 390-398	3.2	2
22	Decreased cocaine demand following contingency management treatment. <i>Drug and Alcohol Dependence</i> , 2021 , 226, 108883	4.9	2
21	Comparison of 3 L-Acetyl-methadol (LAAM) Maintenance Strategies for Heroin Dependence. <i>Addictive Disorders and Their Treatment</i> , 2009 , 8, 191-200	0.5	1
20	Initial development of a brief assessment of cocaine demand. <i>Behavioural Pharmacology</i> , 2021 , 32, 351-354	3.4	1
19	Testing the Significance of Difference in Average Rates of Change in Controlled Longitudinal Studies With High Dropout Rates. <i>Methodology</i> , 2009 , 5, 46-54	1.2	1
18	White matter deficits in cocaine use disorder: convergent evidence from in vivo diffusion tensor imaging and ex vivo proteomic analysis. <i>Translational Psychiatry</i> , 2021 , 11, 252	8.6	1
17	Using a data science approach to predict cocaine use frequency from depressive symptoms. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 310-317	4.9	1
16	Electrophysiological responses to emotional and cocaine cues reveal individual neuroaffective profiles in cocaine users. <i>Experimental and Clinical Psychopharmacology</i> , 2021 ,	3.2	1
15	The effects of combination levodopa-ropinirole on cognitive improvement and treatment outcome in individuals with cocaine use disorder: A bayesian mediation analysis. <i>Drug and Alcohol Dependence</i> , 2021 , 225, 108800	4.9	1
14	Posttraumatic stress symptom clusters differentially predict late positive potential to cocaine imagery cues in trauma-exposed adults with cocaine use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 108929	4.9	1
13	Citalopram for treatment of cocaine use disorder: A Bayesian drop-the-loser randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109054	4.9	1
12	Objective analysis of language use in cognitive-behavioral therapy: associations with symptom change in adults with co-occurring substance use disorders and posttraumatic stress. <i>Cognitive Behaviour Therapy</i> , 2021 , 50, 89-103	4.4	0
11	Cocaine-specific speed-accuracy trade-off during anti-saccade testing differentiates patients with cocaine use disorder who achieve initial abstinence during treatment. <i>Journal of Psychopharmacology</i> , 2021 , 35, 611-614	4.6	0

10	Prevalence and Correlates of Sex Selling and Sex Purchasing among Adults Seeking Treatment for Cocaine Use Disorder. <i>Substance Use and Misuse</i> , 2021 , 56, 2229-2241	2.2	0
9	Treatment of Nicotine Addiction. <i>Addictive Disorders and Their Treatment</i> , 2004 , 3, 97-109	0.5	
8	Dr. Elk and colleaguesResponse. <i>Journal of Substance Abuse Treatment</i> , 1994 , 11, 61-62	4.2	
7	Distress tolerance: prospective associations with cognitive-behavioral therapy outcomes in adults with posttraumatic stress and substance use disorders.. <i>Cognitive Behaviour Therapy</i> , 2022 , 1-17	4.4	
6	Trauma and Emotion Regulation: Associations with Depressive Symptoms and Cocaine Use among Treatment-seeking Adults. <i>International Journal of Mental Health and Addiction</i> ,1	8.8	
5	Nonjudgmental acceptance: Associations with substance-related cue reactivity in adults with substance use disorders and posttraumatic stress.. <i>Addictive Behaviors</i> , 2022 , 126, 107211	4.2	
4	Comorbid alcohol use and post-traumatic stress disorders: Pharmacotherapy with aldehyde dehydrogenase 2 inhibitors versus current agents.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 115, 110506	5.5	
3	Targeting white matter neuroprotection as a relapse prevention strategy for treatment of cocaine use disorder: Design of a mechanism-focused randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2021 , 111, 106603	2.3	
2	Psychologic treatment of substance abuse. <i>Current Opinion in Psychiatry</i> , 1998 , 11, 289-293	4.9	
1	Early pain, stress, and opioid use following traumatic injury.. <i>Journal of Opioid Management</i> , 2022 , 18, 17-25	0.8	