

Joy M Schmitz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4100891/joy-m-schmitz-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

153
papers

6,158
citations

38
h-index

75
g-index

156
ext. papers

6,790
ext. citations

4.1
avg, IF

5.38
L-index

#	Paper	IF	Citations
153	Distress tolerance: prospective associations with cognitive-behavioral therapy outcomes in adults with posttraumatic stress and substance use disorders.. <i>Cognitive Behaviour Therapy</i> , 2022 , 1-17	4.4	
152	Nonjudgmental acceptance: Associations with substance-related cue reactivity in adults with substance use disorders and posttraumatic stress.. <i>Addictive Behaviors</i> , 2022 , 126, 107211	4.2	
151	Comorbid alcohol use and post-traumatic stress disorders: Pharmacotherapy with aldehyde dehydrogenase 2 inhibitors versus current agents.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 115, 110506	5.5	
150	Early pain, stress, and opioid use following traumatic injury.. <i>Journal of Opioid Management</i> , 2022 , 18, 17-25	0.8	
149	Targeting white matter neuroprotection as a relapse prevention strategy for treatment of cocaine use disorder: Design of a mechanism-focused randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2021 , 111, 106603	2.3	
148	Initial development of a brief assessment of cocaine demand. <i>Behavioural Pharmacology</i> , 2021 , 32, 351-354	3.4	1
147	White matter deficits in cocaine use disorder: convergent evidence from in vivo diffusion tensor imaging and ex vivo proteomic analysis. <i>Translational Psychiatry</i> , 2021 , 11, 252	8.6	1
146	Exenatide Adjunct to Nicotine Patch Facilitates Smoking Cessation and May Reduce Post-Cessation Weight Gain: A Pilot Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2021 , 23, 1682-1690	4.9	5
145	A meta-analysis of tract-based spatial statistics studies examining white matter integrity in cocaine use disorder. <i>Addiction Biology</i> , 2021 , 26, e12902	4.6	9
144	Plasma pro- and anti-inflammatory cytokines may relate to cocaine use, cognitive functioning, and depressive symptoms in cocaine use disorder. <i>American Journal of Drug and Alcohol Abuse</i> , 2021 , 47, 52-64	3.7	4
143	Objective analysis of language use in cognitive-behavioral therapy: associations with symptom change in adults with co-occurring substance use disorders and posttraumatic stress. <i>Cognitive Behaviour Therapy</i> , 2021 , 50, 89-103	4.4	0
142	Bupropion and Naltrexone in Methamphetamine Use Disorder. <i>New England Journal of Medicine</i> , 2021 , 384, 140-153	59.2	54
141	Cocaine-specific speed-accuracy trade-off during anti-saccade testing differentiates patients with cocaine use disorder who achieve initial abstinence during treatment. <i>Journal of Psychopharmacology</i> , 2021 , 35, 611-614	4.6	0
140	Electrophysiological responses to emotional and cocaine cues reveal individual neuroaffective profiles in cocaine users. <i>Experimental and Clinical Psychopharmacology</i> , 2021 ,	3.2	1
139	The effects of combination levodopa-ropinirole on cognitive improvement and treatment outcome in individuals with cocaine use disorder: A bayesian mediation analysis. <i>Drug and Alcohol Dependence</i> , 2021 , 225, 108800	4.9	1
138	Decreased cocaine demand following contingency management treatment. <i>Drug and Alcohol Dependence</i> , 2021 , 226, 108883	4.9	2
137	Prevalence and Correlates of Sex Selling and Sex Purchasing among Adults Seeking Treatment for Cocaine Use Disorder. <i>Substance Use and Misuse</i> , 2021 , 56, 2229-2241	2.2	0

136	Posttraumatic stress symptom clusters differentially predict late positive potential to cocaine imagery cues in trauma-exposed adults with cocaine use disorder. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 108929	4.9	1
135	Citalopram for treatment of cocaine use disorder: A Bayesian drop-the-loser randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109054	4.9	1
134	Mindfulness as a predictor of cognitive-behavioral therapy outcomes in inner-city adults with posttraumatic stress and substance dependence. <i>Addictive Behaviors</i> , 2020 , 104, 106283	4.2	6
133	Elevated Neutrophil to Lymphocyte Ratio in Older Adults with Cocaine Use Disorder as a Marker of Chronic Inflammation. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020 , 18, 32-40	3.4	9
132	Baseline cocaine demand predicts contingency management treatment outcomes for cocaine-use disorder. <i>Psychology of Addictive Behaviors</i> , 2020 , 34, 164-174	3.4	6
131	Association Between Recent Cannabis Consumption and Withdrawal-Related Symptoms During Early Abstinence Among Females With Smoked Cocaine Use Disorder. <i>Journal of Addiction Medicine</i> , 2020 , 14, e37-e43	3.8	3
130	Preliminary examination of the orexin system on relapse-related factors in cocaine use disorder. <i>Brain Research</i> , 2020 , 1731, 146359	3.7	22
129	Measures of possible allostatic load in comorbid cocaine and alcohol use disorder: Brain white matter integrity, telomere length, and anti-saccade performance. <i>PLoS ONE</i> , 2019 , 14, e0199729	3.7	13
128	Regional differences in white matter integrity in stimulant use disorders: A meta-analysis of diffusion tensor imaging studies. <i>Drug and Alcohol Dependence</i> , 2019 , 201, 29-37	4.9	16
127	Baseline resting heart rate variability predicts post-traumatic stress disorder treatment outcomes in adults with co-occurring substance use disorders and post-traumatic stress. <i>Psychophysiology</i> , 2019 , 56, e13377	4.1	12
126	Cigarette smoking, type 2 diabetes mellitus, and glucagon-like peptide-1 receptor agonists as a potential treatment for smokers with diabetes: An integrative review. <i>Diabetes Research and Clinical Practice</i> , 2019 , 149, 78-88	7.4	5
125	A Novel, Integrated Cognitive-Behavioral Therapy for Co-Occurring Posttraumatic Stress and Substance Use Disorders: A Case Study. <i>Cognitive and Behavioral Practice</i> , 2019 , 26, 307-322	2.3	8
124	Resting Heart Rate Variability: Exploring Associations With Symptom Severity in Adults With Substance Use Disorders and Posttraumatic Stress. <i>Journal of Dual Diagnosis</i> , 2019 , 15, 2-7	2.4	8
123	Using a data science approach to predict cocaine use frequency from depressive symptoms. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 310-317	4.9	1
122	A sequential multiple assignment randomized trial for cocaine cessation and relapse prevention: Tailoring treatment to the individual. <i>Contemporary Clinical Trials</i> , 2018 , 65, 109-115	2.3	12
121	Development of a novel, integrated cognitive-behavioral therapy for co-occurring posttraumatic stress and substance use disorders: A pilot randomized clinical trial. <i>Contemporary Clinical Trials</i> , 2018 , 65, 123-129	2.3	13
120	Altered anterior cingulate cortex to hippocampus effective connectivity in response to drug cues in men with cocaine use disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 271, 59-66	2.9	13
119	Distress tolerance: Associations with trauma and substance cue reactivity in low-income, inner-city adults with substance use disorders and posttraumatic stress. <i>Psychology of Addictive Behaviors</i> , 2018 , 32, 264-276	3.4	17

118	Anhedonia in cocaine use disorder is associated with inflammatory gene expression. <i>PLoS ONE</i> , 2018 , 13, e0207231	3.7	6
117	A preliminary longitudinal study of white matter alteration in cocaine use disorder subjects. <i>Drug and Alcohol Dependence</i> , 2017 , 173, 39-46	4.9	11
116	PPAR-gamma agonist pioglitazone modifies craving intensity and brain white matter integrity in patients with primary cocaine use disorder: a double-blind randomized controlled pilot trial. <i>Addiction</i> , 2017 , 112, 1861-1868	4.6	46
115	Cognitive-behavioral therapies for depression and substance use disorders: An overview of traditional, third-wave, and transdiagnostic approaches. <i>American Journal of Drug and Alcohol Abuse</i> , 2017 , 43, 402-415	3.7	36
114	Anhedonia Is Associated with Poorer Outcomes in Contingency Management for Cocaine Use Disorder. <i>Journal of Substance Abuse Treatment</i> , 2017 , 72, 32-39	4.2	59
113	Bradycardia as a Marker of Chronic Cocaine Use: A Novel Cardiovascular Finding. <i>Behavioral Medicine</i> , 2016 , 42, 1-8	4.4	9
112	Distress Tolerance: Associations With Posttraumatic Stress Disorder Symptoms Among Trauma-Exposed, Cocaine-Dependent Adults. <i>Behavior Modification</i> , 2016 , 40, 120-43	2.5	33
111	Bupropion and naltrexone for smoking cessation: A double-blind randomized placebo-controlled clinical trial. <i>Clinical Pharmacology and Therapeutics</i> , 2016 , 100, 344-52	6.1	14
110	A Randomized, Double-Blind, Placebo-Controlled Trial of Citicoline for Cocaine Dependence in Bipolar I Disorder. <i>American Journal of Psychiatry</i> , 2015 , 172, 1014-21	11.9	22
109	Neural correlates of impulsive aggressive behavior in subjects with a history of alcohol dependence. <i>Behavioral Neuroscience</i> , 2015 , 129, 183-96	2.1	27
108	Anti-saccade error rates as a measure of attentional bias in cocaine dependent subjects. <i>Behavioural Brain Research</i> , 2015 , 292, 493-9	3.4	20
107	Hospital length of stay in individuals with schizophrenia with and without cocaine-positive urine drug screens at hospital admission. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 33-6	1.8	4
106	Prevalence of traumatic brain injury in cocaine-dependent research volunteers. <i>American Journal on Addictions</i> , 2015 , 24, 341-7	3.7	14
105	The role of avoidance and inflexibility in characterizing response to contingency management for cocaine use disorders: A secondary profile analysis. <i>Psychology of Addictive Behaviors</i> , 2015 , 29, 408-13	3.4	10
104	Serotonin transporter gene promoter polymorphism predicts relationship between years of cocaine use and impulsivity. <i>Psychiatric Genetics</i> , 2015 , 25, 213-4	2.9	4
103	Demographic and psychological factors associated with lifetime cocaine use: An exploratory factor analysis of baseline questionnaires. <i>Addictive Disorders and Their Treatment</i> , 2015 , 14, 70-77	0.5	4
102	Effects of oxytocin on aggressive responding in healthy adult men. <i>Behavioural Pharmacology</i> , 2015 , 26, 798-804	2.4	23
101	A two-phased screening paradigm for evaluating candidate medications for cocaine cessation or relapse prevention: modafinil, levodopa-carbidopa, naltrexone. <i>Drug and Alcohol Dependence</i> , 2014 , 136, 100-7	4.9	41

100	Comparison of Caffeine and d-amphetamine in Cocaine-Dependent Subjects: Differential Outcomes on Subjective and Cardiovascular Effects, Reward Learning, and Salivary Paraxanthine. <i>Journal of Addiction Research & Therapy</i> , 2014 , 5, 176	2.5	8
99	Biomarkers for the development of new medications for cocaine dependence. <i>Neuropsychopharmacology</i> , 2014 , 39, 202-19	8.7	29
98	The influence of dopamine βhydroxylase gene polymorphism rs1611115 on levodopa/carbidopa treatment for cocaine dependence: a preliminary study. <i>Pharmacogenetics and Genomics</i> , 2014 , 24, 370-3 ^{1.9}		14
97	Using prize-based incentives to enhance daily interactive voice response (IVR) compliance: a feasibility study. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 74-7	4.2	15
96	Baby\$ Breath II protocol development and design: a secondhand smoke exposure prevention program targeting infants discharged from a neonatal intensive care unit. <i>Contemporary Clinical Trials</i> , 2013 , 35, 97-105	2.3	16
95	Stress and Length of Stay in Therapeutic Community Treatment for Adolescents With Substance Use Disorders. <i>Addictive Disorders and Their Treatment</i> , 2013 , 12, 175-182	0.5	5
94	Effects of escitalopram on attentional bias to cocaine-related stimuli and inhibitory control in cocaine-dependent subjects. <i>Journal of Psychopharmacology</i> , 2013 , 27, 801-7	4.6	10
93	Behavioral activation and inhibition, negative affect, and gambling severity in a sample of young adult college students. <i>Journal of Gambling Studies</i> , 2012 , 28, 437-49	3	33
92	Increased intra-individual reaction time variability in cocaine-dependent subjects: role of cocaine-related cues. <i>Addictive Behaviors</i> , 2012 , 37, 193-7	4.2	14
91	A stage I pilot study of acceptance and commitment therapy for methadone detoxification. <i>Drug and Alcohol Dependence</i> , 2012 , 125, 215-22	4.9	52
90	Increased Orbitofrontal Brain Activation after Administration of a Selective Adenosine A(2A) Antagonist in Cocaine Dependent Subjects. <i>Frontiers in Psychiatry</i> , 2012 , 3, 44	5	14
89	Combination of Modafinil and d-amphetamine for the Treatment of Cocaine Dependence: A Preliminary Investigation. <i>Frontiers in Psychiatry</i> , 2012 , 3, 77	5	46
88	The influence of baseline marijuana use on treatment of cocaine dependence: application of an informative-priors bayesian approach. <i>Frontiers in Psychiatry</i> , 2012 , 3, 92	5	4
87	Relationship between attentional bias to cocaine-related stimuli and impulsivity in cocaine-dependent subjects. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 117-22	3.7	60
86	Relationship between impulsivity and decision making in cocaine dependence. <i>Psychiatry Research</i> , 2010 , 178, 299-304	9.9	77
85	Contingency management and levodopa-carbidopa for cocaine treatment: a comparison of three behavioral targets. <i>Experimental and Clinical Psychopharmacology</i> , 2010 , 18, 238-44	3.2	27
84	Working memory fMRI activation in cocaine-dependent subjects: association with treatment response. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 181, 174-82	2.9	79
83	Substance abuser impulsivity decreases with a nine-month stay in a therapeutic community. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 417-20	3.7	15

82	A randomized, double-blind, placebo-controlled pilot study of naltrexone in outpatients with bipolar disorder and alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2009 , 33, 1863-9	3.7	76
81	Effects of oral methamphetamine on cocaine use: a randomized, double-blind, placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2009 , 101, 34-41	4.9	104
80	Baseline neurocognitive profiles differentiate abstainers and non-abstainers in a cocaine clinical trial. <i>Journal of Addictive Diseases</i> , 2009 , 28, 250-7	1.7	31
79	Cocaine dependence and concurrent marijuana use: a comparison of clinical characteristics. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 193-8	3.7	27
78	Mindfulness-based stress reduction in therapeutic community treatment: a stage 1 trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 103-8	3.7	26
77	Evaluation of heterogeneity in pharmacotherapy trials for drug dependence: a Bayesian approach. <i>American Journal of Drug and Alcohol Abuse</i> , 2009 , 35, 95-102	3.7	18
76	Comparison of 3 L-tycetyl-methadol (LAAM) Maintenance Strategies for Heroin Dependence. <i>Addictive Disorders and Their Treatment</i> , 2009 , 8, 191-200	0.5	1
75	Factor Analyses of the Allen Barriers to Treatment Instrument in a Sample of Women Seeking Outpatient Treatment for Substance Abuse. <i>Addictive Disorders and Their Treatment</i> , 2009 , 8, 185-190	0.5	2
74	High-dose naltrexone therapy for cocaine-alcohol dependence. <i>American Journal on Addictions</i> , 2009 , 18, 356-62	3.7	31
73	Testing the Significance of Difference in Average Rates of Change in Controlled Longitudinal Studies With High Dropout Rates. <i>Methodology</i> , 2009 , 5, 46-54	1.2	1
72	Factor structure and diagnostic efficiency of the BDI-II in treatment-seeking substance users. <i>Drug and Alcohol Dependence</i> , 2008 , 93, 271-8	4.9	26
71	Levodopa pharmacotherapy for cocaine dependence: choosing the optimal behavioral therapy platform. <i>Drug and Alcohol Dependence</i> , 2008 , 94, 142-50	4.9	103
70	Drug preference in cocaine and alcohol dual-dependent patients. <i>American Journal of Drug and Alcohol Abuse</i> , 2008 , 34, 211-7	3.7	4
69	Use of stimulants to treat cocaine and methamphetamine abuse. <i>Current Psychiatry Reports</i> , 2008 , 10, 385-91	9.1	21
68	Citalopram combined with behavioral therapy reduces cocaine use: a double-blind, placebo-controlled trial. <i>American Journal of Drug and Alcohol Abuse</i> , 2007 , 33, 367-78	3.7	81
67	Bupropion and cognitive-behavioral therapy for smoking cessation in women. <i>Nicotine and Tobacco Research</i> , 2007 , 9, 699-709	4.9	28
66	Behavioral therapies trials: a case example. <i>Nursing Research</i> , 2007 , 56, 210-6	1.9	12
65	Moderators of delay tolerance in treatment-seeking cocaine users. <i>Addictive Behaviors</i> , 2007 , 32, 370-6	4.2	10

64	Adding MEMS feedback to behavioral smoking cessation therapy increases compliance with bupropion: a replication and extension study. <i>Addictive Behaviors</i> , 2007 , 32, 875-80	4.2	27
63	Illusory predictors: Generalizability of findings in cocaine treatment retention research. <i>Addictive Behaviors</i> , 2007 , 32, 2819-36	4.2	10
62	Safety, tolerability and efficacy of levodopa-carbidopa treatment for cocaine dependence: two double-blind, randomized, clinical trials. <i>Drug and Alcohol Dependence</i> , 2007 , 88, 214-23	4.9	34
61	The role of drug use outcome expectancies in substance abuse risk: an interactional-transformational model. <i>Addictive Behaviors</i> , 2006 , 31, 2038-62	4.2	55
60	The role of homework in cognitive-behavioral therapy for cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2006 , 74, 633-7	6.5	54
59	Using addiction severity profiles to differentiate cocaine-dependent patients with and without comorbid major depression. <i>American Journal on Addictions</i> , 2006 , 15, 362-9	3.7	20
58	Increasing Knowledge of HIV and Hepatitis C During Substance Abuse Treatment. <i>Addictive Disorders and Their Treatment</i> , 2005 , 4, 71-76	0.5	5
57	Medication compliance during a smoking cessation clinical trial: a brief intervention using MEMS feedback. <i>Journal of Behavioral Medicine</i> , 2005 , 28, 139-47	3.6	42
56	Agonist-like or antagonist-like treatment for cocaine dependence with methadone for heroin dependence: two double-blind randomized clinical trials. <i>Neuropsychopharmacology</i> , 2004 , 29, 969-81	8.7	155
55	Treatment of cocaine-alcohol dependence with naltrexone and relapse prevention therapy. <i>American Journal on Addictions</i> , 2004 , 13, 333-41	3.7	40
54	"Who gets in?" Recruitment and screening processes of outpatient substance abuse trials. <i>Addictive Behaviors</i> , 2004 , 29, 389-98	4.2	11
53	Impact of a motivational intervention on mechanisms of change in low-income pregnant smokers. <i>Addictive Behaviors</i> , 2004 , 29, 1649-57	4.2	37
52	Comparing Measures of Medication Taking in a Pharmacotherapy Trial for Cocaine Dependence. <i>Addictive Disorders and Their Treatment</i> , 2004 , 3, 165-173	0.5	12
51	Treatment of Nicotine Addiction. <i>Addictive Disorders and Their Treatment</i> , 2004 , 3, 97-109	0.5	
50	Hepatitis C Knowledge Assessment and Counseling Within the Context of Substance Abuse Treatment. <i>Addictive Disorders and Their Treatment</i> , 2004 , 3, 18-26	0.5	5
49	Assessment of the relative reinforcement value of smoking and drinking using a multiple-choice measurement strategy. <i>Nicotine and Tobacco Research</i> , 2003 , 5, 729-34	4.9	13
48	Tobacco, alcohol and caffeine use in a low-income, pregnant population. <i>Journal of Obstetrics and Gynaecology</i> , 2003 , 23, 247-51	1.3	8
47	Stress and Behavior Change in a Substance-Abusing Population Following September 11, 2001. <i>Addictive Disorders and Their Treatment</i> , 2003 , 2, 59-61	0.5	2

46	Smoking cessation in women with cardiac risk. <i>American Journal of the Medical Sciences</i> , 2003 , 326, 192-6.	2	9
45	Concurrent treatment for alcohol and tobacco dependence: are patients ready to quit both?. <i>Drug and Alcohol Dependence</i> , 2003 , 69, 1-7	4.9	31
44	Cognitive Behavioral Treatment of Bipolar Disorder and Substance Abuse: A Preliminary Randomized Study. <i>Addictive Disorders and Their Treatment</i> , 2002 , 1, 17-24	0.5	53
43	Determining predictors of attrition in an outpatient substance abuse program. <i>American Journal of Drug and Alcohol Abuse</i> , 2002 , 28, 55-72	3.7	69
42	Motivational interviewing with cocaine-dependent patients: A pilot study.. <i>Journal of Consulting and Clinical Psychology</i> , 2001 , 69, 858-862	6.5	124
41	Psychiatric aspects of impulsivity. <i>American Journal of Psychiatry</i> , 2001 , 158, 1783-93	11.9	1634
40	Naltrexone and relapse prevention treatment for cocaine-dependent patients. <i>Addictive Behaviors</i> , 2001 , 26, 167-80	4.2	139
39	Fluoxetine treatment of cocaine-dependent patients with major depressive disorder. <i>Drug and Alcohol Dependence</i> , 2001 , 63, 207-14	4.9	94
38	The impact of impulsivity on cocaine use and retention in treatment. <i>Journal of Substance Abuse Treatment</i> , 2001 , 21, 193-8	4.2	328
37	Dextroamphetamine for cocaine-dependence treatment: a double-blind randomized clinical trial. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 522-6	1.7	198
36	Cocaine dependence with and without comorbid depression: a comparison of patient characteristics. <i>Drug and Alcohol Dependence</i> , 2000 , 60, 189-98	4.9	36
35	Laboratory measures of methylphenidate effects in cocaine-dependent patients receiving treatment. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 61-8	1.7	27
34	Risperidone for the treatment of cocaine dependence: randomized, double-blind trial. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 305-10	1.7	92
33	Smoking cessation in women with cardiac risk: a comparative study of two theoretically based therapies. <i>Nicotine and Tobacco Research</i> , 1999 , 1, 87-94	4.9	35
32	Use of monetary reinforcers by cocaine-dependent outpatients. <i>Journal of Substance Abuse Treatment</i> , 1999 , 17, 229-36	4.2	11
31	Behavioral and emotional problems among children of cocaine- and opiate-dependent parents. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1999 , 38, 421-8	7.2	75
30	Cocaine craving: an evaluation across treatment phases. <i>Journal of Substance Abuse</i> , 1998 , 10, 9-17		38
29	Effects of nicotine on methadone self-administration in humans. <i>Drug and Alcohol Dependence</i> , 1998 , 50, 157-65	4.9	53

28	Cue reactivity in cocaine-dependent subjects: effects of cue type and cue modality. <i>Addictive Behaviors</i> , 1998 , 23, 7-15	4.2	52
27	Context modulated effects of nicotine abstinence on human cooperative responding.. <i>Experimental and Clinical Psychopharmacology</i> , 1998 , 6, 390-398	3.2	2
26	Medication take-home doses and contingency management.. <i>Experimental and Clinical Psychopharmacology</i> , 1998 , 6, 162-168	3.2	32
25	Psychologic treatment of substance abuse. <i>Current Opinion in Psychiatry</i> , 1998 , 11, 289-293	4.9	
24	Ritanserin in the treatment of cocaine dependence. <i>Biological Psychiatry</i> , 1997 , 42, 932-40	7.9	19
23	Relapse prevention treatment for cocaine dependence: group vs. individual format. <i>Addictive Behaviors</i> , 1997 , 22, 405-18	4.2	37
22	Treatment outcome of cocaine-alcohol dependent patients. <i>Drug and Alcohol Dependence</i> , 1997 , 47, 55-61	4.9	42
21	Replacement medication for cocaine dependence: methylphenidate. <i>Journal of Clinical Psychopharmacology</i> , 1997 , 17, 485-8	1.7	136
20	Assessing the validity of nicotine abstinence effects by self- and observer ratings under "blinded" conditions.. <i>Experimental and Clinical Psychopharmacology</i> , 1996 , 4, 330-335	3.2	6
19	War-related changes in cigarette smoking: a survey study of health professionals in Sarajevo. <i>Substance Use and Misuse</i> , 1996 , 31, 639-46	2.2	17
18	Situational analysis of coping in substance-abusing patients. <i>Journal of Substance Abuse</i> , 1995 , 7, 189-204		4
17	Contingent reinforcement for reduced carbon monoxide levels in methadone maintenance patients. <i>Addictive Behaviors</i> , 1995 , 20, 171-9	4.2	26
16	Behavioral treatment of cocaine-dependent pregnant women and TB-exposed patients. <i>Addictive Behaviors</i> , 1995 , 20, 533-42	4.2	40
15	Fluoxetine is ineffective for treatment of cocaine dependence or concurrent opiate and cocaine dependence: two placebo-controlled double-blind trials. <i>Journal of Clinical Psychopharmacology</i> , 1995 , 15, 163-74	1.7	118
14	Treatment session frequency and smoking cessation. <i>Journal of Substance Abuse</i> , 1994 , 6, 77-85		8
13	Cessation of cocaine use during pregnancy: a preliminary comparison. <i>Addictive Behaviors</i> , 1994 , 19, 697-702	4.0	10
12	A Survey of Posthospitalization Treatment Needs and Preferences in Cocaine Abusers. <i>American Journal on Addictions</i> , 1994 , 3, 227-235	3.7	5
11	A menu of potential reinforcers in a methadone maintenance program. <i>Journal of Substance Abuse Treatment</i> , 1994 , 11, 425-31	4.2	16

10	Dr. Elk and colleaguesResponse. <i>Journal of Substance Abuse Treatment</i> , 1994 , 11, 61-62	4.2	
9	The effects of high and low doses of methadone on cigarette smoking. <i>Drug and Alcohol Dependence</i> , 1994 , 34, 237-42	4.9	66
8	Experimental analysis of the role of expectancy in nicotine withdrawal.. <i>Psychology of Addictive Behaviors</i> , 1994 , 8, 169-178	3.4	15
7	Compliance with tuberculosis treatment in methadone-maintained patients: behavioral interventions. <i>Journal of Substance Abuse Treatment</i> , 1993 , 10, 371-82	4.2	25
6	A proposed revision of the Fagerstrom Tolerance Questionnaire. <i>Addictive Behaviors</i> , 1993 , 18, 135-43	4.2	48
5	Cognitive and affective responses to successful coping during smoking cessation. <i>Journal of Substance Abuse</i> , 1993 , 5, 61-72		17
4	Discriminative utility of a brief cognitive status assessment with alcoholics and the impact of cognitive status on acquisition of treatment-relevant information.. <i>Psychology of Addictive Behaviors</i> , 1992 , 6, 34-40	3.4	14
3	A critical review of the Reasons for Smoking Scale. <i>Journal of Substance Abuse</i> , 1991 , 3, 441-55		31
2	A fine-grained analysis of the role of self-efficacy in self-initiated attempts to quit smoking.. <i>Journal of Consulting and Clinical Psychology</i> , 1990 , 58, 317-322	6.5	48
1	Trauma and Emotion Regulation: Associations with Depressive Symptoms and Cocaine Use among Treatment-seeking Adults. <i>International Journal of Mental Health and Addiction</i> ,1	8.8	