

Dietrich Rothenbacher

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4101745/dietrich-rothenbacher-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

265
papers

10,553
citations

52
h-index

93
g-index

285
ext. papers

13,038
ext. citations

6
avg, IF

5.8
L-index

#	Paper	IF	Citations
265	Global, regional, and national burden of chronic kidney disease, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020 , 395, 709-733	40	1021
264	Cystatin C versus creatinine in determining risk based on kidney function. <i>New England Journal of Medicine</i> , 2013 , 369, 932-43	59.2	541
263	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. <i>Nature Genetics</i> , 2013 , 45, 385-91, 391e1-2	36.3	413
262	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87	8.3	347
261	CKD Prevalence Varies across the European General Population. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2135-47	12.7	265
260	Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011 , 43, 785-91	36.3	243
259	Plasma concentrations of cystatin C in patients with coronary heart disease and risk for secondary cardiovascular events: more than simply a marker of glomerular filtration rate. <i>Clinical Chemistry</i> , 2005 , 51, 321-7	5.5	237
258	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012 , 41, 1419-33	7.8	178
257	Lipoprotein-associated phospholipase A2 predicts future cardiovascular events in patients with coronary heart disease independently of traditional risk factors, markers of inflammation, renal function, and hemodynamic stress. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 1586-93	9.4	178
256	Adiponectin, risk of coronary heart disease and correlations with cardiovascular risk markers. <i>European Heart Journal</i> , 2005 , 26, 1640-6	9.5	144
255	Is <i>Helicobacter pylori</i> infection a necessary condition for noncardia gastric cancer?. <i>American Journal of Epidemiology</i> , 2004 , 159, 252-8	3.8	133
254	Acquisition of <i>Helicobacter pylori</i> infection in early childhood: independent contributions of infected mothers, fathers, and siblings. <i>American Journal of Gastroenterology</i> , 2009 , 104, 182-9	0.7	131
253	Burden of <i>Helicobacter pylori</i> and <i>H. pylori</i> -related diseases in developed countries: recent developments and future implications. <i>Microbes and Infection</i> , 2003 , 5, 693-703	9.3	130
252	Global Cardiovascular and Renal Outcomes of Reduced GFR. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 2167-2179	12.7	127
251	Relationship of adiponectin with markers of systemic inflammation, atherogenic dyslipidemia, and heart failure in patients with coronary heart disease. <i>Clinical Chemistry</i> , 2006 , 52, 853-9	5.5	124
250	Epigenotyping in peripheral blood cell DNA and breast cancer risk: a proof of principle study. <i>PLoS ONE</i> , 2008 , 3, e2656	3.7	116
249	A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. <i>Human Molecular Genetics</i> , 2013 , 22, 408-15	5.6	109

248	Smoking, F2RL3 methylation, and prognosis in stable coronary heart disease. <i>European Heart Journal</i> , 2012 , 33, 2841-8	9.5	104
247	Helicobacter pylori infection and colorectal cancer risk: a meta-analysis. <i>Helicobacter</i> , 2006 , 11, 75-80	4.9	104
246	Current infection with Helicobacter pylori, but not seropositivity to Chlamydia pneumoniae or cytomegalovirus, is associated with an atherogenic, modified lipid profile. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 427-32	9.4	101
245	Differential expression of chemokines, risk of stable coronary heart disease, and correlation with established cardiovascular risk markers. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 194-9	9.4	100
244	The diagnosis of a smoking-related disease is a prominent trigger for smoking cessation in a retrospective cohort study. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 82-9	5.7	99
243	Adiponectin and leptin in maternal serum, cord blood, and breast milk. <i>Clinical Chemistry</i> , 2006 , 52, 2095-9	5.1	97
242	Secretory phospholipase A(2)-IIA and cardiovascular disease: a mendelian randomization study. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1966-1976	15.1	91
241	Circulating adipocyte fatty acid-binding protein levels and cardiovascular morbidity and mortality in patients with coronary heart disease: a 10-year prospective study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 2327-35	9.4	89
240	Development and validation of a ceramide- and phospholipid-based cardiovascular risk estimation score for coronary artery disease patients. <i>European Heart Journal</i> , 2020 , 41, 371-380	9.5	87
239	Role of novel markers of inflammation in patients with stable coronary heart disease. <i>American Journal of Cardiology</i> , 2001 , 87, 262-6	3	86
238	Role of infected parents in transmission of helicobacter pylori to their children. <i>Pediatric Infectious Disease Journal</i> , 2002 , 21, 674-9	3.4	82
237	Distribution, determinants, and prognostic value of gamma-glutamyltransferase for all-cause mortality in a cohort of construction workers from southern Germany. <i>Preventive Medicine</i> , 1997 , 26, 305-10	4.3	81
236	Symptoms of anxiety and depression in patients with stable coronary heart disease: prognostic value and consideration of pathogenetic links. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 547-54		77
235	Gastric parietal cell antibodies, Helicobacter pylori infection, and chronic atrophic gastritis: evidence from a large population-based study in Germany. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013 , 22, 821-6	4	76
234	Frequency and risk factors of gout flares in a large population-based cohort of incident gout. <i>Rheumatology</i> , 2011 , 50, 973-81	3.9	76
233	Association between Lp-PLA2 and coronary artery disease: focus on its relationship with lipoproteins and markers of inflammation and hemostasis. <i>Atherosclerosis</i> , 2005 , 182, 181-8	3.1	75
232	Recurrent abdominal pain in children: evidence from a population-based study that social and familial factors play a major role but not Helicobacter pylori infection. <i>Journal of Psychosomatic Research</i> , 2003 , 54, 417-21	4.1	73
231	Genetic variants in the FADS gene cluster are associated with arachidonic acid concentrations of human breast milk at 1.5 and 6 mo postpartum and influence the course of milk dodecanoic, tetracosenoic, and trans-9-octadecenoic acid concentrations over the duration of lactation. <i>American Journal of Clinical Nutrition</i> , 2011 , 93, 388-91	7	71

230	Atopic diseases, immunoglobulin E and risk of cancer of the prostate, breast, lung and colorectum. <i>International Journal of Cancer</i> , 2006 , 119, 695-701	7.5	71
229	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 534-543	18.1	69
228	Measures of chronic kidney disease and risk of incident peripheral artery disease: a collaborative meta-analysis of individual participant data. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 718-728	18.1	68
227	Infection with <i>Helicobacter pylori</i> is not a major independent risk factor for stable coronary heart disease: lack of a role of cytotoxin-associated protein A-positive strains and absence of a systemic inflammatory response. <i>Circulation</i> , 1999 , 100, 2326-31	16.7	68
226	Determinants of maternal hair cortisol concentrations at delivery reflecting the last trimester of pregnancy. <i>Psychoneuroendocrinology</i> , 2015 , 52, 289-96	5	67
225	Prevalence and determinants of exocrine pancreatic insufficiency among older adults: results of a population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2005 , 40, 697-704	2.4	67
224	<i>Helicobacter pylori</i> and abdominal symptoms: a population-based study among preschool children in southern Germany. <i>Pediatrics</i> , 1998 , 101, 634-7	7.4	67
223	Plasma fibrin D-dimer levels and risk of stable coronary artery disease: results of a large case-control study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 1701-5	9.4	65
222	Biomarkers associated with sedentary behaviour in older adults: A systematic review. <i>Ageing Research Reviews</i> , 2017 , 35, 87-111	12	63
221	CD14 C(-260)-->T polymorphism, plasma levels of the soluble endotoxin receptor CD14, their association with chronic infections and risk of stable coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 34-42	15.1	63
220	Association between type II secretory phospholipase A2 plasma concentrations and activity and cardiovascular events in patients with coronary heart disease. <i>European Heart Journal</i> , 2009 , 30, 2742-8	9.5	57
219	Serum 25-hydroxyvitamin D levels and incident diabetes mellitus type 2: a competing risk analysis in a large population-based cohort of older adults. <i>European Journal of Epidemiology</i> , 2013 , 28, 267-75	12.1	56
218	Synergism between smoking and alcohol consumption with respect to serum gamma-glutamyltransferase. <i>Hepatology</i> , 2009 , 49, 802-8	11.2	56
217	Medication non-adherence and poor glycaemic control in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2012 , 97, 377-84	7.4	55
216	Physical Activity and Different Concepts of Fall Risk Estimation in Older People--Results of the ActiFE-Ulm Study. <i>PLoS ONE</i> , 2015 , 10, e0129098	3.7	54
215	Elevated liver enzyme activity in construction workers: prevalence and impact on early retirement and all-cause mortality. <i>International Archives of Occupational and Environmental Health</i> , 1998 , 71, 405-12 ²	3.2	53
214	Past Decline Versus Current eGFR and Subsequent ESRD Risk. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2447-55	12.7	52
213	Epidemiologic findings on serologically defined chronic atrophic gastritis strongly depend on the choice of the cutoff-value. <i>International Journal of Cancer</i> , 2007 , 121, 2782-6	7.5	52

212	Inverse graded relation between alcohol consumption and active infection with <i>Helicobacter pylori</i> . <i>American Journal of Epidemiology</i> , 1999 , 149, 571-6	3.8	51
211	Drug interactions in primary care: impact of a new algorithm on risk determination. <i>Clinical Pharmacology and Therapeutics</i> , 2004 , 76, 85-96	6.1	49
210	Epidemiology of amyotrophic lateral sclerosis in Southern Germany. <i>Journal of Neurology</i> , 2017 , 264, 749-757	5.5	48
209	Association of diabetes and body mass index with levels of prostate-specific antigen: implications for correction of prostate-specific antigen cutoff values?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 1350-6	4	48
208	Epidemiology of chronic kidney disease: results from a population of older adults in Germany. <i>Preventive Medicine</i> , 2009 , 48, 122-7	4.3	48
207	Methodology used in studies reporting chronic kidney disease prevalence: a systematic literature review. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30 Suppl 4, iv6-16	4.3	47
206	History of breastfeeding and <i>Helicobacter pylori</i> infection in pre-school children: results of a population-based study from Germany. <i>International Journal of Epidemiology</i> , 2002 , 31, 632-7	7.8	47
205	Proinflammatory cytokines, adiponectin, and increased risk of primary cardiovascular events in diabetic patients with or without renal dysfunction: results from the ESTHER study. <i>Diabetes Care</i> , 2013 , 36, 1703-11	14.6	46
204	Incidence and risk factors for the development of chronic atrophic gastritis: five year follow-up of a population-based cohort study. <i>International Journal of Cancer</i> , 2011 , 128, 1652-8	7.5	46
203	Quantifying risks and interventions that have affected the burden of lower respiratory infections among children younger than 5 years: an analysis for the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , 2020 , 20, 60-79	25.5	46
202	Life course body mass index and risk and prognosis of amyotrophic lateral sclerosis: results from the ALS registry Swabia. <i>European Journal of Epidemiology</i> , 2017 , 32, 901-908	12.1	45
201	Cardiac troponin T measured by a high-sensitivity assay predicts recurrent cardiovascular events in stable coronary heart disease patients with 8-year follow-up. <i>Clinical Chemistry</i> , 2012 , 58, 1215-24	5.5	44
200	G(-30)A polymorphism in the pancreatic promoter of the glucokinase gene associated with angiographic coronary artery disease and type 2 diabetes mellitus. <i>Circulation</i> , 2004 , 109, 2844-9	16.7	44
199	Seropositivity to chlamydial lipopolysaccharide and <i>Chlamydia pneumoniae</i> , systemic inflammation and stable coronary artery disease: negative results of a case-control study. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 112-8	15.1	44
198	Changing Societal and Lifestyle Factors and Breastfeeding Patterns Over Time. <i>Pediatrics</i> , 2016 , 137,	7.4	44
197	Infant atopic eczema and subsequent attention-deficit/hyperactivity disorder--a prospective birth cohort study. <i>Pediatric Allergy and Immunology</i> , 2014 , 25, 51-6	4.2	42
196	Atherogenic dyslipidaemia but not total- and high-molecular weight adiponectin are associated with the prognostic outcome in patients with coronary heart disease. <i>European Heart Journal</i> , 2008 , 29, 1307-15	9.5	41
195	Comparison of N-terminal pro-B-natriuretic peptide, C-reactive protein, and creatinine clearance for prognosis in patients with known coronary heart disease. <i>Archives of Internal Medicine</i> , 2006 , 166, 2455-60		41

194	Prevalence, incidence and concomitant co-morbidities of type 2 diabetes mellitus in South Western Germany--a retrospective cohort and case control study in claims data of a large statutory health insurance. <i>BMC Public Health</i> , 2015 , 15, 855	4.1	38
193	Fatty acid profile comparisons in human milk sampled from the same mothers at the sixth week and the sixth month of lactation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 316-20	2.8	38
192	Seasonality of vitamin D status in older people in Southern Germany: implications for assessment. <i>Age and Ageing</i> , 2013 , 42, 404-8	3	37
191	Short-term benefit of smoking cessation in patients with coronary heart disease: estimates based on self-reported smoking data and serum cotinine measurements. <i>European Heart Journal</i> , 2004 , 25, 2101-8	9.5	37
190	Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , 2020 , 20, 37-59	25.5	37
189	Temporal predictors of health-related quality of life in elderly people with diabetes: results of a German cohort study. <i>PLoS ONE</i> , 2012 , 7, e31088	3.7	35
188	Determinants of Incident Malnutrition in Community-Dwelling Older Adults: A MaNuEL Multicohort Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2335-2343	5.6	34
187	Prognostic value of haemoglobin A1c and fasting plasma glucose for incident diabetes and implications for screening. <i>European Journal of Epidemiology</i> , 2011 , 26, 779-87	12.1	34
186	Clinical utility of creatinine- and cystatin C-based definition of renal function for risk prediction of primary cardiovascular events in patients with diabetes. <i>Diabetes Care</i> , 2012 , 35, 879-86	14.6	34
185	Objectively Measured Walking Duration and Sedentary Behaviour and Four-Year Mortality in Older People. <i>PLoS ONE</i> , 2016 , 11, e0153779	3.7	34
184	Genotype and plasma concentration of cystatin C in patients with coronary heart disease and risk for secondary cardiovascular events. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 1470-4	9.4	33
183	Incidence and geographical variation of amyotrophic lateral sclerosis (ALS) in Southern Germany--completeness of the ALS registry Swabia. <i>PLoS ONE</i> , 2014 , 9, e93932	3.7	33
182	Serum vitamin D and risk of secondary cardiovascular disease events in patients with stable coronary heart disease. <i>American Heart Journal</i> , 2010 , 159, 1044-51	4.9	32
181	Role of Helicobacter pylori infection in iron deficiency during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 548-53	6.4	32
180	Parental history of gastric or duodenal ulcer and prevalence of Helicobacter pylori infection in preschool children: population based study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 665		32
179	Serum fetuin-A, cardiovascular risk factors, and six-year follow-up outcome in patients with coronary heart disease. <i>American Journal of Cardiology</i> , 2010 , 105, 1666-72	3	31
178	Delivery Mode, Duration of Labor, and Cord Blood Adiponectin, Leptin, and C-Reactive Protein: Results of the Population-Based Ulm Birth Cohort Studies. <i>PLoS ONE</i> , 2016 , 11, e0149918	3.7	31
177	Risk of Nursing Home Admission After Femoral Fracture Compared With Stroke, Myocardial Infarction, and Pneumonia. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 715.e7-715.e12	5.9	29

176	Sex-specific associations of established and emerging cardiac biomarkers with all-cause mortality in older adults: the ActiFE study. <i>Clinical Chemistry</i> , 2015 , 61, 389-99	5.5	29
175	Association between the prevalence of depression and age in a large representative German sample of people aged 53 to 80 years. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 375-81	3.9	29
174	trans Octadecenoic acid and trans octadecadienoic acid are inversely related to long-chain polyunsaturates in human milk: results of a large birth cohort study. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1320-6	7	29
173	Adipokines, C-reactive protein and Amyotrophic Lateral Sclerosis - results from a population-based ALS registry in Germany. <i>Scientific Reports</i> , 2017 , 7, 4374	4.9	28
172	Optimal management of cervical cancer in HIV-positive patients: a systematic review. <i>Cancer Medicine</i> , 2015 , 4, 1381-93	4.8	28
171	Prevalence and determinants of chronic kidney disease in community-dwelling elderly by various estimating equations. <i>BMC Public Health</i> , 2012 , 12, 343	4.1	28
170	Determination of C-reactive protein: comparison of three high-sensitivity immunoassays. <i>Clinical Chemistry</i> , 2003 , 49, 1691-5	5.5	28
169	Relationship between infectious burden, systemic inflammatory response, and risk of stable coronary artery disease: role of confounding and reference group. <i>Atherosclerosis</i> , 2003 , 170, 339-45	3.1	28
168	Gender differences in healthcare utilization of patients with diabetes. <i>American Journal of Managed Care</i> , 2012 , 18, 362-9	2.1	28
167	Different rates of progression and mortality in patients with chronic kidney disease at outpatient nephrology clinics across Europe. <i>Kidney International</i> , 2018 , 93, 1432-1441	9.9	27
166	The Association of Hair Cortisol with Self-Reported Chronic Psychosocial Stress and Symptoms of Anxiety and Depression in Women Shortly after Delivery. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 97-104	2.7	27
165	Past Decline Versus Current eGFR and Subsequent Mortality Risk. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 2456-66	12.7	27
164	The impact of body weight on smoking cessation in German adults. <i>Preventive Medicine</i> , 2006 , 42, 109-13	4.3	27
163	Younger patients with type 2 diabetes need better glycaemic control: results of a community-based study describing factors associated with a high HbA1c value. <i>British Journal of General Practice</i> , 2003 , 53, 389-91	1.6	27
162	31 days of COVID-19-cardiac events during restriction of public life-a comparative study. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1476-1482	6.1	26
161	Cord blood 25(OH)D levels and the subsequent risk of lower respiratory tract infections in early childhood: the Ulm birth cohort. <i>European Journal of Epidemiology</i> , 2014 , 29, 585-94	12.1	26
160	Association of objectively measured physical activity with established and novel cardiovascular biomarkers in elderly subjects: every step counts. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 194-7	5.1	26
159	Mutant-enriched PCR and allele-specific hybridization reaction to detect K-ras mutations in stool DNA: high prevalence in a large sample of older adults. <i>Clinical Chemistry</i> , 2007 , 53, 787-90	5.5	26

158	Helicobacter pylori infection and the occurrence and severity of gastrointestinal symptoms during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 526-31	6.4	26
157	Gestational Weight Gain and Fetal-Maternal Adiponectin, Leptin, and CRP: results of two birth cohorts studies. <i>Scientific Reports</i> , 2017 , 7, 41847	4.9	25
156	Metabolite profiling in identifying metabolic biomarkers in older people with late-onset type 2 diabetes mellitus. <i>Scientific Reports</i> , 2017 , 7, 4392	4.9	25
155	Gender specific temporal and cross-sectional associations between BMI-class and symptoms of depression in the elderly. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 376-82	4.1	25
154	Gestational weight gain and body mass index in children: results from three german cohort studies. <i>PLoS ONE</i> , 2012 , 7, e33205	3.7	25
153	Cholesteryl ester transfer protein in patients with coronary heart disease. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 616-22	4.6	25
152	Clustering of Helicobacter pylori infection in couples: differences between high- and low-prevalence population groups. <i>Annals of Epidemiology</i> , 2006 , 16, 516-20	6.4	25
151	Relationship of Estimated GFR and Albuminuria to Concurrent Laboratory Abnormalities: An Individual Participant Data Meta-analysis in a Global Consortium. <i>American Journal of Kidney Diseases</i> , 2019 , 73, 206-217	7.4	25
150	Pets are not a risk factor for Helicobacter pylori infection in young children: results of a population-based study in Southern Germany. <i>Pediatric Infectious Disease Journal</i> , 1998 , 17, 909-12	3.4	24
149	Implementation of a population-based epidemiological rare disease registry: study protocol of the amyotrophic lateral sclerosis (ALS)--registry Swabia. <i>BMC Neurology</i> , 2013 , 13, 22	3.1	23
148	History of antibiotic treatment and prevalence of H. pylori infection among children: results of a population-based study. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 267-71	5.7	23
147	Effectiveness of a supportive telephone counseling intervention in type 2 diabetes patients: randomized controlled study. <i>PLoS ONE</i> , 2013 , 8, e77954	3.7	23
146	Maternal prenatal stress and child atopic dermatitis up to age 2 years: The Ulm SPATZ health study. <i>Pediatric Allergy and Immunology</i> , 2017 , 28, 144-151	4.2	22
145	Sibship size, Helicobacter pylori infection and chronic atrophic gastritis: a population-based study among 9444 older adults from Germany. <i>International Journal of Epidemiology</i> , 2010 , 39, 129-34	7.8	22
144	Disorders of the back and spine in construction workers. Prevalence and prognostic value for disability. <i>Spine</i> , 1997 , 22, 1481-6	3.3	22
143	Growth Differentiation Factor 15, Its 12-Month Relative Change, and Risk of Cardiovascular Events and Total Mortality in Patients with Stable Coronary Heart Disease: 10-Year Follow-up of the KAROLA Study. <i>Clinical Chemistry</i> , 2016 , 62, 982-92	5.5	22
142	Predictive Performance of a Fall Risk Assessment Tool for Community-Dwelling Older People (FRAT-up) in 4 European Cohorts. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 1106-1113	5.9	22
141	Alcohol consumption and chronic atrophic gastritis: population-based study among 9,444 older adults from Germany. <i>International Journal of Cancer</i> , 2009 , 125, 2918-22	7.5	21

140	For the majority of patients with diabetes blood pressure and lipid management is not in line with recommendations. Results from a large population-based cohort in Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 485-94	2.6	21
139	Older smokers' motivation and attempts to quit smoking: epidemiological insight into the question of lifestyle versus addiction. <i>Deutsches Arzteblatt International</i> , 2009 , 106, 451-5	2.5	21
138	Phenotypic differences of amyotrophic lateral sclerosis (ALS) in China and Germany. <i>Journal of Neurology</i> , 2018 , 265, 774-782	5.5	20
137	The SITLESS project: exercise referral schemes enhanced by self-management strategies to battle sedentary behaviour in older adults: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 221	2.8	20
136	Interleukin-6 in the prediction of primary cardiovascular events in diabetes patients: results from the ESTHER study. <i>Atherosclerosis</i> , 2011 , 216, 244-7	3.1	20
135	Prognostic value of chronic kidney disease in patients with coronary heart disease: role of estimating equations. <i>Atherosclerosis</i> , 2010 , 211, 342-7	3.1	20
134	The individual and joint contributions of Helicobacter pylori infection and family history to the risk for peptic ulcer disease. <i>Journal of Infectious Diseases</i> , 1998 , 177, 1124-7	7	20
133	Relationship between inflammatory cytokines and uric acid levels with adverse cardiovascular outcomes in patients with stable coronary heart disease. <i>PLoS ONE</i> , 2012 , 7, e45907	3.7	19
132	Media consumption and sleep quality in early childhood: results from the Ulm SPATZ Health Study. <i>Sleep Medicine</i> , 2018 , 45, 7-10	4.6	19
131	Association of growth differentiation factor 15 with other key biomarkers, functional parameters and mortality in community-dwelling older adults. <i>Age and Ageing</i> , 2019 , 48, 541-546	3	18
130	Association of Serum Retinol-Binding Protein 4 Concentration With Risk for and Prognosis of Amyotrophic Lateral Sclerosis. <i>JAMA Neurology</i> , 2018 , 75, 600-607	17.2	18
129	Concurrent Validity of activPAL and activPAL3 Accelerometers in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2016 , 24, 444-50	1.6	18
128	The underestimated impact of smoking and smoking cessation on the risk of secondary cardiovascular disease events in patients with stable coronary heart disease: prospective cohort study. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 887-9	15.1	18
127	Prospective evaluation of renal function, serum vitamin D level, and risk of fall and fracture in community-dwelling elderly subjects. <i>Osteoporosis International</i> , 2014 , 25, 923-32	5.3	17
126	Prognostic usefulness of free fatty acids in patients with stable coronary heart disease. <i>American Journal of Cardiology</i> , 2011 , 108, 508-13	3	17
125	Prognostic Utility of Galectin-3 for Recurrent Cardiovascular Events During Long-term Follow-up in Patients with Stable Coronary Heart Disease: Results of the KAROLA Study. <i>Clinical Chemistry</i> , 2016 , 62, 1372-9	5.5	16
124	Screen Time, Physical Activity and Self-Esteem in Children: The Ulm Birth Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	16
123	Serum Vitamin D Concentrations and Cognitive Function in a Population-Based Study among Older Adults in South Germany. <i>Journal of Alzheimer's Disease</i> , 2015 , 45, 1119-26	4.3	16

122	Alcohol consumption, serum gamma-glutamyltransferase, and helicobacter pylori infection in a population-based study among 9733 older adults. <i>Annals of Epidemiology</i> , 2010 , 20, 122-8	6.4	16
121	Diagnosis of Helicobacter pylori infection with a novel stool antigen-based assay in children. <i>Pediatric Infectious Disease Journal</i> , 2000 , 19, 364-6	3.4	16
120	The Association Between Orthogeriatric Co-Management and Mortality Following Hip Fracture. <i>Deutsches A&#x0308;rztblatt International</i> , 2020 , 117, 53-59	2.5	16
119	Postpartum Smoking Relapse and Breast Feeding: Defining the Window of Opportunity for Intervention. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 367-372	4.9	15
118	Prospective analysis of time out-of-home and objectively measured walking duration during a week in a large cohort of older adults. <i>European Review of Aging and Physical Activity</i> , 2018 , 15, 8	6.5	15
117	Heavy physical activity: risk or protective factor for cardiovascular disease? A life course perspective. <i>Annals of Epidemiology</i> , 2007 , 17, 417-24	6.4	15
116	Prognostic value of inflammatory markers alone and in combination with blood lipids in patients with stable coronary artery disease. <i>European Journal of Internal Medicine</i> , 2005 , 16, 47-52	3.9	15
115	Relationship between lifetime alcohol consumption and Helicobacter pylori infection. <i>Annals of Epidemiology</i> , 2005 , 15, 607-13	6.4	15
114	Dyspepsia in relation to Helicobacter pylori infection and psychosocial work stress in white collar employees. <i>American Journal of Gastroenterology</i> , 1998 , 93, 1443-9	0.7	15
113	Expression and Activity of the Small RhoGTPase Cdc42 in Blood Cells of Older Adults Are Associated With Age and Cardiovascular Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 1196-1200	6.4	14
112	Increased Plasma Concentrations of Soluble ST2 Independently Predict Mortality but not Cardiovascular Events in Stable Coronary Heart Disease Patients: 13-Year Follow-up of the KAROLA Study. <i>Cardiovascular Drugs and Therapy</i> , 2017 , 31, 167-177	3.9	14
111	Accelerometer-Measured Sedentary and Physical Activity Time and Their Correlates in European Older Adults: The SITLESS Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 1754-1762	6.4	14
110	Comparison of Various Equations for Estimating GFR in Malawi: How to Determine Renal Function in Resource Limited Settings?. <i>PLoS ONE</i> , 2015 , 10, e0130453	3.7	14
109	Type II secretory phospholipase A2 and prognosis in patients with stable coronary heart disease: mendelian randomization study. <i>PLoS ONE</i> , 2011 , 6, e22318	3.7	14
108	Plasma insulin levels in childhood are related to maternal factors--results of the Ulm Birth Cohort Study. <i>Pediatric Diabetes</i> , 2014 , 15, 453-63	3.6	13
107	Objectively measured physical activity and vitamin D status in older people from Germany. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 388-92	5.1	13
106	Long-term prognostic value of IgM antibodies against phosphorylcholine for adverse cardiovascular events in patients with stable coronary heart disease. <i>Atherosclerosis</i> , 2015 , 243, 414-20	3.1	13
105	Role of cytomegalovirus sero-status in the development of secondary cardiovascular events in patients with coronary heart disease under special consideration of diabetes. <i>International Journal of Cardiology</i> , 2006 , 111, 98-103	3.2	13

104	Body weight, pre-existing disease, and all-cause mortality in a cohort of male employees in the German construction industry. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 1099-106	5.7	12
103	Helicobacter pylori-specific immune response in maternal serum, cord blood, and human milk among mothers with and without current Helicobacter pylori infection. <i>Pediatric Research</i> , 2005 , 58, 897-902	3.2	12
102	The osteoporotic fracture prevention program in rural areas (OFRA): a protocol for a cluster-randomized health care fund driven intervention in a routine health care setting. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 458	2.8	12
101	An individual participant data meta-analysis on metabolomics profiles for obesity and insulin resistance in European children. <i>Scientific Reports</i> , 2019 , 9, 5053	4.9	11
100	Prognostic value of one-year course of symptoms of anxiety and depression in patients with coronary heart disease: Role of physical activity and unmet medical need. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1129-38	3.9	11
99	Age-specific influence of wheezing phenotypes on pre-adolescent and adolescent health-related quality of life. <i>Pediatric Allergy and Immunology</i> , 2014 , 25, 781-7	4.2	11
98	Type 2 diabetes mellitus and gender-specific risk for colorectal neoplasia. <i>European Journal of Epidemiology</i> , 2012 , 27, 341-7	12.1	11
97	Tumor M2 pyruvate kinase as a stool marker for colorectal cancer: stability at room temperature and implications for application in the screening setting. <i>Clinical Chemistry</i> , 2006 , 52, 782-4	5.5	11
96	Role of Lewis A and Lewis B blood group antigens in Helicobacter pylori infection. <i>Helicobacter</i> , 2004 , 9, 324-9	4.9	11
95	Age, alcohol consumption, and all-cause mortality. <i>Annals of Epidemiology</i> , 2004 , 14, 750-3	6.4	11
94	The impact of preventive measures on the burden of femoral fractures - a modelling approach to estimating the impact of fall prevention exercises and oral bisphosphonate treatment for the years 2014 and 2025. <i>BMC Geriatrics</i> , 2016 , 16, 75	4.1	11
93	Association of Insulin-like Growth Factor 1 Concentrations with Risk for and Prognosis of Amyotrophic Lateral Sclerosis - Results from the ALS Registry Swabia. <i>Scientific Reports</i> , 2020 , 10, 736	4.9	10
92	New opportunities of real-world data from clinical routine settings in life-cycle management of drugs: example of an integrative approach in multiple sclerosis. <i>Current Medical Research and Opinion</i> , 2015 , 31, 953-65	2.5	10
91	Evidence of a rapid decrease in prevalence of Helicobacter pylori infection in children of a high risk group living in Germany. <i>European Journal of Pediatrics</i> , 2004 , 163, 339-40	4.1	10
90	Metabolomics reveals an entanglement of fasting leptin concentrations with fatty acid oxidation and gluconeogenesis in healthy children. <i>PLoS ONE</i> , 2017 , 12, e0183185	3.7	10
89	Creating a blended learning module in an online master study programme in oncology. <i>Education for Health: Change in Learning and Practice</i> , 2015 , 28, 101-5	0.4	10
88	Multi-state models of transitions in depression and anxiety symptom severity and cardiovascular events in patients with coronary heart disease. <i>PLoS ONE</i> , 2019 , 14, e0213334	3.7	9
87	Development of a clinical prediction model for the onset of functional decline in people aged 65-75 years: pooled analysis of four European cohort studies. <i>BMC Geriatrics</i> , 2019 , 19, 179	4.1	9

86	Validated smoking cessation and prognosis in patients with stable coronary heart disease. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 196-7	15.1	9
85	Contribution of cystatin C- and creatinine-based definitions of chronic kidney disease to cardiovascular risk assessment in 20 population-based and 3 disease cohorts: the BiomarCaRE project. <i>BMC Medicine</i> , 2020 , 18, 300	11.4	9
84	The Risk of Hospital Admission Due to Traumatic Brain Injury Is Increased in Older Persons With Severe Functional Limitations. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 609-12	5.9	9
83	Leptin in Human Milk and Child Body Mass Index: Results of the Ulm Birth Cohort Studies. <i>Nutrients</i> , 2019 , 11,	6.7	8
82	Smoking and γ -glutamyltransferase: opposite interactions with alcohol consumption and body mass index. <i>PLoS ONE</i> , 2010 , 5, e13116	3.7	8
81	<i>Helicobacter pylori</i> colonization and diarrhoeal illness: results of a population-based cross-sectional study in adults. <i>European Journal of Epidemiology</i> , 2001 , 17, 823-7	12.1	8
80	Assessment of renal function in routine care of people living with HIV on ART in a resource-limited setting in urban Zambia. <i>PLoS ONE</i> , 2017 , 12, e0184766	3.7	8
79	Human Milk Oligosaccharide Profiles over 12 Months of Lactation: The Ulm SPATZ Health Study. <i>Nutrients</i> , 2021 , 13,	6.7	8
78	Understanding Mortality of Femoral Fractures Following Low-Impact Trauma in Persons With and Without Care Need. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 221-226	5.9	7
77	Identification of symbol digit modality test score extremes in Huntington's disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 232-245	3.5	7
76	Long-term trajectories of anxiety and depression in patients with stable coronary heart disease and risk of subsequent cardiovascular events. <i>Depression and Anxiety</i> , 2020 , 37, 784-792	8.4	7
75	A prospective assessment of cardiac biomarkers for hemodynamic stress and necrosis and the risk of falls among older people: the ActiFE study. <i>European Journal of Epidemiology</i> , 2016 , 31, 427-35	12.1	7
74	Identification of extreme motor phenotypes in Huntington's disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 283-294	3.5	7
73	Low-to-moderate alcohol consumption and smoking cessation rates: retrospective analysis of 4576 elderly ever-smokers. <i>Drug and Alcohol Dependence</i> , 2010 , 108, 122-9	4.9	7
72	Hs-cTroponins for the prediction of recurrent cardiovascular events in patients with established CHD - A comparative analysis from the KAROLA study. <i>International Journal of Cardiology</i> , 2018 , 250, 247-252	3.2	7
71	Changes in Human Milk Fatty Acid Composition During Lactation: The Ulm SPATZ Health Study. <i>Nutrients</i> , 2019 , 11,	6.7	7
70	Changes in children's sleep domains between 2 and 3 years of age: the Ulm SPATZ Health Study. <i>Sleep Medicine</i> , 2017 , 36, 18-22	4.6	6
69	Repeat Measurements of High Sensitivity Troponins for the Prediction of Recurrent Cardiovascular Events in Patients With Established Coronary Heart Disease: An Analysis From the KAROLA Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e011882	6	6

68	Frailty Index and Sex-Specific 6-Year Mortality in Community-Dwelling Older People: The ActiFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 366-373	6.4	6
67	Comparison of the performance of 2 GFR estimating equations using creatinine and cystatin C to predict adverse outcomes in elderly individuals. <i>American Journal of Kidney Diseases</i> , 2015 , 65, 636-8	7.4	6
66	Sexual Activity Patterns Before Myocardial Infarction and Risk of Subsequent Cardiovascular Adverse Events. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 1516-7	15.1	6
65	Serum Cartilage Oligomeric Matrix Protein in Late-Stage Osteoarthritis: Association with Clinical Features, Renal Function, and Cardiovascular Biomarkers. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	6
64	Atrial fibrillation and long-term prognosis of patients with stable coronary heart disease: Relevance of routine electrocardiogram. <i>International Journal of Cardiology</i> , 2016 , 203, 1014-5	3.2	6
63	Prognostic value of midregional pro-A-type natriuretic peptide and N-terminal pro-B-type natriuretic peptide in patients with stable coronary heart disease followed over 8 years. <i>Clinical Chemistry</i> , 2014 , 60, 1441-9	5.5	6
62	Dopamine-related genes and spontaneous smoking cessation in ever-heavy smokers. <i>Pharmacogenomics</i> , 2011 , 12, 1099-106	2.6	6
61	Do Waste Incinerators Induce Adverse Respiratory Effects? An Air Quality and Epidemiological Study of Six Communities. <i>Environmental Health Perspectives</i> , 1995 , 103, 714	8.4	6
60	Lazy Sundays: role of day of the week and reactivity on objectively measured physical activity in older people. <i>European Review of Aging and Physical Activity</i> , 2019 , 16, 18	6.5	6
59	Accuracy of ECG indices for diagnosis of left ventricular hypertrophy in people >65 years: results from the ActiFE study. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 875-884	4.8	5
58	Exercise referral schemes enhanced by self-management strategies to reduce sedentary behaviour and increase physical activity among community-dwelling older adults from four European countries: protocol for the process evaluation of the SITLESS randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e027073	3	5
57	Sedentary behavior, physical activity, and mental health in older adults: An isotemporal substitution model. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 1957-1965	4.6	5
56	Plasminogen levels and risk of coronary artery disease. <i>American Journal of Cardiology</i> , 2002 , 90, 1168-70		5
55	Serial measurements of N-terminal pro-brain natriuretic peptide in patients with coronary heart disease. <i>PLoS ONE</i> , 2015 , 10, e0117143	3.7	5
54	Determinants of leptin in human breast milk: results of the Ulm SPATZ Health Study. <i>International Journal of Obesity</i> , 2019 , 43, 1174-1180	5.5	5
53	Patient Characteristics as Indicator for Care Dependence after Hip Fracture: A Retrospective Cohort Study Using Health Insurance Claims Data From Germany. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 451-455.e3	5.9	5
52	Cost-effectiveness of exercise referral schemes enhanced by self-management strategies to battle sedentary behaviour in older adults: protocol for an economic evaluation alongside the SITLESS three-armed pragmatic randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e022266	3	5
51	Intrafamilial associations of cardiometabolic risk factors--results of the Ulm Birth Cohort Study. <i>Atherosclerosis</i> , 2015 , 240, 174-83	3.1	4

50	Epidemiologic research topics in Germany: a keyword network analysis of 2014 DGEpi conference presentations. <i>European Journal of Epidemiology</i> , 2016 , 31, 635-8	12.1	4
49	Reduced PRF1 enhancer methylation in children with a history of severe RSV bronchiolitis in infancy: an association study. <i>BMC Pediatrics</i> , 2017 , 17, 65	2.6	4
48	Prediction of BMI at age 11 in a longitudinal sample of the Ulm Birth Cohort Study. <i>PLoS ONE</i> , 2017 , 12, e0182338	3.7	4
47	Health and Subjective Views on Aging: Longitudinal Findings From the ActiFE Ulm Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021 , 76, 1349-1359	4.6	4
46	Time trends in dyspepsia and association with H. pylori and work-related stress-An observational study in white collar employees in 1996 and 2015. <i>PLoS ONE</i> , 2018 , 13, e0199533	3.7	4
45	Soluble CD14 concentration in human breast milk and its potential role in child atopic dermatitis: Results of the Ulm Birth Cohort Studies. <i>Clinical and Experimental Allergy</i> , 2019 , 49, 199-206	4.1	3
44	Cytochrome P450 2C19*2 polymorphism in patients with stable coronary heart disease and risk for secondary cardiovascular disease events: results of a long-term follow-up study in routine clinical care. <i>BMC Cardiovascular Disorders</i> , 2013 , 13, 61	2.3	3
43	Composite End Points: Implications of Changing Compositions With Longer Follow-Up. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2017 , 10,	5.8	3
42	Adiponectin polymorphisms, cord blood levels of adiponectin, and body composition. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 469-70	11.5	3
41	Association of lung function with overall mortality is independent of inflammatory, cardiac, and functional biomarkers in older adults: the ActiFE-study. <i>Scientific Reports</i> , 2020 , 10, 11862	4.9	3
40	Changes in human milk fatty acid composition and maternal lifestyle-related factors over a decade: a comparison between the two Ulm Birth Cohort Studies. <i>British Journal of Nutrition</i> , 2021 , 126, 228-235	3.6	3
39	The Longer, the Better? An Empirical Study of the Extent and Mechanisms of Attenuating Biomarker Associations in Cardiovascular Patient Cohorts. <i>Clinical Chemistry</i> , 2017 , 63, 673-682	5.5	2
38	Regional variation of care dependency after hip fracture in Germany: A retrospective cohort study using health insurance claims data. <i>PLoS ONE</i> , 2020 , 15, e0230648	3.7	2
37	Association of maternal uric acid and cystatin C serum concentrations with maternal and neonatal cardiovascular risk markers and neonatal body composition: The Ulm SPATZ Health Study. <i>PLoS ONE</i> , 2018 , 13, e0200470	3.7	2
36	Right ventricular function assessed by tissue Doppler echocardiography in older subjects without evidence for structural cardiac disease. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 557-562	4.8	2
35	Helicobacter pylori-specific immune responses of children: implications for future vaccination strategy. <i>Vaccine Journal</i> , 2002 , 9, 1126-8		2
34	Chronic kidney disease and risk of atrial fibrillation and heart failure in general population-based cohorts: the BiomarCaRE project. <i>ESC Heart Failure</i> , 2021 ,	3.7	2
33	Associations of Human Milk Oligosaccharides With Otitis Media and Lower and Upper Respiratory Tract Infections up to 2 Years: The Ulm SPATZ Health Study. <i>Frontiers in Nutrition</i> , 2021 , 8, 761129	6.2	2

32	Food allergy in infants assessed in two German birth cohorts 10 years after the EuroPrevall Study. <i>Pediatric Allergy and Immunology</i> , 2021 ,	4.2	2
31	Digital media, book reading, and aspects of sleep and sleep-related fears in preschoolers: the Ulm SPATZ Health Study. <i>Somnologie</i> , 2021 , 25, 11-19	2	2
30	Validity of the Sedentary Behavior Questionnaire in European Older Adults Using English, Spanish, German and Danish Versions. <i>Measurement in Physical Education and Exercise Science</i> , 1-14	1.9	2
29	Echocardiographic B-mode evaluation of the right heart in older people: The ActiFE Study. <i>Archives of Gerontology and Geriatrics</i> , 2016 , 67, 145-52	4	2
28	Multicentric Registry Study on Epidemiological and Biological Disease Profile as Well as Clinical Outcome in Patients with Low-Grade Gliomas: The LoG-Glio Project. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2020 , 81, 48-57	1.1	2
27	Fetal growth and incidence of atopic dermatitis in early childhood: Results of the Ulm SPATZ Health Study. <i>Scientific Reports</i> , 2018 , 8, 8041	4.9	2
26	Purpose, Frequency, and Mode of Transport by Which Older Adults Leave Their Home-A Cross-Sectional Analysis. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 688-695	1.6	1
25	Feasibility of a large multi-center translational research project for newly diagnosed breast and ovarian cancer patients with affiliated biobank: the BRandO biology and outcome (BiO)-project. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 301, 273-281	2.5	1
24	The Parent's Chronotype and Child's Sleeping Quality in Association with Relationship Satisfaction. <i>Clocks & Sleep</i> , 2020 , 2, 375-389	2.9	1
23	A hierarchical algorithm for multicentric matched cohort study designs. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1889-1896	2.5	1
22	Five years' trajectories of functionality and pain in patients after hip or knee replacement and association with long-term patient survival. <i>Scientific Reports</i> , 2020 , 10, 14388	4.9	1
21	Health-economic evaluation of collaborative orthogeriatric care for patients with a hip fracture in Germany: a retrospective cohort study using health and long-term care insurance claims data. <i>European Journal of Health Economics</i> , 2021 , 22, 873-885	3.6	1
20	The Associations Between Media Use, Midpoint of Sleep, and Sleep Quality in German Preschoolers: A Mediation Analysis Based on the Ulm SPATZ Health Study. <i>Nature and Science of Sleep</i> , 2021 , 13, 1025-1035	3.6	1
19	Human milk oligosaccharide profiles and child atopic dermatitis up to 2 years of age: The Ulm SPATZ Health Study. <i>Pediatric Allergy and Immunology</i> , 2022 , 33, e13740	4.2	1
18	Lifestyle changes, mental health, and health-related quality of life in children aged 6-7 years before and during the COVID-19 pandemic in South Germany. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2022 , 16, 20	6.8	1
17	Physical Activity and Sex Hormone-Binding Globulin in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2019 , 27, 621-624	1.6	0
16	The relationship of weather with daily physical activity and the time spent out of home in older adults from Germany - the ActiFE study. <i>European Review of Aging and Physical Activity</i> , 2022 , 19, 6	6.5	0
15	Effect of an osteoporotic fracture prevention program on fracture incidence in routine care: a cluster-randomized trial. <i>BMC Medicine</i> , 2022 , 20, 49	11.4	0

14	Systolic Blood Pressure and Mortality in Community-Dwelling Older Adults: Frailty as an Effect Modifier. <i>Hypertension</i> , 2022 , 79, 24-32	8.5	o
13	Phenotyping of the thoracic-onset variant of amyotrophic lateral sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 ,	5.5	o
12	Life Course of Physical Activity and Risk and Prognosis of Amyotrophic Lateral Sclerosis in a German ALS Registry. <i>Neurology</i> , 2021 , 97, e1955-e1963	6.5	o
11	Relationship between cardiac biomarker concentrations and long-term mortality in subjects with osteoarthritis. <i>PLoS ONE</i> , 2020 , 15, e0242814	3.7	o
10	Prognostic value of long-term trajectories of depression for incident diabetes mellitus in patients with stable coronary heart disease. <i>Cardiovascular Diabetology</i> , 2021 , 20, 108	8.7	o
9	Potential sex differences in human milk leptin and their association with asthma and wheeze phenotypes: Results of the Ulm Birth Cohorts. <i>Pediatric Allergy and Immunology</i> , 2021 , 32, 1663-1672	4.2	o
8	Fall-Associated Drugs in Community-Dwelling Older Adults: Results from the ActiFE Ulm Study. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 2177-2183.e10	5.9	o
7	Trauma-related acute kidney injury during inpatient care of femoral fractures increases the risk of mortality: a claims data analysis 2022 , 100009		o
6	Breastfeeding duration is positively associated with decreased smoking relapse in the postpartum period.. <i>Midwifery</i> , 2022 , 108, 103289	2.8	o
5	Response to Drs. Rasmussen and Pareek regarding our paper in Int. J. Cardiol. 2018; 250: 247-252: Hs-cTroponins for the prediction of recurrent cardiovascular events in patients with established CHD - A comparative analysis from the KAROLA study. <i>International Journal of Cardiology</i> , 2018 , 257, 314	3.2	
4	Retinoids and Amyotrophic Lateral Sclerosis-Reply. <i>JAMA Neurology</i> , 2018 , 75, 1153-1154	17.2	
3	Changing Societal and Lifestyle Factors and Breastfeeding Patterns Over Time 2018 , 85-95		
2	Need to Rethink. <i>Deutsches A&#x0308;rzteblatt International</i> , 2016 , 113, 505	2.5	
1	Eloquent Lower Grade Gliomas, a Highly Vulnerable Cohort: Assessment of PatientsPFfunctional Outcome After Surgery Based on the LoG-Glio Registry.. <i>Frontiers in Oncology</i> , 2022 , 12, 845992	5.3	