

Ehab S Eshak

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4102188/publications.pdf>

Version: 2024-02-01

68
papers

1,119
citations

471371

17
h-index

454834

30
g-index

71
all docs

71
docs citations

71
times ranked

1660
citing authors

#	ARTICLE	IF	CITATIONS
1	Soft drink, 100% fruit juice, and vegetable juice intakes and risk of diabetes mellitus. <i>Clinical Nutrition</i> , 2013, 32, 300-308.	2.3	98
2	Soft drink intake in relation to incident ischemic heart disease, stroke, and stroke subtypes in Japanese men and women: the Japan Public Health Center-based study cohort I. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1390-1397.	2.2	88
3	Associations between dietary intakes of iron, copper and zinc with risk of type 2 diabetes mellitus: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 667-674.	2.3	83
4	Work-family conflict and self-rated health among dwellers in Minia, Egypt: Financial strain vs social support. <i>Public Health</i> , 2018, 157, 69-76.	1.4	63
5	Associations between copper and zinc intakes from diet and mortality from cardiovascular disease in a large population-based prospective cohort study. <i>Journal of Nutritional Biochemistry</i> , 2018, 56, 126-132.	1.9	62
6	Thiamine deficiency and cardiovascular disorders. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 965-972.	1.1	62
7	Rice Intake Is Associated with Reduced Risk of Mortality from Cardiovascular Disease in Japanese Men but Not Women ¹⁻³ . <i>Journal of Nutrition</i> , 2011, 141, 595-602.	1.3	58
8	Age-Period-Cohort Analysis of Stroke Mortality Attributable to High Sodium Intake in China and Japan. <i>Stroke</i> , 2019, 50, 1648-1654.	1.0	42
9	Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 199-207.	2.2	40
10	Changes in the Employment Status and Risk of Stroke and Stroke Types. <i>Stroke</i> , 2017, 48, 1176-1182.	1.0	31
11	Relationship Between Dietary Vitamin D and Deaths From Stroke and Coronary Heart Disease. <i>Stroke</i> , 2018, 49, 454-457.	1.0	29
12	Modifiable Risk Factors for Cardiovascular Disease in Korea and Japan. <i>Korean Circulation Journal</i> , 2021, 51, 643.	0.7	27
13	Among the water-soluble vitamins, dietary intakes of vitamins C, B ₂ and folate are associated with the reduced risk of diabetes in Japanese women but not men. <i>British Journal of Nutrition</i> , 2019, 121, 1357-1364.	1.2	26
14	Work-family conflict and self-rated health among Japanese workers: How household income modifies associations. <i>PLoS ONE</i> , 2017, 12, e0169903.	1.1	22
15	Combined healthy lifestyle and depressive symptoms: a meta-analysis of observational studies. <i>Journal of Affective Disorders</i> , 2021, 289, 144-150.	2.0	21
16	Oxalates, urinary stones and risk of cardiovascular diseases. <i>Medical Hypotheses</i> , 2020, 137, 109570.	0.8	19
17	Plasma levels of n-3 fatty acids and risk of coronary heart disease among Japanese: The Japan Public Health Center-based (JPHC) study. <i>Atherosclerosis</i> , 2018, 272, 226-232.	0.4	18
18	Dietary intakes of fat soluble vitamins as predictors of mortality from heart failure in a large prospective cohort study. <i>Nutrition</i> , 2018, 47, 50-55.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Fat-soluble vitamins from diet in relation to risk of type 2 diabetes mellitus in Japanese population. <i>British Journal of Nutrition</i> , 2019, 121, 647-653.	1.2	17
20	Maternal total energy, macronutrient and vitamin intakes during pregnancy associated with the offspring's birth size in the Japan Environment and Children's Study. <i>British Journal of Nutrition</i> , 2020, 124, 558-566.	1.2	17
21	Hepatitis C virus infection and risk of pancreatic cancer: A meta-analysis. <i>Cancer Epidemiology</i> , 2020, 65, 101691.	0.8	15
22	Association between markers of arterial stiffness and atrial fibrillation in the Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2017, 263, 244-248.	0.4	14
23	Work-to-family conflict rather than family-to-work conflict is more strongly associated with sleep disorders in Upper Egypt. <i>Industrial Health</i> , 2019, 57, 351-358.	0.4	14
24	Night Work, Rotating Shift Work, and the Risk of Cancer in Japanese Men and Women: The JACC Study. <i>Journal of Epidemiology</i> , 2021, 31, 585-592.	1.1	14
25	Manganese intake from foods and beverages is associated with a reduced risk of type 2 diabetes. <i>Maturitas</i> , 2021, 143, 127-131.	1.0	13
26	Water intake from foods and beverages and risk of mortality from CVD: the Japan Collaborative Cohort (JACC) Study. <i>Public Health Nutrition</i> , 2018, 21, 3011-3017.	1.1	11
27	Mental Health Disorders and Their Relationship with Work-Family Conflict in Upper Egypt. <i>Journal of Family and Economic Issues</i> , 2019, 40, 623-632.	1.3	10
28	The Influencing Factors of Sleep Quality Among Chinese Junior and Senior High School Adolescents During the COVID-19 Pandemic. <i>Journal of Tropical Pediatrics</i> , 2021, 67, .	0.7	10
29	Impact of intention and feeling toward being pregnant on postpartum depression: the Japan Environment and Children's Study (JECS). <i>Archives of Women's Mental Health</i> , 2020, 23, 131-137.	1.2	9
30	Association between Dietary Manganese Intake and Mortality from Cardiovascular Disease in Japanese Population: The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1432-1447.	0.9	9
31	Associations of central aortic pressure and brachial blood pressure with flow mediated dilatation in apparently healthy Japanese men: The Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2017, 259, 46-50.	0.4	8
32	Association of cigarette smoking with radial augmentation index: the Circulatory Risk in Communities Study (CIRCS). <i>Hypertension Research</i> , 2018, 41, 1054-1062.	1.5	8
33	Factors Associated With Family Member's Spanking of 3.5-year-old Children in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 464-473.	1.1	8
34	Association between mode of delivery and postpartum depression: The Japan Environment and Children's Study (JECS): a prospective cohort study. <i>Journal of Epidemiology</i> , 2021, , .	1.1	8
35	Antecedents of work-family conflict among Egyptian civil workers. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2023, 31, 1081-1090.	0.8	8
36	Myths about modern and traditional contraceptives held by women in Minia, Upper Egypt. <i>Eastern Mediterranean Health Journal</i> , 2020, 26, 417-425.	0.3	8

#	ARTICLE	IF	CITATIONS
37	Survival status and mortality predictors among severely malnourished under 5 years of age children admitted to Minia University maternity and children hospital. <i>BMC Pediatrics</i> , 2020, 20, 233.	0.7	7
38	Dairy intake and the risk of pancreatic cancer: the Japan Collaborative Cohort Study (JACC Study) and meta-analysis of prospective cohort studies. <i>British Journal of Nutrition</i> , 2022, 128, 1147-1155.	1.2	7
39	Work and Family Conflicts, Depression, and α -Lactalbumin: A Mediation Analysis in a Cross-cultural Study Between Japanese and Egyptian Civil Workers. <i>Journal of Epidemiology</i> , 2023, 33, 360-366.	1.1	7
40	The mediating role of work-family conflicts in the association between work ability and depression among Egyptian civil workers. <i>Journal of Public Health</i> , 2023, 45, e175-e183.	1.0	7
41	Association of job category and occupational activity with breast cancer incidence in Japanese female workers: the JACC study. <i>BMC Public Health</i> , 2020, 20, 1106.	1.2	6
42	An Age-Period-Cohort Analysis of Stroke Mortality Attributable to Low Physical Activity in China and Japan: Data from the GBD Study 1990-2016. <i>Scientific Reports</i> , 2020, 10, 6525.	1.6	6
43	Blood soluble Fas levels and mortality from cardiovascular disease in middle-aged Japanese: The JACC study. <i>Atherosclerosis</i> , 2017, 260, 97-101.	0.4	5
44	Medical waste handling and hepatitis B virus infection: A meta-analysis. <i>American Journal of Infection Control</i> , 2020, 48, 316-319.	1.1	5
45	Psychological correlates with violence against women victimization in Egypt. <i>International Journal of Mental Health</i> , 2021, 50, 78-90.	0.5	5
46	Chronic exposure to nitrate in drinking water and the risk of bladder cancer: a meta-analysis of epidemiological evidence. <i>Public Health</i> , 2022, 203, 123-129.	1.4	5
47	Crossing the wide gap between positive attitude towards blood donation and its poor practice among university students: can knowledge and demographic characteristics help?!. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2019, 27, 329-337.	0.8	4
48	Sociocultural attitudes toward appearance and body shape dissatisfaction in adolescent Egyptian females: association and moderators. <i>Health Promotion International</i> , 2020, 35, 1283-1290.	0.9	4
49	Age-period-cohort analysis of stroke mortality attributable to high systolic blood pressure in China and Japan. <i>Scientific Reports</i> , 2021, 11, 19083.	1.6	4
50	Soy Intake and Risk of Type 2 Diabetes Among Japanese Men and Women: JACC Study. <i>Frontiers in Nutrition</i> , 2021, 8, 813742.	1.6	4
51	Depression in Public Servants of Upper Egypt: Gender-specific Prevalence and Determining Factors. , 0, , .		4
52	Changes in the living arrangement and risk of stroke in Japan; does it matter who lives in the household? Who among the family matters?. <i>PLoS ONE</i> , 2017, 12, e0173860.	1.1	3
53	Media influence and body satisfaction among adolescent females, Minia, Egypt. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 625-630.	0.8	3
54	Effects of strawberry intervention on cardiovascular risk factors: a meta-analysis of randomised controlled trials. <i>British Journal of Nutrition</i> , 2020, 124, 241-246.	1.2	3

#	ARTICLE	IF	CITATIONS
55	Impact of various intensities and frequencies of non-occupational physical activity on the risk of dementia among physically independent older adults: the Japan Gerontological Evaluation Study. <i>Public Health</i> , 2021, 196, 204-210.	1.4	3
56	Association between Serum Uric Acid and Impaired Endothelial Function: The Circulatory Risk in Communities Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1534-1546.	0.9	3
57	Association of B Vitamins and Methionine Intake with the Risk of Gastric Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Prevention Research</i> , 2022, 15, 101-110.	0.7	3
58	Smoking Cessation and Mortality from Aortic Dissection and Aneurysm: Findings from the Japan Collaborative Cohort (JACC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2023, 30, 348-363.	0.9	3
59	Reply to Dr. Rouhani et al.. <i>Journal of Nutrition</i> , 2011, 141, 1919.	1.3	2
60	The Prospective Association Between Plasma Concentrations of Cellular Growth Factors and Risk of Heart Failure Mortality in Japanese Population. <i>Journal of Epidemiology</i> , 2019, 29, 104-109.	1.1	2
61	Association of tea consumption and the risk of gastric cancer in Japanese adults: the Japan Collaborative Cohort Study. <i>BMJ Open</i> , 2020, 10, e038243.	0.8	2
62	The apparent inverse association between dietary carotene intake and risk of cardiovascular mortality disappeared after adjustment for other cardioprotective dietary intakes: The Japan collaborative cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3064-3075.	1.1	1
63	Walking time, sports activity, job type, and body posture during work in relation to incident colorectal cancer: the JACC prospective cohort study. <i>Cancer Causes and Control</i> , 2022, 33, 473-481.	0.8	1
64	Dairy intake and the risk of esophageal cancer: the JACC Study. <i>Journal of Epidemiology</i> , 2022, , .	1.1	1
65	Associations of dietary intakes of vitamins B ₁ and B ₃ with risk of mortality from CVD among Japanese men and women: the Japan Collaborative Cohort study. <i>British Journal of Nutrition</i> , 2023, 129, 1213-1220.	1.2	1
66	Non-medical predictors for ever and current use of contraceptives among women in Minia, Upper Egypt. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018, 26, 663-671.	0.8	0
67	Non-alcoholic beverages intake and risk of cardiovascular disease among Japanese men and women: the JPHC study. <i>British Journal of Nutrition</i> , 2021, , 1-20.	1.2	0
68	Supper Timing and Cardiovascular Mortality: The Japan Collaborative Cohort Study. <i>Nutrients</i> , 2021, 13, 3389.	1.7	0