

Yong-Ming Yao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4102275/publications.pdf>

Version: 2024-02-01

132
papers

4,711
citations

109321

35
h-index

128289

60
g-index

157
all docs

157
docs citations

157
times ranked

6669
citing authors

#	ARTICLE	IF	CITATIONS
1	A Vaccine Based on the Receptor-Binding Domain of the Spike Protein Expressed in Glycoengineered <i>Pichia pastoris</i> Targeting SARS-CoV-2 Stimulates Neutralizing and Protective Antibody Responses. <i>Engineering</i> , 2022, 13, 107-115.	6.7	13
2	Pink1/Parkin-Mediated Mitophagy Regulated the Apoptosis of Dendritic Cells in Sepsis. <i>Inflammation</i> , 2022, 45, 1374-1387.	3.8	5
3	Eukaryotic ribosome quality control system: a potential therapeutic target for human diseases. <i>International Journal of Biological Sciences</i> , 2022, 18, 2497-2514.	6.4	5
4	Neutrophil membrane-mimicking nanodecoys with intrinsic anti-inflammatory properties alleviate sepsis-induced acute liver injury and lethality in a mouse endotoxemia model. <i>Materials Today Bio</i> , 2022, 14, 100244.	5.5	8
5	Advances in Immune Monitoring Approaches for Sepsis-Induced Immunosuppression. <i>Frontiers in Immunology</i> , 2022, 13, .	4.8	24
6	Organelle-specific autophagy in inflammatory diseases: a potential therapeutic target underlying the quality control of multiple organelles. <i>Autophagy</i> , 2021, 17, 385-401.	9.1	195
7	Autocrine Regulation of Interleukin-3 in the Activity of Regulatory T Cells and its Effectiveness in the Pathophysiology of Sepsis. <i>Journal of Infectious Diseases</i> , 2021, 223, 893-904.	4.0	13
8	The current evidence for the treatment of sepsis with Xuebijing injection: Bioactive constituents, findings of clinical studies and potential mechanisms. <i>Journal of Ethnopharmacology</i> , 2021, 265, 113301.	4.1	40
9	Immunomodulatory property and its regulatory mechanism of double network hydrogel on dendritic cells. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 1015-1026.	4.0	2
10	Predictive value of immune cell counts and neutrophil-to-lymphocyte ratio for 28-day mortality in patients with sepsis caused by intra-abdominal infection. <i>Burns and Trauma</i> , 2021, 9, tkaa040.	4.9	23
11	The Effect and Regulatory Mechanism of High Mobility Group Box-1 Protein on Immune Cells in Inflammatory Diseases. <i>Cells</i> , 2021, 10, 1044.	4.1	32
12	ER stress and its PERK branch enhance TCR-induced activation in regulatory T cells. <i>Biochemical and Biophysical Research Communications</i> , 2021, 563, 8-14.	2.1	8
13	Is oxygen therapy beneficial for normoxemic patients with acute heart failure? A propensity score matched study. <i>Military Medical Research</i> , 2021, 8, 38.	3.4	5
14	The Role and Regulatory Mechanism of Transcription Factor EB in Health and Diseases. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 667750.	3.7	23
15	Sestrin2 protects dendrite cells against ferroptosis induced by sepsis. <i>Cell Death and Disease</i> , 2021, 12, 834.	6.3	37
16	Combination therapy of thiamine, vitamin C and hydrocortisone in treating patients with sepsis and septic shock: a meta-analysis and trial sequential analysis. <i>Burns and Trauma</i> , 2021, 9, tkab040.	4.9	4
17	TNF- α -induced protein 8-like 2 negatively regulates the immune function of dendritic cells by suppressing autophagy via the TAK1/JNK pathway in septic mice. <i>Cell Death and Disease</i> , 2021, 12, 1032.	6.3	12
18	Sestrin2 protects against lethal sepsis by suppressing the pyroptosis of dendritic cells. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 8209-8227.	5.4	22

#	ARTICLE	IF	CITATIONS
19	Long-lasting neurobehavioral alterations in burn-injured mice resembling post-traumatic stress disorder in humans. <i>Experimental Neurology</i> , 2020, 323, 113084.	4.1	8
20	Assessment of melatonergics in prevention of delirium in critically ill patients. <i>Medicine (United Tj ETQq0 0 0 rgBT JOverlock, 10 Tf 50 70</i>	1.0	3
21	Diagnostic blood loss from phlebotomy and hospital acquired anemia in patients with severe burns. <i>Burns</i> , 2020, 46, 579-588.	1.9	3
22	Interleukin-38 protects against sepsis by augmenting immunosuppressive activity of CD4 ⁺ CD25 ⁺ regulatory T cells. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 2027-2039.	3.6	29
23	Lysosomal quality control of cell fate: a novel therapeutic target for human diseases. <i>Cell Death and Disease</i> , 2020, 11, 817.	6.3	63
24	Is haemoglobin below 7.0 g/dL an optimal trigger for allogenic red blood cell transfusion in patients admitted to intensive care units? A meta-analysis and systematic review. <i>BMJ Open</i> , 2020, 10, e030854.	1.9	7
25	Comparison of clinical laboratory tests between bacterial sepsis and SARS-CoV-2-associated viral sepsis. <i>Military Medical Research</i> , 2020, 7, 36.	3.4	11
26	Thymosin α 1 therapy in critically ill patients with COVID-19: A multicenter retrospective cohort study. <i>International Immunopharmacology</i> , 2020, 88, 106873.	3.8	34
27	The Clinical Features and Prognostic Assessment of SARS-CoV-2 Infection-Induced Sepsis Among COVID-19 Patients in Shenzhen, China. <i>Frontiers in Medicine</i> , 2020, 7, 570853.	2.6	6
28	Effect of Interleukin-36 β on Activating Autophagy of CD4 ⁺ CD25 ⁺ Regulatory T cells and Its Immune Regulation in Sepsis. <i>Journal of Infectious Diseases</i> , 2020, 222, 1517-1530.	4.0	11
29	Plasma glucagon-like peptide 1 was associated with hospital-acquired infections and long-term mortality in burn patients. <i>Surgery</i> , 2020, 167, 1016-1022.	1.9	4
30	Clinical features and development of sepsis in patients infected with SARS-CoV-2: a retrospective analysis of 150 cases outside Wuhan, China. <i>Intensive Care Medicine</i> , 2020, 46, 1630-1633.	8.2	16
31	Recombinant human ulinastatin improves immune dysfunction of dendritic cells in septic mice by inhibiting endoplasmic reticulum stress-related apoptosis. <i>International Immunopharmacology</i> , 2020, 85, 106643.	3.8	7
32	Association between furosemide administration and outcomes in critically ill patients with acute kidney injury. <i>Critical Care</i> , 2020, 24, 75.	5.8	59
33	Sestrin2 protects dendritic cells against endoplasmic reticulum stress-related apoptosis induced by high mobility group box-1 protein. <i>Cell Death and Disease</i> , 2020, 11, 125.	6.3	29
34	Sepsis-associated encephalopathy: a vicious cycle of immunosuppression. <i>Journal of Neuroinflammation</i> , 2020, 17, 14.	7.2	130
35	Assessment of Melatonergics in Prevention of Delirium: A Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2020, 11, 198.	2.4	6
36	Better therapy for combat injury. <i>Military Medical Research</i> , 2019, 6, 23.	3.4	7

#	ARTICLE	IF	CITATIONS
37	Inverse Correlation Between Plasma Sphingosine-1-Phosphate and Ceramide Concentrations in Septic Patients and Their Utility in Predicting Mortality. <i>Shock</i> , 2019, 51, 718-724.	2.1	17
38	Mdivi-1 Protects CD4+ T Cells against Apoptosis via Balancing Mitochondrial Fusion-Fission and Preventing the Induction of Endoplasmic Reticulum Stress in Sepsis. <i>Mediators of Inflammation</i> , 2019, 2019, 1-14.	3.0	15
39	Role of dendritic cells in the host response to biomaterials and their signaling pathways. <i>Acta Biomaterialia</i> , 2019, 94, 132-144.	8.3	37
40	Inhibition of Cerebral High-Mobility Group Box 1 Protein Attenuates Multiple Organ Damage and Improves T Cell-Mediated Immunity in Septic Rats. <i>Mediators of Inflammation</i> , 2019, 2019, 1-10.	3.0	10
41	Exendin-4 Exacerbates Burn-Induced Morbidity in Mice by Activation of the Sympathetic Nervous System. <i>Mediators of Inflammation</i> , 2019, 2019, 1-16.	3.0	3
42	Effect of TIPE1 on Immune Function of Dendritic Cells and Its Signaling Pathway in Septic Mice. <i>Journal of Infectious Diseases</i> , 2019, 220, 699-709.	4.0	13
43	Mitochondrial quality control mechanisms as potential therapeutic targets in sepsis-induced multiple organ failure. <i>Journal of Molecular Medicine</i> , 2019, 97, 451-462.	3.9	53
44	Electroacupuncture Improves the Survival Rate and Organ Function in a Rat Model of Hemorrhagic Shock. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-7.	1.2	4
45	Sestrin2: Its Potential Role and Regulatory Mechanism in Host Immune Response in Diseases. <i>Frontiers in Immunology</i> , 2019, 10, 2797.	4.8	49
46	Xuebijing Injection Versus Placebo for Critically Ill Patients With Severe Community-Acquired Pneumonia: A Randomized Controlled Trial. <i>Critical Care Medicine</i> , 2019, 47, e735-e743.	0.9	112
47	Recent advances in the biology of IL-1 family cytokines and their potential roles in development of sepsis. <i>Cytokine and Growth Factor Reviews</i> , 2019, 45, 24-34.	7.2	43
48	Tumor Necrosis Factor- α -Induced Protein 8-like 2 Downregulation Reduces CD4 ⁺ T Lymphocyte Apoptosis in Mice with Thermal Injury. <i>Medical Science Monitor</i> , 2019, 25, 7547-7556.	1.1	7
49	Proinflammatory switch from $G\alpha_s$ to $G\alpha_i$ signaling by Glucagon-like peptide-1 receptor in murine splenic monocyte following burn injury. <i>Inflammation Research</i> , 2018, 67, 157-168.	4.0	9
50	Potential therapy strategy: targeting mitochondrial dysfunction in sepsis. <i>Military Medical Research</i> , 2018, 5, 41.	3.4	56
51	Role of the Ca ²⁺ -Calcineurin-Nuclear Factor of Activated T cell Pathway in Mitofusin-2-Mediated Immune Function of Jurkat Cells. <i>Chinese Medical Journal</i> , 2018, 131, 330-338.	2.3	4
52	Association between the T6459C point mutation of the mitochondrial $COX1$ gene and susceptibility to sepsis among Chinese Han people. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5257-5264.	3.6	11
53	Efficacy and safety of Xuebijing injection (a Chinese patent) for sepsis: A meta-analysis of randomized controlled trials. <i>Journal of Ethnopharmacology</i> , 2018, 224, 512-521.	4.1	59
54	Partial Depletion of Regulatory T Cells Enhances Host Inflammatory Response Against Acute <i>Pseudomonas aeruginosa</i> Infection After Sepsis. <i>Inflammation</i> , 2018, 41, 1780-1790.	3.8	18

#	ARTICLE	IF	CITATIONS
55	Autophagy and proinflammatory cytokines: Interactions and clinical implications. <i>Cytokine and Growth Factor Reviews</i> , 2018, 43, 38-46.	7.2	118
56	Activation of Central Alpha 7 Nicotinic Acetylcholine Receptor Reverses Suppressed Immune Function of T Lymphocytes and Protects Against Sepsis Lethality. <i>International Journal of Biological Sciences</i> , 2018, 14, 748-759.	6.4	22
57	The Clinical Significance and Potential Role of C-Reactive Protein in Chronic Inflammatory and Neurodegenerative Diseases. <i>Frontiers in Immunology</i> , 2018, 9, 1302.	4.8	206
58	Human amnion-derived mesenchymal stem cells alleviate lung injury induced by white smoke inhalation in rats. <i>Stem Cell Research and Therapy</i> , 2018, 9, 101.	5.5	32
59	Tumor Necrosis Factor- α Induced Protein 8: Pathophysiology, Clinical Significance, and Regulatory Mechanism. <i>International Journal of Biological Sciences</i> , 2018, 14, 398-405.	6.4	30
60	TNF- α mRNA is negatively regulated by microRNA-181a-5p in maturation of dendritic cells induced by high mobility group box-1 protein. <i>Scientific Reports</i> , 2017, 7, 12239.	3.3	45
61	The Protective Effect of Alpha 7 Nicotinic Acetylcholine Receptor Activation on Critical Illness and Its Mechanism. <i>International Journal of Biological Sciences</i> , 2017, 13, 46-56.	6.4	54
62	Autophagy: A Potential Therapeutic Target for Reversing Sepsis-Induced Immunosuppression. <i>Frontiers in Immunology</i> , 2017, 8, 1832.	4.8	45
63	Growth Arrest-Specific 6 Enhances the Suppressive Function of CD4 ⁺ CD25 ⁺ Regulatory T Cells Mainly through Axl Receptor. <i>Mediators of Inflammation</i> , 2017, 2017, 1-13.	3.0	38
64	Mitofusin 2 Promotes Apoptosis of CD4 ⁺ T Cells by Inhibiting Autophagy in Sepsis. <i>Mediators of Inflammation</i> , 2017, 2017, 1-15.	3.0	19
65	The involvement of endoplasmic reticulum stress response in immune dysfunction of dendritic cells after severe thermal injury in mice. <i>Oncotarget</i> , 2017, 8, 9035-9052.	1.8	15
66	Early antagonism of cerebral high mobility group box-1 protein is benefit for sepsis induced brain injury. <i>Oncotarget</i> , 2017, 8, 92578-92588.	1.8	20
67	Neuropilin-1 ^{high} CD4 ⁺ CD25 ⁺ Regulatory T Cells Exhibit Primary Negative Immunoregulation in Sepsis. <i>Mediators of Inflammation</i> , 2016, 2016, 1-11.	3.0	23
68	Interactions between Autophagy and Inhibitory Cytokines. <i>International Journal of Biological Sciences</i> , 2016, 12, 884-897.	6.4	68
69	Interleukin-37 Enhances the Suppressive Activity of Naturally Occurring CD4 ⁺ CD25 ⁺ Regulatory T Cells. <i>Scientific Reports</i> , 2016, 6, 38955.	3.3	16
70	Vagal Modulation of the Inflammatory Response in Sepsis. <i>International Reviews of Immunology</i> , 2016, 35, 415-433.	3.3	41
71	Astragaloside IV attenuates inflammatory reaction via activating immune function of regulatory T-cells inhibited by HMGB1 in mice. <i>Pharmaceutical Biology</i> , 2016, 54, 3217-3225.	2.9	27
72	Serum Calprotectin Expression as a Diagnostic Marker for Sepsis in Postoperative Intensive Care Unit Patients. <i>Journal of Interferon and Cytokine Research</i> , 2016, 36, 607-616.	1.2	20

#	ARTICLE	IF	CITATIONS
73	Effect of tumor necrosis factor- α induced protein 8 like-2 on immune function of dendritic cells in mice following acute insults. <i>Oncotarget</i> , 2016, 7, 30178-30192.	1.8	15
74	Tufts-in-derived T-peptide prevents cellular immunosuppression and improves survival rate in septic mice. <i>Scientific Reports</i> , 2015, 5, 16725.	3.3	16
75	Expression of IL-37 contributes to the immunosuppressive property of human CD4+CD25+ regulatory T cells. <i>Scientific Reports</i> , 2015, 5, 14478.	3.3	47
76	Serum Total Cholinesterase Activity on Admission Is Associated with Disease Severity and Outcome in Patients with Traumatic Brain Injury. <i>PLoS ONE</i> , 2015, 10, e0129082.	2.5	16
77	Xuebijing Injection Promotes M2 Polarization of Macrophages and Improves Survival Rate in Septic Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-9.	1.2	27
78	Insights into the Apoptotic Death of Immune Cells in Sepsis. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 17-22.	1.2	69
79	Sinomenine Hydrochloride Protects against Polymicrobial Sepsis via Autophagy. <i>International Journal of Molecular Sciences</i> , 2015, 16, 2559-2573.	4.1	50
80	Effect of Regulatory T Cells on Promoting Apoptosis of T Lymphocyte and Its Regulatory Mechanism in Sepsis. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 969-980.	1.2	45
81	Pathophysiological Aspects of Sepsis: An Overview. <i>Methods in Molecular Biology</i> , 2015, 1237, 5-15.	0.9	19
82	Bacterial Endotoxin and Exotoxin in Severe Burns. , 2015, , 89-106.		0
83	Identification and Treatment of the Early Form of Neurogenic Pulmonary Edema in Emergency Room. <i>Zhongguo Yi Xue Ke Xue Yuan Xue Bao Acta Academiae Medicinae Sinicae</i> , 2015, 37, 343-7.	0.2	1
84	Anti-RAGE antibody ameliorates severe thermal injury in rats through regulating cellular immune function. <i>Acta Pharmacologica Sinica</i> , 2014, 35, 1167-1176.	6.1	3
85	Internal and External Carotid Artery Embolism Following Facial Injection of Autologous Fat. <i>Aesthetic Surgery Journal</i> , 2014, 34, NP83-NP87.	1.6	26
86	Septic encephalopathy: when cytokines interact with acetylcholine in the brain. <i>Military Medical Research</i> , 2014, 1, 20.	3.4	30
87	HSF-1 is Involved in Attenuating the Release of Inflammatory Cytokines Induced by LPS Through Regulating Autophagy. <i>Shock</i> , 2014, 41, 449-453.	2.1	31
88	Role of Mitofusin-2 in High Mobility Group Box-1 Protein-Mediated Apoptosis of T Cells in Vitro. <i>Cellular Physiology and Biochemistry</i> , 2014, 33, 769-783.	1.6	22
89	The Significance and Regulatory Mechanisms of Innate Immune Cells in the Development of Sepsis. <i>Journal of Interferon and Cytokine Research</i> , 2014, 34, 2-15.	1.2	67
90	Advances in sepsis-associated liver dysfunction. <i>Burns and Trauma</i> , 2014, 2, 97.	0.7	94

#	ARTICLE	IF	CITATIONS
91	Effects of intensive insulin therapy combined with low molecular weight heparin anticoagulant therapy on severe pancreatitis. <i>Experimental and Therapeutic Medicine</i> , 2014, 8, 141-146.	1.8	8
92	Macrophage Polarization in Inflammatory Diseases. <i>International Journal of Biological Sciences</i> , 2014, 10, 520-529.	6.4	754
93	Influence of intensive insulin therapy on vascular endothelial growth factor in patients with severe trauma. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2013, 33, 107-110.	1.0	3
94	Burn injury induces gelsolin expression and cleavage in the brain of mice. <i>Neuroscience</i> , 2013, 228, 60-72.	2.3	20
95	Effect of Xuebijing injection (è;€à;...â;€æ³"â°,æ¶²) on systemic lupus erythematosus in mice. <i>Chinese Journal of Integrative Medicine</i> , 2013, 19, 675-682.	1.6	3
96	Update on the Immunological Pathway of Negative Regulation in Acute Insults and Sepsis. <i>Journal of Interferon and Cytokine Research</i> , 2012, 32, 288-298.	1.2	8
97	The Role of Regulatory T Cells in the Pathogenesis of Sepsis and Its Clinical Implication. <i>Journal of Interferon and Cytokine Research</i> , 2012, 32, 341-349.	1.2	37
98	The effect of Astragaloside IV on immune function of regulatory T cell mediated by high mobility group box 1 protein in vitro. <i>FĀ-toterapĀ-Āç</i> , 2012, 83, 1514-1522.	2.2	36
99	Endoplasmic reticulum stress and its regulator XBP-1 contributes to dendritic cell maturation and activation induced by high mobility group box-1 protein. <i>International Journal of Biochemistry and Cell Biology</i> , 2012, 44, 1097-1105.	2.8	44
100	Up-regulation of mitofusin-2 protects CD4+ T cells from HMGB1-mediated immune dysfunction partly through Ca2+-NFAT signaling pathway. <i>Cytokine</i> , 2012, 59, 79-85.	3.2	23
101	Effect of early intensive insulin therapy on immune function of aged patients with severe trauma. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2012, 32, 400-404.	1.0	4
102	Novel insights for high mobility group box 1 protein-mediated cellular immune response in sepsis:A systemic review. <i>World Journal of Emergency Medicine</i> , 2012, 3, 165.	1.0	21
103	Association of high mobility group box-1 protein levels with sepsis and outcome of severely burned patients. <i>Cytokine</i> , 2011, 53, 29-34.	3.2	39
104	High mobility group box 1 protein suppresses T cell-mediated immunity via CD11clowCD45RBhigh dendritic cell differentiation. <i>Cytokine</i> , 2011, 54, 205-211.	3.2	16
105	High mobility group box-1 protein regulate immunosuppression of regulatory T cells through toll-like receptor 4. <i>Cytokine</i> , 2011, 54, 296-304.	3.2	46
106	Naturally existing CD11clowCD45RBhigh dendritic cells protect mice from acute severe inflammatory response induced by thermal injury. <i>Immunobiology</i> , 2011, 216, 47-53.	1.9	14
107	Astragalus polysaccharides regulate T cell-mediated immunity via CD11chighCD45RBlow DCs in vitro. <i>Journal of Ethnopharmacology</i> , 2011, 136, 457-464.	4.1	76
108	Astragalus Polysaccharides Attenuate Postburn Sepsis via Inhibiting Negative Immunoregulation of CD4+CD25high T Cells. <i>PLoS ONE</i> , 2011, 6, e19811.	2.5	57

#	ARTICLE	IF	CITATIONS
109	Reduction of Plasma Gelsolin Levels Correlates with Development of Multiple Organ Dysfunction Syndrome and Fatal Outcome in Burn Patients. <i>PLoS ONE</i> , 2011, 6, e25748.	2.5	26
110	Clinical effects of intensive insulin therapy treating traumatic shock combined with multiple organ dysfunction syndrome. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2011, 31, 194-198.	1.0	3
111	Treatment with gelsolin reduces brain inflammation and apoptotic signaling in mice following thermal injury. <i>Journal of Neuroinflammation</i> , 2011, 8, 118.	7.2	37
112	The Potential Effect and Mechanism of High-Mobility Group Box 1 Protein on Regulatory T Cell-Mediated Immunosuppression. <i>Journal of Interferon and Cytokine Research</i> , 2011, 31, 249-257.	1.2	52
113	Stimulation of $\alpha 7$ Nicotinic Acetylcholine Receptor by Nicotine Increases Suppressive Capacity of Naturally Occurring CD4 ⁺ CD25 ⁺ Regulatory T Cells in Mice In Vitro. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 335, 553-561.	2.5	88
114	Association between regulatory T cell activity and sepsis and outcome of severely burned patients: a prospective, observational study. <i>Critical Care</i> , 2010, 14, R3.	5.8	71
115	Inflammatory response and immune regulation of high mobility group box-1 protein in treatment of sepsis. <i>World Journal of Emergency Medicine</i> , 2010, 1, 93-8.	1.0	9
116	The Effect of a novel cytokine, high mobility group box 1 protein, on the development of traumatic sepsis. <i>Chinese Journal of Integrative Medicine</i> , 2009, 15, 13-15.	1.6	11
117	High mobility group box-1 protein acts as a coactivator of nuclear factor of activated T cells-2 in promoting interleukin-2 transcription. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 641-648.	2.8	8
118	Influence of CD14 polymorphism on CD14 expression in patients with extensive burns. <i>Burns</i> , 2009, 35, 365-371.	1.9	5
119	Effect of high mobility group box-1 protein on apoptosis of peritoneal macrophages. <i>Archives of Biochemistry and Biophysics</i> , 2009, 492, 54-61.	3.0	20
120	The Effect of High Mobility Group Box-1 Protein on Splenic Dendritic Cell Maturation in Rats. <i>Journal of Interferon and Cytokine Research</i> , 2009, 29, 677-686.	1.2	34
121	THE EFFECT OF HIGH-MOBILITY GROUP BOX 1 PROTEIN ON ACTIVITY OF REGULATORY T CELLS AFTER THERMAL INJURY IN RATS. <i>Shock</i> , 2009, 31, 322-329.	2.1	63
122	RELATIONSHIP BETWEEN HIGH-MOBILITY GROUP BOX 1 PROTEIN RELEASE AND T-CELL SUPPRESSION IN RATS AFTER THERMAL INJURY. <i>Shock</i> , 2008, 30, 449-455.	2.1	33
123	RECOMBINANT BACTERICIDAL/PERMEABILITY-INCREASING PROTEIN INHIBITS ENDOTOXIN-INDUCED HIGH-MOBILITY GROUP BOX 1 PROTEIN GENE EXPRESSION IN SEPSIS. <i>Shock</i> , 2008, 29, 278-284.	2.1	19
124	The effect of high mobility group box-1 protein on immune function of human T lymphocytes in vitro. <i>Zhongguo Wei Zhong Bing Ji Jiu Yi Xue = Chinese Critical Care Medicine = Zhongguo Weizhongbing Jijuyixue</i> , 2008, 20, 7-13.	0.5	3
125	EFFECTS OF CD14-159 C/T POLYMORPHISM ON CD14 EXPRESSION AND THE BALANCE BETWEEN PROINFLAMMATORY AND ANTI-INFLAMMATORY CYTOKINES IN WHOLE BLOOD CULTURE. <i>Shock</i> , 2007, 28, 148-153.	2.1	31
126	Regulation of IGF1 signal pathways by androgen in skeletal muscle of glucocorticoid-treated rats. <i>FASEB Journal</i> , 2007, 21, A336.	0.5	0

#	ARTICLE	IF	CITATIONS
127	The mRNA expression patterns of tumor necrosis factor- α and TNFR-I in some vital organs after thermal injury. <i>World Journal of Gastroenterology</i> , 2003, 9, 1038.	3.3	24
128	Lipopolysaccharide-Binding Protein and Lipopolysaccharide Receptor CD14 Gene Expression after Thermal Injury and its Potential Mechanism(s). <i>Journal of Trauma</i> , 2002, 53, 957-967.	2.3	22
129	Effect of recombinant bactericidal/permeability-increasing protein on endotoxin translocation and lipopolysaccharide-binding protein/CD14 expression in rats after thermal injury. <i>Critical Care Medicine</i> , 2001, 29, 1452-1459.	0.9	23
130	Monoclonal antibody to endotoxin attenuates hemorrhage-induced lung injury and mortality in rats. <i>Critical Care Medicine</i> , 1997, 25, 1030-1036.	0.9	44
131	Gut-Derived Endotoxemia and Multiple System Organ Failure following Gunshot Wounds Combined with Hemorrhagic Shock. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995, 38, 742-746.	2.4	14
132	Neuroimmune Regulation in Sepsis-Associated Encephalopathy: The Interaction Between the Brain and Peripheral Immunity. <i>Frontiers in Neurology</i> , 0, 13, .	2.4	4