

Aaron Lun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4102319/aaron-lun-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

76,253
citations

52
h-index

126
g-index

126
ext. papers

109,486
ext. citations

11.9
avg, IF

8.78
L-index

#	Paper	IF	Citations
113	In vivo genome-editing screen identifies tumor suppressor genes that cooperate with Trp53 loss during mammary tumorigenesis.. <i>Molecular Oncology</i> , 2022 ,	7.9	1
112	R code and downstream analysis objects for the scRNA-seq atlas of normal and tumorigenic human breast tissue.. <i>Scientific Data</i> , 2022 , 9, 96	8.2	1
111	SpatialExperiment: infrastructure for spatially resolved transcriptomics data in R using Bioconductor.. <i>Bioinformatics</i> , 2022 ,	7.2	2
110	Mammary tumour cells remodel the bone marrow vascular microenvironment to support metastasis. <i>Nature Communications</i> , 2021 , 12, 6920	17.4	2
109	Locus-specific expression of transposable elements in single cells with CELLO-seq. <i>Nature Biotechnology</i> , 2021 ,	44.5	4
108	Chromosomes distribute randomly to, but not within, human neutrophil nuclear lobes. <i>IScience</i> , 2021 , 24, 102161	6.1	3
107	A single-cell RNA expression atlas of normal, preneoplastic and tumorigenic states in the human breast. <i>EMBO Journal</i> , 2021 , 40, e107333	13	23
106	Targeting histone acetylation dynamics and oncogenic transcription by catalytic P300/CBP inhibition. <i>Molecular Cell</i> , 2021 , 81, 2183-2200.e13	17.6	12
105	Single cell transcriptome atlas of mouse mammary epithelial cells across development. <i>Breast Cancer Research</i> , 2021 , 23, 69	8.3	2
104	Identification and characterization of the long noncoding RNA Dreg1 as a novel regulator of Gata3. <i>Immunology and Cell Biology</i> , 2021 , 99, 323-332	5	3
103	Multi-level remodelling of chromatin underlying activation of human T cells. <i>Scientific Reports</i> , 2021 , 11, 528	4.9	8
102	Calling differentially methylated regions from whole genome bisulphite sequencing with DMRcate. <i>Nucleic Acids Research</i> , 2021 , 49, e109	20.1	4
101	Pre-mitotic genome re-organisation bookends the B cell differentiation process. <i>Nature Communications</i> , 2021 , 12, 1344	17.4	5
100	Type 1 diabetes in pregnancy is associated with distinct changes in the composition and function of the gut microbiome. <i>Microbiome</i> , 2021 , 9, 167	16.6	6
99	Differential requirement for the Polycomb repressor complex 2 in dendritic cell and tissue-resident myeloid cell homeostasis. <i>Science Immunology</i> , 2021 , 6, eabf7268	28	0
98	An Erg-driven transcriptional program controls B cell lymphopoiesis. <i>Nature Communications</i> , 2020 , 11, 3013	17.4	11
97	The neuropeptide VIP confers anticipatory mucosal immunity by regulating ILC3 activity. <i>Nature Immunology</i> , 2020 , 21, 168-177	19.1	74

96	Orchestrating single-cell analysis with Bioconductor. <i>Nature Methods</i> , 2020 , 17, 137-145	21.6	174
95	A high-content RNAi screen reveals multiple roles for long noncoding RNAs in cell division. <i>Nature Communications</i> , 2020 , 11, 1851	17.4	19
94	EmptyDrops: distinguishing cells from empty droplets in droplet-based single-cell RNA sequencing data. <i>Genome Biology</i> , 2019 , 20, 63	18.3	257
93	The R package Rsubread is easier, faster, cheaper and better for alignment and quantification of RNA sequencing reads. <i>Nucleic Acids Research</i> , 2019 , 47, e47	20.1	635
92	Transcription Factor PU.1 Promotes Conventional Dendritic Cell Identity and Function via Induction of Transcriptional Regulator DC-SCRIPT. <i>Immunity</i> , 2019 , 50, 77-90.e5	32.3	26
91	Batch effects in single-cell RNA-sequencing data are corrected by matching mutual nearest neighbors. <i>Nature Biotechnology</i> , 2018 , 36, 421-427	44.5	775
90	Canonical PRC2 function is essential for mammary gland development and affects chromatin compaction in mammary organoids. <i>PLoS Biology</i> , 2018 , 16, e2004986	9.7	7
89	T cell cytolytic capacity is independent of initial stimulation strength. <i>Nature Immunology</i> , 2018 , 19, 849-858	35	
88	beachmat: A Bioconductor C++ API for accessing high-throughput biological data from a variety of R matrix types. <i>PLoS Computational Biology</i> , 2018 , 14, e1006135	5	9
87	Detection and removal of barcode swapping in single-cell RNA-seq data. <i>Nature Communications</i> , 2018 , 9, 2667	17.4	110
86	Specificity of RNAi, LNA and CRISPRi as loss-of-function methods in transcriptional analysis. <i>Nucleic Acids Research</i> , 2018 , 46, 5950-5966	20.1	65
85	Genome-wide analysis reveals no evidence of trans chromosomal regulation of mammalian immune development. <i>PLoS Genetics</i> , 2018 , 14, e1007431	6	13
84	iSEE: Interactive SummarizedExperiment Explorer. <i>F1000Research</i> , 2018 , 7, 741	3.6	42
83	Foxp1 Is Indispensable for Ductal Morphogenesis and Controls the Exit of Mammary Stem Cells from Quiescence. <i>Developmental Cell</i> , 2018 , 47, 629-644.e8	10.2	16
82	Transcription-factor-mediated supervision of global genome architecture maintains B cell identity. <i>Nature Immunology</i> , 2018 , 19, 1257-1264	19.1	52
81	COMRADES determines in vivo RNA structures and interactions. <i>Nature Methods</i> , 2018 , 15, 785-788	21.6	80
80	RNA-seq mixology: designing realistic control experiments to compare protocols and analysis methods. <i>Nucleic Acids Research</i> , 2017 , 45, e30	20.1	19
79	A non-canonical function of Ezh2 preserves immune homeostasis. <i>EMBO Reports</i> , 2017 , 18, 619-631	6.5	49

78	Testing for differential abundance in mass cytometry data. <i>Nature Methods</i> , 2017 , 14, 707-709	21.6	73
77	No counts, no variance: allowing for loss of degrees of freedom when assessing biological variability from RNA-seq data. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2017 , 16, 83-93	1.2	5
76	Assessing the reliability of spike-in normalization for analyses of single-cell RNA sequencing data. <i>Genome Research</i> , 2017 , 27, 1795-1806	9.7	39
75	A critical epithelial survival axis regulated by MCL-1 maintains thymic function in mice. <i>Blood</i> , 2017 , 130, 2504-2515	2.2	34
74	Overcoming confounding plate effects in differential expression analyses of single-cell RNA-seq data. <i>Biostatistics</i> , 2017 , 18, 451-464	3.7	63
73	Synergistic action of the MCL-1 inhibitor S63845 with current therapies in preclinical models of triple-negative and HER2-amplified breast cancer. <i>Science Translational Medicine</i> , 2017 , 9,	17.5	112
72	Isolation and Comparative Transcriptome Analysis of Human Fetal and iPSC-Derived Cone Photoreceptor Cells. <i>Stem Cell Reports</i> , 2017 , 9, 1898-1915	8	61
71	Construction of developmental lineage relationships in the mouse mammary gland by single-cell RNA profiling. <i>Nature Communications</i> , 2017 , 8, 1627	17.4	108
70	Scater: pre-processing, quality control, normalization and visualization of single-cell RNA-seq data in R. <i>Bioinformatics</i> , 2017 , 33, 1179-1186	7.2	563
69	Differential methylation analysis of reduced representation bisulfite sequencing experiments using edgeR. <i>F1000Research</i> , 2017 , 6, 2055	3.6	37
68	Differential methylation analysis of reduced representation bisulfite sequencing experiments using edgeR. <i>F1000Research</i> , 2017 , 6, 2055	3.6	33
67	RANK ligand as a potential target for breast cancer prevention in BRCA1-mutation carriers. <i>Nature Medicine</i> , 2016 , 22, 933-9	50.5	176
66	RUNX2 Mediates Plasmacytoid Dendritic Cell Egress from the Bone Marrow and Controls Viral Immunity. <i>Cell Reports</i> , 2016 , 15, 866-878	10.6	30
65	Pooling across cells to normalize single-cell RNA sequencing data with many zero counts. <i>Genome Biology</i> , 2016 , 17, 75	18.3	563
64	csaw: a Bioconductor package for differential binding analysis of ChIP-seq data using sliding windows. <i>Nucleic Acids Research</i> , 2016 , 44, e45	20.1	168
63	It's DE-licious: A Recipe for Differential Expression Analyses of RNA-seq Experiments Using Quasi-Likelihood Methods in edgeR. <i>Methods in Molecular Biology</i> , 2016 , 1418, 391-416	1.4	201
62	Infrastructure for genomic interactions: Bioconductor classes for Hi-C, ChIA-PET and related experiments. <i>F1000Research</i> , 2016 , 5, 950	3.6	26
61	Infrastructure for genomic interactions: Bioconductor classes for Hi-C, ChIA-PET and related experiments. <i>F1000Research</i> , 2016 , 5, 950	3.6	18

60	From reads to genes to pathways: differential expression analysis of RNA-Seq experiments using Rsubread and the edgeR quasi-likelihood pipeline. <i>F1000Research</i> , 2016 , 5, 1438	3.6	178
59	A step-by-step workflow for low-level analysis of single-cell RNA-seq data. <i>F1000Research</i> , 2016 , 5, 21223.6	3.6	446
58	A step-by-step workflow for low-level analysis of single-cell RNA-seq data. <i>F1000Research</i> , 2016 , 5, 21223.6	3.6	454
57	From reads to genes to pathways: differential expression analysis of RNA-Seq experiments using Rsubread and the edgeR quasi-likelihood pipeline. <i>F1000Research</i> , 2016 , 5, 1438	3.6	184
56	ROBUST HYPERPARAMETER ESTIMATION PROTECTS AGAINST HYPERVARIABLE GENES AND IMPROVES POWER TO DETECT DIFFERENTIAL EXPRESSION. <i>Annals of Applied Statistics</i> , 2016 , 10, 946-963 ¹	2.1	432
55	Three-dimensional disorganization of the cancer genome occurs coincident with long-range genetic and epigenetic alterations. <i>Genome Research</i> , 2016 , 26, 719-31	9.7	186
54	Acetylation of the Cd8 Locus by KAT6A Determines Memory T Cell Diversity. <i>Cell Reports</i> , 2016 , 16, 3311-3321	11	11
53	EGF-mediated induction of Mcl-1 at the switch to lactation is essential for alveolar cell survival. <i>Nature Cell Biology</i> , 2015 , 17, 365-75	23.4	44
52	Repression of Igf1 expression by Ezh2 prevents basal cell differentiation in the developing lung. <i>Development (Cambridge)</i> , 2015 , 142, 1458-69	6.6	39
51	Transcriptome and H3K27 tri-methylation profiling of Ezh2-deficient lung epithelium. <i>Genomics Data</i> , 2015 , 5, 346-51		2
50	Integration of microRNA signatures of distinct mammary epithelial cell types with their gene expression and epigenetic portraits. <i>Breast Cancer Research</i> , 2015 , 17, 85	8.3	24
49	diffHic: a Bioconductor package to detect differential genomic interactions in Hi-C data. <i>BMC Bioinformatics</i> , 2015 , 16, 258	3.6	120
48	Orchestrating high-throughput genomic analysis with Bioconductor. <i>Nature Methods</i> , 2015 , 12, 115-21	21.6	1949
47	limma powers differential expression analyses for RNA-sequencing and microarray studies. <i>Nucleic Acids Research</i> , 2015 , 43, e47	20.1	13379
46	From reads to regions: a Bioconductor workflow to detect differential binding in CHIP-seq data. <i>F1000Research</i> , 2015 , 4, 1080	3.6	17
45	From reads to regions: a Bioconductor workflow to detect differential binding in CHIP-seq data. <i>F1000Research</i> , 2015 , 4, 1080	3.6	13
44	voom: Precision weights unlock linear model analysis tools for RNA-seq read counts. <i>Genome Biology</i> , 2014 , 15, R29	18.3	2784
43	featureCounts: an efficient general purpose program for assigning sequence reads to genomic features. <i>Bioinformatics</i> , 2014 , 30, 923-30	7.2	7883

42	Differential Expression Analysis of Complex RNA-seq Experiments Using edgeR 2014 , 51-74		58
41	De novo detection of differentially bound regions for ChIP-seq data using peaks and windows: controlling error rates correctly. <i>Nucleic Acids Research</i> , 2014 , 42, e95	20.1	69
40	Count-based differential expression analysis of RNA sequencing data using R and Bioconductor. <i>Nature Protocols</i> , 2013 , 8, 1765-86	18.8	788
39	The use of miRNA microarrays for the analysis of cancer samples with global miRNA decrease. <i>Rna</i> , 2013 , 19, 876-88	5.8	46
38	The transcription factor IRF4 is essential for TCR affinity-mediated metabolic programming and clonal expansion of T cells. <i>Nature Immunology</i> , 2013 , 14, 1155-65	19.1	256
37	Global changes in the mammary epigenome are induced by hormonal cues and coordinated by Ezh2. <i>Cell Reports</i> , 2013 , 3, 411-26	10.6	96
36	Mass trees: a new phylogenetic approach and algorithm to chart evolutionary history with mass spectrometry. <i>Analytical Chemistry</i> , 2013 , 85, 5475-82	7.8	20
35	Polycomb repressive complex 2 (PRC2) suppresses Eμmyc lymphoma. <i>Blood</i> , 2013 , 122, 2654-63	2.2	22
34	The Subread aligner: fast, accurate and scalable read mapping by seed-and-vote. <i>Nucleic Acids Research</i> , 2013 , 41, e108	20.1	1489
33	Differential expression analysis of multifactor RNA-Seq experiments with respect to biological variation. <i>Nucleic Acids Research</i> , 2012 , 40, 4288-97	20.1	2691
32	Detecting differential expression in RNA-sequence data using quasi-likelihood with shrunken dispersion estimates. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2012 , 11,	1.2	191
31	FluShuffle and FluResort: new algorithms to identify reassorted strains of the influenza virus by mass spectrometry. <i>BMC Bioinformatics</i> , 2012 , 13, 208	3.6	17
30	Gata-3 negatively regulates the tumor-initiating capacity of mammary luminal progenitor cells and targets the putative tumor suppressor caspase-14. <i>Molecular and Cellular Biology</i> , 2011 , 31, 4609-22	4.8	84
29	ROAST: rotation gene set tests for complex microarray experiments. <i>Bioinformatics</i> , 2010 , 26, 2176-82	7.2	329
28	Permutation P-values should never be zero: calculating exact P-values when permutations are randomly drawn. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2010 , 9, Article39	1.2	278
27	edgeR: a Bioconductor package for differential expression analysis of digital gene expression data. <i>Bioinformatics</i> , 2010 , 26, 139-40	7.2	19583
26	Transcriptome analyses of mouse and human mammary cell subpopulations reveal multiple conserved genes and pathways. <i>Breast Cancer Research</i> , 2010 , 12, R21	8.3	313
25	Gene ontology analysis for RNA-seq: accounting for selection bias. <i>Genome Biology</i> , 2010 , 11, R14	18.3	3563

24	Testing significance relative to a fold-change threshold is a TREAT. <i>Bioinformatics</i> , 2009 , 25, 765-71	7.2	368
23	Small-sample estimation of negative binomial dispersion, with applications to SAGE data. <i>Biostatistics</i> , 2008 , 9, 321-32	3.7	692
22	Moderated statistical tests for assessing differences in tag abundance. <i>Bioinformatics</i> , 2007 , 23, 2881-7	7.2	601
21	Generation of a functional mammary gland from a single stem cell. <i>Nature</i> , 2006 , 439, 84-8	50.4	1610
20	Series evaluation of Tweedie exponential dispersion model densities. <i>Statistics and Computing</i> , 2005 , 15, 267-280	1.8	160
19	Use of within-array replicate spots for assessing differential expression in microarray experiments. <i>Bioinformatics</i> , 2005 , 21, 2067-75	7.2	1079
18	Linear models and empirical bayes methods for assessing differential expression in microarray experiments. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2004 , 3, Article3	1.2	8635
17	Fitting Tweedie's Compound Poisson Model to Insurance Claims Data: Dispersion Modelling. <i>ASTIN Bulletin</i> , 2002 , 32, 143-157	1.6	114
16	Transposable element expression at unique loci in single cells with CELLO-seq		2
15	Genome reconfiguration prior to mitosis shapes the generation of adaptive immunity		2
14	scater: pre-processing, quality control, normalisation and visualisation of single-cell RNA-seq data in R		11
13	Correcting batch effects in single-cell RNA sequencing data by matching mutual nearest neighbours		13
12	beachmat: a Bioconductor C++ API for accessing single-cell genomics data from a variety of R matrix types		3
11	Detection and removal of barcode swapping in single-cell RNA-seq data		5
10	Activation-induced re-organization of chromatin in human T cells		1
9	Suv39h-catalysed H3K9me3 is critical for euchromatic genome organisation and the maintenance of gene transcription		1
8	Distinguishing cells from empty droplets in droplet-based single-cell RNA sequencing data		9
7	Specificity of RNAi, LNA and CRISPRi as loss-of-function methods in transcriptional analysis		1

6	The R package Rsubread is easier, faster, cheaper and better for alignment and quantification of RNA sequencing reads	10
5	Overcoming systematic errors caused by log-transformation of normalized single-cell RNA sequencing data	22
4	Orchestrating Single-Cell Analysis with Bioconductor	9
3	A high-content RNAi screen reveals multiple roles for long noncoding RNAs in cell division	2
2	Overcoming confounding plate effects in differential expression analyses of single-cell RNA-seq data	2
1	SpatialExperiment: infrastructure for spatially resolved transcriptomics data in R using Bioconductor	8