

Xinqiao Jia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4102348/publications.pdf>

Version: 2024-02-01

108
papers

7,710
citations

66234

42
h-index

51492

86
g-index

112
all docs

112
docs citations

112
times ranked

10486
citing authors

#	ARTICLE	IF	CITATIONS
1	Controlled Molecular Assembly of Tetrazine Derivatives on Surfaces. <i>CCS Chemistry</i> , 2022, 4, 162-172.	4.6	2
2	Tunable Synthesis of Hydrogel Microfibers via Interfacial Tetrazine Ligation. <i>Biomacromolecules</i> , 2022, 23, 3017-3030.	2.6	4
3	Hydrogel-Supported, Engineered Model of Vocal Fold Epithelium. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 4305-4317.	2.6	8
4	Enabling <i>In Vivo</i> Photocatalytic Activation of Rapid Bioorthogonal Chemistry by Repurposing Silicon-Rhodamine Fluorophores as Cytocompatible Far-Red Photocatalysts. <i>Journal of the American Chemical Society</i> , 2021, 143, 10793-10803.	6.6	47
5	RGDSP-Decorated Hyaluronate Hydrogels Facilitate Rapid 3D Expansion of Amylase-Expressing Salivary Gland Progenitor Cells. <i>ACS Biomaterials Science and Engineering</i> , 2021, 7, 5749-5761.	2.6	13
6	Characterizing aggregate growth and morphology of alanine-rich polypeptides as a function of sequence chemistry and solution temperature from scattering, spectroscopy, and microscopy. <i>Biophysical Chemistry</i> , 2020, 267, 106481.	1.5	0
7	Core-Shell Microfibers via Bioorthogonal Layer-by-Layer Assembly. <i>ACS Macro Letters</i> , 2020, 9, 1369-1375.	2.3	6
8	Improving Tumor Background Contrast through Hydrophilic Tetrazines: The Construction of 18 F-Labeled PET Agents Targeting Nonsmall Cell Lung Carcinoma. <i>Chemistry - A European Journal</i> , 2020, 26, 4690-4694.	1.7	9
9	Regulation of Stem Cell Function in an Engineered Vocal Fold-Mimetic Environment. <i>Regenerative Engineering and Translational Medicine</i> , 2020, 6, 164-178.	1.6	4
10	3D integrated photonics platform with deterministic geometry control. <i>Photonics Research</i> , 2020, 8, 194.	3.4	10
11	Regulation of neovasculogenesis in co-cultures of aortic adventitial fibroblasts and microvascular endothelial cells by cell-cell interactions and TGF- β /ALK5 signaling. <i>PLoS ONE</i> , 2020, 15, e0244243.	1.1	2
12	Regulation of Stem Cell Function in an Engineered Vocal Fold-Mimetic Environment. <i>Regenerative Engineering and Translational Medicine</i> , 2020, 6, 164-178.	1.6	1
13	Induction of Fibrogenic Phenotype in Human Mesenchymal Stem Cells by Connective Tissue Growth Factor in a Hydrogel Model of Soft Connective Tissue. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 4531-4541.	2.6	14
14	Spatial Patterning of Molecular Cues and Vascular Cells in Fully Integrated Hydrogel Channels via Interfacial Bioorthogonal Cross-Linking. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 16402-16411.	4.0	19
15	Biocompatibility and Viscoelastic Properties of Injectable Resilin-Like Polypeptide and Hyaluronan Hybrid Hydrogels in Rabbit Vocal Folds. <i>Regenerative Engineering and Translational Medicine</i> , 2019, 5, 373-386.	1.6	13
16	Culture of Mesenchymal Stem Cells in a Hydrogel Model of Vocal Fold Lamina Propria. <i>Regenerative Engineering and Translational Medicine</i> , 2019, 5, 387-401.	1.6	2
17	Understanding aging in chalcogenide glass thin films using precision resonant cavity refractometry. <i>Optical Materials Express</i> , 2019, 9, 2252.	1.6	12
18	Sequence and Conformational Analysis of Peptide-Polymer Bioconjugates by Multidimensional Mass Spectrometry. <i>Biomacromolecules</i> , 2018, 19, 1498-1507.	2.6	13

#	ARTICLE	IF	CITATIONS
19	Core-shell patterning of synthetic hydrogels via interfacial bioorthogonal chemistry for spatial control of stem cell behavior. <i>Chemical Science</i> , 2018, 9, 5394-5404.	3.7	31
20	Cellular interactions with hydrogel microfibers synthesized via interfacial tetrazine ligation. <i>Biomaterials</i> , 2018, 180, 24-35.	5.7	15
21	Rapid Bioorthogonal Chemistry Enables in Situ Modulation of the Stem Cell Behavior in 3D without External Triggers. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 26016-26027.	4.0	25
22	Chemical synthesis of biomimetic hydrogels for tissue engineering. <i>Polymer International</i> , 2017, 66, 1787-1799.	1.6	16
23	Bottom-up assembly of salivary gland microtissues for assessing myoepithelial cell function. <i>Biomaterials</i> , 2017, 142, 124-135.	5.7	26
24	CK2.1, a bone morphogenetic protein receptor type Ia mimetic peptide, repairs cartilage in mice with destabilized medial meniscus. <i>Stem Cell Research and Therapy</i> , 2017, 8, 82.	2.4	14
25	Primary Salivary Human Stem/Progenitor Cells Undergo Microenvironment-Driven Acinar-Like Differentiation in Hyaluronate Hydrogel Culture. <i>Stem Cells Translational Medicine</i> , 2017, 6, 110-120.	1.6	71
26	Responsive hybrid (poly)peptide-polymer conjugates. <i>Journal of Materials Chemistry B</i> , 2017, 5, 8274-8288.	2.9	23
27	Recombinant Resilin-Based Bioelastomers for Regenerative Medicine Applications. <i>Advanced Healthcare Materials</i> , 2016, 5, 266-275.	3.9	41
28	Rapid Bioorthogonal Chemistry Turn-on through Enzymatic or Long Wavelength Photocatalytic Activation of Tetrazine Ligation. <i>Journal of the American Chemical Society</i> , 2016, 138, 5978-5983.	6.6	121
29	Tissue engineering-based therapeutic strategies for vocal fold repair and regeneration. <i>Biomaterials</i> , 2016, 108, 91-110.	5.7	75
30	Biomimetic Hydrogels Incorporating Polymeric Cell-Adhesive Peptide To Promote the 3D Assembly of Tumoroids. <i>Biomacromolecules</i> , 2016, 17, 3750-3760.	2.6	36
31	Predicting unfolding thermodynamics and stable intermediates for alanine-rich helical peptides with the aid of coarse-grained molecular simulation. <i>Biophysical Chemistry</i> , 2016, 217, 8-19.	1.5	12
32	Tuning Hydrogel Properties to Promote the Assembly of Salivary Gland Spheroids in 3D. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 2217-2230.	2.6	37
33	Regulation of Epithelial-to-Mesenchymal Transition Using Biomimetic Fibrous Scaffolds. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 17915-17926.	4.0	21
34	Biomaterials-based strategies for salivary gland tissue regeneration. <i>Biomaterials Science</i> , 2016, 4, 592-604.	2.6	42
35	Physiologically Based Pharmacokinetic Modeling of Fluorescently Labeled Block Copolymer Nanoparticles for Controlled Drug Delivery in Leukemia Therapy. <i>CPT: Pharmacometrics and Systems Pharmacology</i> , 2015, 4, 167-174.	1.3	27
36	Foldable and Cytocompatible Sol-gel TiO ₂ Photonics. <i>Scientific Reports</i> , 2015, 5, 13832.	1.6	36

#	ARTICLE	IF	CITATIONS
37	Meter-Long Multiblock Copolymer Microfibers Via Interfacial Bioorthogonal Polymerization. <i>Advanced Materials</i> , 2015, 27, 2783-2790.	11.1	41
38	Modular and orthogonal synthesis of hybrid polymers and networks. <i>Chemical Communications</i> , 2015, 51, 5218-5237.	2.2	40
39	Aggregation of poly(acrylic acid)-containing elastin-mimetic copolymers. <i>Soft Matter</i> , 2015, 11, 1839-1850.	1.2	10
40	CD19-Targeted Nanodelivery of Doxorubicin Enhances Therapeutic Efficacy in B-Cell Acute Lymphoblastic Leukemia. <i>Molecular Pharmaceutics</i> , 2015, 12, 2101-2111.	2.3	40
41	Association of Resting Heart Rate with Infrarenal Aortic Diameter: A Cross Sectional Study in Chinese Hypertensive Adults. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015, 50, 714-721.	0.8	8
42	Top-down mass spectrometry of hybrid materials with hydrophobic peptide and hydrophilic or hydrophobic polymer blocks. <i>Analyst</i> , The, 2015, 140, 7550-7564.	1.7	22
43	Salivary Gland Tissue Engineering and Repair. , 2015, , 613-623.		2
44	SUâ€¢â€¢â€¢673: Recent Developments and Comprehensive Validations of a GPUâ€¢Based Proton Monte Carlo Simulation Package, GPMC. <i>Medical Physics</i> , 2015, 42, 3491-3491.	1.6	0
45	A hydrogel-based tumor model for the evaluation of nanoparticle-based cancer therapeutics. <i>Biomaterials</i> , 2014, 35, 3319-3330.	5.7	103
46	Dynamic Vibration Cooperates with Connective Tissue Growth Factor to Modulate Stem Cell Behaviors. <i>Tissue Engineering - Part A</i> , 2014, 20, 1922-1934.	1.6	30
47	Three-dimensional in vitro tumor models for cancer research and drug evaluation. <i>Biotechnology Advances</i> , 2014, 32, 1256-1268.	6.0	375
48	A novel in vivo model for evaluating functional restoration of a tissue-engineered salivary gland. <i>Laryngoscope</i> , 2014, 124, 456-461.	1.1	58
49	Interfacial Bioorthogonal Cross-Linking. <i>ACS Macro Letters</i> , 2014, 3, 727-731.	2.3	58
50	Hyaluronan: A simple polysaccharide with diverse biological functions. <i>Acta Biomaterialia</i> , 2014, 10, 1558-1570.	4.1	490
51	Construction and Characterization of a Novel Vocal Fold Bioreactor. <i>Journal of Visualized Experiments</i> , 2014, , e51594.	0.2	8
52	Design and characterization of a dynamic vibrational culture system. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2013, 7, 213-225.	1.3	26
53	Dexamethasone-Loaded Block Copolymer Nanoparticles Induce Leukemia Cell Death and Enhance Therapeutic Efficacy: A Novel Application in Pediatric Nanomedicine. <i>Molecular Pharmaceutics</i> , 2013, 10, 2199-2210.	2.3	63
54	Hyaluronic Acid-Based Hydrogels Containing Covalently Integrated Drug Depots: Implication for Controlling Inflammation in Mechanically Stressed Tissues. <i>Biomacromolecules</i> , 2013, 14, 3808-3819.	2.6	44

#	ARTICLE	IF	CITATIONS
55	Nanoparticle formation from hybrid, multiblock copolymers of poly(acrylic acid) and a VPGVG peptide. <i>Soft Matter</i> , 2013, 9, 1589-1599.	1.2	25
56	Resilin-like polypeptide hydrogels engineered for versatile biological function. <i>Soft Matter</i> , 2013, 9, 665-673.	1.2	106
57	Poly(μ -caprolactone)-based copolymers bearing pendant cyclic ketals and reactive acrylates for the fabrication of photocrosslinked elastomers. <i>Acta Biomaterialia</i> , 2013, 9, 8232-8244.	4.1	16
58	Modulating the Behaviors of Mesenchymal Stem Cells Via the Combination of High-Frequency Vibratory Stimulations and Fibrous Scaffolds. <i>Tissue Engineering - Part A</i> , 2013, 19, 1862-1878.	1.6	32
59	Implantable Three-Dimensional Salivary Spheroid Assemblies Demonstrate Fluid and Protein Secretory Responses to Neurotransmitters. <i>Tissue Engineering - Part A</i> , 2013, 19, 1610-1620.	1.6	88
60	Hyaluronic acid-based hydrogels as 3D matrices for in vitro tumor engineering. , 2012, , .		0
61	High-Frequency Viscoelastic Shear Properties of Vocal Fold Tissues: Implications for Vocal Fold Tissue Engineering. <i>Tissue Engineering - Part A</i> , 2012, 18, 2008-2019.	1.6	23
62	Biomaterial-based strategies for the engineering of mechanically active soft tissues. <i>MRS Communications</i> , 2012, 2, 31-39.	0.8	14
63	Injectable perlecan domain 1-hyaluronan microgels potentiate the cartilage repair effect of BMP2 in a murine model of early osteoarthritis. <i>Biomedical Materials (Bristol)</i> , 2012, 7, 024109.	1.7	63
64	Leptin inhibitor as a novel therapeutic for osteoarthritis. , 2012, , .		0
65	Vocal fold-mimetic environment for fibroblastic differentiation of mesenchymal stem cell. , 2012, , .		1
66	Tuning the Properties of Elastin Mimetic Hybrid Copolymers via a Modular Polymerization Method. <i>Biomacromolecules</i> , 2012, 13, 1774-1786.	2.6	32
67	Mechano-responsive hydrogels crosslinked by block copolymer micelles. <i>Soft Matter</i> , 2012, 8, 10233.	1.2	68
68	Recreating the tumor microenvironment in a bilayer, hyaluronic acid hydrogel construct for the growth of prostate cancer spheroids. <i>Biomaterials</i> , 2012, 33, 9049-9060.	5.7	117
69	Hyaluronan (HA) Interacting Proteins RHAMM and Hyaluronidase Impact Prostate Cancer Cell Behavior and Invadopodia Formation in 3D HA-Based Hydrogels. <i>PLoS ONE</i> , 2012, 7, e50075.	1.1	57
70	Hyaluronic acid-based hydrogels: from a natural polysaccharide to complex networks. <i>Soft Matter</i> , 2012, 8, 3280.	1.2	463
71	Tissue Engineering Strategies for Vocal Fold Repair and Regeneration. , 2012, , 253-284.		1
72	WE-C-BRB-09: Development of a GPU-Based Monte Carlo Dose Calculation Package for Proton Radiotherapy. <i>Medical Physics</i> , 2012, 39, 3945-3945.	1.6	0

#	ARTICLE	IF	CITATIONS
73	Tunable Mechanical Stability and Deformation Response of a Resilin-Based Elastomer. <i>Biomacromolecules</i> , 2011, 12, 2302-2310.	2.6	118
74	Hydrogels in Tissue Engineering. , 2011, , 9-46.		8
75	Controlling the Fibroblastic Differentiation of Mesenchymal Stem Cells Via the Combination of Fibrous Scaffolds and Connective Tissue Growth Factor. <i>Tissue Engineering - Part A</i> , 2011, 17, 2773-2785.	1.6	69
76	Poly(acrylic acid- <i>b</i> -styrene) Amphiphilic Multiblock Copolymers as Building Blocks for the Assembly of Discrete Nanoparticles. <i>Macromolecules</i> , 2011, 44, 1942-1951.	2.2	62
77	Controlling the adhesion and differentiation of mesenchymal stem cells using hyaluronic acid-based, doubly crosslinked networks. <i>Biomaterials</i> , 2011, 32, 2466-2478.	5.7	95
78	Assembly Properties of an Alanine-Rich, Lysine-Containing Peptide and the Formation of Peptide/Polymer Hybrid Hydrogels. <i>Macromolecular Chemistry and Physics</i> , 2011, 212, 229-239.	1.1	28
79	Heparin-decorated, hyaluronic acid-based hydrogel particles for the controlled release of bone morphogenetic protein 2. <i>Acta Biomaterialia</i> , 2011, 7, 3050-3059.	4.1	125
80	Integrin-mediated adhesion and proliferation of human MSCs elicited by a hydroxyproline-lacking, collagen-like peptide. <i>Biomaterials</i> , 2011, 32, 6412-6424.	5.7	49
81	Amphiphilic Block Co-polyesters Bearing Pendant Cyclic Ketal Groups as Nanocarriers for Controlled Release of Camptothecin. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011, 22, 1275-1298.	1.9	11
82	3D Matrices for Anti-Cancer Drug Testing and Development. <i>Oncology Issues</i> , 2010, 25, 20-25.	0.0	97
83	Injectable hyaluronic acid-dextran hydrogels and effects of implantation in ferret vocal fold. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2010, 93B, 386-393.	1.6	40
84	Effects of Matrix Composition, Microstructure, and Viscoelasticity on the Behaviors of Vocal Fold Fibroblasts Cultured in Three-Dimensional Hydrogel Networks. <i>Tissue Engineering - Part A</i> , 2010, 16, 1247-1261.	1.6	48
85	Hierarchically structured, hyaluronic acid-based hydrogel matrices via the covalent integration of microgels into macroscopic networks. <i>Soft Matter</i> , 2010, 6, 5045.	1.2	52
86	Hybrid, elastomeric hydrogels crosslinked by multifunctional block copolymer micelles. <i>Soft Matter</i> , 2010, 6, 5293.	1.2	44
87	Perlecan Domain IV Peptide Stimulates Salivary Gland Cell Assembly <i>In Vitro</i> . <i>Tissue Engineering - Part A</i> , 2009, 15, 3309-3320.	1.6	56
88	Hybrid Multicomponent Hydrogels for Tissue Engineering. <i>Macromolecular Bioscience</i> , 2009, 9, 140-156.	2.1	266
89	Perlecan domain I-conjugated, hyaluronic acid-based hydrogel particles for enhanced chondrogenic differentiation via BMP-2 release. <i>Biomaterials</i> , 2009, 30, 6964-6975.	5.7	100
90	High Frequency Measurements of Viscoelastic Properties of Hydrogels for Vocal Fold Regeneration. <i>Experimental Mechanics</i> , 2009, 49, 235-246.	1.1	24

#	ARTICLE	IF	CITATIONS
91	Hyaluronic acid-based hydrogels as 3D matrices for in vitro evaluation of chemotherapeutic drugs using poorly adherent prostate cancer cells. <i>Biomaterials</i> , 2009, 30, 6076-6085.	5.7	269
92	Structural Analysis and Mechanical Characterization of Hyaluronic Acid-Based Doubly Cross-Linked Networks. <i>Macromolecules</i> , 2009, 42, 537-546.	2.2	112
93	Synthesis and Characterization of Elastin-Mimetic Hybrid Polymers with Multiblock, Alternating Molecular Architecture and Elastomeric Properties. <i>Macromolecules</i> , 2009, 42, 2532-2541.	2.2	78
94	Hybrid hydrogels for use in vocal fold tissue engineering. <i>FASEB Journal</i> , 2009, 23, .	0.2	0
95	Oriented polycrystalline mesoporous CeO ₂ with enhanced pore integrity. <i>Microporous and Mesoporous Materials</i> , 2008, 115, 247-252.	2.2	17
96	Fabrication and characterization of cross-linkable hydrogel particles based on hyaluronic acid: potential application in vocal fold regeneration. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2008, 19, 223-243.	1.9	66
97	Nanostructured materials for applications in drug delivery and tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2007, 18, 241-268.	1.9	897
98	Nylon Surface Modification: 2. Nylon-Supported Composite Films. <i>Langmuir</i> , 2006, 22, 1646-1651.	1.6	29
99	Hyaluronic Acid-Based Microgels and Microgel Networks for Vocal Fold Regeneration. <i>Biomacromolecules</i> , 2006, 7, 3336-3344.	2.6	221
100	Nylon surface modification. Part 1. Targeting the amide groups for selective introduction of reactive functionalities. <i>Polymer</i> , 2006, 47, 4916-4924.	1.8	51
101	Controlled Degradation and Mechanical Behavior of Photopolymerized Hyaluronic Acid Networks. <i>Biomacromolecules</i> , 2005, 6, 386-391.	2.6	669
102	Growth of Silicon Oxide in Thin Film Block Copolymer Scaffolds. <i>Advanced Materials</i> , 2004, 16, 702-706.	11.1	57
103	Prolongation of sciatic nerve blockade by in situ cross-linked hyaluronic acid. <i>Biomaterials</i> , 2004, 25, 4797-4804.	5.7	170
104	Synthesis and Characterization of in Situ Cross-Linkable Hyaluronic Acid-Based Hydrogels with Potential Application for Vocal Fold Regeneration. <i>Macromolecules</i> , 2004, 37, 3239-3248.	2.2	173
105	Controlled Growth of Silicon Dioxide from "Nanoholes" in Silicon-Supported Tris(trimethylsiloxy)silyl Monolayers: A Rational Control of Surface Roughness at the Nanometer Length Scale. <i>Langmuir</i> , 2003, 19, 2449-2457.	1.6	13
106	Buried Interface Modification Using Supercritical Carbon Dioxide. <i>Langmuir</i> , 2002, 18, 683-687.	1.6	28
107	A Route to Nanoscopic SiO ₂ Posts via Block Copolymer Templates. <i>Advanced Materials</i> , 2001, 13, 795-797.	11.1	178
108	Copolymerization of ethyl α -(hydroxymethyl)acrylate with maleimide and characterization of the resulting copolymer. <i>Journal of Polymer Science Part A</i> , 1998, 36, 1291-1299.	2.5	11