

# Molla Mesele Wassie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4102676/publications.pdf>

Version: 2024-02-01

34  
papers

7,523  
citations

471509

17  
h-index

377865

34  
g-index

34  
all docs

34  
docs citations

34  
times ranked

15354  
citing authors

#	ARTICLE	IF	CITATIONS
1	Maternal metabolic factors and the association with gestational diabetes: A systematic review and meta-analysis. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3532.	4.0	14
2	Associations between newborn thyroid-stimulating hormone concentration and neurodevelopment and growth of children at 18 months. <i>British Journal of Nutrition</i> , 2021, 126, 1-11.	2.3	2
3	The impact of coronavirus disease 2019 on surveillance colonoscopies in South Australia. <i>JGH Open</i> , 2021, 5, 486-492.	1.6	8
4	Association Between Newborn Thyroid-Stimulating-Hormone Concentration and Neurodevelopment and Growth: a Systematic Review. <i>Biological Trace Element Research</i> , 2021, , 1.	3.5	4
5	Comparison of iodine status pre- and post-mandatory iodine fortification of bread in South Australia: a population study using newborn thyroid-stimulating hormone concentration as a marker. <i>Public Health Nutrition</i> , 2019, 22, 3063-3072.	2.2	4
6	Stunting and Its Determinants among Adolescent Girls: Findings from the Nutrition Surveillance Project, Northwest Ethiopia. <i>Ecology of Food and Nutrition</i> , 2019, 58, 481-494.	1.6	18
7	Agreement between markers of population iodine status in classifying iodine status of populations: a systematic review. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 949-958.	4.7	9
8	Household food insecurity predisposes to undiversified diet in northwest Ethiopia: finding from the baseline survey of nutrition project, 2016. <i>BMC Research Notes</i> , 2019, 12, 54.	1.4	10
9	&lt;p&gt;Factors associated with overweight and obesity among adults in northeast Ethiopia: a cross-sectional study&lt;p&gt;. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 391-399.	2.4	34
10	Poor child complementary Feeding Practices in northwest Ethiopia: Finding from the Baseline Survey of Nutrition Project, 2016. <i>Italian Journal of Pediatrics</i> , 2019, 45, 154.	2.6	7
11	Burden of disease attributable to suboptimal diet, metabolic risks and low physical activity in Ethiopia and comparison with Eastern sub-Saharan African countries, 1990â€“2015: findings from the Global Burden of Disease Study 2015. <i>BMC Public Health</i> , 2018, 18, 552.	2.9	9
12	Global, regional, and national age-sex-specific mortality and life expectancy, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1684-1735.	13.7	716
13	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	13.7	4,989
14	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	13.7	335
15	Motherâ€™s Infant and Young Child Feeding (IYCF) knowledge improved timely initiation of complementary feeding of children aged 6â€“24Âmonths in the rural population of northwest Ethiopia. <i>BMC Research Notes</i> , 2018, 11, 593.	1.4	16
16	Iodine status five years after the mandatory salt iodization legislation indicates above requirement: a cross sectional study in Northwest Ethiopia. <i>BMC Nutrition</i> , 2018, 4, 52.	1.6	7
17	Anemia and associated factors among adolescent girls living in Aw-Barre refugee camp, Somali regional state, Southeast Ethiopia. <i>PLoS ONE</i> , 2018, 13, e0205381.	2.5	22
18	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 391, 2236-2271.	13.7	638

#	ARTICLE	IF	CITATIONS
19	Prevalence of stunting and its associated factors among children 6-59 months of age in Libo-Kemekem district, Northwest Ethiopia; A community based cross sectional study. PLoS ONE, 2018, 13, e0195361.	2.5	40
20	Prevalence and factors associated with overweight and obesity among private kindergarten school children in Bahirdar Town, Northwest Ethiopia: cross-sectional study. BMC Research Notes, 2017, 10, 22.	1.4	16
21	Stunting, wasting and associated factors among children aged 6â€“24 months in Dabat health and demographic surveillance system site: A community based cross-sectional study in Ethiopia. BMC Pediatrics, 2017, 17, 96.	1.7	80
22	Child wasting is a severe public health problem in the predominantly rural population of Ethiopia: A community based cross-sectional study. Archives of Public Health, 2017, 75, 26.	2.4	19
23	Anemia among adult HIV patients in Ethiopia: a hospital-based cross-sectional study. HIV/AIDS - Research and Palliative Care, 2017, Volume 9, 25-30.	0.8	26
24	Stunting and its determinant factors among children aged 6â€“59 months in Ethiopia. Italian Journal of Pediatrics, 2017, 43, 112.	2.6	25
25	Only half of the mothers practiced early initiation of breastfeeding in Northwest Ethiopia, 2015. BMC Research Notes, 2017, 10, 501.	1.4	17
26	Prevalence and associated factors of low serum zinc concentration in adolescents of Gambella city, Southwest Ethiopia. Nutrition and Dietary Supplements, 2017, Volume 9, 1-8.	0.7	2
27	Patient safety culture and associated factors: A quantitative and qualitative study of healthcare workers' view in Jimma zone Hospitals, Southwest Ethiopia. BMC Health Services Research, 2016, 16, 495.	2.2	75
28	Disordered eating attitude and associated factors among high school adolescents aged 12â€“19 years in Addis Ababa, Ethiopia: a cross-sectional study. BMC Research Notes, 2016, 9, 503.	1.4	19
29	Factors associated with prelacteal feeding in the rural population of northwest Ethiopia: a community cross-sectional study. International Breastfeeding Journal, 2016, 11, 14.	2.6	42
30	Dietary diversity, meal frequency and associated factors among infant and young children in Northwest Ethiopia: a cross-sectional study. BMC Public Health, 2015, 15, 1007.	2.9	106
31	Predictors of nutritional status of Ethiopian adolescent girls: a community based cross sectional study. BMC Nutrition, 2015, 1, .	1.6	44
32	Dietary practice and associated factors among type 2 diabetic patients: a cross sectional hospital based study, Addis Ababa, Ethiopia. SpringerPlus, 2015, 4, 15.	1.2	58
33	Prevalence and associated factors of goiter among rural children aged 6-12 years old in Northwest Ethiopia, cross-sectional study. BMC Public Health, 2014, 14, 130.	2.9	38
34	Prevalence and associated factors of anemia among pregnant women of Mekelle town: a cross sectional study. BMC Research Notes, 2014, 7, 888.	1.4	74