## Yao Yu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4103129/publications.pdf

Version: 2024-02-01

567281 610901 1,054 24 15 24 citations h-index g-index papers 25 25 25 1788 docs citations all docs times ranked citing authors

#	Article	IF	CITATIONS
1	Glass-forming ability correlated with the liquid-liquid transition in Pd42.5Ni42.5P15 alloy. Scripta Materialia, 2021, 193, 117-121.	5.2	21
2	Conformal Shell Amorphization of Nanoporous Ag-Bi for Efficient Formate Generation. ACS Applied Materials & Samp; Interfaces, 2020, 12, 31319-31326.	8.0	15
3	<i>In situ</i> high-temperature nuclear magnetic resonance characterization of structural evolution in pure gallium melt. Physical Review B, 2019, 100, .	3.2	5
4	Giant Stability Enhancement of CsPbX <sub>3</sub> Nanocrystal Films by Plasma-Induced Ligand Polymerization. ACS Applied Materials & Samp; Interfaces, 2019, 11, 35270-35276.	8.0	36
5	First-Order Liquid–Liquid Transition without Density Discontinuity in Molten Sodium Acetate Trihydrate and Its Influence on Crystallization. Journal of Physical Chemistry Letters, 2019, 10, 4285-4290.	4.6	8
6	Holey graphene synthesized by electrochemical exfoliation for high-performance flexible microsupercapacitors. Journal of Materials Chemistry A, 2019, 7, 7852-7858.	10.3	34
7	Intrinsically Optimizing Charge Transfer via Tuning Charge/Discharge Mode for Lithium–Oxygen Batteries. Small, 2019, 15, 1900154.	10.0	7
8	Electrochemical training of nanoporous Cu-In catalysts for efficient CO2-to-CO conversion and high durability. Electrochimica Acta, 2019, 295, 584-590.	5.2	24
9	Hierarchical aging pathways and signatures of thermodynamic transition in molecular glasses. Science China Materials, 2019, 62, 864-872.	6.3	1
10	New P2-Type Honeycomb-Layered Sodium-Ion Conductor: Na <sub>2</sub> Mg <sub>2</sub> TeO <sub>6</sub> . ACS Applied Materials & Distribution (15760-15766).	8.0	44
11	Flexible Bimetallic Nanoporous Cu-Ag Synthesized by Electrochemical Dealloying for Battery-Type Electrodes with High Electrochemical Performance. Journal of the Electrochemical Society, 2018, 165, A947-A951.	2.9	11
12	Siâ€Doping Mediated Phase Control from β―to γâ€Form Li <sub>3</sub> VO <sub>4</sub> toward Smoothing L Insertion/Extraction. Advanced Energy Materials, 2018, 8, 1701621.	<sup>Li</sup> 19.5	37
13	A P2â€Type Layered Superionic Conductor Gaâ€Doped Na <sub>2</sub> Zn <sub>2</sub> TeO <sub>6</sub> for Allâ€Solidâ€State Sodiumâ€Ion Batteries. Chemistry - A European Journal, 2018, 24, 1057-1061.	3.3	42
14	Silver nanowires as the current collector for a flexible in-plane micro-supercapacitor via a one-step, mask-free patterning strategy. Nanotechnology, 2018, 29, 055401.	2.6	24
15	Dynamic signature of orbital selective Mott transition in the metallic phase of VO <sub>2</sub> . New Journal of Physics, 2018, 20, 073026.	2.9	8
16	One-step electrochemically expanded graphite foil for flexible all-solid supercapacitor with high rate performance. Electrochimica Acta, 2017, 228, 553-561.	5.2	48
17	Nanowelding and patterning of silver nanowires via mask-free atmospheric cold plasma-jet scanning. Nanotechnology, 2017, 28, 225301.	2.6	11
18	Gallium-Doped Li <sub>7</sub> La <sub>3</sub> Zr <sub>2</sub> O <sub>12</sub> Garnet-Type Electrolytes with High Lithium-Ion Conductivity. ACS Applied Materials & Samp; Interfaces, 2017, 9, 1542-1552.	8.0	266

#	Article	IF	CITATION
19	Phytic acid-assisted electrochemically synthesized three-dimensional O, P-functionalized graphene monoliths with high capacitive performance. Nanoscale, 2017, 9, 12601-12608.	5.6	18
20	Carbon-based flexible micro-supercapacitor fabrication via mask-free ambient micro-plasma-jet etching. Carbon, 2017, 111, 121-127.	10.3	128
21	Electrochemical activation of carbon cloth in aqueous inorganic salt solution for superior capacitive performance. Nanoscale, 2016, 8, 10406-10414.	5.6	82
22	Cold plasma welding of polyaniline nanofibers with enhanced electrical and mechanical properties. Nanotechnology, 2015, 26, 495302.	2.6	7
23	Evidence of liquid–liquid transition in glass-forming La50Al35Ni15 melt above liquidus temperature. Nature Communications, 2015, 6, 7696.	12.8	111
24	Patterned graphene functionalization via mask-free scanning of micro-plasma jet under ambient condition. Applied Physics Letters, 2014, 104, .	3.3	66