

Kenneth H Williams

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4104064/kenneth-h-williams-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

8,319
citations

48
h-index

87
g-index

163
ext. papers

10,566
ext. citations

7.3
avg, IF

5.84
L-index

#	Paper	IF	Citations
156	Surface parameters and bedrock properties covary across a mountainous watershed: Insights from machine learning and geophysics.. <i>Science Advances</i> , 2022 , 8, eabj2479	14.3	0
155	Modeling geogenic and atmospheric nitrogen through the East River Watershed, Colorado Rocky Mountains. <i>PLoS ONE</i> , 2021 , 16, e0247907	3.7	3
154	Bedrock weathering contributes to subsurface reactive nitrogen and nitrous oxide emissions. <i>Nature Geoscience</i> , 2021 , 14, 217-224	18.3	6
153	Hysteresis Patterns of Watershed Nitrogen Retention and Loss Over the Past 50 years in United States Hydrological Basins. <i>Global Biogeochemical Cycles</i> , 2021 , 35, e2020GB006777	5.9	9
152	The Colorado East River Community Observatory Data Collection. <i>Hydrological Processes</i> , 2021 , 35, e14243	4.3	4
151	Direct Observation of the Depth of Active Groundwater Circulation in an Alpine Watershed. <i>Water Resources Research</i> , 2021 , 57,	5.4	2
150	Effect of elevation, season and accelerated snowmelt on biogeochemical processes during isolated conifer needle litter decomposition. <i>PeerJ</i> , 2021 , 9, e11926	3.1	1
149	Probabilistic Evaluation of Geoscientific Hypotheses With Geophysical Data: Application to Electrical Resistivity Imaging of a Fractured Bedrock Zone. <i>Journal of Geophysical Research: Solid Earth</i> , 2021 , 126, e2021JB021767	3.6	2
148	The Snowmelt Niche Differentiates Three Microbial Life Strategies That Influence Soil Nitrogen Availability During and After Winter. <i>Frontiers in Microbiology</i> , 2020 , 11, 871	5.7	12
147	Phosphorus Speciation in Atmospherically Deposited Particulate Matter and Implications for Terrestrial Ecosystem Productivity. <i>Environmental Science & Technology</i> , 2020 , 54, 4984-4994	10.3	3
146	Persistence and Plasticity in Conifer Water-Use Strategies. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020 , 125, e2018JG004845	3.7	9
145	Resolution matters when modeling climate change in headwaters of the Colorado River. <i>Environmental Research Letters</i> , 2020 , 15, 104031	6.2	5
144	Accelerated Snowmelt Protocol to Simulate Climate Change Induced Impacts on Snowpack Dependent Ecosystems. <i>Bio-protocol</i> , 2020 , 10, e3557	0.9	2
143	A comparison of lodgepole and spruce needle chemistry impacts on terrestrial biogeochemical processes during isolated decomposition. <i>PeerJ</i> , 2020 , 8, e9538	3.1	3
142	Efficiency of the Summer Monsoon in Generating Streamflow Within a Snow-Dominated Headwater Basin of the Colorado River. <i>Geophysical Research Letters</i> , 2020 , 47, e2020GL090856	4.9	4
141	Baseflow Age Distributions and Depth of Active Groundwater Flow in a Snow-Dominated Mountain Headwater Basin. <i>Water Resources Research</i> , 2020 , 56, e2020WR028161	5.4	4
140	Integrating airborne remote sensing and field campaigns for ecology and Earth system science. <i>Methods in Ecology and Evolution</i> , 2020 , 11, 1492-1508	7.7	14

139	Streamflow partitioning and transit time distribution in snow-dominated basins as a function of climate. <i>Journal of Hydrology</i> , 2019 , 570, 726-738	6	10
138	The Importance of Interflow to Groundwater Recharge in a Snowmelt-Dominated Headwater Basin. <i>Geophysical Research Letters</i> , 2019 , 46, 5899-5908	4.9	39
137	Return flows from beaver ponds enhance floodplain-to-river metals exchange in alluvial mountain catchments. <i>Science of the Total Environment</i> , 2019 , 685, 357-369	10.2	13
136	Microbial communities across a hillslope-riparian transect shaped by proximity to the stream, groundwater table, and weathered bedrock. <i>Ecology and Evolution</i> , 2019 , 9, 6869-6900	2.8	13
135	Investigating Microtopographic and Soil Controls on a Mountainous Meadow Plant Community Using High-Resolution Remote Sensing and Surface Geophysical Data. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019 , 124, 1618-1636	3.7	14
134	Distinct Source Water Chemistry Shapes Contrasting Concentration-Discharge Patterns. <i>Water Resources Research</i> , 2019 , 55, 4233-4251	5.4	58
133	From Grain to Floodplain: Evaluating heterogeneity of floodplain hydrostratigraphy using sedimentology, geophysics, and remote sensing. <i>Earth Surface Processes and Landforms</i> , 2019 , 44, 1799	3.7	6
132	Characterizing organic carbon dynamics during biostimulation of a uranium contaminated field site. <i>Biogeochemistry</i> , 2019 , 143, 117-132	3.8	2
131	Depth- and Time-Resolved Distributions of Snowmelt-Driven Hillslope Subsurface Flow and Transport and Their Contributions to Surface Waters. <i>Water Resources Research</i> , 2019 , 55, 9474-9499	5.4	13
130	Hyporheic Zone Microbiome Assembly Is Linked to Dynamic Water Mixing Patterns in Snowmelt-Dominated Headwater Catchments. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019 , 124, 3269-3280	3.7	10
129	Isotopic Fingerprint of Uranium Accumulation and Redox Cycling in Floodplains of the Upper Colorado River Basin. <i>Environmental Science & Technology</i> , 2019 , 53, 3399-3409	10.3	6
128	. <i>IEEE Access</i> , 2019 , 7, 182796-182813	3.5	9
127	Heterogeneity in Hyporheic Flow, Pore Water Chemistry, and Microbial Community Composition in an Alpine Streambed. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019 , 124, 3465-3478	3.7	11
126	Correlative Cryogenic Spectromicroscopy to Investigate Selenium Bioreduction Products. <i>Environmental Science & Technology</i> , 2018 , 52, 503-512	10.3	17
125	Field Application of U/U Measurements To Detect Reoxidation and Mobilization of U(IV). <i>Environmental Science & Technology</i> , 2018 , 52, 3422-3430	10.3	13
124	Potential for Methanosarcina to Contribute to Uranium Reduction during Acetate-Promoted Groundwater Bioremediation. <i>Microbial Ecology</i> , 2018 , 76, 660-667	4.4	18
123	Predicting the impact of land management decisions on overland flow generation: Implications for cesium migration in forested Fukushima watersheds. <i>Advances in Water Resources</i> , 2018 , 113, 42-54	4.7	1
122	Uranium Retention in a Bioreduced Region of an Alluvial Aquifer Induced by the Influx of Dissolved Oxygen. <i>Environmental Science & Technology</i> , 2018 , 52, 8133-8145	10.3	5

121	Decay curve analysis for data error quantification in time-domain induced polarization imaging. <i>Geophysics</i> , 2018 , 83, E75-E86	3.1	14
120	Geochemical Exports to River From the Intrameander Hyporheic Zone Under Transient Hydrologic Conditions: East River Mountainous Watershed, Colorado. <i>Water Resources Research</i> , 2018 , 54, 8456-8477	5.4	41
119	Deep Unsaturated Zone Contributions to Carbon Cycling in Semiarid Environments. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018 , 123, 3045-3054	3.7	10
118	Transport and humification of dissolved organic matter within a semi-arid floodplain. <i>Journal of Environmental Sciences</i> , 2017 , 57, 24-32	6.4	16
117	Snowmelt controls on concentration-discharge relationships and the balance of oxidative and acid-base weathering fluxes in an alpine catchment, East River, Colorado. <i>Water Resources Research</i> , 2017 , 53, 2507-2523	5.4	62
116	Water Table Dynamics and Biogeochemical Cycling in a Shallow, Variably-Saturated Floodplain. <i>Environmental Science & Technology</i> , 2017 , 51, 3307-3317	10.3	62
115	Anoxia stimulates microbially catalyzed metal release from Animas River sediments. <i>Environmental Sciences: Processes and Impacts</i> , 2017 , 19, 578-585	4.3	10
114	Thermodynamically controlled preservation of organic carbon in floodplains. <i>Nature Geoscience</i> , 2017 , 10, 415-419	18.3	129
113	Production of Hydrogen Peroxide in Groundwater at Rifle, Colorado. <i>Environmental Science & Technology</i> , 2017 , 51, 7881-7891	10.3	36
112	Unusual respiratory capacity and nitrogen metabolism in a Parcubacterium (OD1) of the Candidate Phyla Radiation. <i>Scientific Reports</i> , 2017 , 7, 40101	4.9	56
111	Oxidative Uranium Release from Anoxic Sediments under Diffusion-Limited Conditions. <i>Environmental Science & Technology</i> , 2017 , 51, 11039-11047	10.3	17
110	Redox Controls over the Stability of U(IV) in Floodplains of the Upper Colorado River Basin. <i>Environmental Science & Technology</i> , 2017 , 51, 10954-10964	10.3	21
109	Metatranscriptomic Analysis Reveals Unexpectedly Diverse Microbial Metabolism in a Biogeochemical Hot Spot in an Alluvial Aquifer. <i>Frontiers in Microbiology</i> , 2017 , 8, 40	5.7	10
108	Abundance and Distribution of Microbial Cells and Viruses in an Alluvial Aquifer. <i>Frontiers in Microbiology</i> , 2017 , 8, 1199	5.7	19
107	Contrasting the hydrologic response due to land cover and climate change in a mountain headwaters system. <i>Ecohydrology</i> , 2016 , 9, 1431-1438	2.5	21
106	Seasonal hyporheic dynamics control coupled microbiology and geochemistry in Colorado River sediments. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2016 , 121, 2976-2987	3.7	32
105	Reactive transport of uranium in a groundwater bioreduction study: Insights from high-temporal resolution 238U/235U data. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 187, 218-236	5.5	17
104	Thousands of microbial genomes shed light on interconnected biogeochemical processes in an aquifer system. <i>Nature Communications</i> , 2016 , 7, 13219	17.4	589

103	Using geochemical indicators to distinguish high biogeochemical activity in floodplain soils and sediments. <i>Science of the Total Environment</i> , 2016 , 563-564, 386-95	10.2	8
102	Critical biogeochemical functions in the subsurface are associated with bacteria from new phyla and little studied lineages. <i>Environmental Microbiology</i> , 2016 , 18, 159-73	5.2	111
101	Influence of hydrological, biogeochemical and temperature transients on subsurface carbon fluxes in a flood plain environment. <i>Biogeochemistry</i> , 2016 , 127, 367-396	3.8	57
100	Metatranscriptomic evidence of pervasive and diverse chemolithoautotrophy relevant to C, S, N and Fe cycling in a shallow alluvial aquifer. <i>ISME Journal</i> , 2016 , 10, 2106-17	11.9	71
99	Physico-Chemical Heterogeneity of Organic-Rich Sediments in the Rifle Aquifer, CO: Impact on Uranium Biogeochemistry. <i>Environmental Science & Technology</i> , 2016 , 50, 46-53	10.3	61
98	Iron and Carbon Dynamics during Aging and Reductive Transformation of Biogenic Ferrihydrite. <i>Environmental Science & Technology</i> , 2016 , 50, 25-35	10.3	21
97	Analysis of five complete genome sequences for members of the class Peribacteria in the recently recognized Peregrinibacteria bacterial phylum. <i>PeerJ</i> , 2016 , 4, e1607	3.1	31
96	Quantifying shallow subsurface water and heat dynamics using coupled hydrological-thermal-geophysical inversion. <i>Hydrology and Earth System Sciences</i> , 2016 , 20, 3477-3491	5.5	14
95	Deep Vadose Zone Respiration Contributions to Carbon Dioxide Fluxes from a Semiarid Floodplain. <i>Vadose Zone Journal</i> , 2016 , 15, 1-14	2.7	18
94	Hierarchical Bayesian method for mapping biogeochemical hot spots using induced polarization imaging. <i>Water Resources Research</i> , 2016 , 52, 533-551	5.4	28
93	Microbial Metagenomics Reveals Climate-Relevant Subsurface Biogeochemical Processes. <i>Trends in Microbiology</i> , 2016 , 24, 600-610	12.4	22
92	RubisCO of a nucleoside pathway known from Archaea is found in diverse uncultivated phyla in bacteria. <i>ISME Journal</i> , 2016 , 10, 2702-2714	11.9	65
91	Identifying geochemical hot moments and their controls on a contaminated river floodplain system using wavelet and entropy approaches. <i>Environmental Modelling and Software</i> , 2016 , 85, 27-41	5.2	21
90	Estimating groundwater dynamics at a Colorado River floodplain site using historical hydrological data and climate information. <i>Water Resources Research</i> , 2016 , 52, 1881-1898	5.4	1
89	Diverse uncultivated ultra-small bacterial cells in groundwater. <i>Nature Communications</i> , 2015 , 6, 6372	17.4	232
88	Genomic expansion of domain archaea highlights roles for organisms from new phyla in anaerobic carbon cycling. <i>Current Biology</i> , 2015 , 25, 690-701	6.3	354
87	Long-term in situ oxidation of biogenic uraninite in an alluvial aquifer: impact of dissolved oxygen and calcium. <i>Environmental Science & Technology</i> , 2015 , 49, 7340-7	10.3	21
86	Unusual biology across a group comprising more than 15% of domain Bacteria. <i>Nature</i> , 2015 , 523, 208-11	10.4	688

85	Influence of Carbon and Microbial Community Priming on the Attenuation of Uranium in a Contaminated Floodplain Aquifer. <i>Ground Water</i> , 2015 , 53, 600-13	2.4	4
84	Methods for characterizing the fate and effects of nano zerovalent iron during groundwater remediation. <i>Journal of Contaminant Hydrology</i> , 2015 , 181, 17-35	3.9	71
83	Reactivity of Uranium and Ferrous Iron with Natural Iron Oxyhydroxides. <i>Environmental Science & Technology</i> , 2015 , 49, 10357-65	10.3	15
82	Bicarbonate impact on U(VI) bioreduction in a shallow alluvial aquifer. <i>Geochimica Et Cosmochimica Acta</i> , 2015 , 150, 106-124	5.5	44
81	Disturbed subsurface microbial communities follow equivalent trajectories despite different structural starting points. <i>Environmental Microbiology</i> , 2015 , 17, 622-36	5.2	28
80	Evidence of Geobacter-associated phage in a uranium-contaminated aquifer. <i>ISME Journal</i> , 2015 , 9, 333-46.9	46.9	22
79	Accurate, multi-kb reads resolve complex populations and detect rare microorganisms. <i>Genome Research</i> , 2015 , 25, 534-43	9.7	96
78	Aquifer environment selects for microbial species cohorts in sediment and groundwater. <i>ISME Journal</i> , 2015 , 9, 1846-56	11.9	63
77	Spatial distribution of an uranium-respiring betaproteobacterium at the Rifle, CO field research site. <i>PLoS ONE</i> , 2015 , 10, e0123378	3.7	16
76	Identification of Bacteria Synthesizing Ribosomal RNA in Response to Uranium Addition During Biostimulation at the Rifle, CO Integrated Field Research Site. <i>PLoS ONE</i> , 2015 , 10, e0137270	3.7	3
75	The complete genome sequence for putative H ₂ and S-oxidizer <i>Candidatus Sulfuricum</i> sp., assembled de novo from an aquifer-derived metagenome. <i>Environmental Microbiology</i> , 2014 , 16, 3443-62	5.2	51
74	Thioarsenic species associated with increased arsenic release during biostimulated subsurface sulfate reduction. <i>Environmental Science & Technology</i> , 2014 , 48, 13367-75	10.3	47
73	Speciation and reactivity of uranium products formed during in situ bioremediation in a shallow alluvial aquifer. <i>Environmental Science & Technology</i> , 2014 , 48, 12842-50	10.3	42
72	Metabolic interdependencies between phylogenetically novel fermenters and respiratory organisms in an unconfined aquifer. <i>ISME Journal</i> , 2014 , 8, 1452-63	11.9	131
71	Uranium bioreduction rates across scales: biogeochemical hot moments and hot spots during a biostimulation experiment at Rifle, Colorado. <i>Environmental Science & Technology</i> , 2014 , 48, 10116-27.3	10.3	39
70	A large column analog experiment of stable isotope variations during reactive transport: II. Carbon mass balance, microbial community structure and predation. <i>Geochimica Et Cosmochimica Acta</i> , 2014 , 124, 394-409	5.5	14
69	Methane production from protozoan endosymbionts following stimulation of microbial metabolism within subsurface sediments. <i>Frontiers in Microbiology</i> , 2014 , 5, 366	5.7	20
68	Geochemical and mineralogical investigation of uranium in multi-element contaminated, organic-rich subsurface sediment. <i>Applied Geochemistry</i> , 2014 , 42, 77-85	3.5	35

67	Extraordinary phylogenetic diversity and metabolic versatility in aquifer sediment. <i>Nature Communications</i> , 2013 , 4, 2120	17.4	145
66	Persistence of uranium groundwater plumes: contrasting mechanisms at two DOE sites in the groundwater-river interaction zone. <i>Journal of Contaminant Hydrology</i> , 2013 , 147, 45-72	3.9	102
65	Field evidence of selenium bioreduction in a uranium-contaminated aquifer. <i>Environmental Microbiology Reports</i> , 2013 , 5, 444-52	3.7	45
64	Community genomic analyses constrain the distribution of metabolic traits across the Chloroflexi phylum and indicate roles in sediment carbon cycling. <i>Microbiome</i> , 2013 , 1, 22	16.6	305
63	Calcium isotope fractionation in groundwater: Molecular scale processes influencing field scale behavior. <i>Geochimica Et Cosmochimica Acta</i> , 2013 , 119, 93-116	5.5	50
62	Abiotic U(VI) reduction by sorbed Fe(II) on natural sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2013 , 117, 266-282	5.5	34
61	Biostimulation induces syntrophic interactions that impact C, S and N cycling in a sediment microbial community. <i>ISME Journal</i> , 2013 , 7, 800-16	11.9	78
60	Bioremediation of uranium-contaminated groundwater: a systems approach to subsurface biogeochemistry. <i>Current Opinion in Biotechnology</i> , 2013 , 24, 489-97	11.4	100
59	Vanadate and acetate biostimulation of contaminated sediments decreases diversity, selects for specific taxa, and decreases aqueous V5+ concentration. <i>Environmental Science & Technology</i> , 2013 , 47, 6500-9	10.3	58
58	Enrichment of specific protozoan populations during in situ bioremediation of uranium-contaminated groundwater. <i>ISME Journal</i> , 2013 , 7, 1286-98	11.9	29
57	Iron-reducing bacteria accumulate ferric oxyhydroxide nanoparticle aggregates that may support planktonic growth. <i>ISME Journal</i> , 2013 , 7, 338-50	11.9	56
56	Characterization and transcription of arsenic respiration and resistance genes during in situ uranium bioremediation. <i>ISME Journal</i> , 2013 , 7, 370-83	11.9	62
55	No measurable changes in (238)U/(235)U due to desorption-adsorption of U(VI) from groundwater at the Rifle, Colorado, integrated field research challenge site. <i>Environmental Science & Technology</i> , 2013 , 47, 2535-41	10.3	40
54	Molecular analysis of the in situ growth rates of subsurface <i>Geobacter</i> species. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 1646-53	4.8	32
53	Profiling in situ microbial community structure with an amplification microarray. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 799-807	4.8	12
52	Uranium redox transition pathways in acetate-amended sediments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 4506-4511	11.5	138
51	Arsenic geochemistry in a biostimulated aquifer: an aqueous speciation study. <i>Environmental Toxicology and Chemistry</i> , 2013 , 32, 1216-23	3.8	23
50	Data-driven approach to identify field-scale biogeochemical transitions using geochemical and geophysical data and hidden Markov models: Development and application at a uranium-contaminated aquifer. <i>Water Resources Research</i> , 2013 , 49, 6412-6424	5.4	10

49	Time-lapse spectral induced polarization imaging of stimulated uranium bioremediation. <i>Near Surface Geophysics</i> , 2013 , 11, 531-544	1.6	40
48	Fluctuations in species-level protein expression occur during element and nutrient cycling in the subsurface. <i>PLoS ONE</i> , 2013 , 8, e57819	3.7	15
47	High-density PhyloChip profiling of stimulated aquifer microbial communities reveals a complex response to acetate amendment. <i>FEMS Microbiology Ecology</i> , 2012 , 81, 188-204	4.3	42
46	Timing the onset of sulfate reduction over multiple subsurface acetate amendments by measurement and modeling of sulfur isotope fractionation. <i>Environmental Science & Technology</i> , 2012 , 46, 8895-902	10.3	57
45	Fermentation, hydrogen, and sulfur metabolism in multiple uncultivated bacterial phyla. <i>Science</i> , 2012 , 337, 1661-5	33.3	464
44	Geochemical, mineralogical and microbiological characteristics of sediment from a naturally reduced zone in a uranium-contaminated aquifer. <i>Applied Geochemistry</i> , 2012 , 27, 1499-1511	3.5	99
43	Estimating the spatiotemporal distribution of geochemical parameters associated with biostimulation using spectral induced polarization data and hierarchical Bayesian models. <i>Water Resources Research</i> , 2012 , 48,	5.4	21
42	Rate-limited U(VI) desorption during a small-scale tracer test in a heterogeneous uranium-contaminated aquifer. <i>Water Resources Research</i> , 2012 , 48,	5.4	40
41	An overview of the spectral induced polarization method for near-surface applications. <i>Near Surface Geophysics</i> , 2012 , 10, 453-468	1.6	167
40	On parameterization of the inverse problem for estimating aquifer properties using tracer data. <i>Water Resources Research</i> , 2012 , 48,	5.4	17
39	Uranium reduction and microbial community development in response to stimulation with different electron donors. <i>Biodegradation</i> , 2012 , 23, 535-46	4.1	22
38	Using complex resistivity imaging to infer biogeochemical processes associated with bioremediation of an uranium-contaminated aquifer. <i>Journal of Geophysical Research</i> , 2011 , 116,		67
37	Composition, stability, and measurement of reduced uranium phases for groundwater bioremediation at Old Rifle, CO. <i>Applied Geochemistry</i> , 2011 , 26, S167-S169	3.5	21
36	Development of a biomarker for <i>Geobacter</i> activity and strain composition; proteogenomic analysis of the citrate synthase protein during bioremediation of U(VI). <i>Microbial Biotechnology</i> , 2011 , 4, 55-63	6.3	36
35	Variably saturated flow and multicomponent biogeochemical reactive transport modeling of a uranium bioremediation field experiment. <i>Journal of Contaminant Hydrology</i> , 2011 , 126, 271-90	3.9	82
34	Geophysical monitoring and reactive transport modeling of ureolytically-driven calcium carbonate precipitation. <i>Geochemical Transactions</i> , 2011 , 12, 7	3	43
33	Acetate Availability and its Influence on Sustainable Bioremediation of Uranium-Contaminated Groundwater. <i>Geomicrobiology Journal</i> , 2011 , 28, 519-539	2.5	201
32	Imaging hydrated microbial extracellular polymers: comparative analysis by electron microscopy. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 1254-62	4.8	127

31	Phase preference by active, acetate-utilizing bacteria at the rifle, CO integrated field research challenge site. <i>Environmental Science & Technology</i> , 2011 , 45, 1250-6	10.3	28
30	3D induced-polarization data inversion for complex resistivity. <i>Geophysics</i> , 2011 , 76, F157-F171	3.1	34
29	Molecular analysis of the metabolic rates of discrete subsurface populations of sulfate reducers. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 6502-9	4.8	33
28	Expression of acetate permease-like (apl) genes in subsurface communities of <i>Geobacter</i> species under fluctuating acetate concentrations. <i>FEMS Microbiology Ecology</i> , 2010 , 73, 441-9	4.3	15
27	Molecular analysis of phosphate limitation in <i>Geobacteraceae</i> during the bioremediation of a uranium-contaminated aquifer. <i>ISME Journal</i> , 2010 , 4, 253-66	11.9	46
26	On the complex conductivity signatures of calcite precipitation. <i>Journal of Geophysical Research</i> , 2010 , 115, n/a-n/a		26
25	Electrode voltages accompanying stimulated bioremediation of a uranium-contaminated aquifer. <i>Journal of Geophysical Research</i> , 2010 , 115, n/a-n/a		6
24	Analysis of biostimulated microbial communities from two field experiments reveals temporal and spatial differences in proteome profiles. <i>Environmental Science & Technology</i> , 2010 , 44, 8897-903	10.3	49
23	Electrode-based approach for monitoring in situ microbial activity during subsurface bioremediation. <i>Environmental Science & Technology</i> , 2010 , 44, 47-54	10.3	80
22	Uranium ²³⁸ U/ ²³⁵ U isotope ratios as indicators of reduction: results from an in situ biostimulation experiment at Rifle, Colorado, U.S.A. <i>Environmental Science & Technology</i> , 2010 , 44, 5927-33	10.3	81
21	Spectral induced polarization signatures of abiotic FeS precipitation. <i>Geophysics</i> , 2010 , 75, F127-F133	3.1	19
20	Field-based detection and monitoring of uranium in contaminated groundwater using two immunosensors. <i>Environmental Science & Technology</i> , 2009 , 43, 6703-9	10.3	26
19	Feedbacks between hydrological heterogeneity and bioremediation induced biogeochemical transformations. <i>Environmental Science & Technology</i> , 2009 , 43, 5197-204	10.3	31
18	Mineral transformation and biomass accumulation associated with uranium bioremediation at Rifle, Colorado. <i>Environmental Science & Technology</i> , 2009 , 43, 5429-35	10.3	89
17	Geophysical monitoring of coupled microbial and geochemical processes during stimulated subsurface bioremediation. <i>Environmental Science & Technology</i> , 2009 , 43, 6717-23	10.3	107
16	Influence of heterogeneous ammonium availability on bacterial community structure and the expression of nitrogen fixation and ammonium transporter genes during in situ bioremediation of uranium-contaminated groundwater. <i>Environmental Science & Technology</i> , 2009 , 43, 4386-92	10.3	73
15	Proteogenomic monitoring of <i>Geobacter</i> physiology during stimulated uranium bioremediation. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 6591-9	4.8	116
14	A state-space Bayesian framework for estimating biogeochemical transformations using time-lapse geophysical data. <i>Water Resources Research</i> , 2009 , 45,	5.4	17

13	Strategies for Visualization of Extracellular Polymeric Substances, (ExPS) in Biofilms by Electron Microscopy. <i>Microscopy and Microanalysis</i> , 2009 , 15, 66-67	0.5	
12	Sulfur isotopes as indicators of amended bacterial sulfate reduction processes influencing field scale uranium bioremediation. <i>Environmental Science & Technology</i> , 2008 , 42, 7842-9	10.3	20
11	Geophysical monitoring of hydrological and biogeochemical transformations associated with Cr(VI) bioremediation. <i>Environmental Science & Technology</i> , 2008 , 42, 3757-65	10.3	40
10	In situ long-term reductive bioimmobilization of Cr(VI) in groundwater using hydrogen release compound. <i>Environmental Science & Technology</i> , 2008 , 42, 8478-85	10.3	78
9	Electrode voltages in the presence of dissolved sulfide: Implications for monitoring natural microbial activity. <i>Geophysics</i> , 2008 , 73, F65-F70	3.1	12
8	Galvanic interpretation of self-potential signals associated with microbial sulfate-reduction. <i>Journal of Geophysical Research</i> , 2007 , 112, n/a-n/a		14
7	Geophysical imaging of stimulated microbial biomineralization. <i>Environmental Science & Technology</i> , 2005 , 39, 7592-600	10.3	108
6	Low-frequency electrical response to microbial induced sulfide precipitation. <i>Journal of Geophysical Research</i> , 2005 , 110, n/a-n/a		75
5	Quaternary Facies Assemblages and Their Bounding Surfaces, Chesapeake Bay Mouth: An Approach to Mesoscale Stratigraphic Analysis. <i>Journal of Sedimentary Research</i> , 2003 , 73, 672-690	2.1	3
4	Hydrogeological characterization of the south oyster bacterial transport site using geophysical data. <i>Water Resources Research</i> , 2001 , 37, 2431-2456	5.4	142
3	Concentration-discharge relationships of dissolved rhenium in Alpine catchments reveal its use as a tracer of oxidative weathering. <i>Water Resources Research</i> , e2021WR029844	5.4	0
2	Soils and sediments host novel archaea with divergent monooxygenases implicated in ammonia oxidation		1
1	Borgs are giant extrachromosomal elements with the potential to augment methane oxidation		2