Chunping Tang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4104380/publications.pdf

Version: 2024-02-01

687363 839539 29 381 13 18 citations h-index g-index papers 29 29 29 386 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Dicarabrones A and B, a Pair of New Epimers Dimerized from Sesquiterpene Lactones via a $[3 + 2]$ Cycloaddition from $\langle i \rangle$ Carpesium abrotanoides $\langle i \rangle$. Organic Letters, 2015, 17, 1656-1659.	4.6	38
2	Identification of chemotypes in bitter melon by metabolomics: a plant with potential benefit for management of diabetes in traditional Chinese medicine. Metabolomics, 2019, 15, 104.	3.0	30
3	Differential distribution of characteristic constituents in root, stem and leaf tissues of Salvia miltiorrhiza using MALDI mass spectrometry imaging. Fìtoterapìâ, 2020, 146, 104679.	2.2	26
4	Tetramerized Sesquiterpenoid Ainsliatetramers A and B from <i>Ainsliaea fragrans</i> and Their Cytotoxic Activities. Organic Letters, 2019, 21, 8211-8214.	4.6	21
5	Antimicrobial and Immunomodulating Activities of Two Endemic Nepeta Species and Their Major Iridoids Isolated from Natural Sources. Pharmaceuticals, 2021, 14, 414.	3.8	21
6	Anti-inflammatory Eudesmane Sesquiterpenoids from <i>Artemisia hedinii</i> . Journal of Natural Products, 2021, 84, 1626-1637.	3.0	20
7	Polyoxypregnane steroids with an open-chain sugar moiety from Marsdenia tenacissima and their chemoresistance reversal activity. Phytochemistry, 2016, 126, 47-58.	2.9	19
8	Ainsliatriolides A and B, Two Guaianolide Trimers from <i>Ainsliaea fragrans</i> and Their Cytotoxic Activities. Journal of Organic Chemistry, 2018, 83, 14175-14180.	3.2	19
9	Targeted isolation of two disesquiterpenoid macrocephadiolides A and B from <i>Ainsliaea macrocephala</i> using a molecular networking-based dereplication strategy. Organic Chemistry Frontiers, 2020, 7, 1481-1489.	4.5	18
10	Efficient discovery of potential inhibitors for SARS-CoV-2 3C-like protease from herbal extracts using a native MS-based affinity-selection method. Journal of Pharmaceutical and Biomedical Analysis, 2022, 209, 114538.	2.8	18
11	Isolation and Structure Characterization of Cytotoxic Phorbol Esters from the Seeds of Croton tiglium. Planta Medica, 2017, 83, 1361-1367.	1.3	17
12	Cassane Diterpenoids from the Pericarps of <i>Caesalpinia bonduc</i> . Journal of Natural Products, 2016, 79, 24-29.	3.0	16
13	Sesquiterpene lactone dimers from Artemisia lavandulifolia inhibit interleukin- $1\hat{l}^2$ production in macrophages through activating autophagy. Bioorganic Chemistry, 2020, 105, 104451.	4.1	15
14	Tricarabrols A–C, three anti-inflammatory sesquiterpene lactone trimers featuring a methylene-tethered linkage from <i>Carpesium faberi</i> . Organic Chemistry Frontiers, 2020, 7, 1374-1382.	4.5	14
15	Callistemonols A and B, Potent Antimicrobial Acylphloroglucinol Derivatives with Unusual Carbon Skeletons from <i>Callistemon viminalis</i> Journal of Natural Products, 2019, 82, 1917-1922.	3.0	11
16	7 α ,8 α -Epoxynagilactones and their glucosides from the twigs of Podocarpus nagi: Isolation, structures, and cytotoxic activities. Fìtoterapìâ, 2018, 125, 174-183.	2.2	10
17	Anti-inflammatory sesquiterpenoid dimers from Artemisia atrovirens. Fìtoterapìâ, 2022, 159, 105199.	2.2	9
18	Lycodine-type alkaloids from Lycopodiastrum casuarinoides and their acetylcholinesterase inhibitory activity. FĬtoterapĬâ, 2019, 139, 104378.	2.2	8

#	Article	IF	CITATIONS
19	Cytotoxic guaianolides and seco-guaianolides from Artemisia atrovirens. Fìtoterapìâ, 2021, 151, 104900.	2.2	8
20	Guaianolides from Artemisia codonocephala suppress interleukine- $\hat{1}^2$ secretion in macrophages. Phytochemistry, 2021, 192, 112955.	2.9	8
21	Neuroprotective and Anti-inflammatory Ditetrahydrofuran-Containing Diarylheptanoids from <i>Tacca chantrieri</i> . Journal of Natural Products, 2020, 83, 3681-3688.	3.0	7
22	Macrocephatriolides A and B: Two Guaianolide Trimers from <i>Ainsliaea macrocephala</i> as PTP1B Inhibitors and Insulin Sensitizers. Journal of Organic Chemistry, 2021, 86, 17782-17789.	3.2	6
23	A derivatization strategy for comprehensive identification of 2- and 3-hydroxyl fatty acids by LC-MS. Analytica Chimica Acta, 2022, 1216, 339981.	5.4	6
24	Dimeric 9,10-dihydrophenanthrene derivatives from Bletilla striata and their atropisomeric nature. Fìtoterapìâ, 2021, 152, 104919.	2,2	5
25	Noreudesmane sesquiterpenoids from Artemisia hedinii and their anti-inflammatory activities. Fìtoterapìâ, 2021, 153, 104961.	2.2	5
26	Two New Cyclopeptides from <i>Podocarpus nagi</i> . Chinese Journal of Chemistry, 2012, 30, 1361-1364.	4.9	3
27	Qualitatively and quantitatively investigating the metabolism of 20(S)â€protopanaxadiolâ€type ginsenosides by gut microbiota of different species. Biomedical Chromatography, 2021, 35, e5219.	1.7	1
28	Ten undescribed cadinane-type sesquiterpenoids from Eupatorium chinense. Fìtoterapìâ, 2022, 156, 105091.	2.2	1
29	Withaphysalins from Medicinal and Edible <i>Physalis minima</i> and Their Anti-inflammatory Activities. Journal of Agricultural and Food Chemistry, 2022, 70, 5595-5609.	5.2	1