

# Ksenija Slankamenac

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4104463/publications.pdf>

Version: 2024-02-01

54  
papers

12,843  
citations

236612

25  
h-index

197535

49  
g-index

58  
all docs

58  
docs citations

58  
times ranked

14891  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                                              | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | The Clavien-Dindo Classification of Surgical Complications. <i>Annals of Surgery</i> , 2009, 250, 187-196.                                                                                                                                           | 2.1 | 8,080     |
| 2  | The Comprehensive Complication Index. <i>Annals of Surgery</i> , 2013, 258, 1-7.                                                                                                                                                                     | 2.1 | 1,127     |
| 3  | The Impact of Complications on Costs of Major Surgical Procedures. <i>Annals of Surgery</i> , 2011, 254, 907-913.                                                                                                                                    | 2.1 | 389       |
| 4  | Are There Better Guidelines for Allocation in Liver Transplantation?. <i>Annals of Surgery</i> , 2011, 254, 745-754.                                                                                                                                 | 2.1 | 344       |
| 5  | Chemokine-driven lymphocyte infiltration: an early intratumoural event determining long-term survival in resectable hepatocellular carcinoma. <i>Gut</i> , 2012, 61, 427-438.                                                                        | 6.1 | 307       |
| 6  | ALPPS Offers a Better Chance of Complete Resection in Patients with Primarily Unresectable Liver Tumors Compared with Conventionalâ€”Staged Hepatectomies: Results of a Multicenter Analysis. <i>World Journal of Surgery</i> , 2014, 38, 1510-1519. | 0.8 | 276       |
| 7  | The Comprehensive Complication Index. <i>Annals of Surgery</i> , 2014, 260, 757-763.                                                                                                                                                                 | 2.1 | 264       |
| 8  | Assessment of Hepatic Steatosis by Expert Pathologists. <i>Annals of Surgery</i> , 2009, 250, 691-697.                                                                                                                                               | 2.1 | 256       |
| 9  | The Comprehensive Complication Index (CCIÂ®). <i>Annals of Surgery</i> , 2017, 265, 1045-1050.                                                                                                                                                       | 2.1 | 213       |
| 10 | Relationship of individual scapular anatomy and degenerative rotator cuff tears. <i>Journal of Shoulder and Elbow Surgery</i> , 2014, 23, 536-541.                                                                                                   | 1.2 | 207       |
| 11 | Defining Benchmarks for Major Liver Surgery. <i>Annals of Surgery</i> , 2016, 264, 492-500.                                                                                                                                                          | 2.1 | 167       |
| 12 | The Use of Fatty Liver Grafts in Modern Allocation Systems. <i>Annals of Surgery</i> , 2012, 256, 861-869.                                                                                                                                           | 2.1 | 137       |
| 13 | Salvage parenchymal liver transection for patients with insufficient volume increase after portal vein occlusion â€” An extension of the ALPPS approach. <i>European Journal of Surgical Oncology</i> , 2013, 39, 1230-1235.                         | 0.5 | 125       |
| 14 | Novel and Simple Preoperative Score Predicting Complications After Liver Resection in Noncirrhotic Patients. <i>Annals of Surgery</i> , 2010, 252, 726-734.                                                                                          | 2.1 | 106       |
| 15 | Development and Validation of a Prediction Score for Postoperative Acute Renal Failure Following Liver Resection. <i>Annals of Surgery</i> , 2009, 250, 720-728.                                                                                     | 2.1 | 93        |
| 16 | The comprehensive complication index (CCI) is a more sensitive complication index than the conventional Clavienâ€”Dindo classification in radical gastric cancer surgery. <i>Gastric Cancer</i> , 2018, 21, 171-181.                                 | 2.7 | 70        |
| 17 | Epidural analgesia and perioperative kidney function after major liver resection. <i>British Journal of Surgery</i> , 2015, 102, 805-812.                                                                                                            | 0.1 | 62        |
| 18 | Impact of postoperative complications on readmission and long-term survival in patients following surgery for colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2017, 32, 805-811.                                             | 1.0 | 53        |

| #  | ARTICLE                                                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Increased pelvic incidence may lead to arthritis and sagittal orientation of the facet joints at the lower lumbar spine. <i>BMC Medical Imaging</i> , 2013, 13, 34.                                                                                     | 1.4 | 48        |
| 20 | Novel Prediction Score Including Pre- and Intraoperative Parameters Best Predicts Acute Kidney Injury after Liver Surgery. <i>World Journal of Surgery</i> , 2013, 37, 2618-2628.                                                                       | 0.8 | 42        |
| 21 | Comparison of the critical shoulder angle in radiographs and computed tomography. <i>Skeletal Radiology</i> , 2014, 43, 1053-1056.                                                                                                                      | 1.2 | 42        |
| 22 | Using the Comprehensive Complication Index to Assess the Impact of Neoadjuvant Chemoradiotherapy on Complication Severity After Esophagectomy for Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 3964-3971.                                     | 0.7 | 42        |
| 23 | Perception of surgical complications among patients, nurses and physicians: a prospective cross-sectional survey. <i>Patient Safety in Surgery</i> , 2011, 5, 30.                                                                                       | 1.1 | 39        |
| 24 | Lymph node dissection in resectable perihilar cholangiocarcinoma: a systematic review. <i>American Journal of Surgery</i> , 2015, 210, 694-701.                                                                                                         | 0.9 | 39        |
| 25 | Effects of Pentoxifylline on Liver Regeneration. <i>Annals of Surgery</i> , 2010, 252, 813-822.                                                                                                                                                         | 2.1 | 26        |
| 26 | Delaying surgery to perform CT scans for suspected appendicitis decreases the rate of negative appendectomies without increasing the rate of perforation nor postoperative complications. <i>Langenbeck's Archives of Surgery</i> , 2016, 401, 643-649. | 0.8 | 25        |
| 27 | Safety of total hip arthroplasty for femoral neck fractures using the direct anterior approach: a retrospective observational study in 86 elderly patients. <i>Patient Safety in Surgery</i> , 2016, 10, 12.                                            | 1.1 | 24        |
| 28 | Where Oncologic and Surgical Complication Scoring Systems Collide: Time for a New Consensus for CRS/HIPEC. <i>World Journal of Surgery</i> , 2016, 40, 1075-1081.                                                                                       | 0.8 | 20        |
| 29 | Liver resection for metastases not of colorectal, neuroendocrine, sarcomatous, or ovarian (NCNSO) origin: A multicentric study. <i>American Journal of Surgery</i> , 2018, 215, 125-130.                                                                | 0.9 | 19        |
| 30 | Pancreatic Stone Protein Predicts Postoperative Infection in Cardiac Surgery Patients Irrespective of Cardiopulmonary Bypass or Surgical Technique. <i>PLoS ONE</i> , 2015, 10, e0120276.                                                               | 1.1 | 19        |
| 31 | A randomized, double-blind study of the effects of omega-3 fatty acids (Omegaven®) on outcome after major liver resection. <i>BMC Gastroenterology</i> , 2015, 15, 102.                                                                                 | 0.8 | 18        |
| 32 | Sacral Dysmorphism and its Implication on the Size of the Sacroiliac Joint Surface. <i>Clinical Spine Surgery</i> , 2019, 32, E140-E144.                                                                                                                | 0.7 | 15        |
| 33 | Prediction of Recurrent Emergency Department Visits in Patients With Mental Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 48.                                                                                                                   | 1.3 | 15        |
| 34 | Lumbar Facet Joint Arthritis Is Associated with More Coronal Orientation of the Facet Joints at the Upper Lumbar Spine. <i>Radiology Research and Practice</i> , 2013, 2013, 1-9.                                                                       | 0.6 | 14        |
| 35 | Are two-stage hepatectomies associated with more complications than one-stage procedures?. <i>Hpb</i> , 2013, 15, 411-417.                                                                                                                              | 0.1 | 14        |
| 36 | Recurrent Emergency Department Users: Two Categories with Different Risk Profiles. <i>Journal of Clinical Medicine</i> , 2019, 8, 333.                                                                                                                  | 1.0 | 14        |

| #  | ARTICLE                                                                                                                                                                                                    | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Cross-Sectional Area of the Rotator Cuff Muscles in MRI – Is there Evidence for a Biomechanical Balanced Shoulder?. PLoS ONE, 2016, 11, e0157946.                                                          | 1.1 | 14        |
| 38 | Does pharmacological conditioning with the volatile anaesthetic sevoflurane offer protection in liver surgery?. Hpb, 2012, 14, 854-862.                                                                    | 0.1 | 13        |
| 39 | Obesity measured by outer abdominal fat may cause facet joint arthritis at the lumbar spine. Journal of Back and Musculoskeletal Rehabilitation, 2015, 28, 85-91.                                          | 0.4 | 11        |
| 40 | Impact of Residency Training Level on the Surgical Quality Following General Surgery Procedures. World Journal of Surgery, 2017, 41, 2652-2666.                                                            | 0.8 | 10        |
| 41 | Impact of allogeneic blood transfusions on clinical outcomes in severely burned patients. Burns, 2020, 46, 1083-1090.                                                                                      | 1.1 | 9         |
| 42 | Feasibility of iliosacral screw placement in patients with upper sacral dysplasia. Journal of Orthopaedic Surgery and Research, 2019, 14, 418.                                                             | 0.9 | 7         |
| 43 | Prediction of Emergency Department Re-Visits in Older Patients by the Identification of Senior at Risk (ISAR) Screening. Geriatrics (Switzerland), 2018, 3, 33.                                            | 0.6 | 6         |
| 44 | Treatment strategies and outcome of surgery for synchronous colorectal liver metastases. Swiss Medical Weekly, 2017, 147, w14486.                                                                          | 0.8 | 6         |
| 45 | Ileoileal intussusception in unspecific recurrent abdominal pain in adult: A case report. SAGE Open Medical Case Reports, 2018, 6, 2050313X1879281.                                                        | 0.2 | 5         |
| 46 | The impact of non-thermal injuries in combined burn trauma: A retrospective analysis over the past 35 years. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2019, 72, 438-446.                  | 0.5 | 4         |
| 47 | Aortic stent-grafting: successful introduction into the combined procedure for coronary artery bypass grafting and aortic aneurysm repair. European Journal of Cardio-thoracic Surgery, 2003, 23, 532-536. | 0.6 | 3         |
| 48 | Availability of advance directives in the emergency department. Swiss Medical Weekly, 2020, 150, w20184.                                                                                                   | 0.8 | 3         |
| 49 | ALLPS is better at achieving complete resection of primarily non-resectable liver tumors compared to traditional techniques. Journal of the American College of Surgeons, 2013, 217, S131.                 | 0.2 | 1         |
| 50 | Reply to. Annals of Surgery, 2016, 264, e12.                                                                                                                                                               | 2.1 | 0         |
| 51 | Emergency department visits and risk factors for in-patient care in acute drug intoxication. Toxicology Letters, 2017, 280, S93.                                                                           | 0.4 | 0         |
| 52 | Editorial: Emergency in Psychiatry – The Various Facets of Behavioral Emergencies, Crises, and Suicidality. Frontiers in Psychiatry, 2021, 12, 668154.                                                     | 1.3 | 0         |
| 53 | Comparison of the Clavien-Dindo and Comprehensive Complication Index systems for grading of surgical complications after colorectal resections. Acta Chirurgica Belgica, 2021, , 1-8.                      | 0.2 | 0         |
| 54 | Willingness to donate organs - an anonymised survey in the emergency department.. Swiss Medical Weekly, 2022, 152, w30100.                                                                                 | 0.8 | 0         |