

# Shi-Yong Liu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4104675/publications.pdf>

Version: 2024-02-01

47  
papers

1,549  
citations

361413

20  
h-index

302126

39  
g-index

49  
all docs

49  
docs citations

49  
times ranked

1715  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | EDOT-based conjugated polymers accessed <i>via</i> C–H direct arylation for efficient photocatalytic hydrogen production. <i>Chemical Science</i> , 2022, 13, 1725-1733.                | 7.4  | 58        |
| 2  | Emerging frontiers of Z-scheme photocatalytic systems. <i>Trends in Chemistry</i> , 2022, 4, 111-127.   | 8.5  | 100       |
| 3  | Pot- and atom-economic synthesis of oligomeric non-fullerene acceptors <i>via</i> C–H direct arylation. <i>Polymer Chemistry</i> , 2022, 13, 2351-2361.                                 | 3.9  | 18        |
| 4  | Hole Transfer Prompted by Viscous Oligomer Solid Additives in Non-Fullerene Bulk-Heterojunction Layers. <i>ACS Applied Polymer Materials</i> , 2022, 4, 1940-1947.                      | 4.4  | 6         |
| 5  | C–H Direct Arylation: A Robust Tool to Tailor the Conjugation Lengths of Non-Fullerene Acceptors. <i>ChemSusChem</i> , 2022, 15, .  | 6.8  | 14        |
| 6  | Diketopyrrolopyrrole and perylene diimine-based large $\pi$ -molecules constructed via C–H direct arylation. <i>Dyes and Pigments</i> , 2022, 204, 110468.                              | 3.7  | 5         |
| 7  | 2D Conductive Metal–Organic Frameworks: An Emerging Platform for Electrochemical Energy Storage. <i>Angewandte Chemie</i> , 2021, 133, 5672-5684.                                       | 2.0  | 45        |
| 8  | One-pot Synthesis of 3- to 15-Mer $\pi$ -Conjugated Discrete Oligomers with Widely Tunable Optical Properties. <i>Chinese Journal of Chemistry</i> , 2021, 39, 577-584.                 | 4.9  | 12        |
| 9  | Exfoliated conjugated porous polymer nanosheets for highly efficient photocatalytic hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2021, 9, 5787-5795.                   | 10.3 | 81        |
| 10 | <i>In situ</i> C–H activation-derived polymer@TiO <sub>2</sub> $\pi$ -n heterojunction for photocatalytic hydrogen evolution. <i>Sustainable Energy and Fuels</i> , 2021, 5, 5166-5174. | 4.9  | 11        |
| 11 | Donor–Acceptor Type Covalent Organic Frameworks. <i>Chemistry - A European Journal</i> , 2021, 27, 10781-10797.   | 3.3  | 90        |
| 12 | Nanoporous and nonporous conjugated donor–acceptor polymer semiconductors for photocatalytic hydrogen production. <i>Beilstein Journal of Nanotechnology</i> , 2021, 12, 607-623.       | 2.8  | 9         |
| 13 | Frontispiece: Donor–Acceptor Type Covalent Organic Frameworks. <i>Chemistry - A European Journal</i> , 2021, 27, .  | 3.3  | 0         |
| 14 | Modulating Chlorination Position on Polymer Donors for Highly Efficient Nonfullerene Organic Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100510.  | 5.8  | 8         |
| 15 | 2D Conductive Metal–Organic Frameworks: An Emerging Platform for Electrochemical Energy Storage. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 5612-5624.                | 13.8 | 198       |
| 16 | One-pot synthesis of long-chain monodisperse $\pi$ -conjugated oligomers terminated by C–H or C–Br bonds. <i>Dyes and Pigments</i> , 2020, 172, 107819.                                 | 3.7  | 7         |
| 17 | One-pot synthesis of cyclopentadithiophene-isoindigo based low bandgap long-chain $\pi$ -conjugated oligomers. <i>Materials Today Communications</i> , 2020, 22, 100850.                | 1.9  | 3         |
| 18 | Achieving an unprecedented hydrogen evolution rate by solvent-exfoliated CPP-based photocatalysts. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5890-5899.                        | 10.3 | 72        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Single-step access to a series of Dâ€“A Î€-conjugated oligomers with 3â€“10 nm chain lengths. <i>Polymer Chemistry</i> , 2019, 10, 325-330.  | 3.9  | 15        |
| 20 | Atom- and step-economic synthesis of Î€-conjugated large oligomers via C H activated oligomerization. <i>Dyes and Pigments</i> , 2019, 162, 640-646.   | 3.7  | 18        |
| 21 | Câ€“H activation derived CPPs for photocatalytic hydrogen production excellently accelerated by a DMF cosolvent. <i>Journal of Materials Chemistry A</i> , 2019, 7, 24222-24230.   | 10.3 | 73        |
| 22 | Novel Diketopyrrolopyrrole-Based Î€-Conjugated Molecules Synthesized Via One-Pot Direct Arylation Reaction. <i>Molecules</i> , 2019, 24, 1760.   | 3.8  | 11        |
| 23 | One-step rapid synthesis of Î€-conjugated large oligomers <i>via</i> Câ€“H activation coupling. <i>Organic Chemistry Frontiers</i> , 2018, 5, 653-661.   | 4.5  | 39        |
| 24 | A-D-A small molecule donors based on pyrene and diketopyrrolopyrrole for organic solar cells. <i>Science China Chemistry</i> , 2017, 60, 561-569.  | 8.2  | 15        |
| 25 | Electron acceptors with varied linkages between perylene diimide and benzotrithiophene for efficient fullerene-free solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 9396-9401.   | 10.3 | 60        |
| 26 | Diketopyrrolopyrrole-based oligomers accessed via sequential C H activated coupling for fullerene-free organic photovoltaics. <i>Dyes and Pigments</i> , 2016, 134, 139-147.   | 3.7  | 49        |
| 27 | Photovoltaics: A Tetraperylene Diimides Based 3D Nonfullerene Acceptor for Efficient Organic Photovoltaics ( <i>Adv. Sci.</i> 4/2015). <i>Advanced Science</i> , 2015, 2, .  | 11.2 | 1         |
| 28 | A Tetraperylene Diimides Based 3D Nonfullerene Acceptor for Efficient Organic Photovoltaics. <i>Advanced Science</i> , 2015, 2, 1500014.   | 11.2 | 79        |
| 29 | Three-dimensional molecular donors combined with polymeric acceptors for high performance fullerene-free organic photovoltaic devices. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22162-22169.   | 10.3 | 33        |
| 30 | A direct arylation-derived DPP-based small molecule for solution-processed organic solar cells. <i>Nanotechnology</i> , 2014, 25, 014006.  | 2.6  | 30        |
| 31 | Pyrene and Diketopyrrolopyrrole-Based Oligomers Synthesized via Direct Arylation for OSC Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 6765-6775.   | 8.0  | 68        |
| 32 | Roll-coating fabrication of flexible large area small molecule solar cells with power conversion efficiency exceeding 1%. <i>Journal of Materials Chemistry A</i> , 2014, 2, 19809-19814.  | 10.3 | 44        |
| 33 | Câ€“H activation: making diketopyrrolopyrrole derivatives easily accessible. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2795.  | 10.3 | 118       |
| 34 | Hydrogen-Bond Influenced Synthesis and Crystal Structures of (4-Chloro-2-[(2-dimethylaminoethylimino)methyl] phenolato)dioxovanadium(V) and Bis(2-[(2-aminoethylimino)methyl]-4-bromophenolato) dioxovanadium(V). <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , 2013, 43, 734-738. | 0.6  | 1         |
| 35 | Crystal structure of NÂˆ-(5-bromo-2-hydroxy-3-methoxybenzylidene)-4-hydroxy-3-methoxybenzohydrazide dihydrate, C16H15BrN2O5Âˆ2H2O, C16H19BrN2O7. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2012, 227, 467-468.  | 0.3  | 1         |
| 36 | Crystal structure of NÂˆ-(3-hydroxybenzylidene)-4-dimethylamino benzohydrazide, C16H17N3O2. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2012, 227, 465-466.   | 0.3  | 0         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Crystal structure of N <sup>+</sup> -(5-bromo-2-hydroxy-3-methoxybenzylidene)-2-methoxybenzohydrazide monohydrate, C <sub>16</sub> H <sub>15</sub> BrN <sub>2</sub> O <sub>4</sub> ·H <sub>2</sub> O, C <sub>16</sub> H <sub>17</sub> BrN <sub>2</sub> O <sub>5</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2012, 227, 469-470. | 0.3  | 0         |
| 38 | Synthesis and Crystal Structures of Dioxovanadium Complexes With Schiff Bases. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2012, 42, 603-607.  | 0.6  | 3         |
| 39 | Pd/C as a Clean and Effective Heterogeneous Catalyst for C-C Couplings toward Highly Pure Semiconducting Polymers. Macromolecules, 2012, 45, 9004-9009.  | 4.8  | 73        |
| 40 | Crystal structure of [N <sup>+</sup> -(2-hydroxynaphthyl)ethylidene]-4-dimethyl aminobenzohydrazide, C <sub>21</sub> H <sub>21</sub> N <sub>3</sub> O <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2012, 227, 491-492.  | 0.3  | 0         |
| 41 | Crystal structure of N <sup>+</sup> -(2-methoxynaphthylidene)-4-dimethylamino benzohydrazide, C <sub>21</sub> H <sub>21</sub> N <sub>3</sub> O <sub>2</sub> . Zeitschrift Fur Kristallographie - New Crystal Structures, 2012, 227, 463-464.   | 0.3  | 0         |
| 42 | Synthesis, Characterization, and Crystal Structures of Two Dioxovanadium(V) Complexes with Schiff Bases. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2011, 41, 22-25.  | 0.6  | 6         |
| 43 | Hydrogen Bond-Induced Assembly and Crystal Structures of Two Oxovanadium Complexes with Schiff Bases. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2011, 41, 1148-1152.   | 0.6  | 0         |
| 44 | Water Soluble Starch Stabilized Palladium Nanoparticle: Efficient Catalyst for Miyaura-Suzuki Coupling Reaction. Chinese Journal of Chemistry, 2010, 28, 589-593.  | 4.9  | 18        |
| 45 | Dodecylsulfate Anion Embedded Layered Double Hydroxide Supported Nanopalladium Catalyst for the Suzuki Reaction. Chinese Journal of Catalysis, 2010, 31, 557-561.  | 14.0 | 27        |
| 46 | Heck reaction catalyzed by colloids of delaminated Pd-containing layered double hydroxide. Journal of Molecular Catalysis A, 2008, 290, 72-78.   | 4.8  | 20        |
| 47 | In situ chemical formation of iron phthalocyanine (FePc) monolayer on the surface of magnetite nanoparticles. New Journal of Chemistry, 2007, 31, 916.   | 2.8  | 8         |