

Shaw Jenq Tsai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4104768/shaw-jenq-tsai-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

5,164
citations

40
h-index

68
g-index

134
ext. papers

5,799
ext. citations

5.8
avg. IF

5.71
L-index

#	Paper	IF	Citations
129	Hypoxia and immune factors 2022 , 121-131		
128	Hidradenitis suppurativa: Disease pathophysiology and sex hormones.. <i>Chinese Journal of Physiology</i> , 2021 , 64, 257-265	1.6	1
127	Regulation of lymphangiogenesis by extracellular vesicles in cancer metastasis. <i>Experimental Biology and Medicine</i> , 2021 , 246, 2048-2056	3.7	2
126	Ca -regulated cell migration revealed by optogenetically engineered Ca oscillations. <i>Journal of Cellular Physiology</i> , 2021 , 236, 4681-4693	7	2
125	Inhibiting NTRK2 signaling causes endometriotic lesion regression. <i>Reproduction</i> , 2021 , 161, 11-19	3.8	
124	Fibroblast Growth Factor 9 Stimulates Neuronal Length Through NF-kB Signaling in Striatal Cell Huntington's Disease Models. <i>Molecular Neurobiology</i> , 2021 , 58, 2396-2406	6.2	4
123	HYPOXIA AND REPRODUCTIVE HEALTH: The role of hypoxia in the development and progression of endometriosis. <i>Reproduction</i> , 2021 , 161, F19-F31	3.8	7
122	FGF9 induces neurite outgrowth upon ERK signaling in knock-in striatal Huntington's disease cells. <i>Life Sciences</i> , 2021 , 267, 118952	6.8	4
121	The pro-inflammatory and anti-inflammatory role of hyaluronic acid in endometriosis. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021 , 60, 711-717	1.6	1
120	Suppression of Extracellular Vesicle VEGF-C-mediated Lymphangiogenesis and Pancreatic Cancer Early Dissemination By a Selective HDAC1/2 Inhibitor. <i>Molecular Cancer Therapeutics</i> , 2021 , 20, 1550-1560	6.1	3
119	Global data analysis supports smoking as the fundamental element associated with geographical sex disparities in hidradenitis suppurativa. <i>British Journal of Dermatology</i> , 2021 , 185, 1054-1056	4	1
118	The influence of gender and smoking on hidradenitis suppurativa: A retrospective study of 161 patients in Taiwan. <i>Dermatologica Sinica</i> , 2021 , 39, 125	1.1	1
117	Pathophysiological implications of hypoxia in human diseases. <i>Journal of Biomedical Science</i> , 2020 , 27, 63	13.3	39
116	Complexity in regulating microRNA biogenesis in cancer. <i>Experimental Biology and Medicine</i> , 2020 , 245, 395-401	3.7	2
115	DUSP2 regulates extracellular vesicle-VEGF-C secretion and pancreatic cancer early dissemination. <i>Journal of Extracellular Vesicles</i> , 2020 , 9, 1746529	16.4	13
114	A selective Aurora-A 5'UTR siRNA inhibits tumor growth and metastasis. <i>Cancer Letters</i> , 2020 , 472, 97-107	10.9	6
113	Extracellular vesicle-associated VEGF-C promotes lymphangiogenesis and immune cells infiltration in endometriosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 25859-25868	11.5	12

112	FGF9 is a downstream target of SRY and sufficient to determine male sex fate in ex vivo XX gonad culture. <i>Biology of Reproduction</i> , 2020 , 103, 1300-1313	3.9	3
111	COVID-19: Time for precision epidemiology. <i>Experimental Biology and Medicine</i> , 2020 , 245, 677-679	3.7	13
110	Targeting Anthrax Toxin Receptor 2 Ameliorates Endometriosis Progression. <i>Theranostics</i> , 2019 , 9, 620-632	3.2	12
109	hnRNPM induces translation switch under hypoxia to promote colon cancer development. <i>EBioMedicine</i> , 2019 , 41, 299-309	8.8	12
108	TYRO3: A potential therapeutic target in cancer. <i>Experimental Biology and Medicine</i> , 2019 , 244, 83-99	3.7	6
107	Induction of Pyruvate Dehydrogenase Kinase 1 by Hypoxia Alters Cellular Metabolism and Inhibits Apoptosis in Endometriotic Stromal Cells. <i>Reproductive Sciences</i> , 2019 , 26, 734-744	3	11
106	Fibroblast growth factors: Potential novel targets for regenerative therapy of osteoarthritis. <i>Chinese Journal of Physiology</i> , 2019 , 62, 2-10	1.6	20
105	Fibroblast growth factor 9 activates anti-oxidative functions of Nrf2 through ERK signalling in striatal cell models of Huntington's disease. <i>Free Radical Biology and Medicine</i> , 2019 , 130, 256-266	7.8	16
104	Hypoxia: The force of endometriosis. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 532-541	1.9	28
103	Fibroblast Growth Factor 9 Suppresses Striatal Cell Death Dominantly Through ERK Signaling in Huntington's Disease. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 605-617	3.9	15
102	Notch-1 Signaling Activation and Progesterone Receptor Expression in Ectopic Lesions of Women With Endometriosis. <i>Journal of the Endocrine Society</i> , 2018 , 2, 765-778	0.4	12
101	Suppression of COUP-TFII upregulates angiogenin and promotes angiogenesis in endometriosis. <i>Human Reproduction</i> , 2018 , 33, 1517-1527	5.7	12
100	Noncoding Effects of Circular RNA CCDC66 Promote Colon Cancer Growth and Metastasis. <i>Cancer Research</i> , 2017 , 77, 2339-2350	10.1	433
99	Circular RNA - New member of noncoding RNA with novel functions. <i>Experimental Biology and Medicine</i> , 2017 , 242, 1136-1141	3.7	243
98	Endocrine targets of hypoxia-inducible factors. <i>Journal of Endocrinology</i> , 2017 , 234, R53-R65	4.7	8
97	Hypoxia-inhibited DUSP2 expression promotes IL-6/STAT3 signaling in endometriosis. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12690	3.8	16
96	Targeting hypoxia-mediated YAP1 nuclear translocation ameliorates pathogenesis of endometriosis without compromising maternal fertility. <i>Journal of Pathology</i> , 2017 , 242, 476-487	9.4	17
95	Loss of dual-specificity phosphatase-2 promotes angiogenesis and metastasis via up-regulation of interleukin-8 in colon cancer. <i>Journal of Pathology</i> , 2017 , 241, 638-648	9.4	27

94	Epigenetic regulation of the pathological process in endometriosis. <i>Reproductive Medicine and Biology</i> , 2017 , 16, 314-319	4.1	34
93	Hypoxia-Induced Downregulation of DUSP-2 Phosphatase Drives Colon Cancer Stemness. <i>Cancer Research</i> , 2017 , 77, 4305-4316	10.1	46
92	Dysregulation of miRNAs-COUP-TFII-FOXM1-CENPF axis contributes to the metastasis of prostate cancer. <i>Nature Communications</i> , 2016 , 7, 11418	17.4	74
91	The expression profiles of fibroblast growth factor 9 and its receptors in developing mice testes. <i>Organogenesis</i> , 2016 , 12, 61-77	1.7	6
90	Targeting TYRO3 inhibits epithelial-mesenchymal transition and increases drug sensitivity in colon cancer. <i>Oncogene</i> , 2016 , 35, 5872-5881	9.2	44
89	The non-canonical role of vascular endothelial growth factor-C axis in cancer progression. <i>Experimental Biology and Medicine</i> , 2015 , 240, 718-24	3.7	22
88	Characterization and distribution of repetitive elements in association with genes in the human genome. <i>Computational Biology and Chemistry</i> , 2015 , 57, 29-38	3.6	10
87	FGF9-induced changes in cellular redox status and HO-1 upregulation are FGFR-dependent and proceed through both ERK and AKT to induce CREB and Nrf2 activation. <i>Free Radical Biology and Medicine</i> , 2015 , 89, 274-86	7.8	30
86	Coordination of AUF1 and miR-148a destabilizes DNA methyltransferase 1 mRNA under hypoxia in endometriosis. <i>Molecular Human Reproduction</i> , 2015 , 21, 894-904	4.4	36
85	Pathological functions of hypoxia in endometriosis. <i>Frontiers in Bioscience - Elite</i> , 2015 , 7, 352-366	1.6	1
84	Endometriosis and possible inflammation markers. <i>Gynecology and Minimally Invasive Therapy</i> , 2015 , 4, 61-67	1.1	20
83	Pathological functions of hypoxia in endometriosis. <i>Frontiers in Bioscience - Elite</i> , 2015 , 7, 309-21	1.6	32
82	Suppression of COUP-TFII by proinflammatory cytokines contributes to the pathogenesis of endometriosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E427-37	5.6	31
81	Hypoxia-regulated gene network in drug resistance and cancer progression. <i>Experimental Biology and Medicine</i> , 2014 , 239, 779-792	3.7	34
80	Hypoxia-induced tumor malignancy and drug resistance: Role of microRNAs. <i>Biomarkers and Genomic Medicine</i> , 2014 , 6, 1-11		13
79	A semi-supervised, weighted pattern-learning approach for extraction of gene regulation relationships from scientific literature. <i>International Journal of Data Mining and Bioinformatics</i> , 2014 , 9, 401-16	0.5	
78	Fibroblast growth factor 9 activates akt and MAPK pathways to stimulate steroidogenesis in mouse leydig cells. <i>PLoS ONE</i> , 2014 , 9, e90243	3.7	24
77	Overexpression of FGF9 in colon cancer cells is mediated by hypoxia-induced translational activation. <i>Nucleic Acids Research</i> , 2014 , 42, 2932-44	20.1	28

76	Roles of Prostaglandin E2 in Endometriosis 2014 , 125-146		
75	COUP-TFII inhibits TGF- β -induced growth barrier to promote prostate tumorigenesis. <i>Nature</i> , 2013 , 493, 236-40	50.4	125
74	Atrial identity is determined by a COUP-TFII regulatory network. <i>Developmental Cell</i> , 2013 , 25, 417-26	10.2	80
73	Using positive and negative patterns to extract information from journal articles regarding the regulation of a target gene by a transcription factor. <i>Computers in Biology and Medicine</i> , 2013 , 43, 2214-21	7	3
72	Overexpression of integrin- β in leiomyoma promotes cell spreading and proliferation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E837-46	5.6	26
71	Suppression of annexin A2 by prostaglandin E $_2$ impairs phagocytic ability of peritoneal macrophages in women with endometriosis. <i>Human Reproduction</i> , 2013 , 28, 1045-53	5.7	30
70	In silico identification of oncogenic potential of fyn-related kinase in hepatocellular carcinoma. <i>Bioinformatics</i> , 2013 , 29, 420-7	7.2	99
69	Human DDX3 interacts with the HIV-1 Tat protein to facilitate viral mRNA translation. <i>PLoS ONE</i> , 2013 , 8, e68665	3.7	34
68	Regulation of epithelial-mesenchymal transition and apoptosis by dual specificity phosphatase-2. <i>FASEB Journal</i> , 2013 , 27, 1043.4	0.9	
67	Estrogen receptor expression affected by hypoxia inducible factor-1 α in stromal cells from patients with endometriosis. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012 , 51, 50-4	1.6	23
66	Vitamin D receptor 1a promotor -1521 G/C and -1012 A/G polymorphisms in polycystic ovary syndrome. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012 , 51, 565-71	1.6	20
65	Hypoxia-induced microRNA-20a expression increases ERK phosphorylation and angiogenic gene expression in endometriotic stromal cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1515-23	5.6	96
64	Overexpression of pyruvate dehydrogenase kinase 3 increases drug resistance and early recurrence in colon cancer. <i>American Journal of Pathology</i> , 2011 , 179, 1405-14	5.8	92
63	Interleukin-6 as an early chronic inflammatory marker in polycystic ovary syndrome with insulin receptor substrate-2 polymorphism. <i>American Journal of Reproductive Immunology</i> , 2011 , 66, 527-33	3.8	24
62	Hypoxia-inhibited dual-specificity phosphatase-2 expression in endometriotic cells regulates cyclooxygenase-2 expression. <i>Journal of Pathology</i> , 2011 , 225, 390-400	9.4	42
61	Targeted methylation of two tumor suppressor genes is sufficient to transform mesenchymal stem cells into cancer stem/initiating cells. <i>Cancer Research</i> , 2011 , 71, 4653-63	10.1	76
60	Inference of transcriptional regulatory network by bootstrapping patterns. <i>Bioinformatics</i> , 2011 , 27, 1422-8	7.2	7
59	Suppression of dual-specificity phosphatase-2 by hypoxia increases chemoresistance and malignancy in human cancer cells. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1905-16	15.9	70

58	Using unsupervised patterns to extract gene regulation relationships for network construction. <i>PLoS ONE</i> , 2011 , 6, e19633	3.7	6
57	Testosterone synthesized in cultured human SZ95 sebocytes derives mainly from dehydroepiandrosterone. <i>Experimental Dermatology</i> , 2010 , 19, 470-2	4	35
56	Prostaglandin E2: the master of endometriosis?. <i>Experimental Biology and Medicine</i> , 2010 , 235, 668-77	3.7	98
55	AUF1 p42 isoform selectively controls both steady-state and PGE2-induced FGF9 mRNA decay. <i>Nucleic Acids Research</i> , 2010 , 38, 8061-71	20.1	23
54	DNA methylation of the Trip10 promoter accelerates mesenchymal stem cell lineage determination. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 400, 305-12	3.4	42
53	Inhibition of CD36-dependent phagocytosis by prostaglandin E2 contributes to the development of endometriosis. <i>American Journal of Pathology</i> , 2010 , 176, 850-60	5.8	66
52	Fibroblast growth factor 9 stimulates steroidogenesis in postnatal Leydig cells. <i>Journal of Developmental and Physical Disabilities</i> , 2010 , 33, 545-53		36
51	Leptin on peritoneal macrophages of patients with endometriosis. <i>American Journal of Reproductive Immunology</i> , 2010 , 63, 214-21	3.8	19
50	Downregulation of CD36 results in reduced phagocytic ability of peritoneal macrophages of women with endometriosis. <i>Journal of Pathology</i> , 2009 , 219, 232-41	9.4	70
49	Human sebocytes express prostaglandin E2 receptors EP2 and EP4 but treatment with prostaglandin E2 does not affect testosterone production. <i>British Journal of Dermatology</i> , 2009 , 161, 674-7	4	30
48	Cyclic adenosine 3',5'-monophosphate response element-binding protein and CCAAT/enhancer-binding protein mediate prostaglandin E2-induced steroidogenic acute regulatory protein expression in endometriotic stromal cells. <i>American Journal of Pathology</i> , 2008 , 173, 433-41	5.8	29
47	Regulation of CD151 by hypoxia controls cell adhesion and metastasis in colorectal cancer. <i>Clinical Cancer Research</i> , 2008 , 14, 8043-51	12.9	54
46	Induction of pyruvate dehydrogenase kinase-3 by hypoxia-inducible factor-1 promotes metabolic switch and drug resistance. <i>Journal of Biological Chemistry</i> , 2008 , 283, 28106-14	5.4	226
45	Exposure to a mixture of polychlorinated biphenyls and polychlorinated dibenzofurans resulted in a prolonged time to pregnancy in women. <i>Environmental Health Perspectives</i> , 2008 , 116, 599-604	8.4	22
44	Regulation of Dual specificity protein phosphatase-2 (DUSP2) by hypoxia. <i>FASEB Journal</i> , 2008 , 22, 1049a.9		
43	The expression of pyruvate dehydrogenase kinase 1 and 3 promotes metabolic switch and drug resistance in cancer cells. <i>FASEB Journal</i> , 2008 , 22, 794.11	0.9	
42	Hypoxia potentiates the accessibility of cyclooxygenase-2 gene promoter to transcription factors. <i>FASEB Journal</i> , 2008 , 22, 779.3	0.9	
41	Microsatellite in the 3' untranslated region of human fibroblast growth factor 9 (FGF9) gene exhibits pleiotropic effect on modulating FGF9 protein expression. <i>Human Mutation</i> , 2007 , 28, 98	4.7	25

40	Expression of sex-determining genes in the scalp of men with androgenetic alopecia. <i>Dermatology</i> , 2007 , 214, 199-204	4.4	7
39	Endometriosis: disease pathophysiology and the role of prostaglandins. <i>Expert Reviews in Molecular Medicine</i> , 2007 , 9, 1-20	6.7	67
38	Aberrant expression of leptin in human endometriotic stromal cells is induced by elevated levels of hypoxia inducible factor-1alpha. <i>American Journal of Pathology</i> , 2007 , 170, 590-8	5.8	91
37	Prostaglandin E2 induces fibroblast growth factor 9 via EP3-dependent protein kinase Cdelta and Elk-1 signaling. <i>Molecular and Cellular Biology</i> , 2006 , 26, 8281-92	4.8	42
36	Computational analysis and refinement of sequence structure on chromosome 22q11.2 region: application to the development of quantitative real-time PCR assay for clinical diagnosis. <i>Genomics</i> , 2006 , 87, 290-7	4.3	9
35	Higher levels of steroidogenic acute regulatory protein and type I 3beta-hydroxysteroid dehydrogenase in the scalp of men with androgenetic alopecia. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 2332-5	4.3	22
34	Mild cutaneous manifestation in two young women with extraordinary hyperandrogenemia. <i>Dermatology</i> , 2005 , 210, 49-52	4.4	8
33	Transcriptional repression of human cad gene by hypoxia inducible factor-1alpha. <i>Nucleic Acids Research</i> , 2005 , 33, 5190-8	20.1	71
32	Suppression of matrix metalloproteinase-9 by prostaglandin E(2) in peritoneal macrophage is associated with severity of endometriosis. <i>American Journal of Pathology</i> , 2005 , 167, 1061-9	5.8	77
31	Expression and functional analysis of pituitary tumor transforming gene-1 [corrected] in uterine leiomyomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3715-23	5.6	36
30	The mammalian target of rapamycin-p70 ribosomal S6 kinase but not phosphatidylinositol 3-kinase-Akt signaling is responsible for fibroblast growth factor-9-induced cell proliferation. <i>Journal of Biological Chemistry</i> , 2005 , 280, 19937-47	5.4	34
29	Distinct regulation of cyclooxygenase-2 by interleukin-1beta in normal and endometriotic stromal cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 286-95	5.6	106
28	Upregulation of steroidogenic enzymes and ovarian 17beta-estradiol in human granulosa-lutein cells by Cordyceps sinensis mycelium. <i>Biology of Reproduction</i> , 2004 , 70, 1358-64	3.9	32
27	Effects of laparoscopic ovarian drilling on young adult women with polycystic ovarian syndrome. <i>Journal of Minimally Invasive Gynecology</i> , 2004 , 11, 184-90		17
26	Transactivation of steroidogenic acute regulatory protein in human endometriotic stromal cells is mediated by the prostaglandin EP2 receptor. <i>Endocrinology</i> , 2003 , 144, 3934-42	4.8	91
25	Three-dimensional power Doppler imaging of ovarian stromal blood flow in women with endometriosis undergoing in vitro fertilization. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 21, 480-5	5.8	42
24	Acute reduction in serum progesterone concentrations after feed intake in dairy cows. <i>Theriogenology</i> , 2003 , 60, 795-807	2.8	93
23	The recovery of some components of the renin angiotensin system in the rat pancreas after chronic exposure to hypoxic condition. <i>Journal of Molecular Endocrinology</i> , 2003 , 31, 563-71	4.5	10

22	Expression and mitogenic effect of fibroblast growth factor-9 in human endometriotic implant is regulated by aberrant production of estrogen. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 5547-54	5.6	50
21	Chronic exercise increases both inducible and endothelial nitric oxide synthase gene expression in endothelial cells of rat aorta. <i>Journal of Biomedical Science</i> , 2002 , 9, 149-55	13.3	31
20	Fibroblast growth factor-9 is an endometrial stromal growth factor. <i>Endocrinology</i> , 2002 , 143, 2715-21	4.8	91
19	Distinct mechanisms regulate cyclooxygenase-1 and -2 in peritoneal macrophages of women with and without endometriosis. <i>Molecular Human Reproduction</i> , 2002 , 8, 1103-10	4.4	79
18	Increased leptin expression in endometriosis cells is associated with endometrial stromal cell proliferation and leptin gene up-regulation. <i>Molecular Human Reproduction</i> , 2002 , 8, 456-64	4.4	52
17	Presence of DAZL transcript and protein in mature human spermatozoa. <i>Fertility and Sterility</i> , 2002 , 77, 626-9	4.8	28
16	Regulation of progesterone and prostaglandin F2alpha production in the CL. <i>Molecular and Cellular Endocrinology</i> , 2002 , 191, 65-80	4.4	101
15	Chronic exercise increases both inducible and endothelial nitric oxide synthase gene expression in endothelial cells of rat aorta 2002 , 9, 149		2
14	Regulation of steroidogenic acute regulatory protein expression and progesterone production in endometriotic stromal cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 5765-73	5.6	118
13	Prostaglandin F(2alpha) receptor in the corpus luteum: recent information on the gene, messenger ribonucleic acid, and protein. <i>Biology of Reproduction</i> , 2001 , 64, 1041-7	3.9	49
12	The upregulation of angiotensin II receptor AT(1) in human preeclamptic placenta. <i>Molecular and Cellular Endocrinology</i> , 2001 , 184, 95-102	4.4	59
11	Effects of Cordyceps sinensis on testosterone production in normal mouse Leydig cells. <i>Life Sciences</i> , 2001 , 69, 2593-602	6.8	35
10	Distinct regulation of gene expression by prostaglandin F(2alpha) (PGF(2alpha)) is associated with PGF(2alpha) resistance or susceptibility in human granulosa-luteal cells. <i>Molecular Human Reproduction</i> , 2001 , 7, 415-23	4.4	23
9	Transvaginal, ultrasound-guided biopsy of the corpus luteum in cattle. <i>Theriogenology</i> , 1999 , 52, 987-93	2.8	16
8	Regulation of prostaglandin F2 alpha and E receptor mRNA by prostaglandin F 2 alpha in ovine corpora lutea. <i>Reproduction</i> , 1998 , 114, 69-75	3.8	19
7	Prostaglandin F2alpha regulates distinct physiological changes in early and mid-cycle bovine corpora lutea. <i>Biology of Reproduction</i> , 1998 , 58, 346-52	3.9	146
6	Effect of oxytocin on concentrations of prostaglandin H synthase-2 mRNA in ovine endometrial tissue in vivo. <i>Endocrinology</i> , 1997 , 138, 5637-40	4.8	24
5	Hormonal regulation of monocyte chemoattractant protein-1 messenger ribonucleic acid expression in corpora lutea. <i>Endocrinology</i> , 1997 , 138, 4517-20	4.8	56

4	Prostaglandin F2alpha induces expression of prostaglandin G/H synthase-2 in the ovine corpus luteum: a potential positive feedback loop during luteolysis. <i>Biology of Reproduction</i> , 1997 , 57, 1016-22	3.9	99
3	Quantification of mRNA using competitive RT-PCR with standard-curve methodology. <i>BioTechniques</i> , 1996 , 21, 862-6	2.5	99
2	Production and characterisation of a monoclonal antibody (Cx-99) against cervical carcinoma. <i>British Journal of Cancer</i> , 1992 , 65, 201-7	8.7	6
1	Fibroblast Growth Factor-9 Is an Endometrial Stromal Growth Factor		11