Zhenyu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4105089/publications.pdf

Version: 2024-02-01

		933447	996975
18	251	10	15
papers	citations	h-index	g-index
21	21	21	491
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	miR-330-5p inhibits NLRP3 inflammasome-mediated myocardial ischaemia–reperfusion injury by targeting TIM3. Cardiovascular Drugs and Therapy, 2021, 35, 691-705.	2.6	24
2	Prognostic value of fasting glucose on the risk of heart failure and left ventricular systolic dysfunction in non-diabetic patients with ST-segment elevation myocardial infarction. Frontiers of Medicine, 2021, 15, 70-78.	3.4	5
3	Restoration of <scp>NRF2</scp> attenuates myocardial ischemia reperfusion injury through mediating <scp>microRNA</scp> â€29aâ€3p/ <scp>CCNT2</scp> axis. BioFactors, 2021, 47, 414-426.	5.4	14
4	Response to letter to the editor on "Percutaneous coronary intervention underperforms in Takayasu Arteritis― International Journal of Cardiology, 2020, 319, 38-39.	1.7	O
5	Platelet Inhibition with Ticagrelor versus Clopidogrel in Diabetic Patients after Percutaneous Coronary Intervention for Chronic Coronary Syndromes. Thrombosis and Haemostasis, 2020, 120, 1221-1229.	3.4	8
6	Mendelian randomization in COVID-19: Applications for cardiovascular comorbidities and beyond. EBioMedicine, 2020, 57, 102847.	6.1	6
7	Identification of characteristics of overt myocarditis in adult patients with idiopathic inflammatory myopathies. Cardiovascular Diagnosis and Therapy, 2020, 10, 405-420.	1.7	21
8	miR-330 regulates Drp-1 mediated mitophagy by targeting PGAM5 in a rat model of permanent focal cerebral ischemia. European Journal of Pharmacology, 2020, 880, 173143.	3.5	14
9	Comparing the effects of different management strategies on long-term outcomes for significant coronary stenosis in patients with Takayasu arteritis. International Journal of Cardiology, 2020, 306, 1-7.	1.7	11
10	Impact of coronary involvement on long-term outcomes in patients with Takayasu's arteritis. Clinical and Experimental Rheumatology, 2020, 38, 1118-1126.	0.8	1
11	C-reactive protein for predicting cardiovascular and all-cause mortality in type 2 diabetic patients: A meta-analysis. Cytokine, 2019, 117, 59-64.	3.2	30
12	Interval From Initiation of Prasugrel toÂCoronary Angiography in PatientsÂWith Non–ST-Segment ElevationÂMyocardialÂInfarction. Journal of the American College of Cardiology, 2019, 73, 906-914.	2.8	14
13	Hyperglycemia abolished Drp-1-mediated mitophagy at the early stage of cerebral ischemia. European Journal of Pharmacology, 2019, 843, 34-44.	3.5	13
14	Correlation of increased corrected TIMI frame counts and the topographical extent of isolated coronary artery ectasia. BMC Cardiovascular Disorders, 2018, 18, 102.	1.7	4
15	Association Between Oxidative Stress and Peripheral Leukocyte Telomere Length in Patients with Premature Coronary Artery Disease. Medical Science Monitor, 2017, 23, 4382-4390.	1.1	25
16	Serum IgE levels are associated with coronary artery disease severity. Atherosclerosis, 2016, 251, 355-360.	0.8	36
17	Anatomic and metabolic imaging of left main coronary artery involvement in a patient with Takayasu arteritis:. European Heart Journal, 2015, 36, 2470-2470.	2.2	1
18	Serum chemokine CCL17/thymus activation and regulated chemokine is correlated with coronary artery diseases. Atherosclerosis, 2015, 238, 365-369.	0.8	23