

# Feng Liu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4105178/feng-liu-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164  
papers

4,567  
citations

38  
h-index

61  
g-index

171  
ext. papers

5,759  
ext. citations

4.7  
avg, IF

5.49  
L-index

#	Paper	IF	Citations
164	Multivariate classification of social anxiety disorder using whole brain functional connectivity. <i>Brain Structure and Function</i> , <b>2015</b> , 220, 101-15	4	232
163	Abnormal amplitude low-frequency oscillations in medication-naive, first-episode patients with major depressive disorder: a resting-state fMRI study. <i>Journal of Affective Disorders</i> , <b>2013</b> , 146, 401-6	6.6	185
162	Dynamic functional network connectivity in idiopathic generalized epilepsy with generalized tonic-clonic seizure. <i>Human Brain Mapping</i> , <b>2017</b> , 38, 957-973	5.9	180
161	Inter-modality relationship constrained multi-modality multi-task feature selection for Alzheimer's Disease and mild cognitive impairment identification. <i>NeuroImage</i> , <b>2014</b> , 84, 466-75	7.9	150
160	Abnormal regional spontaneous neural activity in first-episode, treatment-naive patients with late-life depression: a resting-state fMRI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2012</b> , 39, 326-31	5.5	133
159	Abnormal resting-state cerebellar-cerebral functional connectivity in treatment-resistant depression and treatment sensitive depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 44, 51-7	5.5	127
158	Alterations of the amplitude of low-frequency fluctuations in treatment-resistant and treatment-response depression: a resting-state fMRI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2012</b> , 37, 153-60	5.5	117
157	Classification of different therapeutic responses of major depressive disorder with multivariate pattern analysis method based on structural MR scans. <i>PLoS ONE</i> , <b>2012</b> , 7, e40968	3.7	109
156	Abnormal neural activities in first-episode, treatment-naive, short-illness-duration, and treatment-response patients with major depressive disorder: a resting-state fMRI study. <i>Journal of Affective Disorders</i> , <b>2011</b> , 135, 326-31	6.6	107
155	Decreased interhemispheric resting-state functional connectivity in first-episode, drug-naive major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 41, 24-9	5.5	101
154	Multivariate classification of autism spectrum disorder using frequency-specific resting-state functional connectivity--A multi-center study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2016</b> , 64, 1-9	5.5	100
153	Disrupted cortical hubs in functional brain networks in social anxiety disorder. <i>Clinical Neurophysiology</i> , <b>2015</b> , 126, 1711-6	4.3	95
152	Resting-state functional connectivity bias of middle temporal gyrus and caudate with altered gray matter volume in major depression. <i>PLoS ONE</i> , <b>2012</b> , 7, e45263	3.7	92
151	Characterization of post-traumatic stress disorder using resting-state fMRI with a multi-level parametric classification approach. <i>Brain Topography</i> , <b>2015</b> , 28, 221-37	4.3	81
150	Abnormal neural activity of brain regions in treatment-resistant and treatment-sensitive major depressive disorder: a resting-state fMRI study. <i>Journal of Psychiatric Research</i> , <b>2012</b> , 46, 1366-73	5.2	81
149	Right lateralized white matter abnormalities in first-episode, drug-naive paranoid schizophrenia. <i>Neuroscience Letters</i> , <b>2012</b> , 531, 5-9	3.3	75
148	Decreased left middle temporal gyrus volume in antipsychotic drug-naive, first-episode schizophrenia patients and their healthy unaffected siblings. <i>Schizophrenia Research</i> , <b>2013</b> , 144, 37-42	3.6	68

147	Early and late onset, first-episode, treatment-naive depression: same clinical symptoms, different regional neural activities. <i>Journal of Affective Disorders</i> , <b>2012</b> , 143, 56-63	6.6	66
146	Is there a cerebellar compensatory effort in first-episode, treatment-naive major depressive disorder at rest?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 46, 13-8	5.5	63
145	Altered white matter integrity in young adults with first-episode, treatment-naive, and treatment-responsive depression. <i>Neuroscience Letters</i> , <b>2012</b> , 522, 139-44	3.3	63
144	Altered white matter integrity of forebrain in treatment-resistant depression: a diffusion tensor imaging study with tract-based spatial statistics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2012</b> , 38, 201-6	5.5	61
143	Altered Coupling Between Resting-State Cerebral Blood Flow and Functional Connectivity in Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2017</b> , 43, 1363-1374	1.3	60
142	Abnormal causal connectivity by structural deficits in first-episode, drug-naive schizophrenia at rest. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 57-65	1.3	60
141	Abnormal default-mode network homogeneity in first-episode, drug-naive major depressive disorder. <i>PLoS ONE</i> , <b>2014</b> , 9, e91102	3.7	56
140	Decreased insular connectivity in drug-naive major depressive disorder at rest. <i>Journal of Affective Disorders</i> , <b>2015</b> , 179, 31-7	6.6	53
139	Decreased interhemispheric coordination in treatment-resistant depression: a resting-state fMRI study. <i>PLoS ONE</i> , <b>2013</b> , 8, e71368	3.7	51
138	Relationship between personality and gray matter volume in healthy young adults: a voxel-based morphometric study. <i>PLoS ONE</i> , <b>2014</b> , 9, e88763	3.7	50
137	Altered Cerebral Blood Flow Covariance Network in Schizophrenia. <i>Frontiers in Neuroscience</i> , <b>2016</b> , 10, 308	5.1	50
136	Disrupted structural connectivity network in treatment-naive depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2015</b> , 56, 18-26	5.5	49
135	Intranetwork and internetwork functional connectivity alterations in post-traumatic stress disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 187, 114-21	6.6	46
134	Increased functional connectivity strength of right inferior temporal gyrus in first-episode, drug-naive somatization disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2015</b> , 49, 74-81	2.6	46
133	Functional and anatomical brain deficits in drug-naive major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2014</b> , 54, 1-6	5.5	46
132	Frequency-dependent alterations in the amplitude of low-frequency fluctuations in social anxiety disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 174, 329-35	6.6	45
131	Increased cerebellar-default-mode-network connectivity in drug-naive major depressive disorder at rest. <i>Medicine (United States)</i> , <b>2015</b> , 94, e560	1.8	43
130	Dissociation of regional activity in the default mode network in first-episode, drug-naive major depressive disorder at rest. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 1097-101	6.6	43

129	Reversal alterations of amplitude of low-frequency fluctuations in early and late onset, first-episode, drug-naive depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 40, 153-9	5.5	42
128	Increased short-range and long-range functional connectivity in first-episode, medication-naive schizophrenia at rest. <i>Schizophrenia Research</i> , <b>2015</b> , 166, 144-50	3.6	41
127	Resting-state cerebellar-cerebral networks are differently affected in first-episode, drug-naive schizophrenia patients and unaffected siblings. <i>Scientific Reports</i> , <b>2015</b> , 5, 17275	4.9	38
126	Increased Cerebellar Functional Connectivity With the Default-Mode Network in Unaffected Siblings of Schizophrenia Patients at Rest. <i>Schizophrenia Bulletin</i> , <b>2015</b> , 41, 1317-25	1.3	38
125	Decreased gray matter volume in the left middle temporal gyrus as a candidate biomarker for schizophrenia: a study of drug naive, first-episode schizophrenia patients and unaffected siblings. <i>Schizophrenia Research</i> , <b>2014</b> , 159, 43-50	3.6	36
124	Patients with first-episode, drug-naive schizophrenia and subjects at ultra-high risk of psychosis shared increased cerebellar-default mode network connectivity at rest. <i>Scientific Reports</i> , <b>2016</b> , 6, 26124	4.9	35
123	Dissociation of regional activity in default mode network in medication-naive, first-episode somatization disorder. <i>PLoS ONE</i> , <b>2014</b> , 9, e99273	3.7	33
122	Handedness- and hemisphere-related differences in small-world brain networks: a diffusion tensor imaging tractography study. <i>Brain Connectivity</i> , <b>2014</b> , 4, 145-56	2.7	32
121	Altered voxel-wise gray matter structural brain networks in schizophrenia: Association with brain genetic expression pattern. <i>Brain Imaging and Behavior</i> , <b>2019</b> , 13, 493-502	4.1	32
120	Decreased regional activity and network homogeneity of the fronto-limbic network at rest in drug-naive major depressive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2015</b> , 49, 550-6	2.6	30
119	Olanzapine modulation of long- and short-range functional connectivity in the resting brain in a sample of patients with schizophrenia. <i>European Neuropsychopharmacology</i> , <b>2017</b> , 27, 48-58	1.2	28
118	Decreased interhemispheric functional connectivity in insula and angular gyrus/supramarginal gyrus: Significant findings in first-episode, drug-naive somatization disorder. <i>Psychiatry Research - Neuroimaging</i> , <b>2016</b> , 248, 48-54	2.9	27
117	Abnormal Functional Connectivity Density in Post-traumatic Stress Disorder. <i>Brain Topography</i> , <b>2016</b> , 29, 405-11	4.3	27
116	Robust delay-probability-distribution-dependent stability of uncertain stochastic genetic regulatory networks with random discrete delays and distributed delays. <i>International Journal of Robust and Nonlinear Control</i> , <b>2014</b> , 24, 2574-2596	3.6	27
115	Novel delay-dependent stability criterion for time-varying delay systems with parameter uncertainties and nonlinear perturbations. <i>Information Sciences</i> , <b>2014</b> , 281, 321-333	7.7	26
114	Unidirectionally affected causal connectivity of cortico-limbic-cerebellar circuit by structural deficits in drug-naive major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2015</b> , 172, 410-6	6.6	26
113	Treatment effects of olanzapine on homotopic connectivity in drug-free schizophrenia at rest. <i>World Journal of Biological Psychiatry</i> , <b>2018</b> , 19, S106-S114	3.8	25
112	New delay-dependent stability criteria for uncertain genetic regulatory networks with time-varying delays. <i>Neurocomputing</i> , <b>2012</b> , 93, 19-26	5.4	25

111	Cerebellar structural and functional abnormalities in first-episode and drug-naive patients with schizophrenia: A meta-analysis. <i>Psychiatry Research - Neuroimaging</i> , <b>2019</b> , 283, 24-33	2.9	25
110	Dissociation of functional and anatomical brain abnormalities in unaffected siblings of schizophrenia patients. <i>Clinical Neurophysiology</i> , <b>2015</b> , 126, 927-32	4.3	24
109	Robust filtering of uncertain stochastic genetic regulatory networks with time-varying delays. <i>Chaos, Solitons and Fractals</i> , <b>2012</b> , 45, 915-929	9.3	24
108	Hyperactivity of the default-mode network in first-episode, drug-naive schizophrenia at rest revealed by family-based case-control and traditional case-control designs. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6223	1.8	23
107	Brain structural abnormalities as potential markers for detecting individuals with ultra-high risk for psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , <b>2019</b> , 209, 22-31	3.6	23
106	Abnormal default-mode network homogeneity and its correlations with personality in drug-naive somatization disorder at rest. <i>Journal of Affective Disorders</i> , <b>2016</b> , 193, 81-8	6.6	23
105	Steady-state BOLD response modulates low frequency neural oscillations. <i>Scientific Reports</i> , <b>2014</b> , 4, 7376	4.9	22
104	High-order graph matching based feature selection for Alzheimer's disease identification. <i>Lecture Notes in Computer Science</i> , <b>2013</b> , 16, 311-8	0.9	22
103	Steady-state BOLD Response to Higher-order Cognition Modulates Low-Frequency Neural Oscillations. <i>Journal of Cognitive Neuroscience</i> , <b>2015</b> , 27, 2406-15	3.1	21
102	Alterations of Functional and Structural Networks in Schizophrenia Patients with Auditory Verbal Hallucinations. <i>Frontiers in Human Neuroscience</i> , <b>2016</b> , 10, 114	3.3	20
101	Abnormal regional homogeneity and its correlations with personality in first-episode, treatment-naive somatization disorder. <i>International Journal of Psychophysiology</i> , <b>2015</b> , 97, 108-12	2.9	19
100	Disrupted white matter integrity in first-episode, drug-naive, late-onset depression. <i>Journal of Affective Disorders</i> , <b>2014</b> , 163, 70-5	6.6	19
99	Neural substrates underlying delusions in schizophrenia. <i>Scientific Reports</i> , <b>2016</b> , 6, 33857	4.9	18
98	Distinct disruptions of resting-state functional brain networks in familial and sporadic schizophrenia. <i>Scientific Reports</i> , <b>2016</b> , 6, 23577	4.9	18
97	Decreased interhemispheric coordination in the posterior default-mode network and visual regions as trait alterations in first-episode, drug-naive major depressive disorder. <i>Brain Imaging and Behavior</i> , <b>2018</b> , 12, 1251-1258	4.1	18
96	Disrupted asymmetry of inter- and intra-hemispheric functional connectivity in patients with drug-naive, first-episode schizophrenia and their unaffected siblings. <i>EBioMedicine</i> , <b>2018</b> , 36, 429-435	8.8	18
95	Altered functional connectivity strength and its correlations with cognitive function in subjects with ultra-high risk for psychosis at rest. <i>CNS Neuroscience and Therapeutics</i> , <b>2018</b> , 24, 1140-1148	6.8	17
94	Low frequency steady-state brain responses modulate large scale functional networks in a frequency-specific means. <i>Human Brain Mapping</i> , <b>2016</b> , 37, 381-94	5.9	17

93	A new method for computing attention network scores and relationships between attention networks. <i>PLoS ONE</i> , <b>2014</b> , 9, e89733	3.7	17
92	Decreased default-mode network homogeneity in unaffected siblings of schizophrenia patients at rest. <i>Psychiatry Research - Neuroimaging</i> , <b>2014</b> , 224, 218-24	2.9	17
91	Delay partition method for the robust stability of uncertain genetic regulatory networks with time-varying delays. <i>Neurocomputing</i> , <b>2016</b> , 173, 899-911	5.4	16
90	Family-based case-control study of homotopic connectivity in first-episode, drug-naive schizophrenia at rest. <i>Scientific Reports</i> , <b>2017</b> , 7, 43312	4.9	16
89	Cerebellar abnormalities in first-episode, drug-naive schizophrenia at rest. <i>Psychiatry Research - Neuroimaging</i> , <b>2018</b> , 276, 73-79	2.9	16
88	Decreased long- and short-range functional connectivity at rest in drug-naive major depressive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2016</b> , 50, 763-9	2.6	16
87	Robust stability analysis of stochastic delayed genetic regulatory networks with polytopic uncertainties and linear fractional parametric uncertainties. <i>Communications in Nonlinear Science and Numerical Simulation</i> , <b>2014</b> , 19, 1569-1581	3.7	16
86	Voxel-based global-brain functional connectivity alterations in first-episode drug-naive patients with somatization disorder. <i>Journal of Affective Disorders</i> , <b>2019</b> , 254, 82-89	6.6	15
85	Enhanced Global-Brain Functional Connectivity in the Left Superior Frontal Gyrus as a Possible Endophenotype for Schizophrenia. <i>Frontiers in Neuroscience</i> , <b>2019</b> , 13, 145	5.1	15
84	Functional asymmetry of thalamocortical networks in subjects at ultra-high risk for psychosis and first-episode schizophrenia. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, 519-528	1.2	15
83	Voxel-wise brain-wide functional connectivity abnormalities in first-episode, drug-naive patients with major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2018</b> , 177, 447-453	3.5	15
82	Novel delay-dependent stability criterion for uncertain genetic regulatory networks with interval time-varying delays. <i>Neurocomputing</i> , <b>2013</b> , 121, 170-178	5.4	15
81	Olanzapine modulates the default-mode network homogeneity in recurrent drug-free schizophrenia at rest. <i>Australian and New Zealand Journal of Psychiatry</i> , <b>2017</b> , 51, 1000-1009	2.6	14
80	Enhanced baseline activity in the left ventromedial putamen predicts individual treatment response in drug-naive, first-episode schizophrenia: Results from two independent study samples. <i>EBioMedicine</i> , <b>2019</b> , 46, 248-255	8.8	14
79	Clinical significance of increased cerebellar default-mode network connectivity in resting-state patients with drug-naive somatization disorder. <i>Medicine (United States)</i> , <b>2016</b> , 95, e4043	1.8	14
78	Neurobiological substrates underlying the effect of genomic risk for depression on the conversion of amnesic mild cognitive impairment. <i>Brain</i> , <b>2018</b> , 141, 3457-3471	11.2	14
77	Sex-specific mediation effect of the right fusiform face area volume on the association between variants in repeat length of AVPR1A RS3 and altruistic behavior in healthy adults. <i>Human Brain Mapping</i> , <b>2016</b> , 37, 2700-9	5.9	13
76	Increased frontal gray matter volume in individuals with prodromal psychosis. <i>CNS Neuroscience and Therapeutics</i> , <b>2019</b> , 25, 987-994	6.8	12

75	Increased cortical thickness and altered functional connectivity of the right superior temporal gyrus in left-handers. <i>Neuropsychologia</i> , <b>2015</b> , 67, 27-34	3.2	12
74	Increased anterior default-mode network homogeneity in first-episode, drug-naive major depressive disorder: A replication study. <i>Journal of Affective Disorders</i> , <b>2018</b> , 225, 767-772	6.6	12
73	Reliable Attention Network Scores and Mutually Inhibited Inter-network Relationships Revealed by Mixed Design and Non-orthogonal Method. <i>Scientific Reports</i> , <b>2015</b> , 5, 10251	4.9	12
72	Genes associated with gray matter volume alterations in schizophrenia. <i>NeuroImage</i> , <b>2021</b> , 225, 117526	7.9	12
71	Correlation between cortical gene expression and resting-state functional network centrality in healthy young adults. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 2236-2249	5.9	12
70	Reachable set estimation for linear systems with time-varying delay and polytopic uncertainties. <i>Journal of the Franklin Institute</i> , <b>2019</b> , 356, 7322-7346	4	11
69	Secondary delay-partition approach to finite-time stability analysis of delayed genetic regulatory networks with reaction-diffusion terms. <i>Neurocomputing</i> , <b>2019</b> , 359, 368-383	5.4	11
68	Bidirectional Causal Connectivity in the Cortico-Limbic-Cerebellar Circuit Related to Structural Alterations in First-Episode, Drug-Naive Somatization Disorder. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 162	5	11
67	Increased Causal Connectivity Related to Anatomical Alterations as Potential Endophenotypes for Schizophrenia. <i>Medicine (United States)</i> , <b>2015</b> , 94, e1493	1.8	11
66	Two-stage processing in automatic detection of emotional intensity: a scalp event-related potential study. <i>NeuroReport</i> , <b>2013</b> , 24, 818-21	1.7	11
65	Inter-modality relationship constrained multi-task feature selection for AD/MCI classification. <i>Lecture Notes in Computer Science</i> , <b>2013</b> , 16, 308-15	0.9	11
64	CHIMGEN: a Chinese imaging genetics cohort to enhance cross-ethnic and cross-geographic brain research. <i>Molecular Psychiatry</i> , <b>2020</b> , 25, 517-529	15.1	11
63	Reduced connectivity in anterior cingulate cortex as an early predictor for treatment response in drug-naive, first-episode schizophrenia: A global-brain functional connectivity analysis. <i>Schizophrenia Research</i> , <b>2020</b> , 215, 337-343	3.6	11
62	Using short-range and long-range functional connectivity to identify schizophrenia with a family-based case-control design. <i>Psychiatry Research - Neuroimaging</i> , <b>2017</b> , 264, 60-67	2.9	10
61	Robust delay-probability-distribution-dependent stability of uncertain genetic regulatory networks with time-varying delays. <i>Neurocomputing</i> , <b>2013</b> , 119, 153-164	5.4	10
60	Decreased white matter FA values in the left inferior frontal gyrus is a possible intermediate phenotype of schizophrenia: evidences from a novel group strategy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2018</b> , 268, 89-98	5.1	9
59	Exponential convergence analysis of uncertain genetic regulatory networks with time-varying delays. <i>ISA Transactions</i> , <b>2014</b> , 53, 1544-53	5.5	9
58	Handedness- and brain size-related efficiency differences in small-world brain networks: a resting-state functional magnetic resonance imaging study. <i>Brain Connectivity</i> , <b>2015</b> , 5, 259-65	2.7	8

57	MVPANI: A Toolkit With Friendly Graphical User Interface for Multivariate Pattern Analysis of Neuroimaging Data. <i>Frontiers in Neuroscience</i> , <b>2020</b> , 14, 545	5.1	8
56	Altered brain function and clinical features in patients with first-episode, drug naïve major depressive disorder: A resting-state fMRI study. <i>Psychiatry Research - Neuroimaging</i> , <b>2020</b> , 303, 111134	2.9	8
55	Increased coherence-based regional homogeneity in resting-state patients with first-episode, drug-naive somatization disorder. <i>Journal of Affective Disorders</i> , <b>2018</b> , 235, 150-154	6.6	8
54	Network-Dependent Modulation of COMT and DRD2 Polymorphisms in Healthy Young Adults. <i>Scientific Reports</i> , <b>2015</b> , 5, 17996	4.9	8
53	Dissociation of anatomical and functional alterations of the default-mode network in first-episode, drug-naive schizophrenia. <i>Clinical Neurophysiology</i> , <b>2015</b> , 126, 2276-81	4.3	8
52	Reduced Global-Brain Functional Connectivity and Its Relationship With Symptomatic Severity in Cervical Dystonia. <i>Frontiers in Neurology</i> , <b>2019</b> , 10, 1358	4.1	8
51	Increased Nucleus Accumbens Connectivity in Resting-State Patients With Drug-Naive, First-Episode Somatization Disorder. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 585	5	6
50	Reduced Brain Activity in the Right Putamen as an Early Predictor for Treatment Response in Drug-Naive, First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 741	5	6
49	Local dynamic spontaneous brain activity changes in first-episode, treatment-naïve patients with major depressive disorder and their associated gene expression profiles. <i>Psychological Medicine</i> , <b>2020</b> , 1-10	6.9	6
48	Shared and distinct homotopic connectivity changes in melancholic and non-melancholic depression. <i>Journal of Affective Disorders</i> , <b>2021</b> , 287, 268-275	6.6	6
47	Individual-Level Identification of Gene Expression Associated with Volume Differences among Neocortical Areas. <i>Cerebral Cortex</i> , <b>2020</b> , 30, 3655-3666	5.1	5
46	New Delay-Dependent Stability Criteria for Uncertain Neutral System with Time-Varying Delays and Nonlinear Perturbations. <i>Circuits, Systems, and Signal Processing</i> , <b>2014</b> , 33, 2719-2740	2.2	5
45	Brain mRNA Expression Associated with Cortical Volume Alterations in Autism Spectrum Disorder. <i>Cell Reports</i> , <b>2020</b> , 32, 108137	10.6	5
44	Reduced Global-Brain Functional Connectivity of the Cerebello-Thalamo-Cortical Network in Patients With Dry Eye Disease. <i>Frontiers in Human Neuroscience</i> , <b>2020</b> , 14, 572693	3.3	5
43	A common variant in OXTR rs53576 impacts topological patterns of brain functional networks. <i>European Child and Adolescent Psychiatry</i> , <b>2020</b> , 29, 993-1002	5.5	5
42	Increased regional homogeneity modulated by metacognitive training predicts therapeutic efficacy in patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 271, 783-798	5.1	5
41	Disrupted Regional Homogeneity in Melancholic and Non-melancholic Major Depressive Disorder at Rest. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 618805	5	5
40	Anatomical distance affects cortical-subcortical connectivity in first-episode, drug-naive somatization disorder. <i>Journal of Affective Disorders</i> , <b>2017</b> , 217, 153-158	6.6	4



39	Metacognitive Training Modulates Default-Mode Network Homogeneity During 8-Week Olanzapine Treatment in Patients With Schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 234	5	4
38	Abnormal Functional Asymmetry in the Saliency and Auditory Networks in First-episode, Drug-naive Somatization Disorder. <i>Neuroscience</i> , <b>2020</b> , 444, 1-8	3.9	4
37	Multiscale neurobiological correlates of human neuroticism. <i>Human Brain Mapping</i> , <b>2020</b> , 41, 4730-4743	5.9	4
36	Prefrontal Volume Mediates Effect of COMT Polymorphism on Interference Resolution Capacity in Healthy Male Adults. <i>Cerebral Cortex</i> , <b>2017</b> , 27, 5211-5221	5.1	4
35	Regional white matter volume abnormalities in first-episode somatization disorder. <i>International Journal of Psychophysiology</i> , <b>2018</b> , 133, 12-16	2.9	4
34	Finite-Time Robust Stability of Uncertain Genetic Regulatory Networks with Time-Varying Delays and Reaction-Diffusion Terms. <i>Complexity</i> , <b>2019</b> , 2019, 1-18	1.6	3
33	ZNF804A rs1344706 interacts with COMT rs4680 to affect prefrontal volume in healthy adults. <i>Brain Imaging and Behavior</i> , <b>2018</b> , 12, 13-19	4.1	3
32	Differences among first-episode schizophrenia patients, healthy siblings, and controls at the individual level. <i>International Journal of Psychophysiology</i> , <b>2016</b> , 104, 24-32	2.9	3
31	Phase-Dependent Alteration of Functional Connectivity Density During Face Recognition in the Infra-slow Frequency Range. <i>Advances in Cognitive Neurodynamics</i> , <b>2016</b> , 305-310		3
30	Disrupted Regional Homogeneity in Major Depressive Disorder With Gastrointestinal Symptoms at Rest. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 636820	5	3
29	Selective Aberrant Functional-Structural Coupling of Multiscale Brain Networks in Subcortical Vascular Mild Cognitive Impairment. <i>Neuroscience Bulletin</i> , <b>2021</b> , 37, 287-297	4.3	3
28	Voxel-Wise Brain-Wide Functional Connectivity Abnormalities in Patients with Primary Blepharospasm at Rest. <i>Neural Plasticity</i> , <b>2021</b> , 2021, 6611703	3.3	3
27	Left Parietal Functional Connectivity Mediates the Association Between rs4633 and Verbal Intelligence in Healthy Adults. <i>Frontiers in Neuroscience</i> , <b>2018</b> , 12, 233	5.1	2
26	Enhanced Connectivity of Thalamo-Cortical Networks in First-Episode, Treatment-Naive Somatization Disorder. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 555836	5	2
25	Abnormal Spontaneous Brain Activities of Limbic-Cortical Circuits in Patients With Dry Eye Disease. <i>Frontiers in Human Neuroscience</i> , <b>2020</b> , 14, 574758	3.3	2
24	Neural mechanisms of AVPR1A RS3-RS1 haplotypes that impact verbal learning and memory. <i>NeuroImage</i> , <b>2020</b> , 222, 117283	7.9	2
23	Increased Global-Brain Functional Connectivity Is Associated with Dyslipidemia and Cognitive Impairment in First-Episode, Drug-Naive Patients with Bipolar Disorder. <i>Neural Plasticity</i> , <b>2021</b> , 2021, 5560453	3.3	2
22	Stability test of canonical correlation analysis for studying brain-behavior relationships: The effects of subject-to-variable ratios and correlation strengths. <i>Human Brain Mapping</i> , <b>2021</b> , 42, 2374-2392	5.9	2

21	Increased Homotopic Connectivity in the Prefrontal Cortex Modulated by Olanzapine Predicts Therapeutic Efficacy in Patients with Schizophrenia. <i>Neural Plasticity</i> , <b>2021</b> , 2021, 9954547	3.3	2
20	Novel asymptotic stability criterion for fractional-order gene regulation system with time delay. <i>Asian Journal of Control</i> ,	1.7	2
19	Abnormal global-brain functional connectivity and its relationship with cognitive deficits in drug-naive first-episode adolescent-onset schizophrenia.. <i>Brain Imaging and Behavior</i> , <b>2022</b> , 1	4.1	1
18	Global urbanicity is associated with brain and behaviour in young people. <i>Nature Human Behaviour</i> , <b>2021</b> ,	12.8	1
17	Region-specific insular volumetric decreases in drug-naive, first-episode schizophrenia and their unaffected siblings. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2020</b> , 183, 106-112	3.5	1
16	Less reduced gray matter volume in the subregions of superior temporal gyrus predicts better treatment efficacy in drug-naive, first-episode schizophrenia. <i>Brain Imaging and Behavior</i> , <b>2021</b> , 15, 1997-2004	4.1	1
15	Increased subcortical region volume induced by electroconvulsive therapy in patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2021</b> , 271, 1285-1295	5.1	1
14	Right Posterior Insula and Putamen Volume Mediate the Effect of Oxytocin Receptor Polygenic Risk for Autism Spectrum Disorders on Reward Dependence in Healthy Adults. <i>Cerebral Cortex</i> , <b>2021</b> , 31, 746-756	5.1	1
13	Frequency-specific alterations of the frontal-cerebellar circuit in first-episode, drug-naive somatization disorder. <i>Journal of Affective Disorders</i> , <b>2021</b> , 280, 319-325	6.6	1
12	Dynamic Functional Connectivity Alterations and Their Associated Gene Expression Pattern in Autism Spectrum Disorders.. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 794151	5.1	0
11	Differentiating Melancholic and Non-melancholic Major Depressive Disorder Using Fractional Amplitude of Low-Frequency Fluctuations.. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 763770	5	0
10	Shared and Distinct Fractional Amplitude of Low-Frequency Fluctuation Patterns in Major Depressive Disorders With and Without Gastrointestinal Symptoms.. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 744898	5	0
9	Abnormal Default-Mode Network Homogeneity in Melancholic and Nonmelancholic Major Depressive Disorder at Rest. <i>Neural Plasticity</i> , <b>2021</b> , 2021, 6653309	3.3	0
8	Long-term Pingju Opera Training Induces Plasticity Changes in Cerebral Blood Flow: An Arterial Spin Labelling MRI Study. <i>Neuroscience</i> , <b>2020</b> , 436, 27-33	3.9	0
7	Prefrontal Granule Cell-Related Genes and Schizophrenia. <i>Cerebral Cortex</i> , <b>2021</b> , 31, 2268-2277	5.1	0
6	Global Functional Connectivity Analysis Indicating Dysconnectivity of the Hate Circuit in Major Depressive Disorder.. <i>Frontiers in Aging Neuroscience</i> , <b>2021</b> , 13, 803080	5.3	0
5	Gene expression associated with human brain activations in facial expression recognition.. <i>Brain Imaging and Behavior</i> , <b>2022</b> , 1	4.1	0
4	Disrupted Cerebellar-Default Mode Network Functional Connectivity in Major Depressive Disorder With Gastrointestinal Symptoms.. <i>Frontiers in Cellular Neuroscience</i> , <b>2022</b> , 16, 833592	6.1	0

- |   |   |     |   |
|---|---|-----|---|
| 3 | Abnormal Default Mode Network Homogeneity in Major Depressive Disorder With Gastrointestinal Symptoms at Rest.. <i>Frontiers in Aging Neuroscience</i> , <b>2022</b> , 14, 804621 | 5.3 | o |
| 2 | Dissect Relationships Between Gene Co-expression and Functional Connectivity in Human Brain.. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 797849                         | 5.1 | o |
| 1 | Altered Brain Functional Asymmetry in Patients With Major Depressive Disorder Related to Gastrointestinal Symptoms.. <i>Frontiers in Neuroscience</i> , <b>2021</b> , 15, 797598  | 5.1 |   |