

Lorenzo Borgognoni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4105472/publications.pdf>

Version: 2024-02-01

80
papers

2,653
citations

159585

30
h-index

197818

49
g-index

83
all docs

83
docs citations

83
times ranked

4232
citing authors

#	ARTICLE	IF	CITATIONS
1	Tolerogenic IDO1+CD83 ^{hi} Langerhans Cells in Sentinel Lymph Nodes of Patients with Melanoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3441.	4.1	5
2	The role of sentinel node tumor burden in modeling the prognosis of melanoma patients with positive sentinel node biopsy: an Italian melanoma intergroup study (Nâ€‰=â€‰2,086). <i>BMC Cancer</i> , 2022, 22, .	2.6	5
3	Melanoma diagnosis: traumatic impact of the event on the patient. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 384-387.	0.2	2
4	Efficacy of Electrochemotherapy in the Treatment of Cutaneous Melanoma Metastases and Rare Non-melanoma Skin Cancer. <i>Anticancer Research</i> , 2020, 40, 6485-6492.	1.1	16
5	Factors Affecting Sentinel Node Metastasis in Thin (T1) Cutaneous Melanomas: Development and External Validation of a Predictive Nomogram. <i>Journal of Clinical Oncology</i> , 2020, 38, 1591-1601.	1.6	50
6	New paradigm for stage III melanoma: from surgery to adjuvant treatment. <i>Journal of Translational Medicine</i> , 2019, 17, 266.	4.4	27
7	Enhancing the prognostic role of melanoma sentinel lymph nodes through microscopic tumour burden characterization: clinical usefulness in patients who do not undergo complete lymph node dissection. <i>Melanoma Research</i> , 2019, 29, 163-171.	1.2	13
8	Sentinel Lymph Node Status is a Main Prognostic Parameter Needful for the Correct Staging of Patients with Melanoma Thicker than 4 mm: Single-Institution Experience and Literature Meta-Analysis. <i>Journal of Investigative Surgery</i> , 2019, 32, 151-161.	1.3	2
9	Thick melanoma in Tuscany. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019, 154, 638-645.	0.8	2
10	ERK5 is activated by oncogenic BRAF and promotes melanoma growth. <i>Oncogene</i> , 2018, 37, 2601-2614.	5.9	50
11	T regulatory cells mediate immunosuppression by adenosine in peripheral blood, sentinel lymph node and TILs from melanoma patients. <i>Cancer Letters</i> , 2018, 417, 124-130.	7.2	15
12	Prediction of Non-sentinel Node Status in Patients with Melanoma and Positive Sentinel Node Biopsy: An Italian Melanoma Intergroup (IMI) Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 271-279.	1.5	44
13	Quality assurance in melanoma care: The EU-MELACARE study. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1773-1778.	1.0	3
14	Melanoma metastases occurring 40 years after primary melanoma. <i>Acta Oncologica</i> , 2018, 57, 1418-1420.	1.8	1
15	Multiple Lymph Node Basin Drainage in Trunk Melanoma Is Not Associated with Survival of Sentinel Lymph Node-Positive Patients. <i>Dermatology</i> , 2017, 233, 205-211.	2.1	6
16	High Antigen Processing Machinery component expression in Langerhans cells from melanoma patientsâ€™ sentinel lymph nodes. <i>Cellular Immunology</i> , 2017, 320, 29-37.	3.0	5
17	Treatment efficacy with electrochemotherapy: A multi-institutional prospective observational study on 376 patients with superficial tumors. <i>European Journal of Surgical Oncology</i> , 2016, 42, 1914-1923.	1.0	89
18	Prognostic Role of Multiple Lymphatic Basin Drainage in Sentinel Lymph Node-Negative Trunk Melanoma Patients: A Multicenter Study from the Italian Melanoma Intergroup. <i>Annals of Surgical Oncology</i> , 2016, 23, 1708-1715.	1.5	12

#	ARTICLE	IF	CITATIONS
19	Down-Regulation of SOX2 Underlies the Inhibitory Effects of the Triphenylmethane Gentian Violet on Melanoma Cell Self-Renewal and Survival. <i>Journal of Investigative Dermatology</i> , 2016, 136, 2059-2069.	0.7	28
20	CD4+FOXP3+ T regulatory cells decrease and CD3+CD8+ T cells recruitment in TILs from melanoma metastases after electrochemotherapy. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 787-798.	3.3	29
21	Multiple primary melanomas (MPMs) and criteria for genetic assessment: MultiMEL, a multicenter study of the Italian Melanoma Intergroup. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 325-332.	1.2	32
22	Thin and thick primary cutaneous melanomas reveal distinct patterns of somatic copy number alterations. <i>Oncotarget</i> , 2016, 7, 30365-30378.	1.8	10
23	Melanoma density and relationship with the distribution of melanocytic naevi in an Italian population. <i>Melanoma Research</i> , 2015, 25, 80-87.	1.2	16
24	Survival of patients with skin melanoma in Europe increases further: Results of the EUROCARE-5 study. <i>European Journal of Cancer</i> , 2015, 51, 2179-2190.	2.8	80
25	Norepinephrine promotes tumor microenvironment reactivity through β ² -adrenoreceptors during melanoma progression. <i>Oncotarget</i> , 2015, 6, 4615-4632.	1.8	82
26	Abstract B39: Exome sequencing in primary melanoma identifies novel drivers of melanoma progression. , 2015, , .		0
27	The number of excised lymph nodes is associated with survival of melanoma patients with lymph node metastasis. <i>Annals of Oncology</i> , 2014, 25, 240-246.	1.2	34
28	CD63 Tetraspanin Is a Negative Driver of Epithelial-to-Mesenchymal Transition in Human Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2947-2956.	0.7	38
29	Encephalocraniocutaneous lipomatosis: congenital alopecia treatment in a rare neurocutaneous syndrome. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2014, 48, 449-451.	0.8	4
30	Number of Excised Lymph Nodes as a Quality Assurance Measure for Lymphadenectomy in Melanoma. <i>JAMA Surgery</i> , 2014, 149, 700.	4.3	42
31	Animal-type melanoma. <i>Melanoma Research</i> , 2014, 24, 47-53.	1.2	8
32	IDO and CD83 expression in human epidermal Langerhans cells. <i>Journal of Dermatological Science</i> , 2014, 73, 172-174.	1.9	8
33	Prediction of Survival in Patients With Thin Melanoma: Results From a Multi-Institution Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 2479-2485.	1.6	103
34	Nonsentinel Lymph Node Status in Patients With Cutaneous Melanoma: Results From a Multi-Institution Prognostic Study. <i>Journal of Clinical Oncology</i> , 2014, 32, 935-941.	1.6	49
35	Regulation of melanoma initiating cells by Hedgehog signaling and SOX2. <i>Journal of Translational Medicine</i> , 2014, 12, O4.	4.4	2
36	SOX2 regulates self-renewal and tumorigenicity of human melanoma-initiating cells. <i>Oncogene</i> , 2014, 33, 4697-4708.	5.9	175

#	ARTICLE	IF	CITATIONS
37	ecancermedalscience. Ecancermedalscience, 2013, 7, 294.	1.1	10
38	Noninvasive inspection of skin lesions via multispectral imaging. , 2013, , .		0
39	WIP1 phosphatase modulates the Hedgehog signaling by enhancing GLI1 function. Oncogene, 2013, 32, 4737-4747.	5.9	44
40	Dendritic cells recruitment in melanoma metastasis treated by electrochemotherapy. Clinical and Experimental Metastasis, 2013, 30, 37-45.	3.3	57
41	Indicators of the standard of care for melanoma. Melanoma Research, 2013, 23, 283-289.	1.2	9
42	High hERG1 expression in advanced melanoma. Melanoma Research, 2013, 23, 185-190.	1.2	6
43	Multispectral imaging for early diagnosis of melanoma. Proceedings of SPIE, 2013, , .	0.8	4
44	Adjuvant Ganglioside GM2-KLH/QS-21 Vaccination Versus Observation After Resection of Primary Tumor > 1.5 mm in Patients With Stage II Melanoma: Results of the EORTC 18961 Randomized Phase III Trial. Journal of Clinical Oncology, 2013, 31, 3831-3837.	1.6	88
45	Enhancing anti-melanoma immunity by electrochemotherapy and in vivo dendritic-cell activation. OncoImmunology, 2012, 1, 1655-1657.	4.6	38
46	HEDGEHOG-GLI Signaling Drives Self-Renewal and Tumorigenicity of Human Melanoma-Initiating Cells. Stem Cells, 2012, 30, 1808-1818.	3.2	134
47	â€œAnimal-typeâ€™ melanoma of the scalp with satellitosis and positive sentinel nodes in a 4-year-old child: Case report and review of the literature. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2012, 65, e90-e94.	1.0	3
48	Human Langerhans cells are immature in melanoma sentinel lymph nodes. Blood, 2012, 119, 4807-4808.	1.4	19
49	Familial and sporadic melanoma: different clinical and histopathological features in the Italian population â€œ a multicentre epidemiological study â€œ by GIPMe (Italian Multidisciplinary Group on) Tj ETQq1 1 0.284314 rgb /Over		
50	â€œSaddleâ€™ Tailored Upper Eyelid Island Myocutaneous Flap to Repair Full-Thickness Lower Eyelid Defects After Melanoma Excision. Ophthalmic Plastic and Reconstructive Surgery, 2011, 27, 55-59.	0.8	4
51	Indoleamine 2,3-Dioxygenase+ Cells Correspond to the BDCA2+ Plasmacytoid Dendritic Cells in Human Melanoma Sentinel Nodes. Journal of Investigative Dermatology, 2010, 130, 898-901.	0.7	40
52	Sphingosine 1-phosphate induces differentiation of adipose tissue-derived mesenchymal stem cells towards smooth muscle cells. Cellular and Molecular Life Sciences, 2009, 66, 1741-1754.	5.4	58
53	Nonâ€™sentinel lymph node involvement in a patient with an atypical Spitz tumor and a positive sentinel node. Report of a case and review of the literature. Journal of Cutaneous Pathology, 2009, 36, 586-590.	1.3	16
54	Induction of CD83+CD14+Nondendritic Antigen-Presenting Cells by Exposure of Monocytes to IFN-Î±. Journal of Immunology, 2008, 181, 2999-3008.	0.8	29

#	ARTICLE	IF	CITATIONS
55	DERMATOFIBROSARCOMA PROTUBERANS IN CHILDHOOD: Two Case Reports and Review of the Literature. <i>Pediatric Hematology and Oncology</i> , 2008, 25, 559-566.	0.8	17
56	Clinico-pathological characteristics of familial melanoma in a Mediterranean population. <i>Melanoma Research</i> , 2008, 18, 367-369.	1.2	2
57	Sensitivity and specificity of histological criteria in the diagnosis of conventional cutaneous melanoma. <i>Melanoma Research</i> , 2008, 18, 253-258.	1.2	8
58	A Key Role for Poly(ADP-Ribose) Polymerase-1 Activity during Human Dendritic Cell Maturation. <i>Journal of Immunology</i> , 2007, 179, 305-312.	0.8	57
59	The p.G23S CDKN2A founder mutation in high-risk melanoma families from Central Italy. <i>Melanoma Research</i> , 2007, 17, 387-392.	1.2	20
60	Plasmacytoid dendritic cells represent a major dendritic cell subset in sentinel lymph nodes of melanoma patients and accumulate in metastatic nodes. <i>Clinical Immunology</i> , 2007, 125, 184-193.	3.2	77
61	Sentinel lymph node biopsy in patients with atypical Spitz tumors. A report on 12 cases. <i>Human Pathology</i> , 2006, 37, 816-823.	2.0	96
62	Positive sentinel node biopsy in a 30-month-old boy with atypical Spitz tumour (Spitzoid melanoma). <i>Histopathology</i> , 2006, 48, 884-886.	2.9	11
63	Vasculogenic mimicry has no prognostic significance in pT3 and pT4 cutaneous melanoma. <i>Human Pathology</i> , 2004, 35, 496-502.	2.0	31
64	Sentinel node biopsy procedures with an analysis of recurrence patterns and prognosis in melanoma patients: technical advantages using computer-assisted gamma probe with adjustable collimation. <i>Melanoma Research</i> , 2004, 14, 311-319.	1.2	25
65	Microsatellite analysis in cutaneous malignant melanoma. <i>Melanoma Research</i> , 2002, 12, 577-584.	1.2	9
66	Tumor angiogenesis as a prognostic factor in thick cutaneous malignant melanoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2002, 440, 22-28.	2.8	36
67	Biological effects of silicone gel sheeting. <i>Wound Repair and Regeneration</i> , 2002, 10, 118-121.	3.0	64
68	Keloids and hypertrophic scars of Caucasians show distinctive morphologic and immunophenotypic profiles. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2001, 438, 457-463.	2.8	93
69	Inducible nitric oxide synthase expression in benign and malignant cutaneous melanocytic lesions. <i>Journal of Pathology</i> , 2001, 194, 194-200.	4.5	71
70	Thick cutaneous malignant melanoma: a reappraisal of prognostic factors. <i>Melanoma Research</i> , 2000, 10, 153-164.	1.2	40
71	Radioisotopic Lymphatic Mapping of the Sentinel Node in Melanoma: Importance of Immunohistochemistry. <i>Tumori</i> , 2000, 86, 346-348.	1.1	9
72	Comparison of two dressings in the management of partial-thickness donor sites. <i>Journal of Wound Care</i> , 1999, 8, 457-460.	1.2	37

#	ARTICLE	IF	CITATIONS
73	Thin cutaneous malignant melanomas (>1.5 mm)., 1999, 85, 1067-1076.		71
74	Osteonectin expression correlates with clinical outcome in thin cutaneous malignant melanomas. Human Pathology, 1999, 30, 339-344.	2.0	131
75	Malignant melanoma associated with human immunodeficiency virus infection. Melanoma Research, 1998, 8, 187-192.	1.2	8
76	Re: Reconstruction of a Medial Canthus Defect with a Myocutaneous Flap Reply. Annals of Plastic Surgery, 1993, 31, 381.	0.9	0
77	Reconstruction of a Medial Canthus Defect with a Myocutaneous Flap. Annals of Plastic Surgery, 1993, 30, 159-162.	0.9	9
78	CD36(OKM5)+ Dendritic Cells in the Oral Mucosal of HIV- and HIV+ Subjects. Journal of Investigative Dermatology, 1991, 97, 537-542.	0.7	28
79	HLA-DR and 96-K Antigens and Intratumoral Lymphocytic Infiltrate in Primary Cutaneous Melanoma as Markers of Tumor Progression. Dermatology, 1990, 180, 69-72.	2.1	1
80	Morphology and membrane antigens of nonlymphoid accessory cells in oral hairy leukoplakia. Human Pathology, 1990, 21, 897-904.	2.0	24