

Hiroshi Akazawa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4107372/hiroshi-akazawa-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

8,493
citations

45
h-index

90
g-index

181
ext. papers

9,639
ext. citations

6.3
avg, IF

5.44
L-index

#	Paper	IF	Citations
158	Oral Administration of Z Alleviates Constipation and Cardiac Dysfunction in a Mouse Model of Isoproterenol-Induced Heart Failure.. <i>Circulation Reports</i> , 2022 , 4, 83-91	0.7	0
157	Nonsyndromic arteriopathy and aortopathy and vascular Ehlers-Danlos syndrome causing COL3A1 variants.. <i>American Journal of Medical Genetics, Part A</i> , 2022 ,	2.5	0
156	Detection of Profound Myocardial Damage by Cardiac MRI in a Patient with Severe Cardiotoxicity Induced by Anti-HER2 Therapy. <i>International Heart Journal</i> , 2021 , 62, 1436-1441	1.8	2
155	Prospects for cardiovascular medicine using artificial intelligence. <i>Journal of Cardiology</i> , 2021 ,	3	1
154	The Effectiveness of a Deep Learning Model to Detect Left Ventricular Systolic Dysfunction from Electrocardiograms. <i>International Heart Journal</i> , 2021 , 62, 1332-1341	1.8	2
153	Three-Dimensional Visualization of Hypoxia-Induced Pulmonary Vascular Remodeling in Mice. <i>Circulation</i> , 2021 , 144, 1452-1455	16.7	0
152	Axitinib Induces and Aggravates Hypertension Regardless of Prior Treatment With Tyrosine Kinase Inhibitors. <i>Circulation Reports</i> , 2021 , 3, 234-240	0.7	2
151	Deep Learning Algorithm to Detect Cardiac Sarcoidosis From Echocardiographic Movies. <i>Circulation Journal</i> , 2021 ,	2.9	3
150	Mechanisms and Management of Immune Checkpoint Inhibitor-Related Cardiac Adverse Events. <i>JMA Journal</i> , 2021 , 4, 91-98	1	6
149	Factors associated with left ventricular reverse remodelling after percutaneous coronary intervention in patients with left ventricular systolic dysfunction. <i>Scientific Reports</i> , 2021 , 11, 239	4.9	0
148	Automatic detection of vessel structure by deep learning using intravascular ultrasound images of the coronary arteries. <i>PLoS ONE</i> , 2021 , 16, e0255577	3.7	3
147	Oxidized LDL but not angiotensin II induces cardiomyocyte hypertrophic responses through the interaction between LOX-1 and AT receptors. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 162, 110-118	5.8	1
146	Transethnic Meta-Analysis of Genome-Wide Association Studies Identifies Three New Loci and Characterizes Population-Specific Differences for Coronary Artery Disease. <i>Circulation Genomic and Precision Medicine</i> , 2020 , 13, e002670	5.2	9
145	Inhibition of transforming growth factor- β signaling in myeloid cells ameliorates aortic aneurysmal formation in Marfan syndrome. <i>PLoS ONE</i> , 2020 , 15, e0239908	3.7	1
144	Diagnosing Heart Failure from Chest X-Ray Images Using Deep Learning. <i>International Heart Journal</i> , 2020 , 61, 781-786	1.8	8
143	A Fatal Case of Myocarditis Following Myositis Induced by Pembrolizumab Treatment for Metastatic Upper Urinary Tract Urothelial Carcinoma. <i>International Heart Journal</i> , 2020 , 61, 1070-1074	1.8	9
142	The Current Status and Future Perspective of Cardio-Oncology. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2020 , 109, 819-826	0	0

141	Cancer Therapeutics-Related Cardiac Dysfunction - Insights From Bench and Bedside of Onco-Cardiology. <i>Circulation Journal</i> , 2020 , 84, 1446-1453	2.9	4
140	Population-specific and trans-ancestry genome-wide analyses identify distinct and shared genetic risk loci for coronary artery disease. <i>Nature Genetics</i> , 2020 , 52, 1169-1177	36.3	51
139	The dawning of the digital era in the management of hypertension. <i>Hypertension Research</i> , 2020 , 43, 1135-1140	4.7	6
138	The JAPAN-FORTA (Fit FOR The Aged) list: Consensus validation of a clinical tool to improve drug therapy in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 91, 104217	4	2
137	OCT-Based Management of Nilotinib-Associated CAD in a Patient With Chronic Myeloid Leukemia. <i>JACC: CardioOncology</i> , 2019 , 1, 318-321	3.8	1
136	High-throughput single-molecule RNA imaging analysis reveals heterogeneous responses of cardiomyocytes to hemodynamic overload. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 128, 77-89 ^{5.8}	5.8	18
135	Pressure Overload Impairs Cardiac Function in Long-Chain Fatty Acid Transporter CD36-Knockout Mice. <i>International Heart Journal</i> , 2019 , 60, 159-167	1.8	6
134	Distinct variants affecting differential splicing of TGFBR1 exon 5 cause either Loeys-Dietz syndrome or multiple self-healing squamous epithelioma. <i>European Journal of Human Genetics</i> , 2018 , 26, 1151-1158	5.3	10
133	Japanese Cardiovascular Disease Patients with Diabetes Mellitus Suffer Increased Tooth Loss in Comparison to Those without Diabetes Mellitus -A Cross-sectional Study. <i>Internal Medicine</i> , 2018 , 57, 777-782	1.1	7
132	A Novel Bioabsorbable Sheet That Delivers NF- κ B Decoy Oligonucleotide Restrains Abdominal Aortic Aneurysm Development in Rats. <i>International Heart Journal</i> , 2018 , 59, 1134-1141	1.8	1
131	Impact of Pathogenic Variant Types on the Progression of Aortic Disease in Patients With Marfan Syndrome. <i>Circulation Genomic and Precision Medicine</i> , 2018 , 11, e002058	5.2	27
130	Specific periodontopathic bacterial infection affects hypertension in male cardiovascular disease patients. <i>Heart and Vessels</i> , 2018 , 33, 198-204	2.1	10
129	Discovery of a Small Molecule to Increase Cardiomyocytes and Protect the Heart After Ischemic Injury. <i>JACC Basic To Translational Science</i> , 2018 , 3, 639-653	8.7	22
128	Activated Ectenin in Foxp3 regulatory T cells links inflammatory environments to autoimmunity. <i>Nature Immunology</i> , 2018 , 19, 1391-1402	19.1	48
127	Cardiomyocyte gene programs encoding morphological and functional signatures in cardiac hypertrophy and failure. <i>Nature Communications</i> , 2018 , 9, 4435	17.4	102
126	Coronary Artery Aneurysm Caused by a Stent Fracture. <i>International Heart Journal</i> , 2018 , 59, 203-208	1.8	2
125	A peptide vaccine targeting angiotensin II attenuates the cardiac dysfunction induced by myocardial infarction. <i>Scientific Reports</i> , 2017 , 7, 43920	4.9	19
124	DNA single-strand break-induced DNA damage response causes heart failure. <i>Nature Communications</i> , 2017 , 8, 15104	17.4	45

123	Periodontitis deteriorates peripheral arterial disease in Japanese population via enhanced systemic inflammation. <i>Heart and Vessels</i> , 2017 , 32, 1314-1319	2.1	14
122	Angiotensin II Peptide Vaccine Protects Ischemic Brain Through Reducing Oxidative Stress. <i>Stroke</i> , 2017 , 48, 1362-1368	6.7	21
121	Dysbiosis and compositional alterations with aging in the gut microbiota of patients with heart failure. <i>PLoS ONE</i> , 2017 , 12, e0174099	3.7	115
120	Detrimental effects of specific Periodontopathic bacterial infection on tachyarrhythmia compared to Bradyarrhythmia. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 267	2.3	6
119	Periodontitis and myocardial hypertrophy. <i>Hypertension Research</i> , 2017 , 40, 324-328	4.7	7
118	A Periodontal pathogen Porphyromonas gingivalis deteriorates Isoproterenol-Induced myocardial remodeling in mice. <i>Hypertension Research</i> , 2017 , 40, 35-40	4.7	8
117	Cost-Effectiveness Analysis of Cardiovascular Disease Treatment in Japan. <i>International Heart Journal</i> , 2017 , 58, 847-852	1.8	16
116	Novel Concept of a Heart-Gut Axis in the Pathophysiology of Heart Failure. <i>Korean Circulation Journal</i> , 2017 , 47, 663-669	2.2	30
115	An EP4 Receptor Agonist Inhibits Cardiac Fibrosis Through Activation of PKA Signaling in Hypertrophied Heart. <i>International Heart Journal</i> , 2017 , 58, 107-114	1.8	20
114	Correct Diagnosis of Wild-Type Transthyretin-Related Amyloidosis Followed by the Introduction of a Novel Therapy in a Patient With Cardiac Wall Thickening of Unknown Cause. <i>International Heart Journal</i> , 2017 , 58, 147-150	1.8	2
113	Cardiac Sarcoidosis Diagnosed by Incidental Lymph Node Biopsy. <i>International Heart Journal</i> , 2017 , 58, 140-143	1.8	6
112	Roles of renin-angiotensin system and Wnt pathway in aging-related phenotypes. <i>Inflammation and Regeneration</i> , 2016 , 36, 12	10.9	9
111	Cardiac Arrest Triggered by Subepicardial Aneurysm Without Cardiac Rupture. <i>Circulation Journal</i> , 2016 , 80, 538-40	2.9	
110	Pathophysiological Role of Chronic Inflammation in Ageing-Associated Diseases 2016 , 541-553		
109	Toll-like receptor 4 signaling has a critical role in Porphyromonas gingivalis-accelerated neointimal formation after arterial injury in mice. <i>Hypertension Research</i> , 2016 , 39, 717-722	4.7	2
108	Angiotensin II receptor blocker irbesartan attenuates cardiac dysfunction induced by myocardial infarction in the presence of renal failure. <i>Hypertension Research</i> , 2016 , 39, 237-44	4.7	13
107	Current therapies and investigational drugs for peripheral arterial disease. <i>Hypertension Research</i> , 2016 , 39, 183-91	4.7	32
106	Cacao polyphenols ameliorate autoimmune myocarditis in mice. <i>Hypertension Research</i> , 2016 , 39, 203-9	4.7	6

105	Understanding Vascular Diseases: Lessons From Premature Aging Syndromes. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 650-8	3.8	9
104	Direct left atrial ICE imaging guided ablation for atrial fibrillation without employing contrast medium. <i>International Journal of Cardiology</i> , 2016 , 203, 733-9	3.2	2
103	Leukemia Inhibitory Factor Enhances Endogenous Cardiomyocyte Regeneration after Myocardial Infarction. <i>PLoS ONE</i> , 2016 , 11, e0156562	3.7	12
102	A Case of Multiple Coronary Artery-Left Ventricular Micro Fistulae Complicated With Hepatic Arteriovenous Fistulae. <i>International Heart Journal</i> , 2016 , 57, 123-6	1.8	3
101	Pathophysiology and Management of Cardiovascular Manifestations in Marfan and Loeys-Dietz Syndromes. <i>International Heart Journal</i> , 2016 , 57, 271-7	1.8	38
100	Periodontitis May Deteriorate Sinus of Valsalva Dilatation in Marfan Syndrome Patients. <i>International Heart Journal</i> , 2016 , 57, 456-60	1.8	5
99	Activation of endothelial Ecatenin signaling induces heart failure. <i>Scientific Reports</i> , 2016 , 6, 25009	4.9	22
98	Heart Failure Complicated by Alveolar Hemorrhage due to Vascular Collapse and Amyloid Deposits in Wild-Type Transthyretin Amyloidosis. <i>Cardiology</i> , 2016 , 135, 216-220	1.6	2
97	Suppression of murine autoimmune myocarditis achieved with direct renin inhibition. <i>Journal of Cardiology</i> , 2016 , 68, 253-60	3	4
96	Porphyromonas gingivalis, a periodontal pathogen, enhances myocardial vulnerability, thereby promoting post-infarct cardiac rupture. <i>Journal of Molecular and Cellular Cardiology</i> , 2016 , 99, 123-137	5.8	21
95	Complement C1q-induced activation of Ecatenin signalling causes hypertensive arterial remodelling. <i>Nature Communications</i> , 2015 , 6, 6241	17.4	40
94	Cardiac nonmyocytes in the hub of cardiac hypertrophy. <i>Circulation Research</i> , 2015 , 117, 89-98	15.7	102
93	Myocardial energy provision is preserved by increased utilization of glucose and ketone bodies in CD36 knockout mice. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 1165-74	12.7	12
92	Identification of a novel compound that inhibits both mitochondria-mediated necrosis and apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 467, 1006-11	3.4	16
91	Pirfenidone exhibits cardioprotective effects by regulating myocardial fibrosis and vascular permeability in pressure-overloaded hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H512-22	5.2	57
90	High incidence and severity of periodontitis in patients with Marfan syndrome in Japan. <i>Heart and Vessels</i> , 2015 , 30, 692-5	2.1	11
89	Incidence of periodontitis in Japanese patients with cardiovascular diseases: a comparison between abdominal aortic aneurysm and arrhythmia. <i>Heart and Vessels</i> , 2015 , 30, 498-502	2.1	13
88	Mechanisms of Cardiovascular Homeostasis and Pathophysiology--From Gene Expression, Signal Transduction to Cellular Communication. <i>Circulation Journal</i> , 2015 , 79, 2529-36	2.9	14

87	Monocyte-derived extracellular Nampt-dependent biosynthesis of NAD(+) protects the heart against pressure overload. <i>Scientific Reports</i> , 2015 , 5, 15857	4.9	19
86	Congenital Contractural Arachnodactyly without FBN1 or FBN2 Gene Mutations Complicated by Dilated Cardiomyopathy. <i>Internal Medicine</i> , 2015 , 54, 1237-41	1.1	2
85	Angiotensin II receptor blockade promotes repair of skeletal muscle through down-regulation of aging-promoting C1q expression. <i>Scientific Reports</i> , 2015 , 5, 14453	4.9	30
84	Pleiotropic Effects of Angiotensin II Receptor Signaling in Cardiovascular Homeostasis and Aging. <i>International Heart Journal</i> , 2015 , 56, 249-54	1.8	35
83	Monitoring β arrestin recruitment via β lactamase enzyme fragment complementation: purification of peptide E as a low-affinity ligand for mammalian bombesin receptors. <i>PLoS ONE</i> , 2015 , 10, e0127445	3.7	5
82	Quantitative Measurement of GPCR Endocytosis via Pulse-Chase Covalent Labeling. <i>PLoS ONE</i> , 2015 , 10, e0129394	3.7	8
81	Wnt/ β Catenin Signaling Contributes to Skeletal Myopathy in Heart Failure via Direct Interaction With Forkhead Box O. <i>Circulation: Heart Failure</i> , 2015 , 8, 799-808	7.6	24
80	A DPP-4 inhibitor suppresses fibrosis and inflammation on experimental autoimmune myocarditis in mice. <i>PLoS ONE</i> , 2015 , 10, e0119360	3.7	37
79	Calpain-dependent cleavage of N-cadherin is involved in the progression of post-myocardial infarction remodeling. <i>Journal of Biological Chemistry</i> , 2014 , 289, 19408-19	5.4	32
78	Angiogenesis and cardiac hypertrophy: maintenance of cardiac function and causative roles in heart failure. <i>Circulation Research</i> , 2014 , 114, 565-71	15.7	264
77	Excitation propagation in three-dimensional engineered hearts using decellularized extracellular matrix. <i>Biomaterials</i> , 2014 , 35, 7839-50	15.6	38
76	Periodontitis in cardiovascular disease patients with or without Marfan syndrome--a possible role of <i>Prevotella intermedia</i> . <i>PLoS ONE</i> , 2014 , 9, e95521	3.7	15
75	High incidence of periodontitis in Japanese patients with abdominal aortic aneurysm. <i>International Heart Journal</i> , 2014 , 55, 268-70	1.8	18
74	Mitochondrial aldehyde dehydrogenase 2 plays protective roles in heart failure after myocardial infarction via suppression of the cytosolic JNK/p53 pathway in mice. <i>Journal of the American Heart Association</i> , 2014 , 3, e000779	6	71
73	High incidence of <i>Aggregatibacter actinomycetemcomitans</i> infection in patients with cerebral infarction and diabetic renal failure: a cross-sectional study. <i>BMC Infectious Diseases</i> , 2013 , 13, 557	4	10
72	Notch activation mediates angiotensin II-induced vascular remodeling by promoting the proliferation and migration of vascular smooth muscle cells. <i>Hypertension Research</i> , 2013 , 36, 859-65	4.7	30
71	Novel regulation of cardiac metabolism and homeostasis by the adrenomedullin-receptor activity-modifying protein 2 system. <i>Hypertension</i> , 2013 , 61, 341-51	8.5	16
70	ARB and cardioprotection. <i>Cardiovascular Drugs and Therapy</i> , 2013 , 27, 155-60	3.9	24

69	Angiotensin II type 1 and type 2 receptor-induced cell signaling. <i>Current Pharmaceutical Design</i> , 2013 , 19, 2988-95	3.3	33
68	The Mechanism and Role of Inflammation in the Pathogenesis of Atrial Fibrillation. <i>Japanese Journal of Electrocardiology</i> , 2013 , 33, 163-169	0	
67	Agonist-independent constitutive activity of angiotensin II receptor promotes cardiac remodeling in mice. <i>Hypertension</i> , 2012 , 59, 627-33	8.5	25
66	Complement C1q activates canonical Wnt signaling and promotes aging-related phenotypes. <i>Cell</i> , 2012 , 149, 1298-313	56.2	200
65	Valsartan, independently of AT1 receptor or PPAR γ suppresses LPS-induced macrophage activation and improves insulin resistance in cocultured adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012 , 302, E286-96	6	28
64	A crucial role of activin A-mediated growth hormone suppression in mouse and human heart failure. <i>PLoS ONE</i> , 2011 , 6, e27901	3.7	12
63	Angiotensin II type 1 receptor signaling regulates feeding behavior through anorexigenic corticotropin-releasing hormone in hypothalamus. <i>Journal of Biological Chemistry</i> , 2011 , 286, 21458-65	5.4	22
62	Ryanodine receptor type 2 is required for the development of pressure overload-induced cardiac hypertrophy. <i>Hypertension</i> , 2011 , 58, 1099-110	8.5	55
61	Navigational error in the heart leads to premature ventricular excitation. <i>Journal of Clinical Investigation</i> , 2011 , 121, 513-6	15.9	3
60	Promotion of CHIP-mediated p53 degradation protects the heart from ischemic injury. <i>Circulation Research</i> , 2010 , 106, 1692-702	15.7	109
59	Assessment of inverse agonism for the angiotensin II type 1 receptor. <i>Methods in Enzymology</i> , 2010 , 485, 25-35	1.7	3
58	Cardiac mast cells cause atrial fibrillation through PDGF-A-mediated fibrosis in pressure-overloaded mouse hearts. <i>Journal of Clinical Investigation</i> , 2010 , 120, 242-53	15.9	116
57	Excessive cardiac insulin signaling exacerbates systolic dysfunction induced by pressure overload in rodents. <i>Journal of Clinical Investigation</i> , 2010 , 120, 1506-14	15.9	153
56	Mechanical Stress Induces Cardiomyocyte Hypertrophy Through Agonist-Independent Activation of Angiotensin II Type 1 Receptor 2010 , 83-95		2
55	PDK1 coordinates survival pathways and beta-adrenergic response in the heart. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 8689-94	11.5	47
54	Multivalent ligand-receptor interactions elicit inverse agonist activity of AT(1) receptor blockers against stretch-induced AT(1) receptor activation. <i>Hypertension Research</i> , 2009 , 32, 875-83	4.7	27
53	Mechanisms and functions of agonist-independent activation in the angiotensin II type 1 receptor. <i>Molecular and Cellular Endocrinology</i> , 2009 , 302, 140-7	4.4	24
52	Conformational switch of angiotensin II type 1 receptor underlying mechanical stress-induced activation. <i>EMBO Reports</i> , 2008 , 9, 179-86	6.5	145

51	Deficiency of Myo18B in mice results in embryonic lethality with cardiac myofibrillar aberrations. <i>Genes To Cells</i> , 2008 , 13, 987-99	2.3	46
50	Takayasu arteritis evaluated by multi-slice computed tomography in an old man. <i>International Journal of Cardiology</i> , 2008 , 125, 286-7	3.2	1
49	Abdominal aortic pseudoaneurysm caused by prolonged methicillin-resistant <i>Staphylococcus aureus</i> sepsis. <i>International Journal of Cardiology</i> , 2008 , 128, 294-5	3.2	5
48	A novel mechanism of mechanical stress-induced angiotensin II type 1-receptor activation without the involvement of angiotensin II. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2008 , 377, 393-9	3.4	45
47	Cardiac side population cells have a potential to migrate and differentiate into cardiomyocytes in vitro and in vivo. <i>Journal of Cell Biology</i> , 2007 , 176, 329-41	7.3	269
46	Cardiac Homeobox Protein Csx/Nkx2.5 and its Associated Proteins 2007 , 31-36		
45	p53-induced inhibition of Hif-1 causes cardiac dysfunction during pressure overload. <i>Nature</i> , 2007 , 446, 444-8	50.4	696
44	Angiotensin II type 1a receptor signals are involved in the progression of heart failure in MLP-deficient mice. <i>Circulation Journal</i> , 2007 , 71, 1958-64	2.9	18
43	Coronary aneurysm reduced after coronary stenting. <i>International Journal of Cardiology</i> , 2007 , 121, 76-7	3.2	10
42	Second Messenger Systems Involved in Heart Mechanotransduction 2007 , 93-105		
41	Critical roles of muscle-secreted angiogenic factors in therapeutic neovascularization. <i>Circulation Research</i> , 2006 , 98, 1194-202	15.7	156
40	Developmental stage-specific biphasic roles of Wnt/beta-catenin signaling in cardiomyogenesis and hematopoiesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 19812-7	11.5	376
39	G-CSF prevents cardiac remodeling after myocardial infarction by activating the Jak-Stat pathway in cardiomyocytes. <i>Nature Medicine</i> , 2005 , 11, 305-11	50.5	479
38	Cardiac transcription factor Csx/Nkx2-5: Its role in cardiac development and diseases 2005 , 107, 252-68		161
37	Infertility with defective spermiogenesis in mice lacking AF5q31, the target of chromosomal translocation in human infant leukemia. <i>Molecular and Cellular Biology</i> , 2005 , 25, 6834-45	4.8	24
36	Phosphatidylinositol 3-kinase-Akt pathway plays a critical role in early cardiomyogenesis by regulating canonical Wnt signaling. <i>Circulation Research</i> , 2005 , 97, 144-51	15.7	96
35	Cardiomyocytes fuse with surrounding noncardiomyocytes and reenter the cell cycle. <i>Journal of Cell Biology</i> , 2004 , 167, 351-63	7.3	107
34	A novel LIM protein Cal promotes cardiac differentiation by association with CSX/NKX2-5. <i>Journal of Cell Biology</i> , 2004 , 164, 395-405	7.3	50

33	Diphtheria toxin-induced autophagic cardiomyocyte death plays a pathogenic role in mouse model of heart failure. <i>Journal of Biological Chemistry</i> , 2004 , 279, 41095-103	5.4	76
32	Adult cardiac Sca-1-positive cells differentiate into beating cardiomyocytes. <i>Journal of Biological Chemistry</i> , 2004 , 279, 11384-91	5.4	502
31	Cytokine therapy prevents left ventricular remodeling and dysfunction after myocardial infarction through neovascularization. <i>FASEB Journal</i> , 2004 , 18, 851-3	0.9	174
30	Mechanical stress activates angiotensin II type 1 receptor without the involvement of angiotensin II. <i>Nature Cell Biology</i> , 2004 , 6, 499-506	23.4	534
29	Role of Na ⁺ -Ca ²⁺ exchanger in myocardial ischemia/reperfusion injury: evaluation using a heterozygous Na ⁺ -Ca ²⁺ exchanger knockout mouse model. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 314, 849-53	3.4	33
28	Direct measurement of Ca ²⁺ concentration in the SR of living cardiac myocytes. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 314, 1014-20	3.4	12
27	Beating is necessary for transdifferentiation of skeletal muscle-derived cells into cardiomyocytes. <i>FASEB Journal</i> , 2003 , 17, 1361-3	0.9	73
26	Stretch-modulation of second messengers: effects on cardiomyocyte ion transport. <i>Progress in Biophysics and Molecular Biology</i> , 2003 , 82, 57-66	4.7	32
25	Oxidative stress-induced signal transduction pathways in cardiac myocytes: involvement of ROS in heart diseases. <i>Antioxidants and Redox Signaling</i> , 2003 , 5, 789-94	8.4	167
24	Leukemia inhibitory factor enhances survival of cardiomyocytes and induces regeneration of myocardium after myocardial infarction. <i>Circulation</i> , 2003 , 108, 748-53	16.7	92
23	Heat shock transcription factor 1 protects cardiomyocytes from ischemia/reperfusion injury. <i>Circulation</i> , 2003 , 108, 3024-30	16.7	62
22	Roles of cardiac transcription factors in cardiac hypertrophy. <i>Circulation Research</i> , 2003 , 92, 1079-88	15.7	276
21	Pleiotropic effects of cytokines on acute myocardial infarction: G-CSF as a novel therapy for acute myocardial infarction. <i>Current Pharmaceutical Design</i> , 2003 , 9, 1121-7	3.3	53
20	Ca ²⁺ -Dependent Signaling Pathways Through Calcineurin and Ca ²⁺ Calmodulin-Dependent Protein Kinase in Development of Cardiac Hypertrophy. <i>Progress in Experimental Cardiology</i> , 2003 , 85-94		5
19	Inhibitory molecules in signal transduction pathways of cardiac hypertrophy. <i>Hypertension Research</i> , 2002 , 25, 491-8	4.7	17
18	Continuous blockade of L-type Ca ²⁺ channels suppresses activation of calcineurin and development of cardiac hypertrophy in spontaneously hypertensive rats. <i>Hypertension Research</i> , 2002 , 25, 117-24	4.7	34
17	Apoptosis in neural crest cells by functional loss of APC tumor suppressor gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 297-302	11.5	65
16	Csx/Nkx2-5 is required for homeostasis and survival of cardiac myocytes in the adult heart. <i>Journal of Biological Chemistry</i> , 2002 , 277, 24735-43	5.4	59

15	Sodium calcium exchanger plays a key role in alteration of cardiac function in response to pressure overload. <i>FASEB Journal</i> , 2002 , 16, 373-8	0.9	27
14	Integrins play a critical role in mechanical stress-induced p38 MAPK activation. <i>Hypertension</i> , 2002 , 39, 233-8	8.5	161
13	Molecular and cellular mechanisms of mechanical stress-induced cardiac hypertrophy. <i>Endocrine Journal</i> , 2002 , 49, 1-13	2.9	20
12	Dual effects of the homeobox transcription factor Csx/Nkx2-5 on cardiomyocytes. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 298, 493-500	3.4	23
11	Smads, TAK1, and their common target ATF-2 play a critical role in cardiomyocyte differentiation. <i>Journal of Cell Biology</i> , 2001 , 153, 687-98	7.3	125
10	Reactive oxygen species in mechanical stress-induced cardiac hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 289, 901-7	3.4	110
9	Targeted disruption of the homeobox transcription factor Bapx1 results in lethal skeletal dysplasia with asplenia and gastroduodenal malformation. <i>Genes To Cells</i> , 2000 , 5, 499-513	2.3	87
8	Functional analyses of three Csx/Nkx-2.5 mutations that cause human congenital heart disease. <i>Journal of Biological Chemistry</i> , 2000 , 275, 35291-6	5.4	45
7	Context-dependent transcriptional cooperation mediated by cardiac transcription factors Csx/Nkx-2.5 and GATA-4. <i>Journal of Biological Chemistry</i> , 1999 , 274, 8231-9	5.4	95
6	Right ventricular dysplasia with complete atrioventricular block: necessity and limitation of left ventricular epicardial pacing. <i>Clinical Cardiology</i> , 1998 , 21, 604-6	3.3	5
5	Specific heart muscle disease associated with glycogen storage disease type III: clinical similarity to the dilated phase of hypertrophic cardiomyopathy. <i>European Heart Journal</i> , 1997 , 18, 532-3	9.5	19
4	Hypercoagulable State in Patients with Takayasu's Arteritis. <i>Thrombosis and Haemostasis</i> , 1996 , 75, 712-716	7.6	53
3	Plasma endothelin-1 levels in Takayasu's arteritis. <i>Cardiology</i> , 1996 , 87, 303-5	1.6	20
2	Molecular cloning and characterization of human cardiac homeobox gene CSX1. <i>Circulation Research</i> , 1996 , 79, 920-9	15.7	61
1	Multiple saccular aneurysm formation in a patient with bilateral coronary artery fistula: a case report and review of the literature. <i>Cardiology</i> , 1995 , 86, 174-6	1.6	4