

# Knut Gjesdal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4107431/publications.pdf>

Version: 2024-02-01

32  
papers

551  
citations

777949

13  
h-index

721071

23  
g-index

32  
all docs

32  
docs citations

32  
times ranked

1011  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiovascular phenotype of long-term anabolic-androgenic steroid abusers compared with strength-trained athletes. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2022, 32, 1170-1181.	1.3	8
2	Novel insights into stroke risk beyond resting and maximal bicycle exercise systolic blood pressure. <i>Journal of Hypertension</i> , 2021, 39, 2022-2029.	0.3	3
3	Missing Verification of Source Data in Hypertension Research: The HYGIA PROJECT in Perspective. <i>Hypertension</i> , 2021, 78, 555-558.	1.3	28
4	The Oslo Ischaemia Study: cohort profile. <i>BMJ Open</i> , 2021, 11, e049111.	0.8	0
5	Quality of life and psychological outcomes of body-weight supported locomotor training in spinal cord injured persons with long-standing incomplete lesions. <i>Spinal Cord</i> , 2020, 58, 560-569.	0.9	6
6	Exercise Systolic Blood Pressure at Moderate Workload Is Linearly Associated With Coronary Disease Risk in Healthy Men. <i>Hypertension</i> , 2020, 75, 44-50.	1.3	25
7	Examining the lower range of the association between alcohol intake and risk of incident hospitalization with atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2020, 31, 100679.	0.6	2
8	Change in Cardiorespiratory Fitness and Risk of Stroke and Death. <i>Stroke</i> , 2019, 50, 155-161.	1.0	30
9	Long-term predictors of stroke in healthy middle-aged men. <i>International Journal of Stroke</i> , 2018, 13, 292-300.	2.9	11
10	Physical fitness is a modifiable predictor of early cardiovascular death: A 35-year follow-up study of 2014 healthy middle-aged men. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1655-1663.	0.8	29
11	Mechanisms of ECG signs in chronic obstructive pulmonary disease. <i>Open Heart</i> , 2017, 4, e000552.	0.9	13
12	Temporal Reduction in Chronotropic Index Predicts Risk of Cardiovascular Death Among Healthy Middle-Aged Men: a 28-Year Follow-Up Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	13
13	Scandinavian Cardiovascular Journal – 50 years anniversary. <i>Scandinavian Cardiovascular Journal</i> , 2016, 50, 251-252.	0.4	0
14	Heart rate reserve predicts cardiovascular death among physically unfit but otherwise healthy middle-aged men: a 35-year follow-up study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 59-66.	0.8	14
15	Atrial fibrillation and exercise in women: some answers given, some questions remain. <i>Heart</i> , 2015, 101, 1605-1606.	1.2	5
16	Effects of Hemodialysis on Methadone Pharmacokinetics and QTc. <i>Clinical Therapeutics</i> , 2015, 37, 1594-1599.	1.1	13
17	In juvenile dermatomyositis, heart rate variability is reduced, and associated with both cardiac dysfunction and markers of inflammation: a cross-sectional study median 13.5 years after symptom onset. <i>Rheumatology</i> , 2015, 55, kev376.	0.9	13
18	Low Heart Rates Predict Incident Atrial Fibrillation in Healthy Middle-Aged Men. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 726-731.	2.1	56

#	ARTICLE	IF	CITATIONS
19	Resting heart rate and physical activity as risk factors for lone atrial fibrillation: a prospective study of 309â€¦540 men and women. <i>Heart</i> , 2013, 99, 1755-1760.	1.2	106
20	Challenges for a Nordic cardiovascular journal. <i>Scandinavian Cardiovascular Journal</i> , 2013, 47, 130-131.	0.4	0
21	Rapidly upsloping ST-segment on exercise ECG: a marker of reduced coronary heart disease mortality risk. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 541-548.	0.8	13
22	Kardiologens mareritt. <i>Tidsskrift for Den Norske Laegeforening</i> , 2013, 133, 1606-1606.	0.2	0
23	Non-investigational antiarrhythmic drugs: long-term use and limitations. <i>Expert Opinion on Drug Safety</i> , 2009, 8, 345-355.	1.0	3
24	Reasons for terminating an exercise test provide independent prognostic information: 2014 apparently healthy men followed for 26 years. <i>European Heart Journal</i> , 2005, 26, 1394-1401.	1.0	35
25	Symptom-limited exercise testing, ST depressions and long-term coronary heart disease mortality in apparently healthy middle-aged men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004, 11, 320-327.	3.1	12
26	When Should Heparin Preferably Be Administered During Radiofrequency Catheter Ablation?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2001, 24, 5-12.	0.5	27
27	Late onset postpartum thrombocytosis in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1999, 78, 866-870.	1.3	4
28	The Activation of Platelet Function, Coagulation, and Fibrinolysis during Radiofrequency Catheter Ablation in Heparinized Patients. <i>Journal of Cardiovascular Electrophysiology</i> , 1999, 10, 503-512.	0.8	50
29	Quantity and Quality Relationships in Cardiovascular Medicine. <i>Scandinavian Cardiovascular Journal</i> , 1998, 32, 183-186.	0.4	2
30	The effect of transdermal nitroglycerin on exercise tolerance in relation to patch application time? a meta-analysis. <i>Cardiovascular Drugs and Therapy</i> , 1992, 6, 641-649.	1.3	6
31	Enhanced platelet release reaction related to arterial plasma adrenaline and blood pressure in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1986, 93, 548-553.	1.1	16
32	Primary Cytomegalovirus Infection Following Open Heart Surgery. <i>Acta Medica Scandinavica</i> , 1985, 218, 423-428.	0.0	8