

Jose A Narvaez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4107746/publications.pdf>

Version: 2024-02-01

51
papers

1,439
citations

411340

20
h-index

371746

37
g-index

51
all docs

51
docs citations

51
times ranked

1433
citing authors

#	ARTICLE	IF	CITATIONS
1	Graphene Oxide and Reduced Derivatives, as Powder or Film Scaffolds, Differentially Promote Dopaminergic Neuron Differentiation and Survival. <i>Frontiers in Neuroscience</i> , 2020, 14, 570409.	1.4	14
2	Role of the galanin N-terminal fragment (1-15) in anhedonia: Involvement of the dopaminergic mesolimbic system. <i>Journal of Psychopharmacology</i> , 2019, 33, 737-747.	2.0	11
3	Central administration of galanin N-terminal fragment 1-15 decreases the voluntary alcohol intake in rats. <i>Addiction Biology</i> , 2019, 24, 76-87.	1.4	10
4	A Novel Integrative Mechanism in Anxiolytic Behavior Induced by Galanin 2/Neuropeptide Y Y1 Receptor Interactions on Medial Paracapsular Intercalated Amygdala in Rats. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 119.	1.8	11
5	Immunohistochemical mapping of neurotensin in the alpaca diencephalon. <i>Folia Histochemica Et Cytobiologica</i> , 2018, 56, 49-58.	0.6	2
6	Mapping of enkephalins and adrenocorticotrophic hormone in the squirrel monkey brainstem. <i>Anatomical Science International</i> , 2017, 92, 275-292.	0.5	6
7	The neuropeptides Galanin and Galanin(1-15) in depression-like behaviours. <i>Neuropeptides</i> , 2017, 64, 39-45.	0.9	26
8	Galanin (1-15) enhancement of the behavioral effects of Fluoxetine in the forced swimming test gives a new therapeutic strategy against depression. <i>Neuropharmacology</i> , 2017, 118, 233-241.	2.0	33
9	Mapping of methionine-enkephalin-arg6-gly7-leu8 in the human diencephalon. <i>Neuroscience</i> , 2016, 334, 245-258.	1.1	8
10	Galanin (1-15) enhances the antidepressant effects of the 5-HT1A receptor agonist 8-OH-DPAT: involvement of the raphe-hippocampal 5-HT neuron system. <i>Brain Structure and Function</i> , 2016, 221, 4491-4504.	1.2	41
11	Galanin receptor 2-neuropeptide Y Y1 receptor interactions in the dentate gyrus are related with antidepressant-like effects. <i>Brain Structure and Function</i> , 2016, 221, 4129-4139.	1.2	21
12	Mapping of somatostatin-28 (1-12) in the alpaca (<i>Lama pacos</i>) brainstem. <i>Microscopy Research and Technique</i> , 2015, 78, 363-374.	1.2	3
13	Galanin receptor 2-neuropeptide Y Y1 receptor interactions in the amygdala lead to increased anxiolytic actions. <i>Brain Structure and Function</i> , 2015, 220, 2289-2301.	1.2	26
14	Mapping of Neurotensin in the Alpaca (<i>Lama pacos</i>) Brainstem. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2014, 43, 245-256.	0.3	4
15	Galanin Receptor/Neuropeptide Y Receptor Interactions in the Central Nervous System. <i>Current Protein and Peptide Science</i> , 2014, 15, 666-672.	0.7	12
16	Mapping of alpha-neo-endorphin- and neurokinin B-immunoreactivity in the human brainstem. <i>Brain Structure and Function</i> , 2013, 218, 131-149.	1.2	12
17	On the existence and function of galanin receptor heteromers in the central nervous system. <i>Frontiers in Endocrinology</i> , 2012, 3, 127.	1.5	57
18	Extrasynaptic Neurotransmission in the Modulation of Brain Function. Focus on the Striatal Neuronal-Glial Networks. <i>Frontiers in Physiology</i> , 2012, 3, 136.	1.3	67

#	ARTICLE	IF	CITATIONS
19	Mapping of CGRP in the alpaca diencephalon. <i>Journal of Chemical Neuroanatomy</i> , 2012, 45, 36-44.	1.0	7
20	Mapping of somatostatin-28 (1â€“12) in the alpaca diencephalon. <i>Journal of Chemical Neuroanatomy</i> , 2011, 42, 89-98.	1.0	14
21	Galanin receptor/Neuropeptide Y receptor interactions in the dorsal raphe nucleus of the rat. <i>Neuropharmacology</i> , 2011, 61, 80-86.	2.0	21
22	Galanin receptor-1 modulates 5-hydroxytryptamine-1A signaling via heterodimerization. <i>Biochemical and Biophysical Research Communications</i> , 2010, 393, 767-772.	1.0	91
23	The Galanin N-terminal fragment (1â€“15) interacts with neuropeptide Y in central cardiovascular control: Involvement of the NPY Y2 receptor subtype. <i>Regulatory Peptides</i> , 2010, 163, 130-136.	1.9	8
24	Receptorâ€“receptor interactions within receptor mosaics. Impact on neuropsychopharmacology. <i>Brain Research Reviews</i> , 2008, 58, 415-452.	9.1	192
25	Mapping of CGRP in the alpaca (<i>Lama pacos</i>) brainstem. <i>Journal of Chemical Neuroanatomy</i> , 2008, 35, 346-355.	1.0	21
26	Region specific galanin receptor/neuropeptide Y Y1 receptor interactions in the tel- and diencephalon of the rat. Relevance for food consumption. <i>Neuropharmacology</i> , 2007, 52, 684-692.	2.0	19
27	Receptorâ€“receptor interactions in central cardiovascular regulation. Focus on neuropeptide/Î±2-adrenoreceptor interactions in the nucleus tractus solitarius. <i>Journal of Neural Transmission</i> , 2007, 114, 115-125.	1.4	19
28	Intramembrane receptorâ€“receptor interactions: a novel principle in molecular medicine. <i>Journal of Neural Transmission</i> , 2007, 114, 49-75.	1.4	113
29	Robust Off- and Online Separation of Intracellularly Recorded Up and Down Cortical States. <i>PLoS ONE</i> , 2007, 2, e888.	1.1	34
30	Galanin-neuropeptideâ€“fY (NPY) interactions in central cardiovascular control: involvement of the NPYâ€“fY1 receptor subtype. <i>European Journal of Neuroscience</i> , 2006, 24, 499-508.	1.2	18
31	Oxytocin increases the density of high affinity Î±2-adrenoceptors within the hypothalamus, the amygdala and the nucleus of the solitary tract in ovariectomized rats. <i>Brain Research</i> , 2005, 1049, 234-239.	1.1	26
32	Role of galanin and galanin(1â€“15) on central cardiovascular control. <i>Neuropeptides</i> , 2005, 39, 185-190.	0.9	39
33	Intracisternal galanin/angiotensin II interactions in central cardiovascular control. <i>Regulatory Peptides</i> , 2005, 127, 133-140.	1.9	10
34	Long-Term Modulation By Postnatal Oxytocin of the alpha2-Adrenoceptor Agonist Binding Sites in Central Autonomic Regions and the Role of Prenatal Stress. <i>Journal of Neuroendocrinology</i> , 2004, 16, 183-190.	1.2	19
35	An immunocytochemical mapping of methionine-enkephalin-arg6-gly7-leu8 in the human brainstem. <i>Neuroscience</i> , 2004, 128, 843-859.	1.1	20
36	Angiotensin II modulates the cardiovascular responses to microinjection of NPY Y1 and NPY Y2 receptor agonists into the nucleus tractus solitarii of the rat. <i>Brain Research</i> , 2003, 983, 193-200.	1.1	9

#	ARTICLE	IF	CITATIONS
37	Expression of D4 dopamine receptors in striatonigral and striatopallidal neurons in the rat striatum. <i>Brain Research</i> , 2003, 989, 35-41.	1.1	42
38	Antagonistic Oxytocin/ $\hat{1}\pm 2$ -Adrenoreceptor Interactions in the Nucleus Tractus Solitarii: Relevance for Central Cardiovascular Control. <i>Journal of Neuroendocrinology</i> , 2003, 12, 1167-1173.	1.2	13
39	Propranolol blocks the tachycardia induced by galanin ($1\hat{1}\epsilon^{15}$) but not by galanin ($1\hat{1}\epsilon^{29}$). <i>Regulatory Peptides</i> , 2002, 107, 29-36.	1.9	9
40	Molecular phenotype of rat striatal neurons expressing the dopamine D5receptor subtype. <i>European Journal of Neuroscience</i> , 2002, 16, 2049-2058.	1.2	103
41	Galanin/ $\hat{1}\pm 2$ -adrenoceptor interactions in telencephalic and diencephalic regions of the rat. <i>NeuroReport</i> , 2001, 12, 151-155.	0.6	7
42	Galanin-(1-16) modulates 5-HT1A receptors in the ventral limbic cortex of the rat. <i>NeuroReport</i> , 2000, 11, 515-519.	0.6	26
43	Systemic oxytocin treatment modulates $\hat{1}\pm 2$ -adrenoceptors in telencephalic and diencephalic regions of the rat. <i>Brain Research</i> , 2000, 887, 421-425.	1.1	38
44	The galanin receptor antagonist M40 blocks the central cardiovascular actions of the galanin N-terminal fragment ($1\hat{1}\epsilon^{15}$). <i>European Journal of Pharmacology</i> , 2000, 399, 197-203.	1.7	17
45	Oxytocin/ $\alpha 2$ -Adrenoceptor Interactions in Feeding Responses. <i>Neuroendocrinology</i> , 2000, 71, 209-218.	1.2	18
46	Galanin/ $\alpha 2$ -receptor interactions in central cardiovascular control. <i>Neuropharmacology</i> , 2000, 39, 1377-1385.	2.0	27
47	Immunohistochemical mapping of enkephalins, NPY, CGRP, and GRP in the cat amygdala. <i>Peptides</i> , 1999, 20, 635-644.	1.2	17
48	Galanin and NH2-Terminal Galanin Fragments in Central Cardiovascular Regulation a. <i>Annals of the New York Academy of Sciences</i> , 1998, 863, 421-424.	1.8	12
49	Centrally infused galanin-($1\hat{1}\epsilon^{15}$) but not galanin-($1\hat{1}\epsilon^{29}$) reduces the baroreceptor reflex sensitivity in the rat. <i>Brain Research</i> , 1996, 741, 32-37.	1.1	19
50	Counteraction of NPY-induced c-Fos expression in the nucleus tractus solitarii by $\hat{1}\pm 2$ receptor agonists. <i>NeuroReport</i> , 1995, 6, 384-388.	0.6	15
51	Centrally coinjecting galanin and a 5-HT1A agonist act synergistically to produce vasodepressor responses in the rat. <i>European Journal of Pharmacology</i> , 1991, 204, 87-95.	1.7	32