

# Kaushlendra Tripathi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4108977/publications.pdf>

Version: 2024-02-01

25  
papers

546  
citations

623188

14  
h-index

676716

22  
g-index

25  
all docs

25  
docs citations

25  
times ranked

998  
citing authors

#	ARTICLE	IF	CITATIONS
1	GLI1-targeting drugs induce replication stress and homologous recombination deficiency and synergize with PARP-targeted therapies in triple negative breast cancer cells. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022, 1868, 166300.	1.8	8
2	Hedgehog/GLI1 Transcriptionally Regulates FANCD2 in Ovarian Tumor Cells: Its Inhibition Induces HR-Deficiency and Synergistic Lethality with PARP Inhibition.. <i>Neoplasia</i> , 2021, 23, 1002-1015.	2.3	6
3	Heparanase promotes myeloma stemness and in vivo tumorigenesis. <i>Matrix Biology</i> , 2020, 88, 53-68.	1.5	24
4	Therapy-induced chemoexosomes: Sinister small extracellular vesicles that support tumor survival and progression. <i>Cancer Letters</i> , 2020, 493, 113-119.	3.2	5
5	Nuclear Heparanase Regulates Chromatin Remodeling, Gene Expression and PTEN Tumor Suppressor Function. <i>Cells</i> , 2020, 9, 2038.	1.8	11
6	The multifunctional protein PACS-1 is required for HDAC2- and HDAC3-dependent chromatin maturation and genomic stability. <i>Oncogene</i> , 2020, 39, 2583-2596.	2.6	17
7	Detection and evaluation of estrogen DNA adducts and their carcinogenic effects in cultured human cells using biotinylated estradiol. <i>Molecular Carcinogenesis</i> , 2017, 56, 1010-1020.	1.3	16
8	Synthesis and in vitro anticancer evaluation of some 4,6-diamino-1,3,5-triazine-2-carbohydrazides as Rad6 ubiquitin conjugating enzyme inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 2030-2034.	1.0	44
9	Rad6 upregulation promotes stem cell-like characteristics and platinum resistance in ovarian cancer. <i>Biochemical and Biophysical Research Communications</i> , 2016, 469, 449-455.	1.0	17
10	Rad18 is required for functional interactions between FANCD2, BRCA2, and Rad51 to repair DNA topoisomerase 1-poisons induced lesions and promote fork recovery. <i>Oncotarget</i> , 2016, 7, 12537-12553.	0.8	23
11	Abstract 3734: Preclinical evaluation of Rad6 inhibition to overcome platinum resistance in ovarian cancer. , 2016, , .		0
12	Aberrant GLI1 Activation in DNA Damage Response, Carcinogenesis and Chemoresistance. <i>Cancers</i> , 2015, 7, 2330-2351.	1.7	64
13	Role of Inositol Phosphosphingolipid Phospholipase C1, the Yeast Homolog of Neutral Sphingomyelinases in DNA Damage Response and Diseases. <i>Journal of Lipids</i> , 2015, 2015, 1-6.	1.9	3
14	Allyl isothiocyanate induces replication-associated DNA damage response in NSCLC cells and sensitizes to ionizing radiation. <i>Oncotarget</i> , 2015, 6, 5237-5252.	0.8	39
15	FANCI protein is important for the stability of FANCD2/FANCI proteins and protects them from proteasome and caspase-3 dependent degradation. <i>Oncotarget</i> , 2015, 6, 28816-28832.	0.8	16
16	Abstract P5-06-07: A novel role for breast cancer associated protein 2 (BCA2) in regulation replication-stress mediated DNA damage responses. , 2015, , .		0
17	Cli1 Protein Regulates the S-phase Checkpoint in Tumor Cells via Bid Protein, and Its Inhibition Sensitizes to DNA Topoisomerase 1 Inhibitors. <i>Journal of Biological Chemistry</i> , 2014, 289, 31513-31525.	1.6	35
18	ALDH1A1 Maintains Ovarian Cancer Stem Cell-Like Properties by Altered Regulation of Cell Cycle Checkpoint and DNA Repair Network Signaling. <i>PLoS ONE</i> , 2014, 9, e107142.	1.1	123

#	ARTICLE	IF	CITATIONS
19	Abstract 2405: Rad18 regulates epistatic relationship between FA-BRCA and homologous recombination pathways to repair camptothecin induced DSB. , 2014, , .		0
20	Identification of C18:1-Phytoceramide as the Candidate Lipid Mediator for Hydroxyurea Resistance in Yeast. Journal of Biological Chemistry, 2013, 288, 17272-17284.	1.6	30
21	Nicotinamide induces Fob1-dependent plasmid integration into chromosome XII in <i>Saccharomyces cerevisiae</i> . FEMS Yeast Research, 2012, 12, 949-957.	1.1	2
22	Hydroxyurea treatment inhibits proliferation of <i>Cryptococcus neoformans</i> in mice. Frontiers in Microbiology, 2012, 3, 187.	1.5	10
23	Cellular Morphogenesis Under Stress Is Influenced by the Sphingolipid Pathway Gene <i>ISC1</i> and DNA Integrity Checkpoint Genes in <i>Saccharomyces cerevisiae</i> . Genetics, 2011, 189, 533-547.	1.2	20
24	Differential dynamics of splicing factor SC35 during the cell cycle. Journal of Biosciences, 2008, 33, 345-354.	0.5	27
25	Dibutyryl c-AMP as an inducer of sporidia formation: Biochemical and antigenic changes during morphological differentiation of Karnal bunt ( <i>Tilletia indica</i> ) pathogen in axenic culture. Journal of Biosciences, 2004, 29, 23-31.	0.5	6