

# Andrey I Poddelsky

## List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4109594/andrey-i-poddelsky-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127  
papers

2,104  
citations

22  
h-index

39  
g-index

129  
ext. papers

2,283  
ext. citations

2.6  
avg, IF

4.88  
L-index

#	Paper	IF	Citations
127	Complexes of late transition metals of the 3d row based on functionalized o-iminobenzoquinone type ligands: Interrelation of molecular and electronic structure, magnetic behaviour. <i>Coordination Chemistry Reviews</i> , <b>2022</b> , 459, 214399	23.2	3
126	1D Coordination polymers based on triphenylantimony(V) 3-formyl-substituted catecholates. <i>Journal of Organometallic Chemistry</i> , <b>2022</b> , 958, 122190	2.3	0
125	Synthesis and Antioxidant Activity of New Catechol Thioethers with the Methylene Linker. <i>Molecules</i> , <b>2022</b> , 27, 3169	4.8	1
124	Cobalt(III) Bis-o-semiquinone Complexes with 1-Aryl-3,5-Diphenylformazan Ligands: Synthesis, Structures, and Magnetic Properties. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2021</b> , 47, 687-694	1.6	0
123	Organic Compounds of Bismuth: Synthesis, Structure, and Applications. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2021</b> , 47, 791-860	1.6	0
122	Catechol- and Phenol-Containing Thio-Schiff Bases: Synthesis, Electrochemical Properties and Biological Evaluation. <i>ChemistrySelect</i> , <b>2021</b> , 6, 10609-10618	1.8	2
121	HETEROELEMENT ORGANOBISMUTH COMPOUNDS IN 2010-2020: A REVIEW. <i>Journal of Organometallic Chemistry</i> , <b>2021</b> , 957, 122152	2.3	0
120	Triphenylantimony(V) Catecholates of the Type (3-RS-4,6-DBCat)SbPh-Catechol Thioether Derivatives: Structure, Electrochemical Properties, and Antiradical Activity. <i>Molecules</i> , <b>2021</b> , 26,	4.8	3
119	Mono- and Binuclear Zinc Complexes with a Bidentate Phenol-Containing 2-Benzylideneamino-5-Methylphenol Schiff Base. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2021</b> , 47, 417-423	1.6	0
118	Heterometallic antimony(V)-zinc and antimony(V)-copper complexes comprising catecholate and diazadiene as redox active centers. <i>Journal of Organometallic Chemistry</i> , <b>2021</b> , 952, 121994	2.3	0
117	Magnetic Properties of bis-o-Benzosemiquinonato Cobalt(II), Iron(II), and Manganese(II) Complexes with 2,2'-Biquinoline and 1,4-Di-tert-Butyl-1,4-Diazabutadiene. <i>Theoretical and Experimental Chemistry</i> , <b>2020</b> , 56, 338-345	1.3	2
116	Heterometallic Complexes Based on Triphenylantimony(V) Quinone-Catecholate. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2020</b> , 46, 762-771	1.6	3
115	Triphenylantimony(V) Catecholates Based on 3,6-Di-tert-Butyl-2,5-Dihydroxy-1,4-Benzoquinone. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2020</b> , 46, 386-393	1.6	4
114	The synthesis and structure of new ferrocenyl-containing o-iminophenol schiff bases and nickel(II), copper(II) bis-o-iminophenolato complexes. <i>Journal of Organometallic Chemistry</i> , <b>2020</b> , 923, 121421	2.3	2
113	Polyfunctional Sterically Hindered Catechols with Additional Phenolic Group and Their Triphenylantimony(V) Catecholates: Synthesis, Structure, and Redox Properties. <i>Molecules</i> , <b>2020</b> , 25,	4.8	7
112	Ferrocene-Containing Tin(IV) Complexes Based on -Benzoquinone and -Iminobenzoquinone Ligands. Synthesis, Molecular Structure, and Electrochemical Properties. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 6774-6784	5.1	5
111	New Sterically Hindered Bis-o-Benzoquinones with Electron-Donor Bridging Groups and Related Binuclear Triphenylantimony(V) Catecholate Complexes. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2020</b> , 46, 817-827	1.6	5

110	Aryl Compounds of Pentavalent Antimony: Syntheses, Reactions, and Structures. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2020</b> , 46, 663-728	1.6	16
109	Mononuclear Antimony(V) Catecholate Complexes with Additional Pyridine Ligands. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2020</b> , 46, 466-476	1.6	6
108	Imine-Based Catechols and -Benzooquinones: Synthesis, Structure, and Features of Redox Behavior. <i>ACS Omega</i> , <b>2020</b> , 5, 22179-22191	3.9	6
107	Experimental and experimental-theoretical topological characteristics of the electron density distribution in the crystal of NCN-(2-pyridinecarbonitrile)-(3,6-di-tert-butylcatecholato)triphenylantimony(v). <i>Russian Chemical Bulletin</i> , <b>2019</b> , 68, 1650-1655	1.7	7
106	Deprotonation of Benzoxazolium Salt: Trapping of a Radical-Cation Intermediate. <i>Organic Letters</i> , <b>2019</b> , 21, 946-950	6.2	5
105	The chemical and electrochemical reduction of heteroligand o-semiquinonato-formazanato cobalt complexes. <i>Inorganica Chimica Acta</i> , <b>2019</b> , 489, 1-7	2.7	17
104	Catechol thioethers with physiologically active fragments: Electrochemistry, antioxidant and cryoprotective activities. <i>Bioorganic Chemistry</i> , <b>2019</b> , 89, 103003	5.1	11
103	Triphenylantimony(V) catecholato complexes with 4-(2,6-dimethylphenyliminomethyl)pyridine. Structure, redox properties: The influence of pyridine ligand. <i>Journal of Organometallic Chemistry</i> , <b>2019</b> , 897, 32-41	2.3	8
102	The synthesis, structure and electrochemical properties of new cobalt and nickel complexes based on ferrocenyl-containing o-iminophenols. <i>Inorganica Chimica Acta</i> , <b>2019</b> , 495, 118963	2.7	5
101	Triphenylantimony(V) Catecholates Based on o-Quinones, Derivatives of Benzo[b][1,4]-Dioxines and Benzo[b][1,4]-Dioxepines. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2019</b> , 45, 133-141	1.6	9
100	Bis(nitroxide) methanofullerene as SOD-mimetic in reactions with catecholamines. <i>Russian Chemical Bulletin</i> , <b>2019</b> , 68, 149-157	1.7	2
99	Synthesis, structure and magnetic properties of a series of Ln(iii) complexes with radical-anionic iminopyridine ligands: effect of lanthanide ions on the slow relaxation of the magnetization. <i>Dalton Transactions</i> , <b>2019</b> , 48, 12018-12022	4.3	7
98	Binuclear Triphenylantimony(V) Catecholate Based on Redox-Active Bis-o-Benzoquinone, a Bis-Catechol-Aldimine Derivative. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2018</b> , 44, 162-168	1.6	16
97	Electrochemical transformations and evaluation of antioxidant activity of some Schiff bases containing ferrocenyl and (thio-)phenol, catechol fragments. <i>Applied Organometallic Chemistry</i> , <b>2018</b> , 32, e4121	3.1	7
96	Electrochemical behavior and anti/prooxidant activity of thioethers with redox-active catechol moiety. <i>Monatshefte für Chemie</i> , <b>2018</b> , 149, 1813-1826	1.4	10
95	Triphenylantimony(V) 6-alkoxymethyl-3,5-di-tert-butylcatecholates. Structure and redox-properties. <i>Journal of Organometallic Chemistry</i> , <b>2018</b> , 873, 57-65	2.3	14
94	3,6-Di-tert-butylcatecholates of trialkyl/triarylantimony(V). <i>Journal of Organometallic Chemistry</i> , <b>2018</b> , 867, 238-245	2.3	14
93	New sterically hindered bis-catechol, bis-o-quinone and its bis-triphenylantimony(v) bis-catecholate. 3,5-Di-tert-butyl-6-methoxymethylcatechol as alkylating agent. <i>Mendeleev Communications</i> , <b>2018</b> , 28, 76-78	1.9	16

92	First example of a click-reaction on the aminate copper complexes: effect of reaction parameters. <i>Mendeleev Communications</i> , <b>2018</b> , 28, 606-608	1.9	1
91	The Reactivity of Ferrocene and Its Derivatives in the Reaction with Quinines. <i>Russian Journal of General Chemistry</i> , <b>2018</b> , 88, 2089-2095	0.7	3
90	Electrochemical transformations and antiradical activity of asymmetrical RS-substituted pyrocatechols. <i>Russian Chemical Bulletin</i> , <b>2018</b> , 67, 1857-1867	1.7	10
89	New sterically-hindered 6th-substituted 3,5-di-tert-butylcatechols/o-quinones with additional functional groups and their triphenylantimony(V) catecholates. <i>Journal of Organometallic Chemistry</i> , <b>2017</b> , 835, 17-24	2.3	29
88	Bifunctional iminopyridino-catechol and its o-quinone: Synthesis and investigation of coordination abilities. <i>Polyhedron</i> , <b>2017</b> , 124, 41-50	2.7	15
87	Electron density distribution in crystals of the antimony(V) spiroendoperoxide complexes. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2017</b> , 43, 858-863	1.6	5
86	Synthesis, structure, and properties of a new multiredox-active Sn(IV) complex based on 3,6-di-tert-butyl-o-benzoquinone and ferrocenylaldimine phenol. <i>Doklady Chemistry</i> , <b>2017</b> , 474, 101-104	0.8	1
85	Preparation of new dioxygen-active triphenylantimony(V) catecholate-containing porous polymer. <i>Applied Organometallic Chemistry</i> , <b>2017</b> , 31, e3553	3.1	26
84	Cobalt and manganese complexes with redox-active ligands in polymerization of acrylonitrile and methyl methacrylate. <i>Russian Chemical Bulletin</i> , <b>2017</b> , 66, 1650-1659	1.7	3
83	New catecholate complexes of triphenylantimony(V) based on 6-iminomethyl-3,5-di-tert-butylpyrocatechols N-functionalized by the aniline or phenol group. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2017</b> , 43, 843-851	1.6	9
82	Tin(IV) and Antimony(V) Complexes Bearing Catecholate Ligands Connected to Ferrocene □ Syntheses, Molecular Structures, and Electrochemical Properties. <i>European Journal of Inorganic Chemistry</i> , <b>2016</b> , 2016, 5230-5241	2.3	18
81	Reversible binding of molecular oxygen to catecholate and o-amidophenolate complexes of SbV: energy approach. <i>Russian Chemical Bulletin</i> , <b>2016</b> , 65, 61-66	1.7	5
80	Experimental and theoretical investigation of topological and energy characteristics of electron density in crystals of SbV o-amidophenolate complexes. <i>Russian Chemical Bulletin</i> , <b>2016</b> , 65, 54-60	1.7	5
79	Synthesis and antioxidant activity of sterically hindered bis-pyrocatechol thioethers. <i>Russian Chemical Bulletin</i> , <b>2016</b> , 65, 2861-2867	1.7	8
78	The synthesis and structure of new tin(II) complexes based on ferrocenyl-containing o-iminophenols. <i>Inorganic Chemistry Communication</i> , <b>2016</b> , 69, 94-97	3.1	11
77	Triarylantimony(V) catecholates □ Derivatives of 4,5-difluoro-3,6-di-tert-butyl-o-benzoquinone. <i>Journal of Organometallic Chemistry</i> , <b>2016</b> , 824, 1-6	2.3	20
76	Mechanistic studies of methyl methacrylate polymerization in the presence of cobalt complex with sterically-hindered redox-active ligand. <i>Journal of Polymer Research</i> , <b>2016</b> , 23, 1	2.7	6
75	BisBenzosemiquinonato Cobalt(II) and Nickel(II) Complexes with Neutral N-Heterocyclic Carbene Ligand: Synthesis, Structure and Magnetic Properties. <i>ChemistrySelect</i> , <b>2016</b> , 1, 2988-2992	1.8	3

74	Heteroligand o-Semiquinonato-Formazanato Cobalt Complexes. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 6078-80	5.1	24
73	Synthesis and antiradical activity of new triphenylantimony(V) catechlates derived from alkyl gallates. <i>Doklady Physical Chemistry</i> , <b>2015</b> , 460, 45-48	0.8	8
72	Nitroxide malonate methanofullerene as biomimetic model of interaction of nitroxide species with antioxidants. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2015</b> , 136, 314-22	6	3
71	Mass spectrometric study of antimony(v) o-amidophenolate complexes. <i>Russian Chemical Bulletin</i> , <b>2015</b> , 64, 329-331	1.7	1
70	Methyl methacrylate polymerization involving a cobalt ortho-iminobenzosemiquinone complex: Determination of the chain transfer constant. <i>Kinetics and Catalysis</i> , <b>2015</b> , 56, 267-275	1.5	3
69	Optically controlled distribution of o-quinonemethacrylate metal complexes in polymer materials. <i>Journal of Coordination Chemistry</i> , <b>2015</b> , 68, 4159-4169	1.6	7
68	Redox transformations of triphenylantimony(V) catecholate complexes based on alkyl gallates. <i>Russian Journal of Electrochemistry</i> , <b>2015</b> , 51, 1021-1028	1.2	4
67	Anti- and prooxidant activity of triphenylantimony(V) catechlates derived from alkyl gallates. <i>Russian Chemical Bulletin</i> , <b>2015</b> , 64, 2223-2231	1.7	10
66	Triaryl/trialkylantimony(V) catecholates with electron-acceptor groups. <i>Journal of Organometallic Chemistry</i> , <b>2015</b> , 789-790, 8-13	2.3	20
65	Penta- and hexacoordinate antimony(V) compounds with the tridentate O,N,O-donor ligand: Electrochemical transformations and antiradical activity. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2014</b> , 40, 726-739	1.6	7
64	Bis- o-semiquinonato cadmium(II) complexes with o-quinonato and N-heterocyclic carbene neutral ligands. <i>Inorganic Chemistry Communication</i> , <b>2014</b> , 50, 1-3	3.1	7
63	Trialkylantimony(V) o-amidophenolates: Electrochemical transformations and antiradical activity. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2014</b> , 40, 273-279	1.6	16
62	Complex of triphenylantimony(v) catecholate with 5-(2,6-dimethylphenyl)-3-(4-pyridyl)-1-phenylformazan. <i>Russian Chemical Bulletin</i> , <b>2014</b> , 63, 930-937	1.7	8
61	Radical polymerization of methyl methacrylate in the presence of bis[4,6-di-tert-butyl-N-(2,6-dimethylphenyl)-o-iminobenzosemiquinono]cobalt(II). <i>Russian Chemical Bulletin</i> , <b>2014</b> , 63, 987-996	1.7	5
60	The influence of triphenylantimony(V) catecholate and its spiroendoperoxide on lipid peroxidation. <i>Applied Organometallic Chemistry</i> , <b>2014</b> , 28, 274-279	3.1	14
59	A sterically hindered cobalt o-iminobenzosemiquinone complex in the polymerization of vinyl monomers. <i>Polymer Science - Series B</i> , <b>2014</b> , 56, 566-576	0.8	4
58	Redox transformations and antiradical activity of triarylpromethine(V) 3,6-di-tert-butyl-4,5-dimethoxycatecholates. <i>Russian Journal of General Chemistry</i> , <b>2014</b> , 84, 1761-1766	0.7	16
57	Complexes of triphenylantimony(v) catecholates with ammonium salts. Spectroscopic and electrochemical investigations. <i>Russian Chemical Bulletin</i> , <b>2014</b> , 63, 923-929	1.7	12

56	Redox reactions of organic C60 derivatives. <i>Russian Chemical Bulletin</i> , <b>2014</b> , 63, 1590-1598	1.7	1
55	New poly-o-quinonemethacrylate and its dioxygen-active antimony-containing polymer. <i>Journal of Polymer Research</i> , <b>2013</b> , 20, 1	2.7	18
54	Antiradical activity of morpholine- and piperazine-functionalized triphenylantimony(V) catecholates. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2013</b> , 39, 165-174	1.6	15
53	Synthesis and properties of triphenylantimony(V) dithiolate derivative. <i>Russian Journal of General Chemistry</i> , <b>2013</b> , 83, 1900-1905	0.7	3
52	Oxidizing properties of the tert-butyl hydroperoxide-tetra-tert-butoxychromium system. <i>Russian Journal of General Chemistry</i> , <b>2013</b> , 83, 2005-2017	0.7	3
51	New bis-o-benzosemiquinonato tin(IV) complexes. <i>Inorganica Chimica Acta</i> , <b>2013</b> , 394, 282-288	2.7	17
50	The nitro-substituted catecholates of triphenylantimony(V): Tetragonal pyramidal vs trigonal bipyramidal coordination. <i>Journal of Organometallic Chemistry</i> , <b>2013</b> , 733, 44-48	2.3	19
49	Ferrocene-o-benzosemiquinonato tin(IV) electron-transfer complexes. <i>Inorganic Chemistry</i> , <b>2013</b> , 52, 5284-9	5.1	12
48	Bis-o-semiquinonato complexes of transition metals with 5,7-di-tert-butyl-2-(pyridine-2-yl)benzoxazole. <i>Polyhedron</i> , <b>2013</b> , 49, 239-243	2.7	13
47	The influence of Ph <sub>3</sub> Sb(V)L complexes with redox-active ligands on in vivo lipid peroxidation. <i>Doklady Chemistry</i> , <b>2012</b> , 443, 72-76	0.8	15
46	Triaryl- and trialkylantimony(V) Bis(catecholates) based on 1,1?-spirobis[3,3-dimethylindanequinone-5,6]: Spectroscopic and electrochemical studies. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2012</b> , 38, 284-294	1.6	17
45	The interaction of N,N?-bis(2,6-dimethylphenyl)imidazol-2-ylidene with o-benzosemiquinonato zinc(II) and indium(III) complexes. <i>New Journal of Chemistry</i> , <b>2012</b> , 36, 1944	3.6	16
44	Reversible binding of molecular oxygen to catecholate and amidophenolate complexes of SbV: electronic and steric factors. <i>ChemPhysChem</i> , <b>2012</b> , 13, 3773-6	3.2	36
43	Binding of NO by Nontransition Metal Complexes. <i>Mendeleev Communications</i> , <b>2012</b> , 22, 208-210	1.9	17
42	The Features of Interaction of Bis(4, 6-di-tert-butyl-N-(2, 6-diisopropylphenyl)-o-amidophenolato)tin(IV) with Bromine and Iodine. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2012</b> , 638, 1323-1327	1.3	8
41	The influence of some triphenylantimony(V) catecholates and o-amidophenolates on lipid peroxidation in vitro. <i>Applied Organometallic Chemistry</i> , <b>2012</b> , 26, 277-283	3.1	21
40	Mono-o-semiquinonato mixed-halogenato tin(IV) complexes: EPR spectroscopic and X-ray investigations. <i>Inorganica Chimica Acta</i> , <b>2012</b> , 380, 57-64	2.7	18
39	Experimental and theoretical investigation of topological and energetic characteristics of Sb complexes reversibly binding molecular oxygen. <i>Journal of Physical Chemistry A</i> , <b>2011</b> , 115, 8271-81	2.8	39

38	New high-spin bis-o-semiquinonato cobalt(II) complexes with neutral donor ligands. <i>Inorganic Chemistry Communication</i> , <b>2011</b> , 14, 1661-1664	3.1	13
37	Transition metal complexes with non-innocent ligands in the activation of hydrogen sulfide. <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2011</b> , 37, 12-25	1.6	10
36	Redox properties of novel pyrrolidine derivatives containing sterically hindered phenol fragment. <i>Russian Journal of Electrochemistry</i> , <b>2011</b> , 47, 1119-1124	1.2	5
35	Electrochemical transformations of antimony(V) complexes containing tridentate O,N,O-donor ligands. <i>Russian Journal of Electrochemistry</i> , <b>2011</b> , 47, 1211-1219	1.2	7
34	Triphenylantimony(V) o-amidophenolates with unsymmetrical N-aryl group for a reversible dioxygen binding. <i>Applied Organometallic Chemistry</i> , <b>2011</b> , 25, 180-189	3.1	47
33	The binuclear trimethyl/triethylantimony(V) bis-catecholate derivatives of four-electron reduced 4,4'-di-(3-methyl-6-tert-butyl-o-benzoquinone). <i>Journal of Organometallic Chemistry</i> , <b>2011</b> , 696, 517-522 <sup>2,3</sup>	15	
32	Radical scavenging activity of sterically hindered catecholate and o-amidophenolate complexes of LSbVPh3 type. <i>Journal of Organometallic Chemistry</i> , <b>2011</b> , 696, 2611-2620	2.3	29
31	Electrochemical transformations of catecholate and o-amidophenolate complexes with triphenylantimony(V). <i>Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya</i> , <b>2010</b> , 36, 644-650	1.6	23
30	3,6-di-tert-butylcatecholates of triaryl antimony(V): NMR study and redox-transformations. <i>Russian Journal of General Chemistry</i> , <b>2010</b> , 80, 538-540	0.7	18
29	ESR study of paramagnetic derivatives of sterically hindered di-o-quinone with the tetrathiafulvalene bridge. <i>Russian Chemical Bulletin</i> , <b>2010</b> , 59, 1698-1706	1.7	15
28	Antimony(V) catecholato complexes based on 4,5-dialkylsubstituted o-benzoquinone. The spectroscopic and electrochemical studies. Crystal structure of [Ph <sub>4</sub> Sb] <sup>+</sup> [Ph <sub>2</sub> Sb(4,5-Cat) <sub>2</sub> ] <sup>-</sup> . <i>Journal of Organometallic Chemistry</i> , <b>2010</b> , 695, 530-536	2.3	30
27	New morpholine- and piperazine-functionalized triphenylantimony(V) catecholates: The spectroscopic and electrochemical studies. <i>Journal of Organometallic Chemistry</i> , <b>2010</b> , 695, 1215-1224	2.3	45
26	Transition metal complexes with bulky 4,6-di-tert-butyl-N-aryl(alkyl)-o-iminobenzoquinonato ligands: Structure, EPR and magnetism. <i>Coordination Chemistry Reviews</i> , <b>2009</b> , 253, 291-324	23.2	289
25	New dioxygen-inert triphenylantimony(v) catecholate complexes based on o-quinones with electron-withdrawing groups. <i>Russian Chemical Bulletin</i> , <b>2009</b> , 58, 532-537	1.7	28
24	New Bis-o-Benzoquinoid Ligands with Ethylene Bridge and Their Metal Complexes. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2009</b> , 635, NA-NA	1.3	4
23	Transition metal complexes with redox-active ligands in hydrogen sulfide activation. <i>Doklady Chemistry</i> , <b>2009</b> , 427, 147-152	0.8	4
22	Zinc molecular complexes with sterically hindered o-quinone and o-iminoquinone. <i>Doklady Chemistry</i> , <b>2009</b> , 427, 168-171	0.8	19
21	Triethylantimony(V) complexes with bidentate O,N-, O,O- and tridentate O,N,O?-coordinating o-iminoquinonato/o-quinonato ligands: Synthesis, structure and some properties. <i>Journal of Organometallic Chemistry</i> , <b>2009</b> , 694, 3462-3469	2.3	33

20	Half-Sandwich Lanthanide(III) Complexes Coordinated by Two $\beta$ -minopyridine Radical Anions. <i>Organometallics</i> , <b>2009</b> , 28, 6707-6713	3.8	24
19	Features of photolytic transformation of [4-(2-methyl-5-t-butyl-cyclohexadiene-1,5-dion-3,4-yl)-3-methyl-6-tert-butyl-catecholato]triphenylantimony(V). <i>Russian Journal of General Chemistry</i> , <b>2009</b> , 79, 1483-1486		
18	The first structurally characterized metal ( $\kappa$ (2)N,P)-phosphinohydrazides: the key to understanding the intramolecular rearrangement $R_2P-NR'-NR''-M \rightarrow R'N=PR_2-NR''-M$ . Metallderivatives of diisopropylphosphinohydrazines: synthesis and properties. <i>Inorganic Chemistry</i> , <b>2009</b> , 48, 5574-83	5.1	15
17	Diradical Bis-o-iminosemiquinonato Zinc Complex: Spectroscopy, Magneto- and Electrochemistry. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2008</b> , 634, 1154-1160	1.3	19
16	New Nitrosyl Bis-o-iminobenzosemiquinonato Complexes of M(ISQ)2(NO) Type. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2008</b> , 634, 1205-1209	1.3	10
15	New Germanium Complexes Containing Ligands Based on 4,6-Di-tert-butyl-N-(2,6-diisopropylphenyl)-o-iminobenzoquinone in Different Redox States. <i>European Journal of Inorganic Chemistry</i> , <b>2008</b> , 2008, 1435-1444	2.3	25
14	Hexacoordinate triphenylantimony(V) complex with tridentate bis-(3,5-di-tert-butyl-phenolate-2-yl)-amine ligand: Synthesis, NMR and X-ray study. <i>Journal of Organometallic Chemistry</i> , <b>2008</b> , 693, 3451-3455	2.3	19
13	Triphenylantimony(v) catecholates and o-amidophenolates: reversible binding of molecular oxygen. <i>Chemistry - A European Journal</i> , <b>2006</b> , 12, 3916-27	4.8	118
12	Synthesis and structures of five-coordinate bis-o-iminobenzosemiquinone complexes M(ISQ-R)2X (X = Cl, Br, I, or SCN; M = CoII, FeII, or MnII). <i>Russian Chemical Bulletin</i> , <b>2006</b> , 55, 44-52	1.7	21
11	EPR study of mono-o-iminobenzosemiquinonato nickel(II) complexes with NiI $\ddot{\sigma}$ bond. <i>Journal of Organometallic Chemistry</i> , <b>2005</b> , 690, 145-150	2.3	15
10	Oxidative addition reaction of o-quinones to triphenylantimony: novel triphenylantimony catecholate complexes. <i>Journal of Organometallic Chemistry</i> , <b>2005</b> , 690, 1273-1281	2.3	43
9	Manganese(III) and rhenium(II) complexes with bulky 4,6-di-tert-butyl-N-(2,6-di-iso-propylphenyl)-o-iminobenzoquinonato ligands via carbonyls of corresponding metals. <i>Inorganica Chimica Acta</i> , <b>2005</b> , 358, 3829-3840	2.7	29
8	Oxidative addition of 3,6-di-tert-butyl-o-benzoquinone and 4,6-di-tert-butyl-N-(2,6-di-iso-propylphenyl)-o-iminobenzoquinone to SnCl <sub>2</sub> . <i>Inorganica Chimica Acta</i> , <b>2005</b> , 358, 4443-4450	2.7	45
7	Reversible binding of dioxygen by a non-transition-metal complex. <i>Angewandte Chemie - International Edition</i> , <b>2005</b> , 44, 2767-2771	16.4	102
6	Reversible Binding of Dioxygen by a Non-Transition-Metal Complex. <i>Angewandte Chemie</i> , <b>2005</b> , 117, 2827-2831	3.6	16
5	Cyclic Endoperoxides Based on Triphenylantimony(V) Catecholates: The Reversible Binding of Dioxygen. <i>Doklady Chemistry</i> , <b>2005</b> , 405, 222-225	0.8	29
4	Quinone imines and aminophenols as precursors of new heterocycles. <i>Russian Chemical Bulletin</i> , <b>2005</b> , 54, 2571-2577	1.7	15
3	A Novel Five-Coordinate Manganese(III) Complex with 4,6-Di-tert-butyl-N-(2,6-di-iso-propylphenyl)-1,2-iminobenzoquinone: Reversible Interaction with Dioxygen. <i>Doklady Chemistry</i> , <b>2004</b> , 399, 207-210	0.8	12

- 2 Synthesis and ESR spectra of  
[4,6-di-tert-butyl-N-(2,6-diisopropylphenyl)-o-iminobenzosemiquinonato]thallium(i). *Russian Chemical Bulletin*, **2004**, 53, 1189-1193 1.7 11
- 1 New four- and five-coordinated complexes of cobalt with sterically hindered o-iminobenzoquinone ligands: synthesis and structure. *Inorganica Chimica Acta*, **2004**, 357, 3632-3640 2.7 53