

Shawn A Christensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4110405/publications.pdf>

Version: 2024-02-01

44
papers

2,514
citations

236925

25
h-index

254184

43
g-index

46
all docs

46
docs citations

46
times ranked

2928
citing authors

#	ARTICLE	IF	CITATIONS
1	RNAi-induced knockdown of white gene in the southern green stink bug (<i>Nezara viridula</i> L.). <i>Scientific Reports</i> , 2022, 12, .	3.3	5
2	Metabolomics by UHPLC-HRMS reveals the impact of heat stress on pathogen-elicited immunity in maize. <i>Metabolomics</i> , 2021, 17, 6.	3.0	14
3	<i>Brachypodium</i> Phenylalanine Ammonia Lyase (PAL) Promotes Antiviral Defenses against <i>Panicum mosaic virus</i> and Its Satellites. <i>MBio</i> , 2021, 12, .	4.1	16
4	Analysis of the transcriptomic, metabolomic, and gene regulatory responses to <i>Puccinia sorghi</i> in maize. <i>Molecular Plant Pathology</i> , 2021, 22, 465-479.	4.2	18
5	<i>Fusarium verticillioides</i> Induces Maize-Derived Ethylene to Promote Virulence by Engaging Fungal G-Protein Signaling. <i>Molecular Plant-Microbe Interactions</i> , 2021, 34, 1157-1166.	2.6	3
6	Detecting the Conspecific: Herbivory-Induced Olfactory Cues in the Fall Armyworm (Lepidoptera: Tj ETQq0 0 0 rgBTJ /Overlock 10 Tf 50	2.9	4
7	Fighting on two fronts: Elevated insect resistance in flooded maize. <i>Plant, Cell and Environment</i> , 2020, 43, 223-234.	5.7	18
8	<i>Setaria viridis</i> as a model for translational genetic studies of jasmonic acid-related insect defenses in <i>Zea mays</i> . <i>Plant Science</i> , 2020, 291, 110329.	3.6	7
9	Plant Defense Chemicals against Insect Pests. <i>Agronomy</i> , 2020, 10, 1156.	3.0	47
10	Genetic elucidation of interconnected antibiotic pathways mediating maize innate immunity. <i>Nature Plants</i> , 2020, 6, 1375-1388.	9.3	52
11	The 13-lipoxygenase MSD2 and the Δ^3 fatty acid desaturase MSD3 impact <i>Spodoptera frugiperda</i> resistance in <i>Sorghum</i> . <i>Planta</i> , 2020, 252, 62.	3.2	2
12	Green leaf volatiles and jasmonic acid enhance susceptibility to anthracnose diseases caused by <i>Colletotrichum graminicola</i> in maize. <i>Molecular Plant Pathology</i> , 2020, 21, 702-715.	4.2	43
13	Fertility of Pedicellate Spikelets in Sorghum Is Controlled by a Jasmonic Acid Regulatory Module. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4951.	4.1	31
14	<i>Sorghum</i> MSD3 Encodes an Δ^3 Fatty Acid Desaturase that Increases Grain Number by Reducing Jasmonic Acid Levels. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5359.	4.1	24
15	Multiple genes recruited from hormone pathways partition maize diterpenoid defences. <i>Nature Plants</i> , 2019, 5, 1043-1056.	9.3	60
16	Biosynthesis and function of terpenoid defense compounds in maize (<i>Zea mays</i>). <i>Planta</i> , 2019, 249, 21-30.	3.2	103
17	MSD1 regulates pedicellate spikelet fertility in sorghum through the jasmonic acid pathway. <i>Nature Communications</i> , 2018, 9, 822.	12.8	56
18	Contrasting insect attraction and herbivore-induced plant volatile production in maize. <i>Planta</i> , 2018, 248, 105-116.	3.2	21

#	ARTICLE	IF	CITATIONS
19	Commercial hybrids and mutant genotypes reveal complex protective roles for inducible terpenoid defenses in maize. <i>Journal of Experimental Botany</i> , 2018, 69, 1693-1705.	4.8	42
20	Fungal and herbivore elicitation of the novel maize sesquiterpenoid, zealexin A4, is attenuated by elevated CO ₂ . <i>Planta</i> , 2018, 247, 863-873.	3.2	24
21	Maize <i>ZmHst3</i> disrupts homogentisate solanesyl transferase (<i>ZmHst</i>) and reveals a plastoquinone-independent path for phytoene desaturation and tocopherol accumulation in kernels. <i>Plant Journal</i> , 2018, 93, 799-813.	5.7	24
22	Herbivore-derived fatty-acid amides elicit reactive oxygen species burst in plants. <i>Journal of Experimental Botany</i> , 2018, 69, 1235-1245.	4.8	27
23	The effects of climate change associated abiotic stresses on maize phytochemical defenses. <i>Phytochemistry Reviews</i> , 2018, 17, 37-49.	6.5	96
24	Interactions Among Plants, Insects, and Microbes: Elucidation of Inter-Organismal Chemical Communications in Agricultural Ecology. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 6663-6674.	5.2	37
25	Elevated carbon dioxide reduces emission of herbivore-induced volatiles in <i>Zea mays</i> . <i>Plant, Cell and Environment</i> , 2017, 40, 1725-1734.	5.7	31
26	Systems genetics reveals a transcriptional network associated with susceptibility in the maize "grey leaf spot" pathosystem. <i>Plant Journal</i> , 2017, 89, 746-763.	5.7	49
27	Rapid defense responses in maize leaves induced by <i>Spodoptera exigua</i> caterpillar feeding. <i>Journal of Experimental Botany</i> , 2017, 68, 4709-4723.	4.8	98
28	RNA-Seq analysis of resistant and susceptible sub-tropical maize lines reveals a role for kauralexins in resistance to grey leaf spot disease, caused by <i>Cercospora zeina</i> . <i>BMC Plant Biology</i> , 2017, 17, 197.	3.6	43
29	Interactive Effects of Elevated [CO ₂] and Drought on the Maize Phytochemical Defense Response against Mycotoxigenic <i>Fusarium verticillioides</i> . <i>PLoS ONE</i> , 2016, 11, e0159270.	2.5	39
30	A maize death acid, 10-oxo-11-phytoenoic acid, is the predominant cyclopentenone signal present during multiple stress and developmental conditions. <i>Plant Signaling and Behavior</i> , 2016, 11, e1120395.	2.4	16
31	Genetic mapping shows intraspecific variation and transgressive segregation for caterpillar-induced aphid resistance in maize. <i>Molecular Ecology</i> , 2015, 24, 5739-5750.	3.9	45
32	Maize death acids, 9-lipoxygenase-derived cyclopent(a)enones, display activity as cytotoxic phytoalexins and transcriptional mediators. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11407-11412.	7.1	128
33	Accumulation of terpenoid phytoalexins in maize roots is associated with drought tolerance. <i>Plant, Cell and Environment</i> , 2015, 38, 2195-2207.	5.7	137
34	Two closely related members of <i>Ara</i> lipoxygenases (<i>LOXs</i>), <i>LOX3</i> and <i>LOX4</i> , reveal distinct functions in response to plant-parasitic nematode infection. <i>Molecular Plant Pathology</i> , 2014, 15, 319-332.	4.2	64
35	Effects of elevated [CO ₂] on maize defence against mycotoxigenic <i>Fusarium verticillioides</i> . <i>Plant, Cell and Environment</i> , 2014, 37, 2691-2706.	5.7	107
36	Biosynthesis, elicitation and roles of monocot terpenoid phytoalexins. <i>Plant Journal</i> , 2014, 79, 659-678.	5.7	233

#	ARTICLE	IF	CITATIONS
37	Seed Treatment with Live or Dead <i>Fusarium verticillioides</i> Equivalently Reduces the Severity of Subsequent Stalk Rot. <i>Journal of Phytopathology</i> , 2014, 162, 201-204.	1.0	2
38	The Novel Monocot-Specific 9-Lipoxygenase ZmLOX12 Is Required to Mount an Effective Jasmonate-Mediated Defense Against <i>Fusarium verticillioides</i> in Maize. <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, 1263-1276.	2.6	89
39	The maize lipoxygenase, <i>ZmLOX10</i> , mediates green leaf volatile, jasmonate and herbivore-induced plant volatile production for defense against insect attack. <i>Plant Journal</i> , 2013, 74, 59-73.	5.7	217
40	Disruption of <i>OPR7</i> and <i>OPR8</i> Reveals the Versatile Functions of Jasmonic Acid in Maize Development and Defense. <i>Plant Cell</i> , 2012, 24, 1420-1436.	6.6	222
41	Quantification of Fungal Colonization, Sporogenesis, and Production of Mycotoxins Using Kernel Bioassays. <i>Journal of Visualized Experiments</i> , 2012, , .	0.3	24
42	A novel, conditional, lesion mimic phenotype in cotton cotyledons due to the expression of an endochitinase gene from <i>Trichoderma virens</i> . <i>Plant Science</i> , 2012, 183, 86-95.	3.6	8
43	The lipid language of plant-fungal interactions. <i>Fungal Genetics and Biology</i> , 2011, 48, 4-14.	2.1	182
44	Wrap-and-plant technology to manage sustainably potato cyst nematodes in East Africa. <i>Nature Sustainability</i> , 0, , .	23.7	5