Valerie E Beral

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4110690/publications.pdf

Version: 2024-02-01

201674 175258 2,913 61 27 52 citations h-index g-index papers 61 61 61 4993 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Mortality associated with oral contraceptive use: 25Âyear follow up of cohort of 46Â000 women from Royal College of General Practitioners' oral contraception study. BMJ: British Medical Journal, 1999, 318, 96-100.	2.3	202
2	Age at Menarche and Risks of Coronary Heart and Other Vascular Diseases in a Large UK Cohort. Circulation, 2015, 131, 237-244.	1.6	196
3	Does happiness itself directly affect mortality? The prospective UK Million Women Study. Lancet, The, 2016, 387, 874-881.	13.7	195
4	Mortality in vegetarians and non-vegetarians: a collaborative analysis of 8300 deaths among 76,000 men and women in five prospective studies. Public Health Nutrition, 1998, 1, 33-41.	2.2	193
5	Frequent Physical Activity May Not Reduce Vascular Disease Risk as Much as Moderate Activity. Circulation, 2015, 131, 721-729.	1.6	170
6	The spectrum of HIV-1 related cancers in South Africa. International Journal of Cancer, 2000, 88, 489-492.	5.1	150
7	Mobile phone use and risk of brain neoplasms and other cancers: prospective study. International Journal of Epidemiology, 2013, 42, 792-802.	1.9	147
8	Night Shift Work and Breast Cancer Incidence: Three Prospective Studies and Meta-analysis of Published Studies. Journal of the National Cancer Institute, 2016, 108, djw169.	6.3	145
9	The epidemiology of non-Hodgkin's lymphoma: Comparison of nodal and extra-nodal sites. International Journal of Cancer, 1997, 72, 923-930.	5.1	130
10	Source of dietary fibre and diverticular disease incidence: a prospective study of UK women. Gut, 2014, 63, 1450-1456.	12,1	100
	05, 1450 1450.	12,1	
11	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women Study. Lancet Public Health, The, 2019, 4, e41-e48.	10.0	96
11	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women		96
	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women Study. Lancet Public Health, The, 2019, 4, e41-e48. Hormonal therapy for menopause and ovarian cancer in a collaborative re-analysis of European		
12	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women Study. Lancet Public Health, The, 2019, 4, e41-e48. Hormonal therapy for menopause and ovarian cancer in a collaborative re-analysis of European studies., 1999, 80, 848-851. Body mass index, diet, physical inactivity, and the incidence of dementia in 1 million UK women.	10.0	69
12	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women Study. Lancet Public Health, The, 2019, 4, e41-e48. Hormonal therapy for menopause and ovarian cancer in a collaborative re-analysis of European studies., 1999, 80, 848-851. Body mass index, diet, physical inactivity, and the incidence of dementia in 1 million UK women. Neurology, 2020, 94, e123-e132. Comparison of dementia recorded in routinely collected hospital admission data in England with	10.0	69 56
12 13 14	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women Study. Lancet Public Health, The, 2019, 4, e41-e48. Hormonal therapy for menopause and ovarian cancer in a collaborative re-analysis of European studies., 1999, 80, 848-851. Body mass index, diet, physical inactivity, and the incidence of dementia in 1 million UK women. Neurology, 2020, 94, e123-e132. Comparison of dementia recorded in routinely collected hospital admission data in England with dementia recorded in primary care. Emerging Themes in Epidemiology, 2016, 13, 11. Validity over time of self-reported anthropometric variables during follow-up of a large cohort of	1.1 2.7	69 56 55
12 13 14	Alcohol drinking patterns and liver cirrhosis risk: analysis of the prospective UK Million Women Study. Lancet Public Health, The, 2019, 4, e41-e48. Hormonal therapy for menopause and ovarian cancer in a collaborative re-analysis of European studies., 1999, 80, 848-851. Body mass index, diet, physical inactivity, and the incidence of dementia in 1 million UK women. Neurology, 2020, 94, e123-e132. Comparison of dementia recorded in routinely collected hospital admission data in England with dementia recorded in primary care. Emerging Themes in Epidemiology, 2016, 13, 11. Validity over time of self-reported anthropometric variables during follow-up of a large cohort of UK women. BMC Medical Research Methodology, 2015, 15, 81.	1.1 2.7 3.1	69 56 55

#	Article	IF	Citations
19	Histological subtypes of ovarian cancer associated with parity and breastfeeding in the prospective Million Women Study. International Journal of Cancer, 2018, 142, 281-289.	5.1	46
20	Cohort Profile: the Million Women Study. International Journal of Epidemiology, 2019, 48, 28-29e.	1.9	46
21	Childhood thyroid cancer in Belarus. Nature, 1992, 359, 680-681.	27.8	44
22	Hypertension in pregnancy and risk of coronary heart disease and stroke: A prospective study in a large UK cohort. International Journal of Cardiology, 2016, 222, 1012-1018.	1.7	40
23	Social isolation and risk of heart disease and stroke: analysis of two large UK prospective studies. Lancet Public Health, The, 2021, 6, e232-e239.	10.0	40
24	Diet and risk of glioma: combined analysis of 3 large prospective studies in the UK and USA. Neuro-Oncology, 2019, 21, 944-952.	1.2	38
25	Heterogeneity of colorectal cancer risk by tumour characteristics: Large prospective study of <scp>UK</scp> women. International Journal of Cancer, 2017, 140, 1082-1090.	5.1	37
26	Antidepressants, Depression, and Venous Thromboembolism Risk: Large Prospective Study of UK Women. Journal of the American Heart Association, 2017, 6, .	3.7	36
27	Cognitive and social activities and long-term dementia risk: the prospective UK Million Women Study. Lancet Public Health, The, 2021, 6, e116-e123.	10.0	36
28	The role of health-related behavioural factors in accounting for inequalities in coronary heart disease risk by education and area deprivation: prospective study of 1.2 million UK women. BMC Medicine, 2016, 14, 145.	5 . 5	35
29	Hospital costs in relation to body-mass index in $1\hat{A}\cdot 1$ million women in England: a prospective cohort study. Lancet Public Health, The, 2017, 2, e214-e222.	10.0	30
30	Factors associated with participation in colorectal cancer screening in Australia: Results from the 45 and Up Study cohort. Preventive Medicine, 2018, 106, 185-193.	3.4	29
31	Tubal ligation and incidence of 26 site-specific cancers in the Million Women Study. British Journal of Cancer, 2016, 114, 1033-1037.	6.4	28
32	Foods, macronutrients and breast cancer risk in postmenopausal women: a large UK cohort. International Journal of Epidemiology, 2019, 48, 489-500.	1.9	27
33	Ovarian cancer survival by stage, histotype, and pre-diagnostic lifestyle factors, in the prospective UK Million Women Study. Cancer Epidemiology, 2022, 76, 102074.	1.9	26
34	Current evidence about the effect of hormone replacement therapy on the incidence of major conditions in postmenopausal women. BJOG: an International Journal of Obstetrics and Gynaecology, 2005, 112, 692-695.	2.3	23
35	Heterogeneous relationships of squamous and basal cell carcinomas of the skin with smoking: the UK Million Women Study and meta-analysis of prospective studies. British Journal of Cancer, 2018, 119, 114-120.	6.4	23
36	Sleep duration and breast cancer incidence: results from the Million Women Study and meta-analysis of published prospective studies. Sleep, 2021, 44, .	1.1	23

#	Article	IF	CITATIONS
37	Cellular Telephone Use and the Risk of Brain Tumors: Update of the UK Million Women Study. Journal of the National Cancer Institute, 2022, 114, 704-711.	6.3	23
38	Past cervical intraepithelial neoplasia grade 3, obesity, and earlier menopause are associated with an increased risk of vulval cancer in postmenopausal women. British Journal of Cancer, 2016, 115, 599-606.	6.4	22
39	Risk Factors for Cataracts Treated Surgically in Postmenopausal Women. Ophthalmology, 2016, 123, 1704-1710.	5.2	22
40	Coffee and pancreatic cancer risk among neverâ€smokers in the UK prospective Million Women Study. International Journal of Cancer, 2019, 145, 1484-1492.	5.1	22
41	Use of oral bisphosphonates and risk of hospital admission with osteonecrosis of the jaw: Large prospective cohort study in UK women. Bone, 2019, 124, 69-74.	2.9	18
42	The association of plasma IGF-I with dietary, lifestyle, anthropometric, and early life factors in postmenopausal women. Growth Hormone and IGF Research, 2015, 25, 90-95.	1.1	12
43	Social influences on smoking cessation in mid-life: Prospective cohort of UK women. PLoS ONE, 2019, 14, e0226019.	2.5	11
44	Body mass index and use and costs of primary care services among women aged 55–79 years in England: a cohort and linked data study. International Journal of Obesity, 2019, 43, 1839-1848.	3.4	11
45	The Associations Between Seven Different Types of Physical Activity and the Incidence of Fracture at Seven Sites in Healthy Postmenopausal UK Women. Journal of Bone and Mineral Research, 2020, 35, 277-290.	2.8	11
46	Authors' response to: The case of acoustic neuroma: comment on mobile phone use and risk of brain neoplasms and other cancers. International Journal of Epidemiology, 2014, 43, 275-275.	1.9	10
47	Adult cancer risk in women who were breastfed as infants: large UK prospective study. European Journal of Epidemiology, 2019, 34, 863-870.	5.7	9
48	Screenâ€detected and interval colorectal cancers in England: Associations with lifestyle and other factors in women in a large UK prospective cohort. International Journal of Cancer, 2019, 145, 728-734.	5.1	7
49	Body size from birth to middle age and the risk of hip and knee replacement. BMC Musculoskeletal Disorders, 2016, 17, 260.	1.9	6
50	Response to Letter Regarding Article, "Frequent Physical Activity May Not Reduce Vascular Disease Risk as Much as Moderate Activity: Large Prospective Study of Women in the United Kingdom― Circulation, 2015, 132, e225.	1.6	5
51	Response. Journal of the National Cancer Institute, 2017, 109, .	6.3	5
52	Variations in vascular mortality trends, 2001–2010, among 1.3 million women with different lifestyle risk factors for the disease. European Journal of Preventive Cardiology, 2015, 22, 1626-1634.	1.8	4
53	Association of ten gastrointestinal and other medical conditions with positivity to faecal occult blood testing in routine screening: a large prospective study of women in England. International Journal of Epidemiology, 2019, 48, 549-558.	1.9	4
54	Body size in early life and the risk of postmenopausal breast cancer. BMC Cancer, 2022, 22, 232.	2.6	4

#	Article	IF	CITATIONS
55	Depression, anxiety, psychotropic drugs, and acute myocardial infarction: large prospective study of United Kingdom women. Psychological Medicine, 2021, , 1-7.	4.5	2
56	Decrease in breast cancer incidence following a rapid fall in use of hormone replacement therapy in Australia. Medical Journal of Australia, 2009, 190, 164-165.	1.7	1
57	Happiness, health, and mortality – Authors' reply. Lancet, The, 2016, 388, 27-28.	13.7	1
58	Cognitive and social activities and long-term dementia risk – Authors' reply. Lancet Public Health, The, 2021, 6, e270.	10.0	1
59	Response to Moskowitz and Birnbaum, Taylor, Baldwin, et al Journal of the National Cancer Institute, 2022, 114, 1555-1556.	6. 3	1
60	Reply. Ophthalmology, 2017, 124, e42.	5. 2	0
61	863Alcohol and cancer in an Australian cohort of 226,162 participants aged 45 years and over. International Journal of Epidemiology, 2021, 50, .	1.9	0