

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4111109/publications.pdf>

Version: 2024-02-01

24
papers

544
citations

623734

14
h-index

677142

22
g-index

25
all docs

25
docs citations

25
times ranked

579
citing authors

#	ARTICLE	IF	CITATIONS
1	Transferrin Protein Corona-Modified CuGd Core-Shell Nanoplatform for Tumor-Targeting Photothermal and Chemodynamic Synergistic Therapies. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 7659-7670.	8.0	15
2	Population pharmacokinetics, safety and dosing optimization of voriconazole in patients with liver dysfunction: A prospective observational study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1890-1902.	2.4	22
3	Using Child-Pugh Class to Optimize Voriconazole Dosage Regimens and Improve Safety in Patients with Liver Cirrhosis: Insights from a Population Pharmacokinetic Model-based Analysis. <i>Pharmacotherapy</i> , 2021, 41, 172-183.	2.6	8
4	Predictors of Adverse Events and Determinants of the Voriconazole Trough Concentration in Kidney Transplantation Recipients. <i>Clinical and Translational Science</i> , 2021, 14, 702-711.	3.1	9
5	Predictors of Voriconazole Trough Concentrations in Patients with Child-Pugh Class C Cirrhosis: A Prospective Study. <i>Antibiotics</i> , 2021, 10, 1130.	3.7	10
6	Role of MicroRNA-155 in Triptolide-induced hepatotoxicity via the Nrf2-Dependent pathway. <i>Journal of Ethnopharmacology</i> , 2021, 281, 114489.	4.1	13
7	A Large Sample Retrospective Study on the Distinction of Voriconazole Concentration in Asian Patients from Different Clinical Departments. <i>Pharmaceuticals</i> , 2021, 14, 1239.	3.8	5
8	Dissecting the Crosstalk Between Nrf2 and NF- κ B Response Pathways in Drug-Induced Toxicity. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 809952.	3.7	58
9	Factors Affecting Voriconazole Trough Concentration and Optimal Maintenance Voriconazole Dose in Chinese Children. <i>Antibiotics</i> , 2021, 10, 1542.	3.7	8
10	Dihydromyricetin affect the pharmacokinetics of triptolide in rats. <i>Xenobiotica</i> , 2020, 50, 332-338.	1.1	7
11	Celastrol slows the progression of early diabetic nephropathy in rats via the PI3K/AKT pathway. <i>BMC Complementary Medicine and Therapies</i> , 2020, 20, 321.	2.7	16
12	A Meta-Analysis on the Association Between TNFSF4 Polymorphisms (rs3861950 T > C and rs1234313 A) Tj ETQo 0 0 rgBT /Overlo	2.8	8
13	Identifying factors affecting the pharmacokinetics of voriconazole in patients with liver dysfunction: A population pharmacokinetic approach. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 125, 34-43.	2.5	26
14	Celastrol attenuates renal injury in diabetic rats via MAPK/NF- κ B pathway. <i>Phytotherapy Research</i> , 2019, 33, 1191-1198.	5.8	39
15	Population pharmacokinetics of voriconazole and CYP2C19 polymorphisms for optimizing dosing regimens in renal transplant recipients. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1587-1597.	2.4	51
16	Carnosol, a dietary diterpene from rosemary (<i>Rosmarinus officinalis</i>) activates Nrf2 leading to sestrin 2 induction in colon cells. <i>Integrative Molecular Medicine</i> , 2018, 5, .	0.3	18
17	The impact of proton pump inhibitors on the pharmacokinetics of voriconazole in vitro and in vivo. <i>Biomedicine and Pharmacotherapy</i> , 2018, 108, 60-64.	5.6	32
18	Broad targeting of triptolide to resistance and sensitization for cancer therapy. <i>Biomedicine and Pharmacotherapy</i> , 2018, 104, 771-780.	5.6	43

#	ARTICLE	IF	CITATIONS
19	Therapeutic drug monitoring and safety of voriconazole therapy in patients with Childâ€Pugh class B and C cirrhosis: A multicenter study. <i>International Journal of Infectious Diseases</i> , 2018, 72, 49-54.	3.3	34
20	Glycyrrhetic Acid Accelerates the Clearance of Triptolide through Pâ€gp <i>In Vitro</i>. <i>Phytotherapy Research</i> , 2017, 31, 1090-1096.	5.8	20
21	Impact of CYP2C19 Genotype and Liver Function on Voriconazole Pharmacokinetics in Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2017, 39, 422-428.	2.0	44
22	Rosemary Extracts Upregulate Nrf2, Sestrin2, and MRP2 Protein Level in Human Hepatoma HepG2 Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-7.	1.2	9
23	Isoliquiritigenin protects against triptolide-induced hepatotoxicity in mice through Nrf2 activation. <i>Die Pharmazie</i> , 2016, 71, 394-397.	0.5	16
24	Standardized rosemary (<i>Rosmarinus officinalis</i>) extract induces Nrf2/sestrin-2 pathway in colon cancer cells. <i>Journal of Functional Foods</i> , 2015, 13, 137-147.	3.4	33